DAILY RAINFALL 1911 - 1920

WESTMORLAND

AMBLESIDE	BRENT KNOLL		1916
"	LOUGHRIGG BROW	1915	1918.
"	MARKET SQUARE	1911	1920
"	SKELWITH BRIDGE	1911	1916
"	TWEEN HOUSE	1913	1915
"	WANSFELL	1911	1920
"	WHITE CRAGG	1911	1920
APPLEBY	CASTLE BANK	1911	1920
BARBON			1911
"	MANOR.	1911	1920
"	THE STORES	1911	1920
BOWNESS	DAWSTONE	1913	1920
"	FALLBARROW	1911	1917
"	LINDETH. HOWE	1911	1913
"	FELLSIDE	1911	1920
DUNGEON	GHYLL	1911	1920
GRASMERE	MICHAELS FOLD		1915
GRASMERE	THE WRAY	1911	1920
GREAT STRICKLAND	GREENCROFT	1911	1917
HAWES WATER	MEASAND	1918	1919
" "	NADDLE HOUSE	1918	1919
HELTONDALE	KIDMOOR	1918	1919
HEVERSHAM	LEASGILL	1911	1920
"	PLUM TREE HALL	1911	1920.
KENDAL	CROSTHWAITE VICARAGE	1911	1920
"	HOLMCROFT	1911	1920
"	HYLANDS	1919	1920
"	LOW SLACK	1912-13, 15-	1920
"	POTTER FELL	1913, 19 -	1920
"	VICARAGE TERRACE	1911 -	1915.
KENTMERE		1919	1920
KIRBY LONSDALE	CASTERTON 'NORWOOD'	1911	1917
" "	" CLERGY DAUGHTERS SCHOOL	1911	1920
KIRBY STEPHEN	REDMAN HOUSE	1911	1920
MILNTHORPE	ST ANTHONY'S	1912	1917
ORTON		1914	1920

PATTERDALE.	HALL		1915
"	GREENSIDE MINE	1915	1918
PENRITH	MORLAND	1911	1920
RAVENSTONEDALE	THE CHANTRY	1911	1919
RYDAL		1911 - 12, 14 ·	1920
"	HIGH CLOSE	1911	1920
"	SILVERTHWAITE	1911	1917
"	THE STEPPING STONES	1911 - 15,	1917
SHAP	FORCE BECK		1918
"	KIRK BANK.	1918	1919
"	MOSEDALE COTTAGE	1918	1919
"	TAILBERT HEAD	1918	1919
STAINMORE	RAMPSON OLD GAUGE		1920
SWINDALE	HEAD	1918	1919
WET SLEDDALE	MIRETHWAITE	1918	1919
WINDERMERE	BROCKHOLE	1911	1920
"	HAMMERBANK	1912	1920
"	HOLEBIRD	1911	1920
"	THE COUNCIL HOUSE.	1915	1916

Smaste

R

AMBLESIDE
BRENT KNOLL
WESTMORLAND
1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Brent K ... 2.58 W

A.M.

Windermere L.N.W.

in the County of ... Gauge 5 in.

by Alfred E. H ... ve Ground 1 ft. 0 in.

Sea Level 175 ft.

IMPORTANT ... the result entered to the previous day. If a ... versal rule, he is earnestly requested to add the reading at 9 a.m. on ... ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.17.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.66	0.21	~	~	~	0.75	0.84	0.02	~	~	1.02	–	1
2	0.60	0.38	0.04	~	~	0.15	0.01	–	0.12	0.18	0.20	0.02	2
3	0.25	0.37	–	0.04	~	0.22	0.15	–	0.74	0.52	0.65	–	3
4	0.24	0.12	~	~	0.60	0.85	0.01	–	0.06	1.36	0.35	–	4
5	0.35	1.50	–	~	0.37	0.26	–	–	~	1.88	0.41	~	5
6	1.36	0.38	0.01	~	0.56	0.15	0.26	–	~	0.71	0.33	~	6
7	0.07	0.15	0.01	~	0.57	0.17	0.50	~	~	0.55	0.37	0.33	7
8	0.04	0.12	0.03	0.01	0.01	0.11	0.04	~	~	0.12	0.79	0.06	8
9	0.19	0.01	0.01	~	0.14	0.06	0.05	~	~	0.04	0.46	0.09	9
10	0.08	0.25	~	0.27	~	0.02	0.19	~	~	1.48	0.60	0.01	10
11	~	0.09	0.01	0.66	0.01	~	0.21	~	0.10	0.12	0.07	0.11	11
12	0.52	0.88	0.07	0.19	0.40	0.02	0.39	0.30	0.01	0.24	0.01	0.04	12
13	~	0.59	0.17	0.07	0.01	~	~	0.22	~	1.10	0.01	0.01	13
14	0.32	0.49	0.02	0.07	0.44	~	~	0.08	0.05	1.06	0.04	0.01	14
15	0.19	1.05	0.25	0.11	0.01	~	0.02	0.70	0.06	0.07	~	~	15
16	0.08	0.52	0.33	0.63	~	~	0.22	0.15	~	~	~	0.05	16
17	0.80	0.08	–	0.95	–	–	0.12	0.07	1.27	0.37	~	0.40 }	17
18	0.24	0.68	–	0.21	–	–	0.01	0.69	0.60	0.14	0.08		18
19	1.49	~	0.25	~	~	~	~	0.02	0.05	~	0.08	0.17	19
20	1.42	–	0.02	0.05	~	~	0.01	0.10	~	–	0.17	0.54	20
21	0.67	–	~	~	0.02	–	0.30	~	~	~	0.13	0.01	21
22	0.01	0.01	~	0.04	–	0.29	~	–	0.03	0.14	0.08	0.01	22
23	0.42	~	0.23	0.40	~	0.28	~	0.01	~	0.70	0.97	0.21	23
24	0.17	~	0.03	0.58	~	0.90	~	0.55	~	0.13	0.31	0.14	24
25	0.07	~	0.48	~	0.13	0.12	~	0.32	~	0.24	1.06	0.19	25
26	(0.50)	0.05	0.25	~	~	~	~	~	0.22	0.04	0.04	~	26
27	0.01	0.03	0.02	~	~	~	~	~	0.11	0.30	0.62	0.01	27
28	1.47	~	~	~	~	~	~	~	~	0.25	0.36	3.52	28
29	0.31	0.30	0.06	~	0.05	~	~	~	~	0.47	1.10	0.43	29
30	0.10	✕	0.03	~	~	0.09	0.02	0.02	~	1.23	1.38	0.70	30
31	0.01	✕	~	✕	1.22	✕	~	0.33	✕	0.57	✕	0.31	31
Total	13.64 ✓	8.26 ✓	2.32 ✓	4.28 ✓	4.54 ✓	4.44 ✓	3.35 ✓	3.58 ✓	3.41 ✓	14.01 ✓	11.19 ✓	7.37	YEAR'S TOTAL 80.39 ✓
Rain Days.	29	22 ✓	20 ✓	15 ✓	15 ✓	16 ✓	18 ✓	15 ✓	13 ✓	26 ✓	27 ✓	24 ✓	240

W. 8,000, VIII. 16 Rain gauge removed 100 yards West on Oct 10d 1916. at 8. a.m.

Smaste

RE

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Brent Knoll, Ambleside

in the County of Westmorland

by Alfred E. Huddlestone.

Lat. 2. 58 W

Time of Observation 8. A.M.

Nearest Railway Station Windermere L.N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.17.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.66	0.21	~	~	~	0.75	0.84	0.02	~	~	1.02	~	1
2	0.60	0.38	0.04	~	~	0.15	0.01	~	0.12	0.18	0.20	0.02	2
3	0.25	0.37	~	0.04	~	0.22	0.15	~	0.74	0.52	0.65	~	3
4	0.24	0.12	~	~	0.60	0.85	0.01	~	0.06	1.36	0.35	~	4
5	0.35	1.50	~	~	0.37	0.26	–	–	~	1.88	0.41	~	5
6	1.36	0.38	0.01	~	0.56	0.15	0.26	–	~	0.71	0.33	~	6
7	0.07	0.15	0.01	~	0.57	0.17	0.50	~	~	0.55	0.37	0.33	7
8	0.04	0.12	0.03	0.01	0.01	0.11	0.04	~	~	0.12	0.79	0.06	8
9	0.19	0.01	0.01	~	0.14	0.06	0.05	~	~	0.04	0.46	0.09	9
10	0.08	0.25	~	0.27	~	0.02	0.19	~	~	1.48	0.60	0.01	10
11	~	0.09	0.01	0.66	0.01	~	0.21	~	0.10	0.12	0.07	0.11	11
12	0.52	0.88	0.07	0.19	0.40	0.02	0.39	0.30	0.01	0.24	0.01	0.04	12
13	~	0.59	0.17	0.07	0.01	~	~	0.22	~	1.10	0.01	0.01	13
14	0.32	0.49	0.02	0.07	0.44	~	~	0.08	0.05	1.06	0.04	0.01	14
15	0.19	1.05	0.25	0.11	0.01	~	0.02	0.70	0.06	0.07	~	~	15
16	0.08	0.52	0.33	0.63	~	~	0.22	0.15	~	~	~	0.05	16
17	0.80	0.08	~	0.95	~	~	0.12	0.07	1.27	0.37	~	0.40 }	17
18	0.24	0.68	~	0.21	~	~	0.01	0.69	0.60	0.14	0.08		18
19	1.49	~	0.25	~	~	~	~	0.02	0.05	~	0.08	0.17	19
20	1.42	~	0.02	0.05	~	~	0.01	0.10	~	~	0.17	0.54	20
21	0.67	~	~	~	0.02	~	0.30	~	~	~	0.13	0.01	21
22	0.01	0.01	~	0.04	~	0.29	~	~	0.03	0.14	0.08	0.01	22
23	0.42	~	0.23	0.40	~	0.28	~	0.01	~	0.70	0.97	0.21	23
24	0.17	~	0.03	0.58	~	0.90	~	0.55	~	0.13	0.31	0.14	24
25	0.07	~	0.48	~	0.13	0.12	~	0.32	~	0.24	1.06	0.19	25
26	(0.50)	0.05	0.25	~	~	~	~	~	0.22	0.04	0.04	~	26
27	0.01	0.03	0.02	~	~	~	~	~	0.11	0.30	0.12	0.01	27
28	1.47	~	~	~	~	~	~	~	~	0.25	0.36	3.52	28
29	0.31	0.30	0.06	~	0.05	~	~	~	~	0.47	1.10	0.43	29
30	0.10	X	0.03	~	~	0.09	0.02	0.02	~	1.23	1.38	0.70	30
31	0.01	X	~	X	1.22	X	~	0.33	X	0.57	X	0.31	31
Total	13.64 ✓	8.26 ✓	2.32 ✓	4.28 ✓	4.54 ✓	4.44 ✓	3.35 ✓	3.58 ✓	3.41 ✓	14.01 ✓	11.19 ✓	7.37 ✓	YEAR'S TOTAL 80.39 ✓
Rain Days.	29	22 ✓	20 ✓	15 ✓	15 ✓	16 ✓	18 ✓	15 ✓	13 ✓	26 ✓	27 ✓	24	240

W. 8,000, VIII. 16 Rain gauge removed 100 yards West on Oct 10d 1916. at 8. a.m.

AMBLESIDE
LOUGH~~R~~IGG BROW

WESTMORLAND

1915 - 1918

REC

FORM A.
BRITISH RAINFALL.
4-FEB 1916

Kept at Longhrig ... W ... ermere

in the County of ~~Am~~ ... M.

... in.

by I. H. Storey ... ound 1 ft. 0 in.

... Level 279 ft.

NOTE.—Rain should be measu ... tructions for the measurement of rain and particulars as to the B ... ” sent post-free on application to Dr. H. R. MILL, 62, Camden S...

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·58	1·43	0·07	—	0·14	0·01	0·15	0·61	0·01				1
2	0·02	1·18	0·62	0·72		0·17	0·38	0·45					2
3	0·03	0·54	0·61	0·33			0·46	0·36				0·27	3
4		0·34	0·38	0·10	0·11	0·35	—	0·08				0·37	4
5	0·45	0·99	0·46	0·04	0·16	0·01		0·11				1·65	5
6	0·27	0·40	0·01	0·62		0·19	1·45	0·06	0·07			0·75	6
7	0·48	1·02	0·01	0·28			0·64	0·13			0·01	0·26	7
8	0·40	0·95		0·23				0·20			1·68	7°	8
9	0·01	0·16		0·01				0·02			0·38	1·06	9
10	1·24	0·02	0·04	0·16			0·01	0·10		0·05		1·12	10
11	0·17			0·01	0·62		0·02	0·03		0·02	0·06	2° 0·45	11
12	0·47	0·02		0·01			0·08	0·01		0·38	1·01	1°	12
13	0·35	0·06						0·26	0·01	0·12	6°	0·41	13
14	0·65			0·04	0·01		0·16	0·08	0·10		11°	0·50	14
15	1·33			0·08	0·01			0·31	0·05		2·5 3° 0·17	0·63	15
16		1·75					0·16	0·06	0·16		14°	0·07	16
17		0·58	0·02				0·14				8°		17
18		0·45	0·36	0·02			0·38				5°	7°	18
19	0·04	0·17	0·18	1·60	0·37		0·30				6°	6°	19
20	0·63	0·01	0·08	0·04	0·15		0·69	0·01			8°	0·46	20
21	0·16	0·07		0·17			0·67				11°	5° 0·07	21
22			0·15			0·06	0·22			0·03	10°	0·69	22
23		0·01	0·14	0·02		0·03	0·05		0·26	0·58	2°	0·53	23
24			0·06	0·03			0·15		0·65	0·20	6°	0·83	24
25							0·14		0·08		6°	0·12	25
26		1·38				0·02	0·39				12°	0·57	26
27		0·34				0·14	0·01			0·79	1·00 6° 0·11	0·67	27
28		0·58	0·02		0·07	0·35		0·37		0·22	11°		28
29					0·16						0·96	0·37	29
30	0·48			0·18		0·14					0·21	0·16	30
31	0·53						0·04	1·16		0·02		1·75	31
Total	8·29	12·45	3·21	4·69	1·80	1·47	6·69	4·41	1·38	2·41	4·59	13·76	TOTAL for year
No. of Rain Days	19	20·74 22	23·95 16	28·64 20	30·44 10	31·91 11	38·60 22	43·01 19	44·39 9	46·89 10	51·39 9	66·15 23	65·15 190

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REC

Kept at Loughrigg Brow

in the County of ~~Ambleside~~ Westmorland

by I. H. Storey Esq

Lat. W

Nearest Railway Station Windermere

Time of Observation 9 A.M.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 279 ft.

FORM A.
BRITISH RAINFALL.
4 FEB 1916

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.58	1.43	0.07		0.14	0.01	0.15	0.61	0.01				1
2	0.02	1.18	0.62	0.72		0.17	0.38	0.45					2
3	0.03	0.54	0.61	0.33			0.46	0.36				0.27	3
4		0.34	0.38	0.10	0.11	0.35		0.08				0.37	4
5	0.45	0.99	0.46	0.04	0.16	0.01		0.11				1.65	5
6	0.27	0.40	0.01	0.62		0.19	1.45	0.06	0.07			0.75	6
7	0.48	1.02	0.01	0.28			0.64	0.13			0.01	0.26	7
8	0.40	0.95		0.23				0.20			1.68	7°	8
9	0.01	0.16		0.01				0.02			0.38	1.06	9
10	1.24	0.02	0.04	0.16			0.01	0.10		0.05		1.12	10
11	0.17			0.01	0.62		0.02	0.03		0.02	0.06	2° 0.45	11
12	0.47	0.02		0.01			0.08	0.01		0.38	1.01	1°	12
13	0.35	0.06						0.26	0.01	0.12	6°	0.41	13
14	0.65			0.04	0.01		0.16	0.08	0.10		11°	0.50	14
15	1.33			0.08	0.01			0.31	0.05		2.5 3° 0.17	0.63	15
16		1.75					0.16	0.06	0.16		14°	0.07	16
17		0.58	0.02				0.14				8°		17
18		0.45	0.36	0.02			0.38				5°	7°	18
19	0.04	0.17	0.18	1.60	0.37		0.30				6°	6°	19
20	0.63	0.01	0.08	0.04	0.15		0.69	0.01			8°	0.46	20
21	0.16	0.07		0.17			0.67				11°	5° 0.07	21
22			0.15			0.06	0.22			0.03	10°	0.69	22
23		0.01	0.14	0.02		0.03	0.05		0.26	0.58	2°	0.53	23
24			0.06	0.03			0.15		0.65	0.20	6°	0.83	24
25							0.14		0.08		6°	0.12	25
26		1.38				0.02	0.39				12°	0.57	26
27		0.34				0.14	0.01			0.79	1.00 6° 0.11	0.67	27
28		0.58	0.02		0.07	0.35		0.37		0.22	11°		28
29					0.16						0.96	0.37	29
30	0.48			0.18		0.74					0.21	0.16	30
31	0.53						0.04	1.16		0.02		1.75	31
Total	8.29	12.45	3.21	4.69	1.80	1.47	6.69	4.41	1.38	2.41	4.59	13.76	TOTAL for year
No. of Rain Days	19	20.74 22	23.95 16	28.64 20	30.44 10	31.91 11	38.60 22	43.01 19	44.39 9	46.89 10	51.39 9	66.15 23	65.15 190

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3851

FORM A.
BRITISH RAINFALL.

21 JUL 1917

REGISTER OF RAINFALL IN 1916

Kept at Loughrigg Brow. Ambleside
in the County of Westmorland
by Isaac H Storey

Lat. 54° 27′ Long. 2° 58′
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~0.19~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.83	0.33	0.03	0.00	0.00	0.71	0.88	0.01	0.00	0.00	1.05	0.00	1
2	0.63	0.28	0.04	0.00	0.01	0.16	0.01	0.00	0.34	0.27	0.14	0.04	2
3	0.28	0.41	0.●●	0.05	0.01	0.17	0.15	0.00	0.77	0.40	0.76	0.00	3
4	0.29	0.14	0.●●	0.01	0.65	1.05	0.02	0.00	0.09	1.48	0.36	0.00	4
5	0.37	1.60	0.●●	0.00	0.27	0.30	0.01	0.00	0.00	1.91	0.53	0.00	5
6	1.68	0.43	0.02	0.00	0.53	0.16	0.25	0.00	0.00	0.83	0.38	0.04	6
7	0.10	0.18	0.01	0.00	0.57	0.10	0.50	0.00	0.00	0.63	0.35	0.30	7
8	0.02	0.11	0.04	0.01	0.01	0.07	0.02	0.00	0.00	0.15	0.83	0.04	8
9	0.06	0.01	0.●●	0.●●	0.15	0.08	0.08	0.00	0.00	0.18	0.48	0.37	9
10	0.17	0.28	0.01	0.35	0.00	0.03	0.19	0.00	0.00	1.49	0.65	0.00	10
11	0.14	0.04	0.●●	0.60	0.02	0.01	0.26	0.00	0.14	0.25	0.08	0.01	11
12	0.56	0.94	0.05	0.23	0.38	0.02	0.47	0.34	0.00	0.31	0.01	0.00	12
13	0.●●	0.51	0.21	0.11	0.01	0.00	0.00	0.26	0.00	1.35	0.01	0.01	13
14	0.33	0.49	0.03	0.08	0.49	0.00	0.00	0.16	0.05	1.00	0.04	0.00	14
15	0.23	1.19	0.22	0.11	0.00	0.00	0.02	0.52	0.04	0.08	0.00	0.03	15
16	0.10	0.57	0.31	0.75	0.01	0.00	0.19	0.11	0.03	0.01	0.06	0.00	16
17	0.87	0.16	0.●●	0.95	0.01	0.00	0.15	0.06	1.23	0.38	0.00	0.12	17
18	0.39	0.66	0.●●	0.21	0.00	0.00	0.01	0.64	0.71	0.17	0.10	0.35	18
19	1.55	0.●●	0.22	0.03	0.00	0.00	0.00	0.02	0.02	0.00	0.10	0.27	19
20	1.51	0.●●	0.03	0.03	0.00	0.00	0.01	0.12	0.00	0.00	0.25	0.51	20
21	0.73	0.●●	0.●●	0.01	0.00	0.00	0.29	0.00	0.03	0.00	0.08	0.02	21
22	0.●●	0.02	0.●●	0.05	0.00	0.30	0.00	0.00	0.01	0.16	0.10	0.05	22
23	0.47	0.●●	0.30	0.46	0.00	0.25	0.00	0.0●	0.00	0.72	1.25	0.31	23
24	0.16	0.●●	0.05	0.66	0.00	0.92	0.00	0.58	0.00	0.19	0.46	0.13	24
25	0.11	0.01	0.42	0.00	0.15	0.12	0.00	0.34	0.00	0.19	1.12	0.23	25
26	0.43	0.04	0.30	0.00	0.00	0.00	0.01	0.01	0.16	0.03	0.04	0.00	26
27	0.●●	0.03	0.03	0.00	0.00	0.00	0.00	0.02	0.11	0.18	0.15	0.16	27
28	1.50	0.●●	0.01	0.00	0.00	0.00	0.00	●.●0	0.00	0.32	0.35	3.65	28
29	0.32	0.31	0.04	0.00	0.06	0.00	0.00	0.00	0.00	0.41	1.15	0.52	29
30	0.12	X	0.04	0.00	0.00	0.10	0.02	0.03	0.00	1.47	1.29	0.77	30
31	0.●●	X	0.0●	X	1.41	X	0.00	0.33	X	0.48	X	0.21	31
Total	13.95 ✓	8.74 ✓	2.41 ✓	4.70 ✓	4.7~~7~~4 4.74	4.55 ✓	~~4.95~~ 3.54	3.56 ✓	3.73 ✓	15.04 ✓	~~10.81~~ 12.11	8.14 ✓	YEAR'S TOTAL ~~85.35~~ 85.21
Rain Days.	27 ✓	23 ✓	21 ✓	18 ✓	17 ✓	17 ✓	20 ✓	16 ✓	14 ✓	27 ✓	27 ✓	22	249

W. 8,000, VIII. 16

TRADE MARK
S B & Co
REGISTERED

STOREY BROS & Co
LIMITED.
ALL LETTERS TO BE ADDRESSED
TO THE FIRM.
TELEPHONE No 20.

TELEGRAMS, "STOREY, LANCASTER."

LANCASTER.

19th July 1917

Dr. H.R.Mill,
62 Camden Square,
LONDON. N W

Dear Sir,

Enclosed please find the year's record for the rainfall at my house - Loughrigg Brow - the latitude and longitude are as near as I can get them but are probably not quite right. If you have the six inch Ordnance Map you will see Loughrigg Brow on the map distinctly: it is on the west side of the river Rothay and right opposite Ambleside village. The particulars you want re the object nearest to the Gauge I will get as soon as I return to Ambleside and I will fill them in and send them to you.

The nearest Church to my house is Ambleside Church but I am in the Parish of Rydal, and it is not clear whether you want the nearest railway station and the nearest Parish Church , or the Parish Church of the Parish in which I live. Ambleside Church is, roughly, half a mile away, and Rydal Parish Church is about 1½ miles .

Yours truly

Isaac [illegible]

See [illegible]

3691

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
18. JAN 18

Kept at Loughrigg Brow Ambleside
in the County of Westmorland
by Isaac H. Storey

Lat. 54°21' Long. 2°58'
Time of Observation 9 AM.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·19	—	0·01	—	—	0·14	—	0·01	0·65	—	0·24	0·32	1
2	1·19	0·03	0·02	0·04	—	0·13	—	0·01	0·09	—	0·02	—	2
3	0·55	0·05	—	0·30	—	1·07	—	—	0·07	1·08	0·01	—	3
4	—	—	0·08	—	—	—	—	—	—	0·05	0·23	0·16	4
5	0·27	—	0·25	0·18	—	—	—	—	0·01	0·09	2·15	0·22	5
6	0·09	—	0·01	0·10	—	0·25	—	—	—	0·37	0·58	0·77	6
7	0·97	—	—	—	—	0·20	—	—	—	0·37	0·01	0·16	7
8	0·47	—	—	0·30	—	—	—	0·54	0·23	1·07	0·52	0·15	8
9	0·02	—	—	0·25	—	—	—	0·31	—	0·21	0·42	0·03	9
10	0·42	—	1·15	0·28	0·32	—	—	0·26	0·03	0·14	—	—	10
11	0·10	0·11	—	0·03	0·15	—	—	0·41	—	1·03	0·11	—	11
12	—	—	0·17	—	0·51	—	—	—	0·02	0·21	—	0·05	12
13	0·03	—		0·41	0·04	0·06	0·02	0·20	1·17	0·01	0·11	0·36	13
14	0·04	—	—	0·30	0·02	—	—	0·12		—	—	0·25	14
15	0·01	—	—	0·15	—	—	0·04	—	0·62	0·85	—	0·76	15
16	—	0·04	0·07	0·35	—	—	0·01	1·52	0·30	0·24	—	0·15	16
17	—	0·37	0·37	0·42	—	—	0·06	1·40	0·24	0·45	0·01 0·05	0·02	17
18	0·01	0·03	0·71	0·04	0·17	—	0·95	0·75	0·73	0·01	—	0·28	18
19	—	0·36	0·39	—	0·35	—	—	0·12	0·03	—	0·25	0·61	19
20	—	0·60	0·03	—	0·12	1·36	—	0·35	0·89	0·26	0·45	0·36	20
21	—	0·10	0·03	—	0·17	0·01	—	0·24	0·52	0·50	—	—	21
22	—	0·01	—	—	—	—	—	0·28	0·18	1·24	0·02	—	22
23	—	0·13	—	—	0·63	0·81	0·19	0·75	0·07	0·17	0·42	0·02	23
24	—	—	—	—	—	0·05	0·10	0·80	0·28	1·54	0·46	—	24
25	—	0·11	0·21		0·04	—	—	0·60	0·90	0·37	—	—	25
26	—	0·02	—	—	—	0·08	0·17	0·90	0·90	0·64	0·93	—	26
27	—	—	0·06	—	0·11	0·01	0·46	0·65	—	0·18	0·26	—	27
28	—	—	0·52	0·01	—	—	0·01	0·23	0·05	0·03	1·21	—	28
29	—	—	0·51	—	—	—	0·07	0·06	—	1·39	0·80	—	29
30	—	X	0·01	—	—	—	—	—	—	0·30	0·52	—	30
31	—	X	0·32	X	1·31	X	0·03	0·62	X	—	X	—	31
Total	4·36	1·96	4·92	3·16	3·94	4·17	2·11	11·13	7·98	12·80	9·73	4·67	YEAR'S TOTAL 70·93
Rain Days.	14	13	19	15	13	12	12	23	21	26	22	17	207

W. 8,000, IX. 17.

25

and by own notes

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
18. 1 19

Kept at Loughrigg Brow Ambleside
in the County of Westmorland
by Isaac H. Storey

Lat. 54°. 27' Long. 2°. 58'.
Time of Observation 9 a.m
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		0·38											
1		0·38	0·02	0·02	0·02				0·71	0·20	0·75	0·95	1
2		0·24		0·17					0·25	1·62	0·33	2·02	2
3		0·21			0·64					2·49	0·04	0·25	3
4		0·30			0·10			0·15	0·03	1·44	0·95	0·48	4
5	0·03	0·25	0·01	0·27	0·23			1·15		1·50	0·11	0·26	5
6	0·09	0·98		0·50		0·44				1·05		0·02	6
7		0·49		0·04			0·37	0·08	0·38	0·21	0·39	0·70	7
8	0·31	0·13	0·13			0·16	0·17	0·20	0·36	0·51	0·28	0·15	8
9	0·41	0·85	0·02	0·02		0·25	0·05		0·80	0·75	0·25	0·22	9
10	0·17	1·87	0·50	0·05			0·20		0·50	0·97	1·40	0·05	10
11	0·53	0·30	0·50		0·17		0·50	0·02	0·50	0·03		0·76	11
12		1·05		0·01	0·01	0·01			0·21			0·33	12
13				0·06	0·03	0·10			0·32	0·65		0·08	13
14	(0·10)				0·08	0·37	0·60	0·07	0·21	0·10		0·03	14
15		0·01			0·02	0·22	0·70		2·86	0·04		0·49	15
16	0·06	0·11			0·01	0·14	0·25	0·28	1·26	0·01		0·36	16
17	0·56	0·02				0·37	0·42	0·45	0·35	0·20		0·77	17
18	1·02	0·01	0·35			0·01	0·61	0·02	0·12			0·37	18
19	0·70	0·25	0·07	0·11			0·13	0·41	0·65	0·09		1·17	19
20	1·71	0·44	0·01	0·16	0·15	0·12	0·56	0·07	0·50				20
21	0·59	2·54		0·01		0·35	0·07	0·01	2·08			0·01	21
22	0·31	0·31			0·50	0·32	1·11	0·04	0·79			1·64	22
23	0·97	0·01			0·14		0·62		0·11		0·13	0·10	23
24	1·00	0·18					0·01	1·13	0·72	0·02	0·15		24
25	0·13	0·06			0·35		0·53	0·83	0·48		0·03		25
26	0·08	0·71					0·16	0·06	0·51	0·15	0·22	1·32	26
27	0·19	0·42	0·66			0·04		0·54	0·40	0·27	0·10	0·76	27
28	0·10	0·25	0·35					0·02	0·41	0·16	0·02	0·53	28
29	0·13							0·03	0·05	0·01		0·72	29
30		✕	0·35					0·05		0·11	0·47	0·18	30
31		✕	0·23	✕		✕		0·11	✕	0·27	✕	0·05	31
Total	10·19 ✓	12·37 ✓	3·20 ✓	1·42 ✓	2·45 ✓	2·90 ✓	7·06 ✓	5·72 ✓	15·56 ✓	12·85 ✓	5·62 ✓	14·77	YEAR'S TOTAL 94·11 ✓
Rain Days.	21	26 ✓	13 ✓	12 ✓	14 ✓	14 ✓	18 ✓	21 ✓	26 ✓	24 ✓	16 ✓	28 ✓	233 ✓

W. 6,500, VII. 18. W W C

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REC N 19*11*

AMBLESIDE

MARKET. SQUARE

1911 – 1920

Kept at *Market Square*
in the County of *Westm*
by *G. Ainslie J*

n *Snowdon*
ter of top *5* in.
t of top above Ground *1* ft. *–* in.
„ „ Sea Level *180* ft.
vation *9 a m*
y Station { Name *Windermere L&NWRy.*
Distance *4¾ m* Direction *SSE*

IMPORTANT NOTE a.m., and the result entered to the previous day. If an Obse most universal rule, he is earnestly requested to add the readi llowing year in the space provided for it at the end of this measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	1·21	—	·19	—	·03	·39	—	—	1·12	·30	1
2	·20	—	·04	—	·67	—	·03	·23	—	·05	·16	·55	2
3	·01	—	·65	—	1·52	—	·01	—	—	·01	2·08	·37	3
4	—	—	·01	·02	·03	—	·01	1·72	—	—	1·36	·35	4
5	·92	—	·15	—	—	—	—	1·81	—	—	·33	·14	5
6	·34	—	·07	·02	—	—	—	·60	—	—	·48	·81	6
7	·75	—	·03	—	—	—	—	—	—	—	·82	·03	7
8	·23	—	·22	—	·05	—	—	—	—	—	·57	1·15	8
9	·01	—	—	—	—	—	—	—	—	—	—	·93	9
10	1·56	·24	·55	—	—	—	—	—	·33	—	—	1·29	10
11	·23	—	·02	—	—	—	—	—	·40	—	·07	·19	11
12	·03	·02	·05	—	—	—	—	—	·71	—	·35	·07	12
13	·04	·28	—	—	·02	—	—	—	—	—	·82	·08	13
14	·12	·79	·14	—	·45	—	—	—	—	—	1·30	·51	14
15	·02	1·00	·14	·06	—	—	—	—	—	—	1·07	·17	15
16	·14	1·25	·08	·25	—	·38	·03	—	—	—	·33	·86	16
17	·13	·11	·01	·04	—	1·58	·09	—	—	—	·82	·25	17
18	—	1·97	·02	·30	—	·29	—	—	—	·01	·03	·73	18
19	—	·08	—	·21	—	·03	—	—	1·68	·81	·07	·74	19
20	—	·31	—	1·01	—	·01	·71	·37	·05	·03	·01	·57	20
21	·01	2·60	—	·53	—	·87	·06	·01	—	·40	—	·12	21
22	·04	·85	—	·33	—	·25	—	—	—	·05	—	—	22
23	·17	·57	—	·07	·06	·12	—	—	1·25	·28	—	·81	23
24	·63	·19	·03	·76	—	1·54	—	·17	—	·30	—	·38	24
25	·40	·45	—	·72	—	·10	—	·03	—	·28	—	·50	25
26	·05	·11	—	·14	—	—	—	·48	·04	·80	·16	·28	26
27	·17	1·42	—	·45	—	·09	·10	·25	·47	·01	·22	·24	27
28	—	·22	—	·39	—	·25	—	·08	·30	—	·03	·59	28
29	·01		—	·09	·02	·44	·03	·06	·65	3·51	—	·41	29
30	—		—	·03	—	·04	·06	—	·03	·90	·50	—	30
31	—		—	—	·01		·02	·26		·16		·04	31
Total	6·21	12·46	3·42	5·37	3·02	5·99	1·18	6·46	5·91	7·60	12·70	13·46	TOTAL for year 83·78
No. of Rain Days.	23	18	17	18	10	14	12	14	11	15	22	29	203

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG N 19*11*

Kept at *Market Square. Ambleside*

in the County of *Westmorland* 2

by *G. Ainslie Johnston*

RAIN GAUGE
Pattern *Snowdon*
Diameter of top *5* in.
Height of top above Ground *1* ft. *–* in.
" " " Sea Level *180* ft.

Time of Observation *9 a m*

Nearest Railway Station
Name *Windermere L+NWRy.*
Distance *4 3/4 m* Direction *SSE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	1·21	—	·19	—	·03	·39	—	—	1·12	·30	1
2	·20	—	·04	—	·67	—	·03	·23	—	·05	·16	·55	2
3	·01	—	·65	—	1·52	—	·01	—	—	·01	2·08	·37	3
4	—	—	·01	·02	·03	—	·01	1·72	—	—	1·36	·35	4
5	·92	—	·15	—	—	—	—	1·81	—	—	·33	·14	5
6	·34	—	·07	·02	—	—	—	·60	—	—	·48	·81	6
7	·75	—	·03	—	—	—	—	—	—	—	·82	·03	7
8	·23	—	·22	—	·05	—	—	—	—	—	·57	1·15	8
9	·01	—	—	—	—	—	—	—	—	—	—	·93	9
10	1·56	·24	·55	—	—	—	—	—	·33	—	—	1·29	10
11	·23	—	·02	—	—	—	—	—	·40	—	·07	·19	11
12	·03	·02	·05	—	—	—	—	—	·71	—	·35	·07	12
13	·04	·28	—	—	·02	—	—	—	—	—	·82	·08	13
14	·12	·79	·14	—	·45	—	—	—	—	—	1·30	·51	14
15	·02	1·00	·14	·06	—	—	—	—	—	—	1·07	·17	15
16	·14	1·25	·08	·20	—	·38	·03	—	—	—	·33	·86	16
17	·13	·11	·01	·04	—	1·58	·09	—	—	—	·82	·25	17
18	—	1·97	·02	·30	—	·29	—	—	—	·01	·03	·73	18
19	—	·08	—	·21	—	·03	—	—	1·68	·81	·07	·74	19
20	—	·31	—	1·01	—	·01	·71	·37	·05	·03	·01	·57	20
21	·01	2·60	—	·53	—	·87	·06	·01	—	·40	—	·12	21
22	·04	·85	—	·33	—	·25	—	—	—	·05	—	—	22
23	·17	·57	—	·07	·06	·12	—	—	1·25	·28	—	·81	23
24	·63	·19	·03	·76	—	1·54	—	·17	—	·30	—	·38	24
25	·40	·45	—	·72	—	·10	—	·03	—	·28	—	·50	25
26	·05	·11	—	·14	—	—	—	·48	·04	·80	·16	·28	26
27	·17	1·42	—	·45	—	·09	·10	·25	·47	·01	·22	·24	27
28	—	·22	—	·39	—	·25	—	·08	·30	—	·03	·59	28
29	·01		—	·09	·02	·44	·03	·06	·65	3·51	—	·41	29
30	—		—	·03	—	·04	·06	—	·03	·90	·50	—	30
31	—		—	—	·01		·02	·26		·16		·04	31
Total	6·21	12·46	3·42	5·37	3·02	5·99	1·18	6·46	5·91	7·60	12·70	13·46	TOTAL for year 83·78
No. of Rain Days.	23	18	17	18	10	14	12	14	11	15	22	29	203

W. 8,000, X. '11.

cond for auth 20.III.13 DM

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

8- JAN 1913

Kept at Market Square. Ambleside

in the County of Westmorland 2

by G. Amiki Johnston

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 180 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Windermere L.&N.W.
Distance 4 3/4 mile Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·04	·76	—	·28	·28	·13	·08	·07	·01	—	·27	1
2	·12	·03	1·15	—	·37	·25	·14	·01	·09	·01	·03	·05	2
3	·40	—	·10	—	—	·76	—	·32	1·25	—	·03	·68	3
4	·26	—	1·02	·97	·04	·21	—	·82	·77	—	1·53	·21	4
5	·15	·01	·04	·03	·33	·05	—	·15	·13	·75	—	·04	5
6	·32	·53	·04	—	·39	—	—	·31	—	·01	·01	·04	6
7	—	·64	·22	·16	·12	·04	·32	·48	·23	—	·58	·08	7
8	1·20	·65	·23	·23	·05	·01	—	·80	·03	—	·37	·36	8
9	·30	·20	·31	·41	—	·24	·02	·39	—	—	·29	·85	9
10	·22	·05	·01	—	·15	·46	·66	·08	—	—	·82	·87	10
11	·11	—	·01	—	·04	·01	·28	·17	—	—	—	·55	11
12	·92	·01	1·08	—	—	·66	·02	·01	—	—	—	·86	12
13	·18	—	·23	—	—	·08	—	·04	—	1·75	·05	2·21	13
14	1·12	—	·22	—	—	·43	—	·06	—	·04	—	·50	14
15	·40	·39	·02	—	·04	·23	—	·01	—	·86	—	·45	15
16	1·86	·07	·79	—	·08	·01	—	·19	—	·91	·06	·41	16
17	·21	·15	·31	—	·12	·96	—	·84	—	·01	·02	·48	17
18	·02	·19	—	—	—	·50	—	·08	—	·55	·06	·69	18
19	·04	·14	·58	—	—	·21	—	·52	—	·35	·17	·15	19
20	·24	—	·16	—	·74	·05	·03	·51	—	·52	·02	·49	20
21	·02	·23	·50	—	·01	·16	·03	·21	—	·16	—	·11	21
22	·01	1·32	—	—	·12	·02	—	·56	—	·01	·37	·07	22
23	—	·01	·09	—	—	·19	·23	·31	—	—	·53	·41	23
24	—	·13	·38	—	—	·42	·53	·03	—	·18	·70	·25	24
25	—	·08	·21	—	—	·72	·02	·15	—	—	·97	·12	25
26	—	·84	·31	·44	—	·06	·11	·06	—	2·27	·44	·61	26
27	—	·30	·38	—	—	1·10	·86	—	—	·41	·08	1·32	27
28	—	·30	·08	—	—	·18	·40	·71	—	·63	·49	·01	28
29	—	·05	·59	—	—	—	1·19	·32	·43	·40	—	·29	29
30	·03		·55	·06	—	·06	·22	—	·05	·17	—	1·02	30
31	—		·25		—		·85	·64		—		·47	31
Total	8·14	6·36 6·36	10·62	2·30	2·88	8·35	6·04	8.86	3·05	10.00	7·62	14·92	TOTAL for year 89·14
No. of Rain Days.	22	15·50	26 12	28·42	31·30	39·65	45·69	54·55	57·60	67·60	75·22	90·14	89·14
W. 8,000. X. '11. 22		23	29	7	15	28	18	29	9	20	21	31	252.

Exc DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 9 JAN 1914

Kept at Market Square Ambleside

in the County of Westmorland 2

by G. Anstis Johnston

Lat. 54·28 N Long. 3·6 W

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·15	·70	—	—	—	—	—	—	—	·42	—	1
2	·56	·50	1·38	·18	—	·47	—	—	—	—	·70	·65	2
3	·43	·49	·09	—	·46	—	—	—	—	—	·07	1·39	3
4	·42	·24	·12	—	·03	·02	·07	—	—	—	·84	·58	4
5	·30	·36	·05	—	·21	·57	·06	—	—	—	·05	—	5
6	1·06	1·05	·81	—	·89	·62	·20	—	—	·01	—	·03	6
7	·16	1·62	·04	—	·25	·25	·01	—	—	·83	·01	·13	7
8	—	·68	·30	—	·12	·16	·01	·29	·01	·02	·05	·25	8
9	—	·38	·73	·10	·26	1·90	·02	—	—	—	·21	·05	9
10	·11	·33	·83	·13	·11	·05	—	—	—	·25	·72	·01	10
11	·63	—	·01	·45	—	·12	·19	—	—	·23	·21	·27	11
12	·05	·01	·07	·05	—	—	·02	·01	·73	—	·40	·08	12
13	—	·01	·86	·22	·03	—	·12	—	·35	·38	·32	·05	13
14	·26	—	·21	·21	—	—	—	·01	·02	·80	·25	·03	14
15	·25	—	·72	2·15	—	—	—	·05	—	—	·53	·20	15
16	—	—	·15	·28	—	—	·03	—	—	—	·57	·02	16
17	·20	—	—	·50	·06	·02	·18	—	—	—	·49	—	17
18	·25	—	·81	·69	—	·11	·01	—	—	·03	·45	—	18
19	·39	—	·13	·18	·25	·05	—	—	—	·28	·89	—	19
20	·05	—	·13	·10	·31	·09	—	·06	·13	·16	1·21	—	20
21	—	—	·50	—	·20	—	·10	1·25	—	·43	·01	—	21
22	·52	—	·83	—	·42	·05	—	·28	·13	·01	—	—	22
23	·75	—	·16	—	·03	·96	—	·35	·47	·02	·10	·04	23
24	·74	·09	—	·24	—	·51	—	·03	—	—	·28	·16	24
25	—	·10	—	·26	—	—	—	—	·65	·04	·21	1·32	25
26	—	·31	—	1·15	—	—	—	—	·34	·22	·03	1·10	26
27	·01	·02	—	·56	·02	·06	—	—	—	·30	·02	·50	27
28	·66	—	·40	·35	·34	—	—	—	—	·22	·03	·01	28
29	·01		·30	·95	·01	—	—	·20	—	·60	·26	·03	29
30	1·29		·03	—	·28	—	—	—	—	·05	·04	—	30
31	·32		—		—		—	—		·18	—	—	31
Total	9·45	6·34	10·36	8·75	4·28	6·01	1·02	2·53	2·83	5·06	9·37	6·90	YEAR'S TOTAL 72·90
Rain Days.	24	16	25	19	19	17	13	10	9	20	28	21	221

W.7,000, XI. 13

Ex. W 9.

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Market Square Ambleside
in the County of Westmorland 2
by G Ainslie Johnston

Lat. 54·28 N Long. 3·6 W
Time of Observation 9 a m
Nearest Railway Station Windermere L+NWRy.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·66	·26	·01	—	—	·52	·38	—	—	—	·61	1
2	·02	·60	·12	—	—	—	·62	·31	—	·10	·37	·43	2
3	·15	·36	·16	—	·85	—	·01	·18	—	—	—	1·53	3
4	1·06	·02	·24	·58	·23	·01	—	·22	—	—	—	1·50	4
5	·27	·02	·70	·35	·09	·19	·26	·04	—	—	·31	·33	5
6	—	·09	·11	·22	·16	—	—	·35	—	—	·35	·84	6
7	·11	·10	·23	·11	·23	·06	—	·24	—	·03	·11	·04	7
8	·64	·03	·14	·05	·50	·42	—	3·25	·35	·03	·56	·25	8
9	·38	·50	—	·43	·01	·59	—	—	·03	—	·57	—	9
10	·01	·55	—	·02	·16	·04	—	·01	·10	—	·93	—	10
11	—	·23	·68	·04	·08	—	1·07	—	·18	—	·65	·18	11
12	—	·83	·12	—	·04	—	·03	—	·26	—	1·17	·05	12
13	—	·85	·69	·14	·01	—	—	—	·51	·05	·59	·15	13
14	—	1·59	·28	—	—	—	—	—	·24	—	·40	·42	14
15	—	·12	·48	—	—	—	·02	—	·23	—	·24	—	15
16	·01	·11	·07	—	—	—	·87	—	1·55	—	—	·50	16
17	·03	1·09	·37	—	—	·02	·17	—	·33	—	—	3·25	17
18	·01	·72	·40	—	—	—	·05	—	·08	·05	—	·21	18
19	—	·10	·11	—	—	—	·02	—	·08	—	—	·05	19
20	—	·88	·11	—	·05	·11	—	—	—	—	—	·10	20
21	—	·35	·01	—	·06	·01	—	·05	—	·02	·01	—	21
22	—	·92	·01	·04	·19	·14	·01	·40	—	·09	—	—	22
23	—	·23	·17	·19	·05	·08	·08	·16	—	—	—	—	23
24	1·73	—	·25	·08	·03	·05	·21	·03	—	—	·32	—	24
25	·37	·01	—	—	—	—	·09	·97	—	1·20	1·27	1·48	25
26	·07	·23	—	—	—	—	·03	·02	—	·41	·74	·60	26
27	·10	·29	—	—	—	—	—	—	·07	·50	·83	·15	27
28	·18	·56	·38	—	·03	—	—	·13	·03	—	·82	—	28
29	1·05		·51	—	·05	—	—	·34	—	·05	2·56	·04	29
30	·45	✕	1·07	·02	—	—	—	—	—	—	·28	·72	30
31	·89	✕	·01	✕	·01	✕	·69	—	✕	·21	✕	—	31
Total	7·53	12·04	7·68	2·28	2·83	1·72	4·75	7·08	4·04	2·74	13·08	13·43	YEAR'S TOTAL 79·20
Rain Days.	19	27	26	14	19	12	17	17	14	12	20	22	219

W. 8,000. X. 14.

3923

FORM A.
BRITISH RAINFALL.

4-JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Market Square. Ambleside

in the County of Westmorland

by Dr. G. Ainslie Johnston

Lat. 54·28 N Long. 3·6 W.

Time of Observation 9 a m

Nearest Railway Station Windermere L. & N.W. Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·71	1·40	·09	—	·14	—	·13	·52	·01	—	—	—	1
2	·04	1·14	·46	·80	—	·13	·35	·47	—	—	—	—	2
3	·05	·57	·60	·33	—	—	·46	·29	—	—	—	·29	3
4	—	·34	·35	·10	·11	·33	—	·04	—	—	—	·40	4
5	·47	1·15	·43	·04	·78	—	—	·13	—	—	—	1·84	5
6	·27	·40	·03	·66	—	·15	1·46	·05	·06	—	—	·70	6
7	·46	1·06	·02	·25	—	—	·71	·13	—	—	·02	·27	7
8	·34	1·04	—	·18	—	—	—	·21	—	—	1·58	—	8
9	—	·25	—	—	—	—	—	·03	—	—	·38	1·02	9
10	1·25	—	·04	·18	—	—	·02	·12	—	·06	—	1·14	10
11	·15	·03	—	—	·63	—	·03	·04	—	—	·08	·47	11
12	·45	·04	—	—	—	—	·02	·04	—	·28	1·04	—	12
13	·25	·08	—	—	—	—	—	·33	—	·11	—	·36	13
14	·60	—	—	·04	—	—	·15	·09	·09	—	—	·40	14
15	1·25	—	—	·08	—	—	·02	·19	·05	—	·14	·56	15
16	—	2·20	—	·01	—	—	·19	·07	·15	—	—	·06	16
17	—	·62	—	—	—	—	·11	—	—	—	—	—	17
18	—	·46	1·35	·01	—	—	·35	—	—	—	—	—	18
19	·10	·17	·27	1·39	·36	—	·27	—	—	—	—	—	19
20	·50	—	·10	·02	·11	—	·62	—	—	—	—	·44	20
21	·18	·09	—	·16	—	—	·55	—	—	—	—	·08	21
22	—	—	·15	—	—	·05	·19	—	—	·03	—	·65	22
23	—	·04	·14	·02	—	·05	·07	—	·22	·63	—	·50	23
24	—	—	·07	·03	—	—	·15	—	·78	·21	—	·87	24
25	—	—	—	—	—	—	·13	—	·09	—	—	·14	25
26	—	1·60	—	—	—	·03	·31	—	—	—	—	·68	26
27	—	·34	—	—	—	·15	·02	—	—	·78	·06	·70	27
28	—	·56	—	—	·08	·23	—	·33	—	·22	—	—	28
29	—	X	—	—	·19	·02	—	—	—	—	·89	·35	29
30	·50	X	—	·15	—	·03	—	—	—	—	·20	·26	30
31	·47	X	—	X	—	X	·05	1·13	X	·02	X	1·71	31
Total	8·04	13·58	4·10	4·45	2·40	1·17	6·36	4·21	1·45	2·34	4·39	13·89	YEAR'S TOTAL 66·38
Rain Days.	18	21	14	18	8	10	23	18	8	9	9	23	179.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19*16*

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at *Market Square. Ambleside*

in the County of *Westmorland*

by *Dr. E. Ainslie Johnston*

Lat. *54·28N* Long. *3·6 W.*

Time of Observation *9 a.m.*

Nearest Railway Station *Windermere L. & N.W.R.*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

" " " " Sea Level *180* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·73	·32	·04	—	—	·69	·83	·03	—	—	1·14	—	1
2	·65	·27	·05	—	—	·16	·01	—	·25	·30	·20	·04	2
3	·27	·39	—	·04	—	·19	·15	—	·67	·43	·80	—	3
4	·24	·13	—	—	·65	·87	·03	—	·10	1·39	·37	—	4
5	·34	1·54	—	—	·33	·27	—	—	—	1·78	·53	—	5
6	1·37	·37	·03	—	·63	·16	·24	—	—	·71	·38	·04	6
7	·05	·17	—	—	·65	·12	·47	—	—	·57	·34	·30	7
8	·03	·11	·05	·02	·03	·18	·01	—	—	·12	·84	·04	8
9	·06	—	—	—	·16	·07	·07	—	—	·20	·42	·37	9
10	·15	·28	—	·31	—	·03	·18	—	—	1·32	·58	—	10
11	·14	·05	—	·59	·03	—	·22	—	·11	·24	·07	·03	11
12	·49	·95	·06	·19	·40	·02	·44	·30	—	·26	·01	—	12
13	—	·59	·22	·12	·01	—	—	·22	—	1·23	—	·02	13
14	·32	·47	·03	·08	·41	—	—	·19	·06	·86	·02	—	14
15	·19	·56	·25	·11	—	—	·01	·58	·04	·11	—	·03	15
16	·09	·75	·35	·68	·01	—	·28	·11	·03	·01	—	·02	16
17	·83	·17	—	·87	—	—	·11	·13	1·12	·35	—	·12	17
18	·31	·67	—	·25	—	—	—	·59	·62	·15	·12	·35	18
19	1·49	—	·24	·04	—	—	—	·03	·04	—	·13	·28	19
20	1·47	—	·03	·04	—	—	·01	·13	—	—	·34	·63	20
21	·75	—	—	·02	·03	—	·31	—	·03	—	·08	—	21
22	—	·01	·03	·03	—	·30	—	—	—	·17	·10	·06	22
23	·44	—	·25	·40	—	·25	—	·03	—	·72	1·24	·20	23
24	·17	—	·11	·68	—	·84	—	·59	—	·25	·40	·14	24
25	·06	·02	·37	—	·16	·12	—	·33	—	·19	1·04	·24	25
26	·50	·05	·29	—	—	—	—	·07	·19	·03	·05	—	26
27	—	·06	·03	—	—	—	—	·03	·09	·24	·15	·09	27
28	1·47	·02	—	—	—	—	—	—	—	·33	·35	3·51	28
29	·31	·32	·04	—	·05	—	—	—	—	·42	1·09	·46	29
30	·11	╳	·03	—	—	·08	·03	·04	—	1·38	1·37	·70	30
31	—	╳	—	╳	1·10	╳	—	·27	╳	·48	╳	·30	31
Total	14·03	8·27	2·50	4·47	4·65	4·35	3·40	3·67	3·35	14·24	12·16	7·97	YEAR'S TOTAL 83·06
Rain Days.	27	23	19	17	15	16	17	17	13	27	26	22	239

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Market Square. Ambleside
in the County of Westmorland
by G. Ainslie Johnston

Lat. 54·28 N Long. 3·6 W.
Time of Observation 9 a m
Nearest Railway Station Windermere L + N W Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	—	—	—	—	·06	—	·01	·65	—	·21	·29	1
2	1·14	·01	·01	·05	—	·03	—	—	·06	—	·02	—	2
3	·46	·10	·02	·21	—	1·22	—	—	·06	1·09	·01	—	3
4	—	·01	·18	—	—	—	—	—	—	·04	·34	·16	4
5	·23	—	·27	·16	—	—	—	—	·02	·10	1·53	·22	5
6	·09	—	·01	·10	—	·21	—	—	—	·50	·61	·60	6
7	·86	—	—	—	—	·20	—	—	—	·27	—	·15	7
8	·72	—	—	·28	—	—	—	·62	·18	1·14	·57	·15	8
9	·02	—	—	·18	·01	—	—	·35	—	·21	·30	—	9
10	·30	—	—	·13	·37	—	—	·26	·02	·18	—	—	10
11	·11	·08	1·24	·03	·15	—	—	·35	—	1·14	·08	—	11
12	—	—	·15	—	·56	—	—	·01	·04	·26	—	·07	12
13	·06	—	—	·40	·04	·06	·02	·18	1·10	·02	·10	·35	13
14	·05	—	—	·28	·02	—	—	·12	—	—	—	·18	14
15	·03	—	—	·14	—	—	·04	·07	·76	·80	·01	·85	15
16	—	·07	·06	·44	—	—	·01	1·57	·15	·27	—	·12	16
17	—	·27	·35	·41	—	—	·11	1·28	·29	·33	·01	·02	17
18	·02	·04	·55	·04	·16	—	·89	·80	·73	—	—	·40	18
19	·01	·35	·30	—	·32	—	—	·07	·09	—	·21	·50	19
20	—	·56	·06	—	·14	1·32	—	·37	·66	·40	·43	·32	20
21	—	·11	·01	—	·19	·01	—	·25	·51	·39	—	—	21
22	—	·01	—	—	—	—	—	·24	·15	1·35	·03	—	22
23	—	·11	—	—	·64	·75	·15	·62	·06	·16	·40	·02	23
24	—	·01	—	—	·02	—	·08	·73	·32	1·51	·36	—	24
25	—	·11	·16	—	·02	—	—	·59	·96	·40	·05	—	25
26	—	·01	—	—	—	·14	·17	·84	·80	·69	·87	—	26
27	—	—	·08	—	·13	·01	·47	·68	·01	·24	·34	—	27
28	—	—	·47	—	—	—	·01	·28	·05	·03	1·17	—	28
29	—	—	·47	—	—	—	·15	·03	—	·90	·54	—	29
30	—	✕	·01	—	—	—	—	—	—	·22	·51	—	30
31	—	✕	·37	✕	1·23	✕	·03	·62	✕	—	✕	·01	31
Total	4·26	1·85	4·77	2·85	4·00	4·01	2·13	10·94	7·67	12·64	8·70	4·41	YEAR'S TOTAL 68·23.
Rain Days.	15	15	19	14	15	11	12	24	22	25	23	17	212

W. 8,000, IX. 17.

24

FORM A. BRITISH RAINFALL. 2 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Market Square - Ambleside
in the County of Westmorland
by Dr. G. Ainslie Johnston.

Lat. 54·28N Long. 3·6 W
Time of Observation 9. a.m.
Nearest Railway Station Windermere L&NW.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·40	·01	·01	·03	—	—	—	·65	·37	·81	·70	1
2	—	·16	—	·19	—	—	—	—	·25	1·42	·34	1·89	2
3	—	·27	—	—	·68	—	—	—	—	2·12	·03	·22	3
4	·01	·16	—	—	·05	—	—	·12	·03	1·45	·44	·48	4
5	·02	·31	—	·29	·24	—	—	1·19	—	1·38	·10	·17	5
6	·08	·97	—	·50	—	·41	—	—	—	1·16	—	·02	6
7	·01	·34	—	·04	—	—	·35	·09	·46	·20	·43	·64	7
8	·30	·10	·14	—	—	·12	·17	·18	·37	·46	·34	·08	8
9	·32	·85	·02	·07	—	·27	·03	—	·91	·74	·21	·21	9
10	·14	1·71	·59	—	—	—	·20	—	·52	·74	1·27	·05	10
11	·48	·27	·34	—	·16	—	·46	·03	·54	—	—	·72	11
12	—	1·01	—	—	—	—	—	—	·18	—	—	·36	12
13	—	—	—	·09	·07	·09	—	—	·31	·61	—	·07	13
14	1·16	—	—	—	·08	·37	·60	·06	·25	·09	—	·14	14
15	—	·01	—	—	·02	·12	·66	—	2·82	·03	—	·41	15
16	·07	·10	—	—	—	·23	·25	·25	1·34	·01	—	·04	16
17	·68	—	—	—	—	—	·46	·40	·40	·21	—	1·30	17
18	·91	·01	·30	—	—	·32	·79	·03	·13	—	—	·15	18
19	·61	·23	·07	·07	—	—	·14	·38	·64	·08	—	1·19	19
20	1·77	·40	—	·16	·15	·10	·54	·07	·44	—	—	—	20
21	·60	2·91	—	—	—	·35	—	—	1·98	—	—	·01	21
22	·21	·27	—	—	·47	·24	1·01	·04	·72	—	—	1·76	22
23	·90	·02	—	—	·15	—	·61	—	·10	—	·11	·07	23
24	1·04	·12	—	—	—	·01	·01	1·11	·67	—	·14	·02	24
25	·12	·11	—	—	·32	—	·57	1·02	·49	·01	·03	—	25
26	·08	·56	—	—	—	—	·07	·05	·52	·15	·20	1·28	26
27	·13	·44	·69	—	—	·05	—	·58	·38	·20	·21	·74	27
28	·09	·22	·38	—	—	—	—	·05	·35	·15	·05	·63	28
29	·12	X	—	—	—	—	—	·01	·08	—	—	·72	29
30	—	X	·34	—	—	—	—	·04	—	—	·60	·08	30
31	—	X	·20	X	—	X	—	·11	X	·39	X	·17	31
Total	9·85	11·95	3·08	1·42	2·42	2·68	6·92	5·81	15·53	11·97	5·31	14·32	YEAR'S TOTAL 91·26
Rain Days.	23	25	11	9	12	13	17	20	26	21	16	29	222

W. 8,000, IX. 17.

~~W D~~ and [illegible]

3504

G

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Market Square Ambleside

in the County of Westmorland

by G. Ainslie Johnston

Lat. 54·28 N Long. 3·6. W.

Time of Observation 9. a.m

Nearest Railway Station Windermere L. & N W Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2·25	—	·53	—	·18	—	·23	·04	2·37	·45	·01	·44	1
2	·34	—	·23	·02	·13	—	·35	—	·07	·02	·01	·97	2
3	·17	·03	—	·04	·16	·14	·21	—	—	—	·01	·32	3
4	·18	·06	·18	—	·22	·02	·09	·27	·12	—	·03	·84	4
5	·01	·01	—	—	·60	—	—	—	·22	·01	—	·91	5
6	·09	—	·72	·01	·03	—	—	—	·02	—	—	·23	6
7	·09	—	·20	·36	—	·13	—	·01	—	—	·30	—	7
8	·38	—	·10	—	·04	·01	—	—	—	—	·02	—	8
9	1·16	—	·42	·08	—	—	—	—	—	—	·08	·02	9
10	·18	—	1·62	·36	·20	·05	—	—	—	·02	·05	1·44	10
11	·13	—	·37	·02	·03	·01	·02	—	·08	·05	·02	·30	11
12	—	—	·07	·24	·04	·42	·05	—	—	·02	·75	—	12
13	1·24	—	—	·51	—	—	·01	·20	—	·19	—	·62	13
14	·43	·03	—	·27	—	—	—	·01	—	·02	·02	·33	14
15	·84	·19	—	·62	—	—	—	—	—	·01	—	1·11	15
16	·27	·02	—	·01	—	·08	—	—	—	—	·45	·31	16
17	·05	—	·01	·02	—	·01	·03	1·28	·01	—	1·49	·02	17
18	—	—	·85	·02	—	·05	·43	·24	·23	—	·56	·37	18
19	·10	·79	1·29	—	—	1·08	—	·01	·05	—	·35	·05	19
20	·68	·16	·01	—	—	·05	—	—	·21	—	·07	·70	20
21	·32	·42	—	—	—	·01	—	·29	·49	—	·14	·52	21
22	·01	·03	—	—	—	·43	—	·31	·41	·18	·27	·35	22
23	—	—	—	·01	—	·15	—	—	—	1·33	·66	·13	23
24	·27	—	—	—	·06	—	—	·01	1·11	·05	·46	·05	24
25	·41	—	—	·68	—	·03	—	1·28	·76	—	·12	—	25
26	·13	·03	1·11	·14	—	·05	—	·17	·34	—	·06	·96	26
27	·03	·12	—	·10	—	·02	—	—	—	—	—	·03	27
28	—	—	—	·10	—	·02	—	·67	·27	·06	—	1·11	28
29	—		—	·01	—	—	—	·12	·94	·05	—	·04	29
30	—		·23	·07	—	·06	—	·05	—	·03	·78	·93	30
31	—		·06		—		·80	—		·02		·07	31
TOTAL	9·76	1·89	8·00	3·69	~~1·19~~ 1·69	2·82	2·22	4·96	7·70	2·51	6·71	13·17	YEAR'S TOTAL ~~64·62~~ 65·12
Days with ·01 in. or more	24	12	17	21	11	20	10	16	17	16	23	27	214

(44,283). Wt,21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3393

4 JAN 192

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1921.

Kept at Market Square. Ambleside
in the County of Westmorland
by G. Ainslie Johnston

Lat. 54·28 N. Long. 3·6· W
Time of Observation 9 a.m.
Nearest Railway Station Windermere L+NW.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·19	·21	·10	·99	—	·76	·18	·08	·11	—	·38	1
2	·03	·05	—	·08	·39	—	1·51	·11	·43	·10	—	1·74	2
3	·16	·12	·23	·01	·13	—	·01	·24	·25	·98	—	·58	3
4	—	—	·04	·02	·05	—	·19	2·13	·01	·86	·01	—	4
5	—	·04	·76	—	1·56	—	·11	·22	·05	·52	·02	·03	5
6	·02	—	·61	·64	·70	—	—	—	—	·01	·12	—	6
7	1·61	·18	·03	·18	—	—	·38	—	·03	—	·06	—	7
8	·21	·28	·01	·19	·23	—	·39	·50	—	—	·06	·01	8
9	·63	3·96	·01	·69	—	—	·25	·01	·12	—	·16	·05	9
10	1·35	·69	·23	·58	—	—	·37	—	—	—	—	·05	10
11	·87	·11	·22	·01	·57	·22	·03	—	·01	—	·26	·02	11
12	·39	1·14	·83	·32	·15	·03	·67	—	·11	—	1·60	·23	12
13	·47	·15	·36	·49	·09	·35	·06	—	—	—	·31	·15	13
14	·20	·76	·16	·76	—	·63	·77	—	·71	·36	1·87	—	14
15	·31	·34	·14	·48	—	—	·03	—	·10	·35	·06	—	15
16	·64	·07	·29	·08	·13	—	·66	·24	·69	—	·29	—	16
17	·40	—	·37	—	·44	—	·11	·67	1·11	—	—	—	17
18	·66	·05	·01	·16	1·47	·21	·08	·01	·01	—	—	—	18
19	·03	·70	—	·09	·24	·24	·25	·02	—	—	·01	—	19
20	·21	—	—	·10	—	·08	·11	—	·20	—	—	1·13	20
21	·08	—	—	·09	·01	—	·08	·01	—	—	—	·27	21
22	1·21	—	—	·42	·13	·02	·68	·01	—	—	—	—	22
23	1·17	—	·19	·18	—	—	·28	·01	—	—	—	·36	23
24	·15	·02	·82	·10	—	·08	·07	—	—	—	—	·51	24
25	·10	·08	·34	·13	—	·10	·30	—	·02	—	—	·12	25
26	·13	·15	1·23	·24	·21	—	·08	—	·17	—	·26	·11	26
27	·18	·01	1·28	·01	·30	1·19	·17	—	—	—	·21	·17	27
28	·20	·42	·71	·66	·01	·29	·26	—	—	—	·04	·47	28
29	·56	·54	·12	·01	·32	·08	·61	—	—	—	·59	·87	29
30	·68	✕	·20	·03	·09	·46	—	—	·14	·12	·25	·91	30
31	·36	✕	·35	✕	·07	✕	·15	·08	✕	·02	✕	·30	31
Total	13·04	10·05	9·75	6·85	8·28	3·98	9·42	4·44	4·24	3·43	6·18	8·46	Year's Total 88·12.
Days with ·01 in. or more	29	22	26	28	22	14	29	15	18	10	18	21	252
Days with ·04 in. or more	24	20	22	22	20	12	26	9	13	8	15	18	209

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

AMBLESIDE

SKELWITH BRIDGE

WESTMORLAND

1911 - 1916

√

RE

FORM A.
BRITISH RAINFALL.

19 JAN 1912

Kept at Skelwith ... mere ... miles E S E

in the County of West ... Portable Snowdon pattern: own make

by A J Adam ... 1 ft 9 in — in.

...vel 190 ft.

NOTE.—Rain ~~should be~~ is meas... ...ions for the measurement of rain and particulars as to the ... ...t post-free on application to Dr. H. R. MILL, 62, Camden ...

Date	Jan.	Feb.	March.	April.	May.	June.	July.				Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	2·06	—	·30	—	·01	·26	—	—	1·60	·89	1
2	·05	—	·03	—	·75	—	·01	·34	—	·04	·24	·69	2
3	—	—	·92	—	1·80	—	—	—	—	—	2·93	·60	3
4	—	—	—	—	·03	—	—	2·45	—	—	1·58	·49	4
5	·96	—	·16	—	—	—	—	1·38	—	—	·30	·25	5
6	·37	—	·06	—	—	—	—	·64	—	—	·62	1·15	6
7	·80	—	·02	—	·02	—	—	—	—	—	1·11	·03	7
8	·24	—	·30	—	—	—	—	—	—	—	·80	1·41	8
9	—	—	—	—	—	—	—	—	—	—	—	1·52	9
10	1·94	·26	·75	—	—	—	—	—	·10	—	—	2·10	10
11	·09	—	·02	—	—	—	—	—	·43	—	·07	·24	11
12	—	—	·06	—	·02	—	—	—	·76	—	·35	·08	12
13	·05	·32	—	—	·59	—	—	—	—	—	1·01	·09	13
14	·09	·77	·06	—	—	—	—	—	—	—	1·50	·66	14
15	·02	1·14	·06	·13	—	—	—	—	—	—	1·45	·29	15
16	·23	1·45	·08	·21	—	·55	·02	—	—	—	·42	·62	16
17	·19	·19	—	·02	—	1·48	·08	—	—	—	1·06	·30	17
18	—	2·12	—	·36	—	·43	·04	—	—	—	·02	·81	18
19	—	·05	—	·36	—	·11	—	—	1·91	·94	·02	·83	19
20	—	·50	—	1·24	—	—	·72	·46	·05	·04	—	·36	20
21	—	2·83	—	·63	—	1·42	·06	·07	—	·47	—	·09	21
22	·05	1·12	—	·27	—	·30	—	—	—	·04	—	—	22
23	·18	·60	—	·11	·95	·08	—	—	1·63	·38	—	1·10	23
24	·88	·28	—	1·28	—	1·30	—	·13	—	·50	—	·63	24
25	·57	·55	—	·79	—	·06	—	·02	·42	·25	—	·56	25
26	—	·09	—	·18	—	—	—	·62	·02	·49	·08	·28	26
27	·21	1·50	—	·48	—	·04	·12	·26	·66	—	·27	·26	27
28	—	·22	—	·58	—	·31	—	·08	·36	—	·03	·74	28
29	—		—	·10	—	·79	·04	·05	·75	4·30 *	—	·54	29
30	—		—	—	—	·02	·09	—	—	1·33	·48	—	30
31	—		—		—		·04	·40		·16		·04	31
Total	6·92	13·99	4·58	6·74	4·46	6·89	1·23	7·16	7·09	8·94	15·94	17·65	TOTAL for year 101·59
No. of Rain Days	17	17	13	15	8	13	11	14	11	12	21	29	181

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

* From noon on 29th to noon on 30th 5·28 inches fell

Price 2d.

101·59

co

REGISTER

FORM A.
BRITISH RAINFALL.
19 [illegible]912

Kept at Skelwith Bridge
in the County of Westmorland 2
by A J Adams

~~Lat.~~
Nearest Railway Station Windermere 7 miles ESE
Time of Observation 9·30
Diameter of Rain Gauge 5¼ Portable Snowdon pattern, own make
Height of top of Gauge above Ground 1 ft 9 in
" " " Sea Level 190 ft.

NOTE.—Rain ~~should be~~ is measured daily at 9·30 a.m., and the result is entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	2·06	—	·30	—	·01	·26	—	—	1·60	·89	1
2	·05	—	·03	—	·75	—	·01	·34	—	·04	·24	·69	2
3	—	—	·92	—	1·80	—	—	—	—	—	2·93	·60	3
4	—	—	—	—	·03	—	—	2·45	—	—	1·58	·49	4
5	·96	—	·16	—	—	—	—	1·38	—	—	·30	·25	5
6	·37	—	·06	—	—	—	—	·64	—	—	·62	1·15	6
7	·80	—	·02	—	·02	—	—	—	—	—	1·11	·03	7
8	·24	—	·30	—	—	—	—	—	—	—	·80	1·41	8
9	—	—	—	—	—	—	—	—	—	—	—	1·52	9
10	1·94	·26	·75	—	—	—	—	—	·10	—	—	2·10	10
11	·09	—	·02	—	—	—	—	—	·43	—	·07	·24	11
12	—	—	·06	—	·02	—	—	—	·76	—	·35	·08	12
13	·05	·32	—	—	·59	—	—	—	—	—	1·01	·09	13
14	·09	·77	·06	—	—	—	—	—	—	—	1·50	·66	14
15	·02	1·14	·06	·13	—	—	—	—	—	—	1·45	·29	15
16	·23	1·45	·08	·21	—	·55	·02	—	—	—	·42	·62	16
17	·19	·19	—	·02	—	1·48	·08	—	—	—	1·06	·30	17
18	—	2·12	—	·36	—	·43	·04	—	—	—	·02	·81	18
19	—	·05	—	·36	—	·11	—	—	1·91	·94	·02	·83	19
20	—	·50	—	1·24	—	—	·72	·46	·05	·04	—	·36	20
21	—	2·83	—	·63	—	1·42	·06	·07	—	·47	—	·09	21
22	·05	1·12	—	·27	—	·30	—	—	—	·04	—	—	22
23	·18	·60	—	·11	·95	·08	—	—	1·63	·38	—	1·10	23
24	·88	·28	—	1·28	—	1·30	—	·13	—	·50	—	·63	24
25	·57	·55	—	·79	—	·06	—	·02	·42	·25	—	·56	25
26	—	·09	—	·18	—	—	—	·62	·02	·49	·08	·28	26
27	·21	1·50	—	·48	—	·04	·12	·26	·66	—	·27	·26	27
28	—	·22	—	·58	—	·31	—	·08	·36	—	·03	·74	28
29	—	✕	—	·10	—	·79	·04	·05	·75	4·30 ✱	—	·54	29
30	—	✕	—	—	—	·02	·09	—	—	1·33	·48	—	30
31	—	✕	—	✕	—	✕	·04	·40	✕	·16	✕	·04	31
Total	6·92	13·99	4·58	6·74	4·46	6·89	1·23 1·23	7·16	7·09	8·94	15·94	17·65	TOTAL for year 101·59
No. of Rain Days	17	17	13	15	8	13	11	14	11	12	21	29	181

✱ From noon on 29th to noon on 30th 5·28 inches fell

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

101·59

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - FEB 1913

Kept at Skelwith Bridge, ambleside
in the County of Westmorland 2
by a J Adams Esq

Lat. 54°25′ Long. 3°0′27″
Time of Observation 9·30 a m
Nearest Railway Station Windermere
Diameter of Rain Gauge 5¼ in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following: ✗

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	·02	1·15	—	·42	·32	·20	·17	·10	—	—	·33	1
2	·20	·10	1·41	—	·55	·21	·17	·01	·10	—	—	—	2
3	·57	—	·01	—	—	·70	—	·37	1·71	—	·03	·80	3
4	·24	—	1·12	1·59	·04	·17	—	·91	·89	—	2·01	·25	4
5	·23	—	·02	—	·30	·05	—	·32	·28	·68	—	·08	5
6	·24	·55	·04	—	·48	—	—	·20	—	—	·01	·03	6
7	—	·61	·18	·10	·16	·03	·46	·22	·21	—	·74	·18	7
8	1·25	·85	·31	·23	·08	—	—	·15	·01	—	·40	·35	8
9	·27	·18	·29	·47	—	·14	·04	·24	—	—	·45	1·12	9
10	·27	·03	·02	·01	·13	·36	·80	·17	—	—	1·10	·98	10
11	·14	—	·01	—	·05	—	·45	·16	—	—	—	·65	11
12	1·27	—	1·47	—	—	·52	·01	—	—	—	—	1·10	12
13	·26	—	·18	—	—	·03	—	·04	—	2·36	·01	2·28	13
14	1·29	—	·25	—	—	·43	—	·04	—	·07	—	·68	14
15	·76	·38	—	—	·01	·31	—	·01	—	·96	—	·41	15
16	2·10	·04	1·25	—	·10	·01	—	·28	—	1·25	·06	·34	16
17	·05	·18	·33	—	·10	1·21	—	·98	—	—	·02	·58	17
18	·01	·16	—	—	—	·42	—	·20	—	·60	·08	·58	18
19	·03	·11	·62	—	—	·15	—	·57	—	·21	·20	·17	19
20	·21	—	·16	—	·82	·07	·01	·28	—	·65	·01	·55	20
21	—	·33	·50	—	·01	·25	—	·26	—	·20	—	·09	21
22	—	1·67	·02	—	·11	—	—	·62	—	—	·45	·10	22
23	—	·01	·08	—	—	·34	·26	·38	—	—	·59	·38	23
24	—	·14	·44	—	—	·41	·72	·03	—	·21	·68	·25	24
25	—	·04	·28	—	—	·71	·03	·36	—	—	1·42	·16	25
26	—	·92	·42	·53	—	·05	·03	—	—	2·79	·70	·53	26
27	—	·34	·63	—	—	1·25	·85	—	—	·39	·05	1·28	27
28	—	·28	·02	—	—	·34	·82	1·09	—	·74	·65	—	28
29	—	·04	·64	—	—	·03	1·25	·62	·36	·39	—	·45	29
30	·02	✗	·75	·05	—	·02	·22	—	·04	·16	—	·97	30
31	—	✗	·14	✗	·01	✗	·75	·51	✗	·01	✗	·64	31
Total	9·42	6·98	12·74	2·98	3·37	8·53	7·07	9·19	3·70	11·67	9·66	16·31	YEAR'S TOTAL 101·62
Rain Days.	20	21	29	7	16	26	17	27	9	16	20	29	237

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at (House) Neam Hurst Skelwith Bridge Grid [illegible]

in the County of Westmorland 2

by A J Adams.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station 7 miles (by road)

Diameter of Rain Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·09	1·12	—	—	—	—	—	—	—	·55	—	1
2	·66	·54	1·26	·22	—	·51	—	—	—	—	·89	·73	2
3	·46	·88	·12	—	·48	—	—	—	—	·01	·09	1·56	3
4	·59	·28	·09	—	·06	·03	·01	—	—	—	·75	·62	4
5	·27	·56	·04	—	·05	·26	·04	—	—	—	·10	—	5
6	1·50	1·33	·72	—	1·13	·90	·18	—	—	—	·01	—	6
7	·24	1·69	·08	—	·20	·25	—	—	—	·55	·01	·18	7
8	—	·63	·19	—	·13	·25	·01	·25	·01	·01	·07	·15	8
9	—	·44	·82	·08	·25	2·23	·03	·03	—	—	·30	·11	9
10	·03	·38	·96	·12	·05	·05	—	—	—	·30	·71	·10	10
11	1·01	—	—	·54	—	·12	·15	—	—	·23	·20	·32	11
12	—	—	·09	·03	—	—	·03	—	·68	·01	·48	·10	12
13	—	—	·98	·16	·04	—	·11	·01	·38	·37	·38	—	13
14	·23	—	·18	·33	·03	—	—	·01	·03	·82	·28	·03	14
15	·24	—	·72	2·70	—	—	—	·06	—	—	·73	·20	15
16	—	—	·20	·28	—	—	·02	—	—	—	·58	·03	16
17	·22	—	—	·48	·08	·18	·28	—	—	—	·57	—	17
18	·31	—	1·25	1·03	·01	·14	·01	—	—	·03	·40	—	18
19	·31	—	·06	·09	·46	·17	—	—	—	·32	·92	—	19
20	·05	—	·28	·13	·38	·08	—	·09	·16	·10	1·40	—	20
21	—	—	·22	—	·30	—	·14	1·60	—	·38	—	—	21
22	·69	—	·68	—	·51	·03	—	·27	·15	—	—	—	22
23	·76	—	·14	—	·05	1·27	—	·52	·59	—	·10	·05	23
24	1·35	·11	—	·20	—	·52	—	·02	—	—	·34	·25	24
25	—	·06	—	·30	·02	—	—	—	·66	·03	·22	1·84	25
26	—	·34	—	1·65	—	·04	—	—	·36	·30	·02	1·35	26
27	—	·02	—	·48	·03	·01	—	—	—	·34	·02	·57	27
28	·84	—	·44	·40	·35	—	—	—	—	·12	·01	·01	28
29	·01		·30	1·08	·01	—	—	·28	—	·60	·10	—	29
30	1·70		—	—	·36	—	—	—	—	·07	·07	—	30
31	·27		—		—		—	—		·25		—	31
Total	11·77	7·35	10·94	10·30	4·98	7·04	1·01	3·14	3·02	4·84	10·30	8·14	YEAR'S TOTAL 82·83.
Rain Days.	22	14	23	19	22	18	12	11	9	19	28	18	215

W.7,000, XI. 13

Esc M.Q.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-4 FEB 1915

Kept at Skelwith Bridge
in the County of Westmorland 2
by A J Adams

Lat. 54°·25′ N Long. 3°·0′·27″
Time of Observation 9 30 am
Nearest Railway Stations Windermere & Coniston
Diameter of Rain Gauge 5¼ in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·60	·26	—	—	—	·56	·42	—	—	—	·47	1
2	—	·68	·09	—	·02	—	·61	·34	—	·16	·42	·39	2
3	·40	·42	·21	—	1·24	—	—	·13	—	—	—	2·04	3
4	1·07	·01	·38	·70	·29	·01	·04	·02	—	—	·05	1·55	4
5	·26	—	1·08	·42	·15	·11	·24	·05	—	—	·25	·41	5
6	—	·08	·03	·11	0·22	·05	—	·34	—	—	·32	1·11	6
7	·10	·09	·30	·12	·22	·21	—	·54	—	·02	·16	·06	7
8	·95	·10	·08	·10	·79	·11	·04	3·03	·33	·03	·79	·20	8
9	·39	·48	—	·38	~~·13~~	·51	—	—	·02	—	·69	—	9
10	—	·58	—	·02	·13 ~~·06~~	—	—	·01	·12	—	·94	—	10
11	—	·27	·60	·06	·06	·02	1·00	—	·18	—	·92	·12	11
12	—	·84	·18	·01	·06	—	·02	—	·37	—	1·23	·06	12
13	—	·83	·69	·15	—	—	·01	—	·49	·03	·56	·12	13
14	—	1·04	·46	—	—	—	·03	—	·42	—	·40	·33	14
15	—	·10	·55	—	—	—	—	—	·21	—	·21	—	15
16	—	·09	—	—	—	—	·59	—	1·62	—	—	·08	16
17	—	1·25	·42	—	—	—	·22	—	·17	·01	—	4·07	17
18	—	·99	·48	—	—	—	·03	—	—	·01	—	·15	18
19	—	·07	·16	—	—	—	·01	—	·09	—	·01	·06	19
20	—	·75	·22	—	·07	·35	—	—	—	—	—	·08	20
21	—	·27	—	—	·03	·01	—	·03	—	·06	—	—	21
22	—	1·22	—	·09	·24	·14	·02	·46	—	·07	—	—	22
23	—	·28	·21	·31	·12	·03	·05	·14	—	—	—	—	23
24	1·72	—	·27	·04	—	·05	·34	·02	—	—	·34	—	24
25	·48	—	—	—	—	—	·22	1·22	—	1·55	1·58	1·76	25
26	·08	·29	—	—	—	—	—	—	—	·50	1·32	·53	26
27	·08	·25	—	—	—	—	—	—	·12	·46	1·38	·18	27
28	·25	·58	·49	—	·03	—	—	·07	·02	—	1·04	—	28
29	·91	X	·57	—	·02	—	—	·35	—	·02	2·32	·04	29
30	·28	X	1·15	·01	·01	—	—	—	—	—	·25	·76	30
31	·93	X	—	X	—	X	1·03	—	X	·18	X	·04	31
Total	7·92	12·16	8·88	2·52	3·70	1·60 ✓	5·06 ✓	7·17 ✓	4·16 ✓	3·10	15·18	14·61 ✓	YEAR'S TOTAL 86·06
Rain Days.	15	25	22	14	17	12 ✓	18 ✓	16 ✓	13 ✓	13 ✓	21 ✓	23 ✓	209

W. 8,000. X. 14.

3920

W M L

cnd for auth 28.VI.16

Sprade

FORM A.
BRITISH RAINFALL.
27 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Skelwith Bridge

in the County of Westmorland

by A J Adams.

Lat. 54° 25′ Long. 3° 0′ 27″ W

Time of Observation 9·30

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·71	1·42	·06	—	·09	—	·24	·02	—	—	—	—	1
2	·07	1·31	·72	·99	—	·20	·51	·41	—	—	—	—	2
3	·03	·54	·63	·40	—	—	·54	·53	—	—	—	·34	3
4	·04	·34	·36	·14	·10	·35	—	—	·01	—	—	·16	4
5	·45	1·36	·57	·08	·28	—	—	·15	—	—	—	2·04	5
6	·35	·27	—	·73	—	·15	1·66	—	·08	—	—	·72	6
7	·34	1·31	—	·38	—	—	·67	·15	—	—	·04	·30	7
8	·46	·98	—	·20	—	—	—	·23	—	—	1·79	—	8
9	—	·24	—	—	—	—	—	·01	—	—	·41	1·15	9
10	1·45	—	·03	·17	—	—	—	·03	—	·08	—	·92	10
11	·15	—	—	—	·71	—	·06	·02	—	·02	·03	·35	11
12	·55	·04	—	—	—	—	·12	·02	—	·37	·63	—	12
13	·44	—	—	—	—	—	—	·06	—	·12	—	·45	13
14	·71	—	—	·02	—	—	·24	·01	·08	—	—	·30	14
15	1·32	—	—	·15	—	—	—	·31	·04	—	·20	·77	15
16	—	2·91	—	—	·03	—	·25	·04	·21	—	—	·06	16
17	—	·70	·01	—	—	—	·09	—	—	—	—	—	17
18	—	·55	·23	·02	—	—	·45	—	—	·01	—	—	18
19	·14	·13	·16	2·21	·36	—	·31	—	—	—	—	—	19
20	·65	—	·10	·02	·31	—	·85	—	—	—	—	·45	20
21	·04	·14	—	·18	—	—	·99	—	—	—	—	·07	21
22	—	—	·20	—	—	·05	·26	—	—	·04	—	·91	22
23	—	·06	·25	·01	—	·04	·11	—	·37	·75	—	·68	23
24	—	—	·04	·01	—	—	·20	—	·52	12	—	1·07	24
25	—	—	—	—	—	—	·09	—	·13	—	—	·15	25
26	—	2·38	—	—	—	—	·34	—	—	—	—	·78	26
27	—	·34	—	—	—	·33	·03	—	—	·87	·11	·54	27
28	—	·65	—	—	·05	·42	·01	·47	—	·17	—	—	28
29	—	X	—	—	·05	—	—	—	·01	—	·95	·31	29
30	·66	X	—	·15	—	·98	—	—	—	—	·16	·15	30
31	·48	X	—	X	—	X	·02	1·35	X	—	X	2·12	31
Total	9·04	15·67	3·36	5·86	1·98	2·52	8·04	3·81	1·45	2·55	4·32	14·79	YEAR'S TOTAL 73·39 73·39
Rain Days.	19	19	13	17	9	8	22	16	9	10	9	23	174

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Skelwith Bridge, Ambleside
in the County of Westmorland
by A J Adams (Esq)

N Lat. 54° 25' W Long. 3° 0' 27"
Time of Observation 9. am
~~Nearest~~ Best Railway Station Windermere
Diameter of Funnel of Rain Gauge 5¼ in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·93	·62	—	—	—	·75	1·06	·01	—	—	·72	—	1
2	·60	·16	—	—	—	·16	—	—	·29	·44	·09	·03	2
3	·45	·50	—	·02	—	·55	·11	—	1·19	·46	·97	·02	3
4	·22	·10	—	—	—	·97	·01	—	·04	1·87	·40	—	4
5	·32	2·18	—	—	·74	·25	·01	—	—	2·21	·52	—	5
6	1·71	·30	—	—	·25	·18	·43	—	—	·93	·45	·03	6
7	·08	·09	·01	—	·52	·07	·56	—	—	·75	·32	·27	7
8	·01	·09	—	—	·63	·05	·05	—	—	·18	1·00	·03	8
9	·13	—	—	—	—	·13	·13	—	—	·40	·58	·33	9
10	·30	·40	—	·41	·33	—	·43	—	—	1·54	·68	—	10
11	·15	·07	—	·69	—	—	·41	—	·16	·36	·10	·03	11
12	·59	1·18	·01	·31	·01	—	·44	·33	—	·27	—	—	12
13	—	·55	·06	·06	·35	—	—	·31	—	1·48	—	·01	13
14	·35	·58	—	·02	—	—	—	·29	·07	·98	·03	—	14
15	·20	1·13	·22	·14	·61	—	·04	·33	—	·03	—	·06	15
16	·10	·47	·27	1·05	—	—	·06	·09	·03	·04	—	—	16
17	·77	·21	—	1·11	·01	—	·06	·08	1·60	·39	—	·19	17
18	·74	·70	—	·17	—	—	·01	·48	·74	·15	·09	·16	18
19	1·36	—	·20	·02	—	—	—	·03	—	—	·06	·28	19
20	1·42	—	—	·03	—	—	—	·03	—	—	·28	·78	20
21	·83	—	—	·02	—	—	·26	—	·02	—	·03	—	21
22	—	—	—	·07	·03	·29	—	—	·01	·23	·08	·06	22
23	·43	—	·01	·57	—	·16	—	·03	—	·94	1·38	·18	23
24	·17	—	·32	·88	—	·93	—	·54	—	·42	·93	·08	24
25	·07	—	·44	—	·15	·13	—	·25	—	·15	1·06	·37	25
26	·46	·01	·25	—	—	—	·01	·01	—	·04	·06	—	26
27	—	—	·01	—	—	—	—	—	·12	·22	·24	·26	27
28	1·52	—	—	—	—	—	—	—	—	·34	·28	3·70	28
29	·38	·19	·06	—	—	—	—	—	—	·71	1·45	·29	29
30	·09	X	·04	—	—	·17	·03	·06	—	1·48	1·18	1·41	30
31	—	X	—	X	1·78	X	—	·34	X	·75	X	·25	31
Total	15·38	9·53	1·90	5·57	5·41	4·79	4·11	3·21	4·27	17·76	12·98	8·82	YEAR'S TOTAL 93·73
Rain Days.	27	19	13	16	12	14	18	16	11	27	25	22	220

W. 8,000, VIII. 16

S. made ✓

AMBLESIDE
TWEENWAY HSE

WESTMORLAND
1913 - 1915

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

REG

58 N.

Kept at Tweenway H

n.

in the County of W

ermere L.N.W. Rly

in.

by Alfred E. Hud

ound 1 ft. 0 in.

a Level 175 ft.

IMPORTANT NO result entered to the previous day. If an al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					~	~	-	-	-	-	0-41	-	1
2					~	0-47	~	-	~	-	0-64	0-66	2
3					0-45	-	-	-	-	0-01	0-09	1-35	3
4					0-03	0-02	0-05	-	-	-	0-85	0-63	snow 4
5					0-21	0-50	-	~	~	~	-	0-02	5
6					0-85	0-60	0-26	~	~	0-01	~	0-02	6
7					0-22	0-24	0-01	~	~	0-82	~	0-03	7
8					0-12	0-14	~	0-30	0-01	0-02	0-06	0-19	8
9					0-25	1-88	0-03	~	~	~	0-09	0-07	9
10					0-10	0-04	0-02	~	~	0-19	0-79	-	10
11					~	0-11	0-19	-	-	0-30	0-13	0-27	11
12					~	~	0-04	0-01	0-73	0-01	0-45	0-10	12
13					0-02	~	0-11	-	0-36	0-29	0-31	-	13
14	fixed gauge				~	~	-	-	0-03	0-88	0-24	0-03	14
15	April 15th.			15th ↑	~	~	-	0-06	~	-	0-55	0-20	15
16				to	~	~	0-03	-	~	-	0-55	0-02	16
17				3	-	0-23	0-18	-	~	~	0-34	~	17
18				06	0-07	0-11	0-02	-	-	0-04	0-66	~	18
19				19th ↓	0-26	0-06	~	~	~	0-26	0-92	~	19
20				0-11	0-31	0-09	-	0-07	0-14	0-16	1-21	~	20
21				~	0-20	~	0-11	1-22	~	0-40	0-02	~	21
22				~	0-40	0-01	~	0-30	0-12	0-01	~	~	22
23				~	0-03	0-95	~	0-34	0-52	~	0-11	0-04	23
24				0-23	~	0-50	~	0-05	~	~	0-27	0-17	24
25				0-30	~	~	~	~	0-64	0-02	0-20	1-26	25
26				1-05	~	0-04	~	~	0-34	0-29	0-27	1-08	26
27				0-57	~	0-03	~	~	~	0-28	0-01	0-50	snow 27
28				0-35	0-37	-	~	~	~	0-19	0-01	-	28
29				0-91	~	-	~	0-21	~	0-55	0-23	~	29
30				~	0-29	~	~	~	~	0-10	0-04	~	30
31					~		~	~		0-18		~	31
Total				6-58	4-18	6-02	1-05	2-56	2.89	5.01	9.45	6.64	YEAR'S TOTAL
Rain Days.				10	17	18	12	9	9	5.01 21	26	18	

W.7,000, XI. 13

REGIS

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Tweenway House, Ambleside.
in the County of Westmorland.
by Alfred E. Huddlestone.

8 W.
Time of Observation
Nearest Railway Station Windermere L.N.W. Rly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					~	~	~	~	~	~	0-41	~	1
2					~	0-47	~	~	~	~	0-64	0-66	2
3					0-45	~	~	~	~	0-01	0-09	1-35	3
4					0-03	0-02	0-05	~	~	~	0-85	0-63	snow 4
5					0-21	0-50	~	~	~	~	~	0-02	5
6					0-85	0-60	0-26	~	~	0-01	~	0-02	6
7					0-22	0-24	0-01	~	~	0-82	~	0-03	7
8					0-12	0-14	~	0-30	0-01	0-02	0-06	0-19	8
9					0-25	1-88	0-03	~	~	~	0-09	0-07	9
10					0-10	0-04	0-02	~	~	0-19	0-79	~	10
11					~	0-11	0-19	~	~	0-30	0-13	0-27	11
12					~	~	0-04	0-01	0-73	0-01	0-45	0-10	12
13					0-02	~	0-11	~	0-36	0-29	0-31	~	13
14	fixed gauge				~	~	~	~	0-03	0-88	0-24	0-03	14
15	April 15th.			15th ↑	~	~	~	0-06	~	~	0-55	0-20	15
16				to	~	~	0-03	~	~	~	0-55	0-02	16
17				0-06	~	0-23	0-18	~	~	~	0-34	~	17
18					0-07	0-11	0-02	~	~	0-04	0-66	~	18
19				19th ↓	0-26	0-06	~	~	~	0-26	0-92	~	19
20				0-11	0-31	0-09	~	0-07	0-14	0-16	1-21	~	20
21				~	0-20	~	0-11	1-22	~	0-40	0-02	~	21
22				~	0-40	0-01	~	0-30	0-12	0-01	~	~	22
23				~	0-03	0-95	~	0-34	0-52	~	0-11	0-04	23
24				0-23	~	0-50	~	0-05	~	~	0-27	0-17	24
25				0-30	~	~	~	~	0-64	0-02	0-20	1-26	25
26				1-05	~	0-04	~	~	0-34	0-29	0-27	1-08	26
27				0-57	~	0-03	~	~	~	0-28	0-01	0-50	snow 27
28				0-35	0-37	~	~	~	~	0-19	0-01	~	28
29				0-91	~	~	~	0-21	~	0-55	0-23	~	29
30				~	0-29	~	~	~	~	0-10	0-04	~	30
31					~		~	~		0-18		~	31
Total				6-58	4-18	6-02	1-05	2-56	2.89	5.01	9.45	6.64	YEAR'S TOTAL
Rain Days.				10	17	18	12	9	9	5.01 21	26	18	

W.7,000, XI. 13

written 19.IV.15

card for auth 16.IV.15

REGISTER OF RAINFALL IN 1914

Kept at Tweenway House

Ambleside

in the County of Westmorland

by Alfred E. Huddlestone

Lat. 54·26 N Long. 2·58 W

Time of Observation 8. A.M.

Nearest Railway Station Windermere Rly L.N.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground One ft. " in.

" " " " Sea Level 175 ft.

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Tweenway House,

AMBLESIDE.

20th April 1915.

Hugh R. Mill Esq:

62, Camden Square,

LONDON. N.W.

Sir,

I thank you for your kind letter received this morning and I must apoligize for the trouble I have given you in my sending you rainfall chart wrongly added. I find in examining my copy that I have made these mistakes and I have altered same to your figures which are correct.

Again, I thank you for your kindness in pointing out to me the faults,

Yours faithfully.

Alfred E. Huddlestone

													YEAR'S TOTAL
Total	7.51	11.68	8.02	2.24	2.89	1.39	4.53	6.91	3.82 3.82	2.62	13.16	12.95	~~76.62~~ 77.80
Rain Days.	19	27	28	15	18	12	16	17	14	12	20	26	225

W. 8,000. X. 14.

Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.65	0.25	0.01	~	~	0.25	0.39	~	0.03	~	0.56	1
2	0.01	0.54	0.12	~	0.01	~	0.85	0.28	~	0.10	0.36	0.40	2
3	0.19	0.42	0.18	0.01	0.81	~	0.02	0.18	~	~	~	1.65	3
4	0.96	0.03	0.28	0.56	0.28	0.01	~	0.15	~	~	~	1.35	4
5	0.29	0.02	0.71	0.37	0.09	0.05	0.27	0.03	~	~	0.32	0.62	5
6	~	0.06	0.11	0.17	0.16	0.08	~	0.35	~	~	0.35	0.81	6
7	0.09	0.11	0.32	0.13	0.20	0.09	~	0.06	~	~	0.10	0.03	7
8	0.61	0.03	0.09	0.03	0.52	0.29	~	3.39	0.35	0.04	0.55	0.29	8
9	0.28	0.50	0.01	0.42	~	0.55	~	~	0.02	~	0.55	0.01	9
10	0.35	0.50	~	~	0.11	0.05	~	~	0.09	~	0.82	~	10
11	~	0.24	0.66	0.04	0.14	0.01	0.92	~	0.15	~	0.67	0.15	11
12	~	0.80	0.10	0.07	0.04	~	0.02	~	0.27	~	1.00	0.07	12
13	~	0.87	0.71	0.10	~	~	~	~	0.49	0.04	0.60	0.16	13
14	~	1.47	0.30	~	~	~	~	~	0.22	~	snow 0.36	0.48	14
15	~	0.11	0.42	~	~	~	0.01	~	0.24	~	0.34	~	15
16	~	0.11	0.36	~	~	~	0.89	~	1.47	~	~	0.05	16
17	0.02	1.01	0.40	~	~	0.01	0.14	~	0.29	~	~	3.23	17
18	~	0.75	0.09	~	~	~	0.06	~	0.07	0.04	~	0.21	18
19	0.01	0.09	0.40	~	~	~	0.01	~	0.06	~	~	snow 0.06	19
20	~	0.85	0.10	~	0.03	0.10	~	~	~	~	~	0.04	20
21	~	0.34	0.03	~	0.09	~	~	0.04	~	~	~	0.01	21
22	~	0.86	0.01	0.04	0.14	0.11	~	0.38	~	0.11	0.01	~	22
23	~	0.24	0.17	0.18	0.16	~	0.07	0.15	~	~	~	~	23
24	1.60	0.01	0.25	0.08	0.14	0.04	0.27	0.02	~	~	0.31	~	24
25	0.42	~	0.01	~	0.02	~	0.08	0.93	~	1.15	1.27	1.21	25
26	0.08	0.19	~	~	~	~	0.01	0.09	~	0.36	1.20	0.71	26
27	0.09	0.30	~	~	~	~	~	~	0.04	0.47	0.78	0.16	27
28	0.16	0.58	0.32	~	0.02	~	~	0.12	0.03	0.02	0.79	0.01	28
29	1.02	~	0.56	~	~	~	~	0.33	~	0.04	2.50	snow 0.03	29
30	0.41	✕	1.05	0.03	~	~	~	0.02	~	~	0.28	0.63	30
31	0.90	✕	0.01	✕	0.01	✕	0.66	~	✕	0.22	✕	0.02	31
Total	7.51	11.68	8.02 8.02	2.24	2.97 2.89	1.39	4.53	6.91	3.82 3.82	2.62	13.16	12.95	YEAR'S TOTAL ~~76.62~~ 77.80
Rain Days.	19	27	28	15	19	12	16	17	14	12	20	26	22~~5~~4

W. 8,000. X. 14.

Entd L V

3925

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN

Kept at Tweenway House

in the County of Ambleside

by Alfred E. Huddlestone

Lat. 54. 26 N. Long. 2. 58 W.

Time of Observation 8. A.M.

Nearest Railway Station Windermere L.N.W. Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 175. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1.57.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.63	1.28	0.07	~	0.15	0.01	0.07	0.40	0.01	-	.	.	1
2	0.04	1.09	0.45	0.67	-	0.13	0.41	0.72	-	-	-	.	2
3	0.06	0.54	0.60	0.34	-	-	0.46	0.25	-	-	.	0.31	3
4	-	0.35	0.33	0.12	0.08	0.26	~	0.05	-	.	.	0.40	4
5	0.48	0.99	0.43	0.03	0.12	0.07	~	0.13	0.07	-	-	1.76	5
6	0.27	0.48	0.03	0.60	-	0.15	1.30	0.05	-	-	.	0.75	6
7	0.46	1.04	0.01	0.23	-	-	0.72	0.13	-	-	0.02	0.27	7
8	0.36	0.97	-	0.21	.	-	-	0.22	-	-	1.63	-	8
9	-	0.25	-	0.01	.	-	-	0.03	-	.	0.37	1.13	9
10	1.21	0.01	0.03	0.18	-	-	0.01	0.11	.	0.02	.	1.08	10
11	0.19	-	0.01	-	0.64	-	0.01	0.03	-	-	0.07	0.46	11
12	0.38	0.02	-	-	-	-	0.10	0.04	.	0.31	0.94	-	12
13	0.32	0.08	-	-	-	-	0.01	0.30	-	0.10	-	0.40	13
14	0.60	-	-	0.04	0.01	-	0.12	0.27 2days	-	-	.	0.45	14
15	1.18	-	-	0.03	-	-	0.04		0.11	.	0.17	0.58	15
16	-	1.83	-	-	0.01	-	0.18	0.06	0.15	-	-	0.06	16
17	-	0.70	0.01	-	-	-	0.12	-	-	-	-	.	17
18	-	0.44	0.20	-	-	-	0.33	0.01	.	-	-	.	18
19	0.03	0.26	0.18	1.32	0.35	-	0.27	-	-	-	-	.	19
20	0.55	0.01	0.06	0.03	0.15	-	0.61	-	-	-	.	0.43	20
21	-	-	.	0.12	-	.	0.55	-	-	-	-	0.07	21
22	0.19	-	0.14	-	-	0.05	0.13	-	-	0.01	-	0.65	22
23	-	-	0.14	0.02	-	0.04	0.10	.	0.25	0.60	-	0.50	23
24	-	-	0.08	0.03	-	.	0.18	-	0.76	0.26	-	0.77	24
25	-	.	-	-	-	.	0.15	-	0.10	0.70	-	0.12	25
26	-	1.55	.	-	-	0.01	0.31	-	-	-	-	0.54	26
27	-	0.30	-	-	-	0.11	-	-	-	.	0.10	0.80	27
28	-	0.58	-	-	0.10	0.25	-	0.34	-	0.25	-	-	28
29	-	-	-	-	0.17	-	-	-	-	-	0.83	0.34	29
30	0.53	X	-	0.15	-	0.02	-	-	-	-	0.22	0.16	30
31	0.49	X	-	X	-	X	0.05	1.14	X	-	X	1.55	31
Total	7.97	12.77	2.77	4.13	1.78	1.10	4.28	6.23	1.45	2.25	4.35	13.58	YEAR'S TOTAL 62.66
Rain Days.	18	20	16	17	10	11	23	19	7	8	9	23	181

W. 8,000. X. 15.

✓

REGIS 911

FORM A2.
BRITISH RAINFALL.

AMBLESIDE

WANSFELL

1911 - 1920

Kept at Wansfell

in the County of Westmo

by O.O. Wrigley E

...op five in.

...above Ground 1 ft. — in.

„ Sea Level ft.

8.30 A.M.

Nearest Railway Station { Name Windermere
Distance 4 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	1.24	—	0.19	—	0.09	0.13	—	—	0.89	0.25	1
2	0.17	—	0.04	—	0.62	—	0.04	0.32	—	0.06	0.15	0.56	2
3	0.01	—	0.80	—	1.59	—	0.01	—	—	—	1.92	0.32	3
4	—	—	—	0.02	0.06	—	0.01	1.44	—	—	1.30	0.35	4
5	0.79	—	0.18	0.02	—	—	—	2.27	—	—	0.39	0.17	5
6	0.44	—	0.05	0.03	—	—	—	0.58	—	—	0.49	0.78	6
7	0.58	—	0.04	—	0.07	—	—	—	—	—	0.57	0.02	7
8	0.23	—	0.28	—	—	—	—	—	—	—	0.54	1.17	8
9	0.03	—	—	—	—	—	—	—	—	—	—	0.91	9
10	1.52	0.24	0.53	—	—	—	—	—	0.20	—	—	1.68	10
11	0.23	—	0.06	—	—	—	—	—	0.60	—	0.17	0.20	11
12	0.04	—	0.03	—	0.15	—	—	—	0.76	—	0.33	0.06	12
13	0.03	0.29	0.01	—	0.42	—	—	—	—	—	0.77	0.09	13
14	0.15	0.93	0.08	—	0.04	—	—	—	—	—	1.27	0.52	14
15	0.02	0.94	0.08	0.08	—	—	—	—	—	—	0.98	0.17	15
16	0.13	1.20	0.09	0.20	0.01	0.36	0.03	—	—	—	0.35	0.59	16
17	0.05	0.07	—	0.01	—	1.46	0.08	—	—	—	0.74	0.39	17
18	—	2.19	0.01	0.27	—	0.47	0.05	—	—	—	0.02	0.71	18
19	—	0.06	—	0.18	—	0.07	0.06	—	1.78	0.81	0.09	0.72	19
20	0.01	0.25	—	0.93	—	0.01	0.57	0.35	0.05	0.06	—	0.61	20
21	0.01	2.25	—	0.47	—	0.89	0.09	0.02	—	0.35	—	0.16	21
22	0.05	0.84	—	0.31	—	0.29	—	—	—	0.04	—	—	22
23	0.19	0.73	—	0.09	0.66	0.09	—	—	1.03	0.25	—	0.81	23
24	0.45	0.20	0.03	0.87	0.02	1.23	—	0.17	0.04	0.31	—	0.47	24
25	0.42	0.49	0.01	0.67	—	0.10	—	0.02	0.38	0.25	—	0.48	25
26	0.05	0.07	—	0.14	—	0.02	0.01	0.47	0.03	0.81	0.26	0.29	26
27	0.20	1.43	0.01	0.39	—	0.06	0.12	0.35	0.43	—	0.23	0.26	27
28	—	0.18	—	0.40	—	0.21	—	0.11	0.31	—	0.04	0.58	28
29	—		—	0.11	—	0.37	0.01	0.03	0.70	4.03	—	0.37	29
30	—		—	—	—	0.02	0.08	—	0.02	0.93	0.39	—	30
31	—		—		0.01		0.04	0.31		0.14		0.06	31
Total	5.80	12.36	3.57	5.19	3.84	5.65	1.29	6.57	6.33	8.04	11.89	13.75	TOTAL for year 84.28
No. of Rain Days	23	17	18	18	12	15	15	14	13	12	21	29	207

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

Kept at Wansfell

in the County of Westmorland

by O. O. Wrigley Esq

RAIN GAUGE
Pattern
Diameter of top five in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 8.30 A.M.

Nearest Railway Station
Name Windermere
Distance 4 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	1.24	—	0.19	—	0.09	0.13	—	—	0.89	0.25	1
2	0.17	—	0.04	—	0.62	—	0.04	0.32	—	0.06	0.15	0.56	2
3	0.01	—	0.80	—	1.59	—	0.01	—	—	—	1.92	0.32	3
4	—	—	—	0.02	0.06	—	0.01	1.44	—	—	1.30	0.35	4
5	0.79	—	0.18	0.02	—	—	—	2.27	—	—	0.39	0.17	5
6	0.44	—	0.05	0.03	—	—	—	0.58	—	—	0.49	0.78	6
7	0.58	—	0.04	—	0.07	—	—	—	—	—	0.57	0.02	7
8	0.23	—	0.28	—	—	—	—	—	—	—	0.54	1.17	8
9	0.03	—	—	—	—	—	—	—	—	—	—	0.91	9
10	1.52	0.24	0.53	—	—	—	—	—	0.20	—	—	1.68	10
11	0.23	—	0.06	—	—	—	—	—	0.60	—	0.17	0.20	11
12	0.04	—	0.03	—	0.15	—	—	—	0.76	—	0.33	0.06	12
13	0.03	0.29	0.01	—	0.42	—	—	—	—	—	0.77	0.09	13
14	0.15	0.93	0.08	—	0.04	—	—	—	—	—	1.27	0.52	14
15	0.02	0.94	0.08	0.08	—	—	—	—	—	—	0.98	0.17	15
16	0.13	1.20	0.09	0.20	0.01	0.36	0.03	—	—	—	0.35	0.59	16
17	0.05	0.07	—	0.01	—	1.46	0.08	—	—	—	0.74	0.39	17
18	—	2.19	0.01	0.27	—	0.47	0.05	—	—	—	0.02	0.71	18
19	—	0.06	—	0.18	—	0.07	0.06	—	1.78	0.81	0.09	0.72	19
20	0.01	0.25	—	0.93	—	0.01	0.57	0.35	0.05	0.06	—	0.61	20
21	0.01	2.25	—	0.47	—	0.89	0.09	0.02	—	0.35	—	0.16	21
22	0.05	0.84	—	0.31	—	0.29	—	—	—	0.04	—	—	22
23	0.19	0.73	—	0.09	0.66	0.09	—	—	1.03	0.25	—	0.81	23
24	0.45	0.20	0.03	0.87	0.02	1.23	—	0.17	0.04	0.31	—	0.47	24
25	0.42	0.49	0.01	0.67	—	0.10	—	0.02	0.38	0.25	—	0.48	25
26	0.05	0.07	—	0.14	—	0.02	0.01	0.47	0.03	0.81	0.26	0.29	26
27	0.20	1.43	0.01	0.39	—	0.06	0.12	0.35	0.43	—	0.23	0.26	27
28	—	0.18	—	0.40	—	0.21	—	0.11	0.31	—	0.04	0.58	28
29	—		—	0.11	—	0.37	0.01	0.03	0.70	4.03	—	0.37	29
30	—		—	—	—	0.02	0.08	—	0.02	0.93	0.39	—	30
31	—		—		0.01		0.04	0.31		0.14		0.06	31
Total	5.80	12.36	3.57	5.19	3.84	5.65	1.29	6.57	6.33	8.04	11.89	13.75	TOTAL for year 84.28
No. of Rain Days	23	17	18	18	12	15	15	14	13	12	21	29	207

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Wansfell, Ambleside

in the County of Westmorland 2

by O. O. Wrigley Esq

Lat. Long.

Nearest Railway Station Windermere

Time of Observation

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-·01	-·01	-·68	—	-·29	-·34	-·19	-·13	-·11	—	—	-·32	1
2	-·14	-·10	1·20	—	-·30	-·23	-·11	-·02	-·09	—	-·01	—	2
3	-·43	—	-·03	—	—	-·77	—	-·32	1·24	—	-·06	-·74	3
4	-·26	—	-·90	1·08	-·03	-·20	—	-·82	-·67	—	1·58	-·18	4
5	-·24	—	-·05	-·06	-·32	—	—	-·16	-·08	-·76	—	-·04	5
6	-·29	-·51	-·05	—	-·43	—	—	-·32	—	—	-·02	-·04	6
7	—	-·62	-·15	-·17	-·15	-·02	-·32	-·42	-·20	—	-·56	-·09	7
8	1·26	-·66	-·24	-·18	-·06	—	—	-·12	-·04	—	-·39	-·24	8
9	-·27	-·23	-·39	-·36	—	-·27	-·05	-·35	—	—	-·26	-·90	9
10	-·21	-·04	-·04	—	-·16	-·27	-·68	-·05	—	—	-·81	-·76	10
11	-·11	—	-·02	—	-·07	-·02	-·27	-·21	—	-·01	—	-·49	11
12	-·91	-·01	1·08	—	—	-·46	-·01	-·01	—	—	—	-·73	12
13	-·21	—	-·28	—	—	-·06	—	-·04	—	1·70	-·11	2·44	13
14	-·76	—	-·29	—	—	-·38	—	-·02	—	-·05	—	-·47	14
15	-·43	-·49	-·02	—	-·04	-·27	—	-·02	—	-·82	—	-·46	15
16	2·12	-·03	-·90	—	-·09	-·02	—	-·20	—	-·90	-·05	-·46	16
17	-·10	-·19	-·28	—	-·14	1·02	—	-·90	—	—	-·04	-·48	17
18	-·01	-·18	—	—	—	-·33	—	-·06	—	-·67	-·08	-·67	18
19	-·04	-·17	-·67	—	—	-·14	—	-·54	—	-·17	-·18	-·10	19
20	-·26	—	-·17	—	-·75	-·03	-·03	-·32	—	-·54	-·02	-·40	20
21	—	-·22	-·52	—	—	-·15	-·04	-·22	—	-·18	—	-·11	21
22	-·02	1·16	—	—	-·15	-·02	—	-·59	—	—	-·33	-·06	22
23	—	-·02	-·08	—	—	-·30	-·23	-·30	—	—	-·59	-·47	23
24	—	-·12	-·37	—	—	-·45	-·45	-·03	—	-·21	-·57	-·24	24
25	—	-·08	-·23	—	—	-·77	-·04	-·18	—	—	1·06	-·16	25
26	—	-·97	-·32	-·48	—	-·08	-·11	-·01	—	2·47	-·41	-·53	26
27	—	-·38	-·41	—	—	1·24	-·90	—	—	-·38	-·08	1·21	27
28	—	-·31	-·07	—	—	-·13	-·43	-·84	—	-·62	-·67	-·02	28
29	-·01	-·06	-·58	—	—	-·05	-·99	-·23	-·37	-·38	—	-·33	29
30	-·02		-·52	-·07	-·01	-·01	-·34	—	-·03	-·14	—	1·19	30
31	—		-·23		—		-·80	-·52		-·03		-·56	31
Total	8·11	6·56	10·77	2·40	2·99	8·03	5·99	7·95	2·83	10·03	7·88	14·89	TOTAL for year 88·43
No. of Rain Days	22	22	29	7	15	27	18	29	9	17	21	30	246

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
12 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Wansfell, Ambleside [illegible]

in the County of Westmorland

by O. O. Wrigley Esq

Lat. 54° 25' N Long. 2·57 W

Time of Observation 8·30 A.M.

Nearest Railway Station Windermere

Diameter of Rain Gauge eight in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-·06	-·15	-·69	-·03	–	–	–	–	–	–	-·39	–	1
2	-·56	-·39	1·17	-·19	–	-·43	–	–	–	–	-·71	-·61	2
3	-·34	-·79	-·07	–	-·54	–	–	–	–	–	-·05	1·29	3
4	-·42	-·20	-·17	–	-·02	-·02	-·03	–	–	–	-·79	-·61	4
5	-·24	-·32	-·08	–	-·21	-·47	-·12	–	–	–	-·04	–	5
6	-·84	-·78	-·71	–	-·80	-·58	-·18	–	–	-·01	–	-·03	6
7	-·14	1·48	-·11	–	-·22	-·27	-·02	–	–	-·73	-·02	-·14	7
8	–	-·65	-·24	–	-·18	-·11	-·01	-·20	-·01	–	-·06	-·15	8
9	–	-·37	-·88	-·10	-·20	1·91	-·07	–	–	–	-·19	-·08	9
10	-·07	-·30	-·79	-·14	-·03	-·03	-·01	–	–	-·31	-·60	-·01	10
11	-·78	–	–	-·43	–	-·11	-·19	-·02	–	-·17	-·24	-·34	11
12	-·03	–	-·05	-·06	–	–	–	–	-·73	-·01	-·39	-·08	12
13	–	–	-·78	-·11	-·04	–	-·11	-·01	-·33	-·34	-·33	–	13
14	-·21	-·02	-·24	-·19	–	–	–	–	-·01	-·80	-·27	-·03	14
15	-·15	–	-·78	1·71	–	–	–	-·10	–	–	-·59	-·19	15
16	–	–	-·14	-·37	–	–	-·02	–	–	–	-·52	-·02	16
17	-·16	–	-·01	-·49	-·10	-·32	-·20	–	–	–	-·52	–	17
18	-·19	–	-·82	-·79	-·13	-·11	-·02	–	–	-·03	-·48	–	18
19	-·39	–	-·11	-·15	-·35	-·05	–	–	–	-·26	1·10	–	19
20	–	–	-·10	-·10	-·21	-·09	–	-·06	-·10	-·17	1·19	–	20
21	–	–	-·32	–	-·14	–	-·11	1·21	–	-·38	–	–	21
22	-·47	–	-·96	–	-·45	-·05	–	-·32	-·12	–	–	–	22
23	-·63	–	-·10	–	-·03	-·86	–	-·31	-·42	-·09	-·13	-·05	23
24	-·88	-·10	–	-·25	–	-·46	–	-·04	–	–	-·29	-·12	24
25	–	-·09	–	-·35	–	–	–	–	-·64	-·04	-·21	1·16	25
26	–	-·27	–	1·11	–	-·05	–	–	-·33	-·25	-·01	1·01	26
27	–	-·01	–	-·51	-·06	-·02	–	–	–	-·29	-·01	-·60	27
28	-·53	–	-·42	-·41	-·30	–	–	–	–	-·19	-·04	-·01	28
29	–		-·35	-·99	-·01	–	–	-·23	–	-·54	-·17	-·03	29
30	1·25		–	–	-·34	–	–	–	–	-·04	-·04	–	30
31	-·28		-·02		–		–	–		-·35		–	31
Total	8·62	5·92	10·11	8·48	4·36	5·94	1·09	2·50	2·69	5·00	9·38	6·56	YEAR'S TOTAL 70·65
Rain Days	21	15	25	20	20	18	13	10	9	19	27	20	217

W.7,000, XI. 13

Exc. Mill

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at Wansfell, Ambleside
in the County of Westmorland 2
by O. O. Wrigley Esq.

Lat.………… Long.…………
Time of Observation 9 A.M.
Nearest Railway Station Windermere.
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 150 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-·65	-·29				-·59	-·37		-·03		-·67	1
2	-·01	-·62	-·14	-·01			-·51	-·25		-·08	-·37	-·30	2
3	-·19	-·40	-·22		-·79			-·21				1·55	3
4	-·96	-·01	-·33	-·58	-·30	-·02		-·08				1·76	4
5	-·34	-·02	-·73	-·33	-·12	-·06	-·23	-·06			-·32	-·36	5
6		-·10	-·15	-·07	-·16	-·07		-·29			-·27	-·63	6
7	-·08	-·06	-·18	-·09	-·24	-·08		-·22		-·03	-·12	-·07	7
8	-·66	-·01	-·15	-·06	-·36	-·29		3·36	-·37	-·03	-·46	-·30	8
9	-·38	-·49		-·33		-·61			-·02		-·73	-·01	9
10	-·01	-·49	-·01	-·01	-·08	-·01		-·01	-·13		-·74		10
11		-·25	-·56	-·04	-·15	-·01	1·06		-·14		-·81	-·12	11
12		-·78	-·12	-·01	-·04		-·03		-·28		-·96	-·09	12
13		-·73	-·65	-·16	-·01				-·39	-·05	-·60	-·17	13
14		1·02	-·33						-·32		-·39	-·40	14
15		-·13	-·47				-·03		-·28		-·24		15
16		-·07	-·06				-·94		1·66			-·06	16
17	-·02	1·15	-·28			-·03	-·16		-·25			2·92	17
18		-·74	-·28				-·05		-·05	-·03		-·26	18
19		-·07	-·08			-·10	-·02		-·09		-·01	-·03	19
20		-·76	-·11		-·04							-·11	20
21		-·28			-·04	-·15		-·04		-·03	-·01	-·01	21
22		1·05	-·01	-·05	-·24	-·06	-·03	-·35		-·09			22
23		-·26	-·19	-·19	-·16	-·04	-·05	-·11					23
24	1·43		-·29	-·07	-·01		-·15	-·03			-·25		24
25	-·25						-·10	-·94		-·99	-·75	1·30	25
26	-·07	-·15					-·01			-·30	-·69	-·55	26
27	-·09	-·27							-·11	-·38	-·77	-·12	27
28	-·15	-·65	-·35		-·03			-·15	-·03		-·89		28
29	1·14		-·56		-·04			-·34		-·02	2·26	-·02	29
30	-·38	X	-·99	-·03				-·01			-·32	-·65	30
31	-·86	X	-·01	X	-·02	X	-·64		X	-·20	X		31
Total	7·02	11·21	7·54	2·03	2·83	1·53	4·60	6·82	4·12	2·26	11·96	12·46	YEAR'S TOTAL 74·38
Rain Days.	17	26	26	15	18	13	16	17	14	13	21	24	220

W. 8,000. X. 14.

3919

FORM A.
BRITISH RAINFALL.

4-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Wansfell

in the County of Westmorland

by O. O. Wrigley Esq

Lat. 54·25 N Long. 2°57' W

Time of Observation 9 A.M.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-·49	1·26	-·05		-·12		-·14	-·42	-·02			-·01	1
2	-·06	1·13	-·48	-·70		-·10	-·38	-·62					2
3	-·08	-·51	-·60	-·31			-·47	-·19				-·38	3
4		-·33	-·35	-·05	-·11	-·31		-·19	-·02			-·44	4
5	-·51	1·12	-·46	-·02	-·12	-·01		-·13				1·83	5
6	-·33	-·39		-·65		-·21	1·36	-·01	-·09			-·68	6
7	-·45	1·06	-·02	-·26			-·55	-·13			-·03	-·30	7
8	-·37	-·84		-·23				-·21			1·58		8
9		-·17		-·02				-·04			-·32	1·07	9
10	1·26	-·02	-·04	-·18			-·01	-·05		-·05		1·16	10
11	-·20	-·01			-·71		-·05	-·03		-·20	-·09	-·42	11
12	-·37	-·07		-·01			-·17	-·17			1·00		12
13	-·28	-·08					-·01	-·22	-·01	-·10		-·37	13
14	-·65			-·05			-·14	-·08	-·07			-·32	14
15	1·18			-·08			-·01	-·12	-·04		-·20	-·62	15
16		1·90		-·02	-·02		-·16	-·05	-·13			-·02	16
17		-·61	-·02				-·16						17
18		-·47	-·37	-·01			-·28						18
19	-·06	-·16	-·15	1·27	-·28		-·25						19
20	-·67		-·08	-·03	-·09		-·46	-·01				-·37	20
21	-·14	-·06		-·20			-·42					-·09	21
22		-·01	-·14			-·06	-·41			-·01		-·64	22
23		-·05	-·14	-·03		-·04	-·32		-·17	-·76		-·53	23
24			-·11	-·02			-·26		-·70	-·17		-·69	24
25							-·14		-·13			-·14	25
26		1·65				-·02	-·29					-·61	26
27		-·28				-·12	-·02			-·64	-·11	-·69	27
28		-·63	-·01		-·04	-·10	-·01	-·36	-·01	-·18			28
29					-·12						-·90	-·32	29
30	-·53	X		-·14		-·08					-·15	-·14	30
31	-·41	X		X		X	-·07	-·90	X	-·02	X	1·53	31
Total	8·04	12.81	3·02	4·28	1·61	1·05	6·54	3·93	1·39	2·13	4·38	13·37	YEAR'S TOTAL 62·55
Rain Days.	18	23	15	20	9	10	25	19	11	9	9	24	192

W. 8,000. X. 15.

Esd Fw

3846

FORM A.
BRITISH RAINFALL.

23 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wanstell, Windermere

in the County of Westmorland

by O.O. Wrigley Esq.

Lat. 54°·25 N Long. 2°·57' W

Time of Observation 9 A.M.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·53	-·29	-·02			-·72	-·78	-·03			1·04		1
2	-·63	-·23	-·03			-·15	-·01		-·24	-·38	-·16	-·05	2
3	-·20	-·31		-·05		-·22	-·11		-·69	-·30	-·77		3
4	-·21	-·15		-·01	-·75	-·74	-·02		-·07	1·24	-·39		4
5	-·39	1·42			-·29	-·25				1·82	-·47		5
6	1·32	-·36	-·04		-·52	-·16	-·27			-·62	-·34	-·06	6
7	-·06	-·13	-·02		-·60	-·09	-·54			-·54	-·29	-·29	7
8	-·02	-·14	-·03	-·01	-·04	-·05	-·03			-·15	-·75	-·04	8
9	-·11				-·27	-·07	-·09			-·25	-·40	-·32	9
10	-·37	-·31	-·01	-·25		-·01	-·18			1·48	-·51		10
11	-·12	-·07		-·71	-·02		-·19		-·10	-·24	-·06	-·02	11
12	-·48	-·79	-·05	-·16	-·40	-·03	-·43	-·25		-·18			12
13		-·77	-·16	-·11				-·26		1·34		-·01	13
14	-·27	-·47	-·02	-·07	-·41			-·20	-·04	-·73	-·04		14
15	-·18	-·99	-·24	-·11			-·01	-·56	-·03	-·10		-·03	15
16	-·11	-·55	-·33	-·59	-·01		-·17	-·19	-·03	-·01		-·01	16
17	-·72	-·16		-·79			-·06	-·09	1·21	-·35		-·07	17
18	-·20	-·60		-·20			-·01	-·61	-·65	-·11	-·15	-·33	18
19	1·40		-·26	-·02				-·03	-·04		-·13	-·23	19
20	1·41		-·02	-·03				-·09			-·22	-·53	20
21	-·66			-·09	-·03		-·20		-·02		-·07		21
22		-·01		-·07		-·29			-·01	-·18	-·11	-·05	22
23	-·36		-·28	-·41		-·30		-·01		-·85	-·95	-·18	23
24	-·21		-·04	-·60		-·89		-·68		-·25	-·25	-·09	24
25	-·04	-·01	-·53	-·01	-·14	-·12		-·39		-·18	-·82	-·20	25
26	-·44	-·01	-·26					-·02	-·20	-·03	-·07		26
27		-·04	-·02						-·10	-·24	-·12	-·10	27
28	1·40	-·01								-·24	-·35	3·09	28
29	-·29	-·33	-·06		-·10					-·52	1·06	-·35	29
30	-·11	X	-·02			-·14	-·02	-·03		1·27	1·49	-·73	30
31		X		X	1·35	X		-·30	X	-·56	X	-·31	31
Total	13·24	8·15	2·44	4·29	4·93	4·23	3·12	3·74	3·43	14·16	11·01	7·09	YEAR'S TOTAL 79·83
Rain Days.	27	23	20	19	14	16	17	16	14	27	25	22	240

W. 8,000, VIII. 16

3686

FORM A.
BRITISH RAINFALL.
28 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wansfell, Windermere
in the County of Westmorland
by the late O. O. Wrigley Esq

Lat. 54° 25' N Long. 2° 57' W
Time of Observation 9 A.M
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge ~~five~~ eight in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-·11		-·03						-·62		-·22	-·29	1
2	1·17	-·03		-·04		-·02			-·12		-·02		2
3	-·49	-·10		-·20		-·89			-·06	1·03	-·02		3
4	-·01		-·07							-·05	-·19	-·12	4
5	-·23		-·24	-·07					-·02	-·10	1·61	-·17	5
6	-·10			-·18		-·23				-·53	-·62	-·55	6
7	-·96					-·19				-·38	-·01	-·16	7
8	-·46			-·26		-·02		-·65	-·13	-·99	-·52	-·14	8
9	-·05			-·23				-·28		-·19	-·33	-·03	9
10	-·38			-·30	-·39			-·30	-·04	-·12			10
11	-·09	-·08	1·17	-·01	-·12			-·41		1·05	-·08		11
12			-·15		-·54			-·06	-·04	-·21		-·05	12
13	-·05			-·46	-·03	-·06		-·21	1·15		-·08	-·34	13
14	-·02			-·21	-·03			-·23				-·22	14
15	-·03			-·12				-·26	-·62	-·52		-·73	15
16		-·10	-·05	-·36			-·03	1·56	-·12	-·23		-·18	16
17		-·26	-·24	-·38			-·10	1·30	-·42	-·40		-·01	17
18	-·02	-·03	-·42	-·04	-·11		-·86	-·42	-·52			-·38	18
19	-·01	-·38	-·36		-·37			-·08			-·27	-·59	19
20		-·56	-·05		-·12	1·30		-·54	-·72	-·20	-·38	-·38	20
21		-·08	-·02		-·17			-·13	-·50	-·42			21
22		-·03			-·05			-·22	-·21	1·42	-·04		22
23		-·09			-·58	-·70	-·11	-·62	-·05	-·19	-·30	-·03	23
24					-·02	-·07	-·11	-·63	-·24	1·55	-·55		24
25		-·09	-·17		-·03			-·50	-·72	-·35	-·03		25
26		-·02				-·05	-·12	-·82	-·69	-·46	-·88		26
27			-·07		-·12		-·52	-·70		-·17	-·27		27
28			-·46					-·18		-·05	-·62		28
29			-·22				-·07	-·07		-·94	-·44		29
30		X	-·01							-·45	-·44		30
31		X	-·43	X	1·02	X	-·01	-·57	X		X		31
Total	4·18	1·85	4·16	2·86	3·70	3·53	1·93	10·74	6·99	12·00	7·92	4·37	YEAR'S TOTAL 64·23
Rain Days.	16	13	17	14	15	10	9	23	19	24	22	17	199

W. 8,000, IX. 17.

6891

20

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8. 4. 19

Kept at Wanstell, Windermere
in the County of Westmorland
by Miss Wrigley per Miss Marshall

Lat. 54°·25'N Long. 2°·57'W
Time of Observation 9 A.M.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground I ft. 9 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-·41	-·01	-·05	-·02				-·41	-·08	-·71	-·76	1
2		-·15	-·01	-·19					-·32	1·61	-·25	1·68	2
3	-·01	-·18			-·68				-·04	2·12		-·24	3
4		-·21			-·17			-·12		2·03	-·82	-·42	4
5	-·03	-·13		-·32	-·21			1·23		1·16	-·10	-·22	5
6	-·11	-·96		-·52		-·40				1·01		-·02	6
7		-·31		-·04			-·40	-·13	-·31	-·16	-·42	-·49	7
8	-·28	-·09	-·12				-·18		-·42	-·43	-·25	-·07	8
9	-·40	-·76		-·02		-·38	-·07		-·83	-·73	-·23	-·19	9
10	-·17	1·59	-·50	-·05			-·24		-·46	-·58	1·34	-·04	10
11	-·55	-·25	-·29		-·18		-·18		-·48	-·05		-·64	11
12		-·94			-·05		-·08		-·28			-·16	12
13	-·06			-·10	-·06	-·06			-·31	-·48		-·07	13
14	1·32					-·39	-·64	-·12	-·37	-·06			14
15		-·02				-·08	-·69		3·02	-·03		-·53	15
16	-·05	-·11				-·25	-·28	-·25	1·00			-·36	16
17	-·61					-·25	-·37	-·41	-·35			-·88	17
18	-·98	-·01	-·32			-·01	1·04	-·06	-·14			-·31	18
19	-·61	-·22	-·06	-·08			-·14	-·43	-·66	-·11		1·11	19
20	1·72	-·44		-·15	-·11	-·13	-·62		-·53				20
21	-·47	2·35				-·25	-·03	-·03	1·96				21
22	-·25	-·55			-·44	-·36	-·75		-·80			1·51	22
23	-·78				-·24		-·67	-·06	-·16		-·11	-·10	23
24	-·84	-·13						-·81	-·76		-·11		24
25	-·11	-·08			-·34		-·78	1·38	-·31		-·02		25
26	-·06	-·48					-·06	-·05	-·72	-·13	-·18	1·18	26
27	-·10	-·41	-·76		-·01	-·04		-·64	-·37	-·18	-·07	-·82	27
28	-·10	-·23	-·32					-·06	-·32	-·09	-·05	-·55	28
29	-·11								-·08			-·59	29
30		×	-·33					-·06		-·14	-·42	-·17	30
31		×	-·16	×		×		-·09	×	-·31	×	-·08	31
Total	9·72	11·01	2·88	1·52	2·51	2·60	7·22	5·93	15·41	11·49	5·08	13·19	YEAR'S TOTAL 88·56
Rain Days.	23	24	11	10	12	12	18	17	26	20	15	26	214

W. 6,500. VII. 18. w w c

3500

6 X M L

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

20 JAN 20

Kept at Wansfell, Windermere

in the County of Westmorland

by Miss Wrigley

Lat. 54°25′N Long. 2°57′ W

Time of Observation 9 A.M

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft 9 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.95		·35		·18		·17		1·05	·42		·49	1
2	·31	·01	·22	·04	·06		·22		·07		·02	·82	2
3	·22	·04		·06	·28	·13	·23			·03	·02	·42	3
4	·14	·16	·18		·27	·03	·09	·28	·11		·03	·65	4
5	·01				·51				·22			·82	5
6	·05		·61	·03	·04				·03			·21	6
7	·08		·26	·28		·12					·35		7
8	·07		·10	·04	·03	·02		·01			·02		8
9	1·28	·01	·32	·04		·02						·02	9
10	·17		1·30	·33	·18	·04				·02	·06	1·30	10
11	·09		·28	·07	·05		·03		·08	·04		·26	11
12			·06	·24	·04	·33	·04			·03	·54		12
13	1·03			·38		·02	·03	·18		·16		·68	13
14	·47	·02		·41								·26	14
15	·79	·17		·50								1·02	15
16	·31					·10					·32	·29	16
17	·06			·03			·04	1·06			1·42	·05	17
18			·59				·36	·25	·22		·50	·64	18
19	·09	·68	1·16	·02		1·08		·02	·01		·33	·06	19
20	·76	·18	·02			·03			·05		·12	·77	20
21	·36	·40	·01						·57			·53	21
22		·03				·38		·21	·40	·13	·22	·34	22
23	·02			·02		·17				1·41	·45	·25	23
24	·22				·07			·01	·87	·05	·46	·07	24
25	·49			·58				1·17	·64		·09		25
26	·08	·03	1·07	·17				·16	·49		·04	·89	26
27	·04	·11		·19		·04					·01	·05	27
28				·07		·02		·73	·14	·03		1·07	28
29				·02				·08	·91			·04	29
30			·20	·06		·03		·11		·05	·74	·87	30
31			·21				·70					·06	31
Total	9·07	1·84	6·94	3·58	1·71	2·56	1·91	4·27	5·86	2·37	5·74	12·93	Year's Total 58·78
Days with ·01 in. or more	24	12	17	21	11	16	10	13	16	11	19	27	197

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 3389

9 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wansfell Windermere
in the County of Westmorland
by Henry Rothery

Lat. 54°25'N Long 2°57'W
Time of Observation 9 - a. m
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	20	22	09	92	00	71	06	06	09	00	30	1
2	00	06	00	03	35	00	1·41	03	42	05	00	1·62	2
3	14	16	24	04	20	00	00	23	27	82	00	62	3
4	00	00	03	02	08	00	12	1·82	03	80	00	00	4
5	03	~~04~~ 05	71	00	1·48	00	09	20	01	54	01	03	5
6	00	00	59	76	76	00	01	00	00	03	08	00	6
7	1·28	14	07	12	01	00	16	00	03	00	03	00	7
8	21	34	00	13	25	00	62	58	00	00	10	00	8
9	27	3·36	00	81	00	00	13	00	13	00	16	05	9
10	1·52	78	21	50	00	00	62	00	00	00	00	04	10
11	56	09	11	00	53	18	02	00	00	00	18	03	11
12	39	1·14	1·02	40	19	02	55	00	00	00	1·03	23	12
13	53	00	24	47	09	31	12	00	00	00	28	00	13
14	17	65	14	63	00	60	70	00	60	38	1·54	00	14
15	30	35	10	62	00	00	06	01	00	34	13	00	15
16	36	04	35	06	12	00	57	08	70	00	23	00	16
17	38	00	24	00	40	00	16	76	1·25	00	00	00	17
18	72	05	00	12	1·31	25	12	00	03	00	00	00	18
19	05	76	00	13	07	23	17	00	00	00	00	00	19
20	22	00	00	14	00	11	10	01	20	00	00	99	20
21	06	00	00	03	00	00	08	00	00	00	00	37	21
22	1·13	00	00	54	10	03	49	00	00	00	00	00	22
23	1·00	00	20	12	00	00	42	01	00	00	00	25	23
24	22	00	81	14	00	05	04	00	00	00	00	48	24
25	03	03	24	13	00	10	34	00	02	00	00	11	25
26	18	31	1·08	26	03	00	03	00	22	00	24	04	26
27	16	00	1·14	04	32	1·12	23	00	00	00	21	19	27
28	11	35	66	68	01	30	19	00	00	00	04	42	28
29	48	46	08	00	39	06	64	00	00	00	63	77	29
30	59	✕	23	00	09	27	00	00	13	12	24	64	30
31	44	✕	31	✕	06	✕	27	16	✕	00	✕	53	31
TOTAL	11·60	9·32	9·02	7·01	7·76	3·63	9·17	3·95	4·10	3·17	5·13	7·71	YEAR'S TOTAL 81·~~13~~ 57
Days with ·01 in. or more	28	19	23	25	22	14	29	12	15	9	16	19	231
Days with ·04 in. or more	26	18	22	22	19	12	26	8	10	8	14	17	202

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

10 year book applies 2. XII. 14

REGIS 911

AMBLESIDE
WHITE CRAGGS

1911 – 1920

FORM A2.
BRITISH RAINFALL.

24 APR 1914

3700

Kept at White Cragg

in the County of West mor

by C. H. Hough

op · 5 in.

above Ground 2 ft. 4 in.

" Sea Level 252 ft.

9. A. M.

Nearest Railway Station { Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	1·24	—	—	—	·07	·37	·01		1·17	·33	1
2	·06	—	·04	—	·65	—	·02	·26		—	·18 1·35	·54	2
3	·01	—	·67	—	1·62	—	—	—		·6	2·13	·45	3
4	—	—	·01	—	·04	—	·02	1·79		—	1·33	·29	4
5	1·06	—	·16	·01	—	—	—	1·71		—	0·29	·15	5
6	·19	—	·05	·01	—	—	—	·58		—	·47	·80	6
7	·70	—	·03	—	·04	—	—	—		—	·85	—	7
8	·22	—	·28	—	—	—	—	—		—	·65	1·15	8
9		—	·01	—	—	—	—	—		—	·01	·94	9
10	1·58	·21	·60	·02	—	—	—	—	0·15	—	—	1·52	10
11	·10	—	·04	—	—	—	—	—	0·55	—	—	·16	11
12	—	·02	·05	—	·02	—	—	—	·73	—	·47	·08	12
13	·02	·28	—	—	·45	—	—	—		—	·84	·08	13
14	·15	·71	·04	—	—	—	—	—		—	1·22	·40	14
15	·03	1·05	—	·08	—	—	—	—		—	1·07	·21	15
16	·15	1·63	·10	·22	—	·38	·04	—		—	·38	·59	16
17	·13	·18	·01	·03	—	1·66	·08	—		—	·73	·26	17
18	—	1·92	—	·29	—	·27	·07	—		·02	·03	·66	18
19	—	·07	—	·20	—	·03	—	—	1·70	·83	·04	·79	19
20	—	·37	—	·99	—	·01	·67	0·39	·05	·03	—	·46	20
21	—	2·23	—	·44	—	·93	·08	·04		·32	—	·12	21
22	·04	·86	—	·25	—	·27	—	—			—	—	22
23	·15	·50	—	·09	·64	·09	—	—	1·22	·89	—	·71	23
24	·49	·21	·01	·81	—	1·15	—	·12	·01		—	·39	24
25	·37	·48	—	·66	—	·07	—	·05	·43		—	·48	25
26	·04	·05	—	·20	—	·02 ·06 ·04	·01	·56	·04	·69	·08	·25	26
27	·18	1·37	—	·36	—		·10	·26	·50		·23	·28	27
28		·18	—	—	—	·17	·03	·08	·36		—	·58	28
29	·01	✗	—	·44	—	·47	—	·03	·66	3·95	·04	·42	29
30	—	✗	—	·11	·02	·03	·07	—	rain	·89	·48	·01	30
31	—	✗	—	✗	—	✗	·03	·26	✗	·13	✗	·05	31
Total	5·68	12·32	3·34	5·21	3·48	5·59	1·29	6·50	5·41	7·81	12·69	13·14	TOTAL 834
No. of Rain Days	21	18	16	18	8	15	13	14	14	13	21	29	20

9,000, IX. '10.

10 year book after 2.XII.14

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

24 APR 1914

Kept at White Craggs. Ambleside

in the County of Westmorland Z

by C. H. Hough

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 4 in.
" " " Sea Level 252 ft.

3700

Time of Observation 9. A. M.

Nearest Railway Station
Name
Distance Direction

·6

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	1·24	—	—	—	·07	·37	·01		1·17 ·18	·33	1
2	·06	—	·04	—	·65	—	·02	·26		—	1·35	·54	2
3	·01	—	·67	—	1·62	—	—	—		·6	2·13	·45	3
4	—	—	·01	—	·04	—	·02	1·79		—	1·33	·29	4
5	1·06	—	·16	·01	—	—	—	1·71		—	0·29	·15	5
6	·19	—	·05	·01	—	—	—	·58		—	·47	·80	6
7	·70	—	·03	—	·04	—	—	—		—	·85	—	7
8	·22	—	·28	—	—	—	—	—		—	·65	1·15	8
9		—	·01	—	—	—	—	—		—	·01	·94	9
10	1·58	·21	·60	·02	—	—	—	—	0·15	—	—	1·52	10
11	·10	—	·04	—	—	—	—	—	0·55	—	—	·16	11
12	—	·02	·05	—	·02	—	—	—	·73	—	·47	·08	12
13	·02	·28	—	—	·45	—	—	—		—	·84	·08	13
14	·15	·71	·04	—	—	—	—	—		—	1·22	·40	14
15	·03	1·05	—	·08	—	—	—	—		—	1·07	·21	15
16	·15	1·63	·10	·22	—	·38	·04	—		—	·38	·59	16
17	·13	·18	·01	·03	—	1·66	·08	—		—	·73	·26	17
18	—	1·92	—	·29	—	·27	·07	—		·02	·03	·66	18
19	—	·07	—	·20	—	·03	—	—	1·70	·83	·04	·79	19
20	—	·37	—	·99	—	·01	·67	0·39	·05	·03	—	·46	20
21	—	2·23	—	·44	—	·93	·08	·04		·32	—	·12	21
22	·04	·86	—	·25	—	·27	—	—			—	—	22
23	·15	·50	—	·09	·64	·09	—	—	1·22	·89	—	·71	23
24	·49	·21	·01	·81	—	1·15	—	·12	·01		—	·39	24
25	·37	·48	—	·66	—	·07	—	·05	·43		—	·48	25
26	·04	·05	—	·20	—	·02 ·06	·01	·56	·04	·69	·08	·25	26
27	·18	1·37	—	·36	—	·04	·10	·26	·50		·23	·28	27
28		·18	—	—	—	·17	·03	·08	·36		—	·58	28
29	·01	×	—	·44	—	·47	—	·03	·66	3·95	·04	·42	29
30	—	×	—	·11	·02	·03	·07	—	rain	·89	·48	·01	30
31	—	×	—	×	—	×	·03	(3)·26	×	·13	×	·05	31
Total	5·68	12·32	3·34	5·21	3·48	5·59	1·29	6·50	6·41	7·81	12·69	13·14	TOTAL 83·46
No. of Rain Days	21	18	16	18	8	15	13	14	14	13	21	29	20

9,000, IX. '10.

1111.13

FORM A.
BRITISH RAINFALL.
29 MAY 1913
3700

REGISTER OF RAINFALL IN 1912

Kept at White Craggs. Ambleside
in the County of Westmorland 2
by C. H. Hough

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·02	·76	—	·32	·29	·18	·11	·08	·01	—	·67	1
2	·11	·03	1·25	·01	·35	·22	·14	·02	·12	—	—	·06	2
3	·44	—	·04	—	·04	·72	·01	·31	1·25	—	·03	·70	3
4	·26	—	·91	1·05	·32	·16	—	·61	·76	—	1·65	·18	4
5	·19	—	·04	·02	·40	·05	—	·19	·15	·68	·01	·04	5
6	·16	·54	·04	·01	·12	·02	—	·24	—	·02	·01	·04	6
7	—	·61	·16	·12	·06	—	·34	·32	·19	·01	·55	·10	7
8	·97	·64	·18	·17	—	·02	—	·14	·02	—	·37	·40	8
9	·24	·19	·28	·35 ~~·36~~	—	·14	·01	·30	—	—	·32	·92	9
10	·22	—	·03	·01	·13	·30	·64	·09	—	—	·86	·83	10
11	·12	—	·02	—	·03	·58	·32	·21	—	—	·01	·50	11
12	·93	—	1·17	—	—	·03	—	·01	—	·01	·01	·85	12
13	·20	—	·20	—	—	—	—	·04	—	1·82	—	2·62	13
14	1·03	—	·20	—	—	·33	—	·02	—	·04	—	·53	14
15	·32	·41	·02	—	·03	·24	—	·01	—	·78	—	·47	15
16	1·09	·06	·77	—	·09	·02	—	·20	—	1·04	·05	·30	16
17	·01	·29	·28	—	·11	1·04	—	·83	—	·01	·03	·48	17
18	·02	·07	·03 ~~·57~~	—	—	·38	—	·11	—	1·04	·07	·64	18
19	·03	·12	·54	—	—	·14	—	·45	—	·16	·16	·12	19
20	·25	—	·15	—	·62	·05	—	·29	—	·54	·02	·49	20
21	·02	·28	·25	—	·01	·20	·04	·26	—	·18	·01	·09	21
22	·01	1·20	·01 ~~·08~~	—	·10	·02	—	·60	—	—	·25	·08	22
23	·01	·02	·07	—	—	·20	·29	·30	—	·02	·50	·41	23
24	—	·13	·37	—	—	·37	·56	·05	—	·16	·65	·22	24
25	—	·08	·21	—	—	·93	·03	·21	—	—	·90	·13	25
26	—	·80	·32	·41	—	·05	·14	·01	—	2·37	·35	·42	26
27	—	·27	·37	—	—	1·06	·67	—	—	·38	·10	1·36	27
28	—	·26	·04	—	—	·14	·59	·85	—	·65	—	·01	28
29	—	·05	·53	—	—	·02	1·16	·36	·30	·38	—	·28	29
30	—	X	·52	·05	—	·03	·25	·01	·04	·18	—	1·14	30
31	—	X	·21	X	·01	X	·70	·58	X	·01	X	·44	31
Total	6·65	6·07	9·97	2·20	2·74	7·75	6·07	7·73	2·91	10·49	6·91	15·52	YEAR'S TOTAL 85·01
Rain Days.	22	20	31	10	16	28	17	30	9	22	22	31	258

Exc. M.G.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
24 APR 1914
3700

Kept at White Craggs. Ambleside

in the County of Westmorland 2

by C. H. Hough

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 252 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Windermere
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02	·76	—	·32	·29	·18	·11	·08	·01	—	·67	1
2	·11	·03	1·25	·01	·35	·22	·14	·02	·12	—	—	·06	2
3	·44	—	·04	—	·04	·72	·01	·31	1·25	—	·03	·70	3
4	·26	—	·91	1·05	·32	·16	—	·61	·76	—	1·65	·18	4
5	·19	—	·04	·02	·40	·05	—	·19	·15	·68	·01	·04	5
6	·16	·54	·04	·01	·12	·02	—	·24	—	·02	·01	·04	6
7	—	·61	·16	·12	·06	—	·34	·32	·19	·01	·55	·10	7
8	·97	·64	·18	·17	—	·02	—	·14	·02	—	·37	·40	8
9	·24	·19	·28	{·36	—	·14	·01	·30	—	—	·32	·92	9
10	·22	—	·03		·13	·30	·64	·09	—	—	·86	·83	10
11	·12	—	·02	—	·03	·58	·32	·21	—	—	·01	·50	11
12	·93	—	1·17	—	—	·03	—	·01	—	·01	·01	·85	12
13	·20	—	·20	—	—	—	—	·04	—	1·82	—	2·62	13
14	1·03	—	·20	—	—	·33	—	·02	—	·04	—	·53	14
15	·32	·41	·02	—	·03	·24	—	·01	—	·78	—	·47	15
16	1·09	·06	·77	—	·09	·02	—	·20	—	1·04	·05	·30	16
17	·01	·29	·28	—	·11	1·04	—	·83	—	·01	·03	·48	17
18	·02	·07	{·57	—	—	·38	—	·11	—	1·04	·07	·64	18
19	·03	·12		—	—	·14	—	·45	—	·16	·16	·12	19
20	·25	—	·15	—	·62	·05	—	·29	—	·54	·02	·49	20
21	·02	·28	·25	—	·01	·20	·04	·26	—	·18	·01	·09	21
22	·01	1·20	{08	—	·10	·02	—	·60	—	—	·25	·08	22
23	·01	·02		—	—	·20	·29	·30	—	·02	·50	·41	23
24	—	·13	·37	—	—	·37	·56	·05	—	·16	·65	·22	24
25	—	·08	·21	—	—	·93	·03	·21	—	—	·90	·13	25
26	—	·80	·32	·41	—	·05	·14	·01	—	2·37	·35	·42	26
27	—	·27	·37	—	—	1·06	·67	—	—	·38	·10	1·36	27
28	—	·26	·04	—	—	·14	·59	·85	—	·65	—	·01	28
29	—	·05	·53	—	—	·02	1·16	·36	·30	·38	—	·28	29
30	—		·52	·05	—	·03	·25	·01	·04	·18	—	1·14	30
31	—		·21		·01		·70	·58		·01		·44	31
Total	6·65	6·07	9·97	2·20	2·74	7·75	6·07	7·73	2·91	10·49	6·91	15·52	TOTAL 85·01
No. of Rain Days.	22	20	31	10	16	28	17	30	9	22	22	31	258

W. 8,000. X. '11.

Ex Mo

FORM A2.
BRITISH RAINFALL
24 APR 1914
3700

REGISTER OF RAINFALL IN 1913

Kept at White Craggs. Ambleside
in the County of Westmorland 2
by C. H. Hough
per Miss Marshall

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9. A.M

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·15	·82	·01	—	—	—	—	—	—	·48	—	1
2	·60	·42	1·13	·18	—	·50	—	—	—	—	·69	·58	2
3	·35	·69	·07	—	~~0·07~~ ·47	—	—	—	—	—	·07	1·38	3
4	·48	·21	·12	—	~~0·40~~ 01	·03	·06	—	—	·01	·83	·58	4
5	·29	·40	·04	—	0·07	·44	·07	—	—		·07	—	5
6	1·11	1·02	·76	—	0·75	·64	·21	—	—		·01	·01	6
7	·16	1·44	·07	—	0·14	·19	—	—	—	·69	·01	·14	7
8	·01	·66	·15	—	·13	·14	·03	·24	·02	·01	·06	·13	8
9	—	·40	·80	·10	·20	1·97	·05	—	—	—	·25	·08	9
10	·33	·31	·78	·15	—	·04	·01	—	—	·26	·84	·01	10
11	—	·01	·01	·44	—	·10	·17	002	—	·21	·24	·25	11
12	—	·01	·06	~~[illegible]~~ ·01	·16	—	·03	—	·69	·02	·39	·08	12
13	·18	·01	·86	·18	·02	—	·14	·01	·35	·39	·31	—	13
14	—	—	·16	·08	—	—	—	·01	·02	·83	·22	·02	14
15	·11	—	·69	2·11	—	—	—	·07	—	—	·60	·19	15
16	—	—	·14	0·34	—	—	·04	—	—	—	·55	·02	16
17	·24	—	—	0·43	·09	·20	·20	—	—	—	·49	—	17
18	·21	—	·90	·75	·02	—	·02	—	—	—	·47	—	18
19	·26	—	·09	·12	·33	11	—	—	—	·31	·85	—	19
20	·05	—	·11	·09	·25	·15	—	·07	·11	·14	1·27	—	20
21	—	—	·39	·01	·20	—	·12	1·30	—	·40	—	—	21
22	·52	—	·64	—	·38	06	—	·28	·11	—	—	—	22
23	·61	—	·10	—	·04	·92	—	·40	·46	—	·12	·06	23
24	·85	·10	·01	·21	·01	·52	—	·04	·01	·04	29	·17	24
25	—	·08	—	·22	—	—	—	—	·65	·03	·29	1·20	25
26	·01	·29	—	·11	—	·05	—	—	·35	·21	·01	1·11	26
27	—	·02	—	·58	·05	·03	—	—	—	·31	·01	·50	27
28	·59	—	·34	·33	·32	—	—	—	—	·11	·02	—	28
29	·01	X	·25	·93	·01	—	—	·24	—	·60	·11	—	29
30	1·25	X	·02	—	·23	—	—	—	—	·04	·05	—	30
31	·22	X	·01	X		X		—	X	·19	X	—	69·98
Total	8·48	6·22	9·52	8·38	3·87	6·09	1·15	2·68	2·77	4·80	9·51	6·51	TOTAL for year
No. of Rain Days.	23	17	27	21	21	17	13	11	10	19	28	18	225

W/8,000, X. '11.

225

Esc. M.9.

3700

FORM A.
BRITISH RAINFALL.
25 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at White Craggs, Ambleside

in the County of Westmorland 2

by C. H. Hough Esqr.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Windermere

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 2 ft. 4 in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-·03	46 ~~1·20~~	-·27				-·50	-·53		-·03		-·55	1
2	-·01	74	-·11	-·01			-·63	-·31		-·11	-·29	-·35	2
3	-·20	-·37	-·18		-·91			-·14				1·58	3
4	-·91	-·02	-·30	-·56	-·24	-·02	-·03	-·24			-·01	1·40	4
5	-·27	-·02	-·77	-·38	-·11	-·04	-·27	-·05			-·22	-·33	5
6		-·06	-·12	-·11	-·15	-·08		-·36			-·35	-·70	6
7	-·07	08 ~~·13~~	-·21	-·08	-·23	-·06		-·29		-·03	-·11	-·05	7
8	-·70	05	-·16	-·09	-·43	-·22		3·29	-·32	-·02	-·52	-·19	8
9	-·39	-·53		-·37	-·01	-·46		-·01	-·02		-·54	-·01	9
10	-·02	-·47		-·02	-·08	-·03		-·02	-·09		-·79		10
11		-·25	-·54	-·04	-·14	-·01	-·90		-·15		-·76	-·08	11
12		-·77	-·12	-·01	-·04		-·04		-·30		1·02	-·05	12
13		-·87	-·68	-·12	-·01		-·01		-·47	-·04	-·54	-·15	13
14		1·43	-·33				-·12		-·24		-·10	-·29	14
15		-·10	-·44				-·01		-·19		-·18		15
16		-·13	-·04				-·86		1·65			-·06	16
17	-·01	1·09	-·34			-·03	-·16		-·20	-·02		3·50	17
18		-·81	-·34				-·05		-·03	-·02		-·22	18
19		-·07	-·08				-·02		-·08			-·07	19
20		-·81	-·23		-·04	-·15						-·07	20
21		-·21	-·01		-·06	-·01		-·05		-·02		-·01	21
22		-·95	-·02	-·06	-·21	-·15	-·03	-·38		-·07			22
23		-·22	-·18	-·18	-·13	-·06	-·06	-·15					23
24	1·54		-·33	-·06	-·01	-·05	-·19	-·02		-·01	-·32		24
25	-·31	-·01	-·01		-·03		-·10	1·07		1·18	-·80	1·43	25
26	-·06	-·11					-·01	-·02	-·01	-·35	-·73	-·48	26
27	-·09	-·31							-·07	-·46	-·92	-·12	27
28	-·16	-·57	-·41		-·04			-·13	-·03		-·87	-·01	28
29	-·99	X	-·42		-·04			-·31		-·03	2·72	-·02	29
30	-·31	X	1·06	-·01	-·01			-·01			-·24	-·67	30
31	-·86	X	-·01	X	-·01	X	-·66		X	-·14	X	-·03	31
Total	6·93	11·51	7·71	2·10	2·93	1·37	4·65	7·38	3·85	2·53	12·03	12·42	YEAR'S TOTAL 75·41 ✓
Rain Days.	18	27	27	15	21	14	19	19	15	15	20	26	236

W. 8,000. X. 14.

7

3922

3700

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at ·WHITE·CRAGGS· AMBLESIDE·

in the County of ·WESTMORLAND·

by ·C·H·HOUGH·

Lat. ______ Long. ______

Time of Observation 9.A.M.

Nearest Railway Station WINDERMERE·

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	1·32	·05	—	·13	—	·14		·01	—	—	·02	1
2	·03	1·13	·46	·69	—	·09	·39	·36	—	—	—	—	2
3	·05	·54	·56	·35	—	—	·48	·43	—	—	—	·23	3
4	·02	·33	·38	·09	·11	·31	—	·09	·01	—	—	·25	4
5	·46	·83	·42	·06	·20	·01	—	·13	—	—	—	1·61	5
6	·27	·25	·01	·61	—	·17	1·31	·05	·08	—	—	·79	6
7	·40	·94	·01	·25	—	·01	·56	·12	—	—	·02	·37	7
8	·40	·69	—	·19	—	—		·18	—	—	1·67	—	8
9	—	·15	—	·01	—	—		·02	—	—	·33	·65	9
10	1·21	·03	·04	·15	—	—	·01	·10	—	·04	—	1·00	10
11	·14	·01	—	·01	·59	—	·03	·03	—	·01	·03	·50	11
12	·42	·01	—	·01	·01	—	·10	·03	—	·28	·50	—	12
13	·22	·01	—	—	—	—	·01	·35	—	·10	—	·47	13
14	·57	—	—	·03	—	—	·17	·09	·08	—	—	·36	14
15	1·14	—	—	·09	—	—	·01	·69	·05	—	·13	·66	15
16	·01	1·56	—	·01	·02	—	·13	·05	·15	—	—	·07	16
17	—	·55	·01	—	—	—	·13	—	—	—	—	—	17
18	—	·44	·20	·02	·33	—	·33	—	—	—	—	—	18
19	·04	·15	·15	1·42	·13	—	·29	—	—	—	—	—	19
20	·56	·02	·06	·03	—	—	·60	—	—	—	—	·42	20
21	·12	—	—	·17	—	—	·61	—	—	—	—	·07	21
22	·01	·04	·15	—	—	·08	·18	—	—	·02	—	·72	22
23	—	—	·12	·03	—	·04	·04	—	·20	·59	—	·59	23
24	—	—	·07	·03	—	—	·20	—	·54	·15	—	·75	24
25	—	·03	—	—	—	—	·11	—	·12	—	—	·13	25
26	—	1·55	—	—	—	—	·35	—	—	—	—	·59	26
27	—	·28	·01	—	—	·11	·03	—	—	·69	·08	·56	27
28	—	·51	·01	—	·08	·38	—	·37	—	·20	—	—	28
29	—	✕	—	—	·08	—	—	—	—	—	·93	·24	29
30	·46	✕	—	·15	—	·22	—	—	—	—	·19	·13	30
31	·46	✕	—	✕	—	✕	·04	1·29	✕	·02	✕	1·73	31
Total	7·44	11·42	2·71	4·40	1·68	1·42	6·25	4·38	1·24	2·10	3·88	12·91	YEAR'S TOTAL 59·83
Rain Days.	21	23	17	21	10	10	24	17	9	10	9	24	195

W. 8,000. X. 14.

3849

1427

FORM A.
BRITISH RAINFALL.

3700

95 9 JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at WHITE·CRAGGS·AMBLESIDE·

in the County of ·WESTMORLAND·

by ·C·H·HOUGH·

Lat. Long.

Time of Observation 9·A·M·

Nearest Railway Station WINDERMERE·

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground Same as before ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·66	·39	·01	—	—	·76	·85	·02	·01	—	1·15	—	1
2	·63	·20	—	—	·01	·16	·01	—	·23	·43	·18	·03	2
3	·24	·38	—	·05	—	·38	·15	—	·80	·46	·60	·01	3
4	·21	·10	—	—	·63	·81	·03	—	·08	1·34	·29	—	4
5	·35	1·63	·01	—	·21	·30	—	—	—	1·83	·41	—	5
6	1·32	·36	·01	—	·45	·15	·24	—	—	·75	·37	·04	6
7	·05	·10	·02	—	·62	·07	·56	—	—	·63	·33	·30	7
8	·02	·09	·02	—	—	·15 ~~·27~~	·03	—	—	·13	·73	·02	8
9	·07	—	—	—	·29	·06	·10	—	—	·21	·46	·23	9
10	·21	·29	—	·29	·01	·01	·20	—	—	1·44	·55	—	10
11	·14	·07	—	·58	·02	—	·26	—	·10	·27	·05	—	11
12	·42	·91	·02	·24	34	—	·42	·34		·23	·01	—	12
13	—	·61	·23	·09	·01	—	—	·25		1·32	·01	·02	13
14	·28	·43	—	·06	·43	—	—	·35	·07	·86	·04	·01	14
15	·14	1·02	·21	·11	—	—	·05	·33		·05	—	·03	15
16	·09	·42	·30	·73	·02	—	·10	·16	·05	·01	—	—	16
17	·81	·16	·01	·85	—	—	·06	·06	1·24	·39	—	·11	17
18	·29	·64	—	·11	—	—	·01	·74	·69	·12	·03	·29	S 18
19	1·43	—	·18	·02	—	—	—	·03	·01	—	·05	·26	S 19
20	1·42	—	·02	·04	—	—	—	·08	—	—	·25	·55	20
21	·65	—	—	—	·04	—	·24	—	·03	—	·08	—	21
22	—	—	—	·06	—	·27	—	—	·02	·15	·08	·05	22
23	·41	·02	·06	·46	—	·22	—	·03	—	·79	1·08	·19	23
24	·12	—	·17	·65	—	1·12	—	·54	—	·20	·46	·12	24
25	·05	·01	·32	·01	·14	·12	—	·27	·09	·15	·99	·28	25
26	·38	·01	·20	—	—	—	·01	·02	·02	·04	·08	—	26
27	·01	·02	·02	—	—	—	—	·01	·10	·21	·17	·11	27
28	1·41	—	—	—	—	—	—	—	—	·26	·31	3·35	28
29	·32	·16	·06	—	·11	[illegible]	—	—	—	·42	1·25	·36	29
30	·10	✕	·04	—	—	·14	—	·08	—	1·32	1·31	·77	30
31	·01	✕		✕	1·40	✕	·02	·29	✕	·46	✕	·28	31
Total	13·24	8·02	1·91	4·35	4·73	4·72	3·34	3·60	3·54	14·47	11·32	7·41	YEAR'S TOTAL 80·65
Rain Days.	29	22	19	16	16	15	18	17	15	27	27	22	243

W. 3,000. X. 15.

3689

3700

FORM A.
BRITISH RAINFALL.

14 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at WHITE·CRAGGS· AMBLESIDE·

in the County of WESTMORLAND·

by ·C·H·HOUGH·

Lat. .... Long. ....

Time of Observation ·9·A·M·

Nearest Railway Station WINDERMERE

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. ...... in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	·01		—	·13	—	—	·52	—	·22	·27	1
2	1·20	·02	—		—	·02	—	—	·03	—	·02	—	2
3	·41	·09	—	16	—	1·00	—	—	·08	1·09	·01	—	3
4	·28	—	·02	—	—	—	—	—	·01	·08	·22	·17	4
5	—	—	·05	·04	—	—	—	—	—	·08	1·71	·16	5
6	·08	—	—	·23	—	·23	—	—	—	·40	·60	·52	6
7	·94	—	—	—	—	·21	—	—	—	·41	·01	·12	7
8	·28	—	—	·24	—	—	—	·60	·14	(1·00)	·50	·15	8
9	·01	—	—	·18	·01	—	—	·30	—	—	·39	·02	9
10	·41	—	·85	·08	·35	—	—	·28	—	·27	—	—	10
11	·05	·07	—	·06	·14	—	—	·36	·03	1·10	·08	—	11
12	—	—	·17	·46	·55	—	—	—	·04	·20	—	·04	12
13	·02	—	—	—	·04	·07	·02	·19	1·11	·01	·07	·36	13
14	·03	—	—	·23	·01	—	—	·21 ·27	—	·80	—	·20	14
15	·01	—	—	·14	—	—	—	·06	·58	·21	—	·53	15
16	—	·11	·05	·32	—	—	·02	1·75	·08	·38	—	·02	16
17	—	·24	·27	·39	—	—	·02	1·27	·27	—	—	—	17
18	—	—	·59	·04	·22	—	·95	·70	80	—	—	·33	18
19	—	·19	·35	—	·29	—	·02	·08	·45	—	·24	·62	19
20	—	·21	·02	—	·12	1·31	—	·35	·37	·26	·37	·32	20
21	—	·58	—	—	·17	·02	—	·21	·53	·48	—	—	21
22	—	·07	—	—	—	—	—	·21	·16	1·26	·03	—	22
23	—	·02	—	—	·65	·81	·16	·74	·05	·20	·27	·02	23
24	—	·11	·02	—	·02	·04	·09	·74	·26	1·56	·38	—	24
25	—	—	·17	—	·02	—	·16	·58	·87	·32	—	—	25
26	—	·05	—	—	—	·02	—	·91	·79	·53	·94	—	26
27	—	·06	·05	—	·08	—	·45	·56	·03	·18	·25	—	27
28	—	—	·13	—	—	—	·01	·17	—	·03	·63	—	28
29	—	X	·75	—	—	—	·06	·09	—	1·36	·39	—	29
30	—	X	·01	—	—	—	—	—	·01	·31	·46	—	30
31	—	X	·29	X	1·25	X	·01	·85	X		X	—	31
Total	3·84	1·82	3·80	2·57	3·92	3·86	1·97	11·21	7·21	(12·52)	7·79	3·85	YEAR'S TOTAL 63·36
Rain Days.	13	13	17	13	15	11	12	22	22	24	21	16	198

(12·52)

W. 8,000, VIII. 16

14·64

23

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at WHITE·CRAGGS·AMBLESIDE·
in the County of WESTMORLAND·
by C·H·HOUGH·

Lat. Long.
Time of Observation 9·A·M·
Nearest Railway Station WINDERMERE·
Diameter of Funnel of Rain Gauge 5 in. 3700
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

14·06

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb. ~~39~~	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·39 (39)	—	·02	·01	—	—	—	·53	·16	·65	·77	1
2	—	·21	·01	·18	—	—	—	—	·22	1·63	·35	1·94	2
3	—	·19	—	—	·47	—	—	—	—	2·46	·06	·20	3
4	—	25	—	—	·10	—	—	·14	·04	1·60	·82	·43	4
5	·02	21	—	·30	·23	—	—	1·15	—	1·42	·11	·25	5
6	·06	93	—	·47	·01	·45	—	—	—	·92	—	·03	6
7	·03	·47	—	·03	—	—	·36	·08	·36	·16	·37	·63	7
8	·27 s	·08	·12	—	—	·15	·15	·11	·36	·46	·24	·11	8
9	·40	·86	·02	·02	—	·26	·05	—	76	·74	·22	·20	9
10	·13	1·76	·45	·04	—	—	·13	—	·46	·82	1·30	·05	10
11	·50	·29	·41	—	·17	—	·52	·02	·49	·03	—	·73	11
12	—	1·04	—	·03	·03	·01	—	—	·18	—	—	·26	12
13	·01	—	—	·02	·04	·08	—	—	·39	·50	—	·05	13
14	1·19 s	—	—	—	·08	·32	·59	·07	·18	·15	—	·06	14
15	·04	·01	—	—	·02	·08	·67	—	2·85	·03	—	·47	15
16	—	·11	—	—	—	·17	·23	·25	1·17	—	—	·42	16
17	·59	·01	—	—	—	·43	·41	·45	·35	·19	—	·80	17
18	·93	·01	·35	—	—	·01	·64	·04	·12	—	—	·35	18
19	·71	·21	·05	·09	—	—	·13	·40	·63	·09	—	·75	19
20	1·66	·41	—	·13	·14	·13	·59	·03	·47	—	—	·04	20
21	·59	2·74	—	—	—	·31	·05	—	2·05	—	—	~~1·45~~	21
22	·26	·35	—	—	·48	·36	1·12	·04	·69	—	—	1·44	22
23	·90	—	—	—	·13	—	·60	—	·08	—	·10	·10	23
24	·96	·16	—	—	—	—	·01	1·08	·69	·02	·13	·02	24
25	·12	·03	—	—	·34	—	·47	·92	·51	·13	·03	—	25
26	·08	·47	—	—	—	—	·07	·09	·48	—	·20	1·21	26
27	·14	·39	·69	—	·03	·04	—	·60	·40	·22	·10	·81	27
28	·09	·09	·32	—	—	—	—	·02	·32	·14	·05	·59	28
29	·11	╳	·01	—	—	—	—	·01	·05	—	—	·66	29
30	·01	╳	·34	—	—	—	—	·04	—	·13	·43	·15	30
31	—	╳	·15	╳	—	╳	—	·11	╳	·28	╳	·06	31
Total	9·80	11·67	2·92	1·33	2·28	2·80	6·79	5·65	14·83	12·28	5·16	13·58	YEAR'S TOTAL 89·09
Rain Days.	24	25	12	11	15	14	18	20	26	22	16	29	232

W. 8,000, IX. 17.

3503

FORM A.
BRITISH RAINFALL.

5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at WHITE·CRAGGS· AMBLESIDE·
in the County of WESTMORLAND·
by ·C·H·HOUGH·

Lat. Long.
Time of Observation 9·A·M·
Nearest Railway Station WINDERMERE
Diameter of Funnel of Rain Gauge 5' in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2·14	—	·49	—	·19	—	·16	·05	2·47	·48	—	·39	1
2	·32	—	·27	·03	·11	—	·20	—	·08	·03	—	·76	2
3	·15	·03	—	·05	·37	·13	·16	—	—	—	—	·39	3
4	·05	·08	·18	[illegible]	·23	·03	·06	·25	·12	—	·01	·79	4
5	—	—	—	—	·49	—	—	—	·28	·01	—	·74	5
6	·09	—	·66	—	·03	—	—	—	·02	—	—	·27	6
7	·05	—	·18	·37	—	·13	—	—	—	—	·32	—	7
8	·22	—	·10	·02	·01	—	—	—	—	—	·03	—	8
9	1·32	—	·38	·07	—	—	—	—	—	—	·02	·02	9
10	·23	—	1·38	·33	·15	·03	—	—	—	·01	·03	1·24	10
11	·12	—	·18	·07	·02	·01	—	—	·07	·05	·02	·25	11
12	—	—	·04	·18	·06	·39	·06	—	—	·02	snow ·44	·01	12
13	1·06	—	—	·45	—	—	·03	·18	—	·20	—	·59	13
14	·52	·07	—	·34	—	—	—	—	—	—	—	·28	14
15	83	·12	—	·42	—	—	—	—	—	—	—	·97	15
16	·30	—	—	·01	—	·08	—	—	—	—	·05	·27	16
17	·05	—	—	—	—	·01	·03	1·37	—	—	1·85	·05	17
18	—	—	·56	—	—	·08	·44	—	·22	—	·44	·63	18
19	·10	·63	·69	—	—	1·13	—	—	·04	—	·32	·06	19
20	·63	·21	—	—	—	·06	—	—	·10	—	·15	·74	20
21	·30	·41	—	—	—	·01	—	·32	·58	—	·15	·50	21
22	—	·03	—	—	—	·41	—	·28	·47	·14	·19	·35	22
23	·01	—	—	·02	—	·16	—	—	—	1·42	·46	·18	23
24	·23	—	—	—	·07	—	—	—	·88	·02	·44	·15	24
25	·49	—	—	·59	—	·01	—	1·27	·77	—	·13	—	25
26	·11	·02	1·07	·15	—	·05	—	·44	·40	—	·01	1·03	26
27	—	·03	—	·06	—	·01	—	—	—	—	—	·03	27
28	·03	—	—	·04	—	—	—	·79	·14	·02	—	1·10	28
29	—	X	—	·01	—	—	—	·18	·97	·01	—	·04	29
30	—	X	·25	·06	—	·04	—	—	—	—	·66	·90	30
31	—	X	·08	X	—	X	·82	·09	X	—	X	·06	31
Total	9·35	1·63	6·51	3·27	1·73	2·77	1·96	492	7·61	2·41	5·72	12·79	YEAR'S TOTAL 60·67
Rain Days.	23	10	15	19	11	18	9	11	16	12	19	28	191

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1920

8 JAN 1921

FORM A. BRITISH RAINFALL.

Kept at WHITE CRAGGS AMBLESIDE

in the County of WESTMORLAND

by C·H·HOUGH

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station WINDERMERE 3700

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·20	·24	·07	·83	—	·52	·11	·04	·11	·01	·35	1
2	—	·04	—	·04	·40	—	1·00	·10	·42	·11	—	1·73	2
3	·12	·13	·24	—	·13	—	—	·22	·31	·84	—	·56	3
4	—	—	·02	·02	·19	—	·12	2·21	—	·86	—	—	4
5	—	·03	·89	—	1·51	—	·09	·24	·02	·56	·03	·01	5
6	—	—	·60	·81	·70	—	·01	—	—	—	·11	—	6
7	1·31	·16	·05	·02	—	—	·43	—	·04	—	·04	—	7
8	·21	·35	—	·14	·26	—	·35	·47	—	—	·06	—	8
9	·26	3·54	—	·47	—	—	·25	—	·10	—	·12	·04	9
10	1·56	·88	·23	·57	—	—	·40	—	—	—	—	·05	10
11	·51	·09	·11	—	·49	·15	·04	—	—	—	·30	—	11
12	·36	1·09	·96	·24	·14	·03	·75	—	·11	—	1·61	·11	12
13	·44	·12	·33	·44	·11	·28	·03	—	—	—	·31	·17 snow	13
14	·18	·72	·10	·77	—	·60	·84	—	·74	·27	1·81	—	14
15	·24	·35	·09	·54	—	—	·03	·15	·09	·33	·02	—	15
16	·36	·07	·35	·03	·15	—	·70	·81	·77	—	·29	—	16
17	·41	—	·36	—	·46	—	·08	—	1·08	—	—	—	17
18	·80	·03	—	·10	1·73	·20	·06	—	—	—	—	—	18
19	·04	·49	—	·15	·12	·25	·21	·03	—	—	—	—	19
20	·22	—	—	·08	—	·08	·10	—	·19	—	—	1·06	20
21	·02	—	—	·07	—	—	·08	—	—	—	—	·28	21
22	1·24	—	—	·43	·12	·02	·73	—	—	—	—	—	22
23	1·13	—	·16	·25	—	—	·25	·01	—	—	—	·25	23
24	·24	·02	·81	·04	—	·07	·04	—	—	—	—	·52	24
25	·02	·08	·32	·13	—	·10	·29	—	·03	—	—	·10	25
26	·28	·18	1·37	·21	·15	—	·04	—	·18	—	·24	·07	26
27	·15	—	1·28	·04	·27	1·06	·35	—	—	—	·18	·19	27
28	·18	·32	·66	·39	·01	·29	·15	—	—	—	·04	·46	28
29	·39	·49	·15	—	·26	·06	·62	—	—	—	·53	·81	29
30	·60	✕	·28	·01	·11	·41	—	—	·13	·09	·23	·67	30
31	·39	✕	·34	✕	·07	✕	·16	·12	✕	—	✕	·57	31
Total	11·76	9·38	9·94	6·06	8·21	3·60	8·72	4·47	4·25	3·17	5·93	8·00	YEAR'S TOTAL 83·4
Rain Days.	27	21	23	25	21	14	29	11	15	8	17	19	[illegible]
·04	25	18	22	21	20	12	26	9	13	8	14	18	23

W. 8,000. X. 15.

APPLEBY
CASTLE BANK
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912
3685

RE 19 11

Kept at Appleby
in the County of Westm
by C R Rivin

…r of top 5 in.
…of top above Ground 1 ft. — in.
„ „ Sea Level 440 ft.
…tion 9. am
Station { Name Appleby
Distance 3/4 m Direction N

IMPORTANT NOTE … .m., and the result entered to the previous day. If an Obs… …most universal rule, he is earnestly requested to add the reading … on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·02			·15			·30	·09	1
2	·28		·07		·18		·10	06	·01	·10	·13	·08	2
3			·01		·83			·01		·11	·74	·16	3
4			·12	* ·03	01			·67		·01	64	·28	4
5	·42		·09	* ·04	·01			·30		·03	·17	·02	5
6	·15		·03	·03				13			·19	·75	6
7	·03	·01	·02		·05						·43	—	7
8	·03		·01							·01	·23	* ·35	8
9			·40					01			—	·37	9
10	·29	·10	·26						·03		·02	·63	10
11	* ·10								1·02		·02	·18	11
12	* ·15		* 08						·76		·23	·02	12
13	·03				·13						·08	·45	13
14	03		* ·17		·12						·14	·06	14
15		·11	* 05	·03							·44	·14	15
16		·07	* 19	·04		·19	·14				15	·26	16
17		·04	* 06	·01		1·04	·02				·48	28	17
18		·47	·05	07		·12					* 12	89	18
19		·09		·24		·03			·41	·20	10	11	19
20		·07		·10			·29	·07				·65	20
21		·51		·09		·19	·35	18	·02	·15	* ·09	06	21
22	·23	·60		·11		·37	—			06	·02		22
23	·01	·68		·06		·17		—	·09	·05		·31	23
24	·02	·03		·04	04	1·02		·05	·01	·28		·31	24
25	·01	·37		·24		·08			·18	·23		·18	25
26				·10	·04			08	02	·11	·21	·18	26
27	02	·42		·11			·23	22	·43		·11	03	27
28		·16		·23		02		·11	·10			·29	28
29		X		21		05	·07	·13	29	·86		·13	29
30		X			02	·05	·03		·05	·70	·04	—	30
31		X		X	05	X			X	·08	X	·01	31
Total	1·80	3·73	1·61	1·78	1·50	3·33	1·23	2·17	3·42	2·98	5·08	7·27	TOTAL for year 35·90
No. of Rain Days	15	15	15	18	12	12	8	14	14	15	23	28	189

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL
2 - JAN 1912
3685

REGISTER OF RAINFALL IN 1911

Kept at Appleby

in the County of Westmorland

by C R Rivington

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 440 ft.

Time of Observation 9 am

Nearest Railway Station
Name Appleby
Distance 3/4 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·02			·15			·30	·09	1
2	·28		·07		·18		·10	06	·01	·10	·13	·08	2
3			·01		·83			·01		·11	·74	·16	3
4			·12	* ·03	01			·67		·01	64	·28	4
5	·42		·09	* ·04	·01			·30		·03	·17	·02	5
6	·15		·03	·03				13			·19	·75	6
7	·03	·01	·02		·05						·43	—	7
8	·03		·01							·01	·23	* ·35	8
9			·40					01			—	·37	9
10	·29	·10	·26						·03		·02	·63	10
11	* ·10	—							1·02		·02	·18	11
12	* ·15		* 08						·76		·23	·02	12
13	·03				·13						·08	·45	13
14	03		* ·17		·12						·14	·06	14
15		·11	* 05	·03							·44	·14	15
16		·07	* 19	·04		·19	·14				15	·26	16
17		·04	* 06	·01		1·04	·02				·48	28	17
18		·47	·05	·07		·12					* 12	89	18
19		·09		·24		·03			·41	·20	10	11	19
20		·07		·10			·29	·07				·65	20
21		·51		·09		·19	·35	18	·02	·15	* ·09	06	21
22	·23	·60		·11		·37				06	·02		22
23	·01	·68		·06		·17			·09	·05		·31	23
24	·02	·03		·04	04	1·02		·05	·01	·28		·31	24
25	·01	·37		·24		·08			·18	·23		·18	25
26				·10	·04			08	02	·11	·21	·18	26
27	02	·42		·11			·23	22	·43		·11	03	27
28		·16		·23		02		·11	·10			·29	28
29		×		21		05	·07	·13	29	·86		·13	29
30		×			·02	·05	·03		·05	·70	·04	—	30
31		×		×	·05	×			×	·08	×	·01	31
Total	1·80	3·73	1·61	1·78	1·50	3·33	1·23	2·17	3·42	2·98	5·08	7·27	TOTAL for year 35·90
No. of Rain Days	15	15	15	18	12	12	8	14	14	15	23	28	189

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
25 JAN 1913
3685

REGISTER OF RAINFALL IN 1912

Kept at Castlebank Appleby
in the County of Westmorland
by C R Rimington

Lat. 54 34 Long. 2 30 W
Time of Observation 9 am
Nearest Railway Station Appleby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		~~77~~	·30		·04	·08	·10	·25	·20			·15	1
2	·03	·11	·57	·02	·16	·44	·08	·01	·08				2
3	·19		·02	—		1·08		·31	·42			·14	3
4	·24		·45	·09	·02	·16		·29	·14		·18	·20	4
5	·09		·02		·13	·05		·08	·04		·02	·01	5
6	·13	·35	·01		·01	·35		·10		·06		·02	6
7		·28	·05	·02	·05		·17	·31	·49		·20		7
8	✻ ·45	·12	·07	·08		·02	·01	·01	·45		·32	·06	8
9	·11	·06	·15	·21		·40		·03			·10	·15	9
10	·14	·03		·01	·06	·02		·07			·33	·05	10
11	·04				·02	2·45	·11	·28			·03	·43	11
12	·16	·03	·06			·24	·27	·02			·01	·38	12
13	·05					·04	·01	·03	·05	·28	·18	·59	13
14	·20		·02			·17			·07	·01		·14	14
15	·12	·08	·08		·32	·38				·10		·34	15
16	✻ ·66	·02	·09					·10		·16		·03	16
17	✻ ·01	·25	·33		·02	·49		·32		·02		·28	17
18		·14	·14			·06		·02		·07	·05	·16	18
19	·02	·33	·39		·01	·05		·09		·09	·06	·07	19
20	·07	·01	·10		·50	·09	·01	·19		·43	·02	·06	20
21	·04	·02	✻ ·05		·02	·03	·03	·03			·04	·10	21
22	·04	·40			·21	·01		·32					22
23		·03	·05			·03	·23	·27		·05	·11	·18	23
24	·08		·03		·03	·07	·05	·14		·05	·37	·30	24
25		·02	·07			·40	·17	·08			·54	·10	25
26		·28	·18			·03	–			·98	1·03	·17	26
27		·11	·14		·05	·61	·47	·02		·28	✻ ·15	·50	27
28		·13	·05			·36	·49	·31	·02	·54	✻ ·16	·02	28
29		·10	·18			·09	·23	·29	·09	·26		·18	29
30	·06	×	·34	·03	·02	·05	·09		·09	·19		·10	30
31		×	·09	×	·03	×	1·10	·37	×		×	·08	31
Total	2·93	2·90	4·03	·46	1·70	8·25	3·62	4·34	2·14	3·57	3·90	4·99	YEAR'S TOTAL 42·83
Rain Days.	24	21	27	7	18	28	17	27	12	16	19	28	241

W. 7,500, XI. ·12

Cor. for auth. 20.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

3685

W/100 DDD

Kept at Castle Bank Appleby

in the County of Westmorland

by C R Rimington

Lat. 54:34 Long. 2.30 W

Time of Observation 9 am

Nearest Railway Station Appleby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·07	·21			·12					·17		1
2	·09	·13	·76	·05							·30	·10	2
3	·20	·17	26·		·22		14				·13	·97	3
4	·47	·13	·09		·01		·03			·01	·12	* ·60	4
5	·64	·31	·02		·05	·03	·01	·03					5
6	·09	·58	60·		·31	·09	·38						6
7	—	·85	09		·06	·22	·10			·28	·01	·01	7
8	—	21·	·03		·06	·02	—	·09	·05	·13	·04	·08	8
9	—	·05	05·	·08	·04	·33	·02				·09	·04	9
10	* ·03	·02	·18	·10	·12		·11				·32		10
11	·07	—	·06	* 35		·28	·02		·01	·14	·23	·05	11
12	·06	—	·01		·02	·03		·01	1·03		·21	·02	12
13	—	—	·24	·09	·02		·03		·21	·09	·08		13
14	·02	—	* 16	·23			·08	·02		·22	·06	·15	14
15	—	·03	54	1·18			·02	·13			·35	·12	15
16	—	—	* ·07	·13							·12		16
17	·05	—	* ·02	·40	·04	·05	·03				·15		17
18	·09	—	·70	·19		·03	·04				·22		18
19	·05	—	·11	·09	·05	·02			·02	·16	·19		19
20	·13	—	·32	·02	·01	·03	·01	·05	·04	·19	·52		20
21	—	—	20	—	·12		·08	·31		·19			21
22	·08	—	* ·42	—	·02			·34	·02	·02			22
23	·25	—	* ·05	—		·26		·08	·09		08·	·05	23
24	·29	—	—	·09		·19					·09		24
25	—	—	—	·27					·34		·03	·18	25
26	—	08·	·05	·97	·01	·10			·70	·05	·05	·62	26
27	—	·02	—	·55	·16					·27	·02	* ·36	27
28	·29	—	·13	·56	·01					·02		* ·25	28
29	—	×	·17	·40	·04			·10		·14		* ·01	29
30	·70	×	·03	—	·03	·01				·05	·04	—	30
31	·04	×	·02	×	—	×			×	·05	×		31
Total	3·66	2·65	5·59	5·75	1·20	1·81	1·10	1·16	2·51	2·01	3·62	3·61	YEAR'S TOTAL ~~34·89~~ 7
Rain Days.	20	13	28	18	20	16	15	10	10	16	24	16	206

W.7,000, XI. 13

190

34·87

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
- JAN 1915
5685

Kept at Castle Bank Appleby

in the County of Westmorland

by C R Rivington

Lat. 52·34 Long. 2·30 W

Time of Observation 9 am

Nearest Railway Station Appleby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·58	·11	·03			·10	·16	—	—	—	·38	1
2		24	·02	·03			·35	·46		·03	·12	·39	2
3	·02	·24	·09		·21			·02			·03	1·35	3
4	26		·07	·12	·32	·08		·01			·01	·61	4
5	05		·12	25	·13	·11	·07				·09	·08	5
6		·03	·02	33	·04	·02		·06			·03	34	6
7	·04	·13	·10	·05	·31	·06		·04		·02	·01	·46	7
8	·31	·07	·05	·02	·25	·37	·29	·88	·02		·02	·30	8
9	·52	·20	[illegible]	·43	·01	·70			·03		·19	·02	9
10	·01	·25	* ·07	·05	·01				·08		·18	—	10
11		14	·15	·01			·08		23		·27	·15	11
12		57	·13		·05		·25		23		·12	21 [illegible]	12
13		20	·30				·01		·05	·10	·20	·05	13
14		89	·06						·12	·04	* ·10	·15	14
15		·10	·25				·01		·06	—	* ·14	·18	15
16	·02	·02	·03				1·24		·83	—	—	·11	16
17	03	·37	·37			·13	·25		·52	—	—	1·35	17
18		·48	·13			·04			·05	·03	·03	·06	18
19		04	* 02				·07		·03	—	·03	* ·04	19
20		·31	21 [illegible]							·02	—	—	20
21		·31	·02			04		·02		·03	·07	—	21
22		44	·02	·02	·24	·09	·01	·07		·07	—	·01	22
23		·10	·13	·05	·15	·10		·04		—	·02	·04	23
24	30		·40	·09	·10		·25	·06		—	20	—	24
25	40		·02	·01			·05	·18		·58	15	55	25
26	·01		·03				·05	·02		·14	·26	·33	26
27	·07	06						—		·07	·48	16	27
28	·05	·36	·10		·17	02		·11			·49	—	28
29	·21	X	·07		·04			·53		·21	1·04	·01	29
30	19	X	·37					·03		—	·77	62	30
31	·67	X	·03	X	·04	X	·46	—	X	·05	X		31
Total	3·78	6·13	3·49	1·49	2·07	1·76	3·54	2·69	2·27	1·39	5·05	7·95	YEAR'S TOTAL 41·01
Rain Days.	18	23	29	14	15	12	16	16	12	13	25	25	218

W. 8,000. X. 14.

3901

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
18. JAN. 1916

3685

Kept at Castle Bank Appleby
in the County of Westmorland
by C R Rivington

Lat. 54 ·34 Long. 2 ·30 W
Nearest Railway Station Appleby (Midland)
Time of Observation 9 a m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 440 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·09			·25		·48	·36	06		·03		1
2	03	·73	·30	·37		·03	·07	·08					2
3	·20	·26	·10	·23			·32	·20				·14	3
4		·19		·21	·05	·07		·43				·09	4
5	·10	·05	·10		·03			·10				·85	5
6	·10	·04	·12	·20		·02	58	·04	·02	·04		·33	6
7	·39	·71	·03	·13	·03		·60	·10				·10	7
8	26	26		·04			·20	03			·72		8
9	·10	·18					·02				·20	·34	9
10	·19		·04	·07		·02		·09		·06		·44	10
11	·05	·75		·02	·54		·04	·02		·01	·02	·28	11
12	30	·06		·07			·05	·02		·06	·25		12
13	·09	* ·20					·09	·22	04			·04	13
14	·17			·06	·07			·09				·09	14
15	50			·02				80			·08	·32	15
16		·75	·01				·16	·05				·04	16
17		·40			·03			·01					17
18	·02	·24	·20							·05			18
19	—	05	·09	·25	·04		·46						19
20	08		·03	·02	·13		·03		—			·78	20
21	·15	·03	—	·17			·04					·06	21
22			·03				·43	·01	—			·36	22
23		* 57	·14	·09			·07		02	·14		·28	23
24			·04	·03			·02		·80	·07		·22	24
25							·33	—	·03	·52			25
26		* 34				·02	·03					·52	26
27		* ·33								·41		·58	27
28		* ·15	·03		·20	·01		·31	—	04		·02	28
29		X			·03			·05			·29	·02	29
30	* ·11	X		·08		·23	·03				05	·03	30
31	·06	X		X		X	·36	·50	X		X	·88	31
Total	3 10	5 78	1·26	2·06	1·40	0·40	4·41	3·51	·97	1·40	1·64	6·83	TOTAL for year 32·76
No. of Rain Days	19	21	14	17	11	7	21	20	6	10	8	23	177

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Castle Bank Appleby

in the County of Westmorland

by C. R. Rivington

Lat. 54·34 Long. 2·30 W

Time of Observation 9 am

Nearest Railway Station Appleby (Midland) 3685

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·12	·02	* ·02	—	—	·46	78	—	—	—	·21		1
2	·15	08	02			·25	·10		·17	·11	·04	·07	2
3	04	·30	03	·09	·03	·05	·20	·01	·80	·20	·32		3
4	·27	·04		·03	·43	·14	·03		·26	·48	·20		4
5	·04	·70	* ·09		·20	·17	·02			·75	·25		5
6	·27	·22	* 24	·03	15	·06	·09			·47	·16	·02	6
7	·01	·05	* ·07		·19	·30	2·00			·15	·10	·29	7
8	·04	* ·08	* ·05	·02	·02	·07				·06	·15	·02	8
9	02	—	* ·02		28	·05				·04	·16	·04	9
10	·05	·15	* ·04	·04		19	·17			·47	·04	·02	10
11	·02	·30	* ·09	25	·02	·03	·18		05	·07	·02	·06	11
12	02	·40	* ·03	·13	·28		·55	·03		·06			12
13	—	·24	* 02	·04	·03		·07	·46	·04	·46		* 12	13
14	—	* ·30	—	·07	·13			·12	·09	·64			14
15	·28	·26	·14	·03	·01		·10	·46	·04	04			15
16	·02	* 25	·64	·23			·06	·15	·02			·02	16
17	·27	·11		·50	·03			·11	18	·24	·02		17
18	·11	·38	·02	·37			·05	·33	·20	10	·55	* 09	18
19	·80	—	·14	·14				·04			·03	·03	19
20	·28	—	·02	·17			·08	·03			04	·36	20
21	·18	—	·02				·65		·04			·02	21
22	·03	* 04		·01		·02				·06	·03	·03	22
23	33	—	·16	·13		·07				·28	·42	19	23
24	·02	—	·05	·17		·45		·37		·04	·33	·06	24
25	·07	* ·08	·67		·09	·13		1·05		04	* ·46	07	25
26	·24	* 08	15			·06	·34						26
27	—	·10	·05		·07	·03		·03	·02	17	·03		27
28	·36	·07	·08							20	·03	·62	28
29	·03	·12	·04							23	·31	·21	29
30	·01	×	—			05	·16			1·12	·12	·08	30
31	—	×	—	×	·31	×		·07	×	25	×	·06	31
Total	5·08	437	2·90	2·45	2·27	2·58	5·63	3·26	1·91	6·73	4·02	2·48	YEAR'S TOTAL 43·68
Rain Days.	27	23	25	18	15	18	18	14	12	25	23	21	240

W. 8,000, VIII. 16

3674

FORM A.
BRITISH RAINFALL.

2 Apr 1918

3685

REGISTER OF RAINFALL IN 1917

Kept at Castle Bank Appleby

in the County of Westmoreland

by C R Rivington

Lat. 52 34 Long. 2 30 W

Time of Observation 9 am [illegible]

Nearest Railway Station Appleby (Midland)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06					·07			·32		·10	·20	1
2	28			* ·25		·10		·02	·02		02		2
3	03			* ·15		16			·02	40			3
4		·06	·01	·02								* ·04	4
5	·20		·03	* ·25					·01	10	·60		5
6	02		·04	·02		·06		·13		18·	·41	* ·05	6
7	·37		·04			·10				·17		·16	7
8	22			* ·32				·45		·33	22	·04	8
9	04			* ·06				64·		·11	·32	* ·02	9
10	* 28		·53	* ·13	·25			·10	·02	·05			10
11	* ·08	* ·06		·02	·16			·08		·12	·02		11
12	* ·02		·03	* ·02	·67				·01	·11		·05	12
13	* 15			* ·16	·19	·02		·29	·20		03	·07	13
14	·11			* ·21	·03			15·				·19	14
15	04			* ·12			·03	45	·08	·08		·17	15
16	* 02	* 02		* ·12				45	·04	·06		* ·22	16
17	·02	·17	·03	·42			·04	1·35	·13	·09		12	17
18			·18	·10	·05		·49	~~·28~~	24				18
19	·01	·09	·16		·32	·02	·04	05	·07		03	·02	19
20	·01	·18	·05		·02	1·02		52	·88	·02	·22		20
21	02	·08	·02		06	·01		·06	·01	·13	·03		21
22			·01	·04		·02		·21		·25			22
23		·05			·21	·09		46·	02	·16	·07	·25	23
24							·03	·10	02	50	43		24
25		·10	·08		·02	·12	·22	·04	05	* 15			25
26			·02			·10	·02	·85	·48	17	* 12		26
27			·03		·33	·03	57	·70		* 19			27
28			·25					·26			·02		28
29		X	·05	·02				·05		64			29
30		X						·02		31	·17		30
31		X	* ·29	X	·08	X		·20	X		X	·09	31
Total	1·98	·81	1·65	2·43	2·39	1·92	1·44	8·51	2·62	4·32	2·81	1·69	YEAR'S TOTAL 32·7[illegible]
Rain Days.	19	9	18	18	13	14	8	25	18	22	16	15	195

W. 8,000, VIII. 16

Exd. E.F.E.

9

FORM A.
BRITISH RAINFALL
8 JAN 19
368

REGISTER OF RAINFALL IN 1918

Kept at Castle Bank Appleby

in the County of Westmorland

by C R Rivington

Lat. 54 34 Long. 2-30 W

Time of Observation 9 am

Nearest Railway Station Appleby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·04	·02	·17					·74	·04	·25	·20	1
2		·03	·07	·03					07	·25	·13	·14	2
3		·10			·04					·85		·02	3
4		·09			·07			·09		·85	57	·06	4
5		20		·07	·08		·05	1·80		·89	·07	·14	5
6	06	·29		·31	·10	·18	·32		·01	·32		·03	6
7	·04	·04		·32			·04	·05	·10	04	·47		7
8	·75	·26	·08				·16	·06	·20	49	·20		8
9	·07	·65				·12			61	25	·16	·03	9
10		·32	·06				·02		·36		·50		10
11	·43	·04	·10		·26		·23		·15			·09	11
12		·26		·05	·05		07		·03	·16		06	12
13					·27				·29	·04		·02	13
14	*·65				·03	·70	·28	·03	·19	·04		·02	14
15						·04	40		1·75	·06		·76	15
16	*02					·06	·34	·09	·76	·22		·33	16
17	*·28					·17	89	·10	·13	·04		·40	17
18	50		·10			02	·29		·09	21		·30	18
19	·38	·02	·08	·15			·23		·32	—		*11	19
20	1·04	·31		*·08	·06	·03	·51		·18	·05		·03	20
21	·30	·35				18			1·17			—	21
22	·06				18	·04	·06	·05	64			·56	22
23	·74	02			·18		·59		·20	~~·02~~	·03	—	23
24	·25	·12					·12	·10	·12	02	·05	—	24
25					·20		29	·99	20		·03	—	25
26	·09	·04		·01			03	·10	·25	[illegible]	03	15	26
27		*08	30		·03			·54	·42	01	08	·49	27
28		*·17	·30					·17	05	06	·04	·45	28
29			·01							[illegible]		·25	29
30			·07					·03		·03	·03	·07	30
31			·10					13		·01		·03	31
Total	4·48	3·43	1·29	1·19	1·35	1·54	4·62	4·33	9·03	4·93	2·64	4·44	YEAR'S TOTAL 43·47
Rain Days.	17	20	12	9	13	10	19	15	25	22	15	24	201

3490

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

3685

Kept at Castle Bank Appleby
in the County of Westmorland
by C A Lewington

Lat. 54. 34 Long. 2. 30
Time of Observation 9 am
Nearest Railway Station Appleby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44		·10		·22		·10	·02	·46	·15	·02	·13	1
2	·20		* 35		·12		·24	·01	·04		·02	·06	2
3	* ·10			·16	·18	·16	·08				·02	·27	3
4	·13	* ·09	30		·04	·07	·02	·07	04		·04	·14	4
5	·06	* ·02	—		·17				·10		-	·08	5
6	—		18		·35					04		·10	6
7	—		17	·03		·04		·06			·17		7
8	·18		02	·10		·03		·02			·02		8
9	·85		13	·05		·01					·18		9
10	·10		33	·10	·03	·01				·02	* ·04	·86	10
11	·03		15	·02	·20	·01	·02		·08	·08		·12	11
12	—		07	·10		·13	·11			·16	* ·49	·03	12
13	·18		04	·25		·03	·35	·15		·18		·20	13
14	·28		—	·14								·09	14
15	·70	·12	—	·36				·01				·57	15
16	·29		·02	·02		·02				·01	* 30	·02	16
17	·05		—		·09			·31			·35	·01	17
18	—		09				·05	·26	·02		·14	·30	18
19	·05	·32	·17			·23	·01	·70	·10		26	·10	19
20	·30	·18	07			18	·11		·03		·04	23	20
21	·03	·04	·05		·08	·07	·02	06	·03		·02	* ·22	21
22	—	·16				05		·04	·07	·05	·02	·20	22
23	—			·14		·06				1·05	33	·05	23
24	·10			·02	05	·02		·01	·03	·15	·32	·10	24
25	·07			·09		·07		·64	·34		·05	—	25
26	·03	* ·02	·39	·09		·10		·54	·16		10	·29	26
27	* ·07	* 02		·10				·02			·06	·04	27
28	·02			on 14 [illegible]				·71	·01	·12		32	28
29	—	X	* 02	·05					·02	35		·04	29
30	·04	X	* 02	·05		·25	·24	·04		·12	·38	·74	30
31	—	X	* 03	X		X		·02	X		X	·09	31
Total	4·30	·97	2·70	2·01	1·53	1·54	1·25	3·09	1·53	2·48	3·37	5·43	Year's Total 30·20
Days with ·01 in. or more	23	9	20	19	11	19	12	19	15	13	22	27	209
Days with ·04 in.	19	6	15	(4) 14	10	12	8	12	9	11	16	24	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3378

3685

8 JAN 1921

15·2·21

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Castle Bank Appleby

in the County of Westmorland

by C. A. Rimington

Lat. 54 34 Long. 2 30 W

Time of Observation 9 am

Nearest Railway Station Appleby Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	05	·14	·04	·49	—	·30	·08	·04	·04	·03	10	1
2	—	·10	·02	·04	·39	—	·05	·01	·25	·17		06	2
3	·03	·09		—	·13	·04	·09	·22	·18	29		·10	3
4	·01	—		·05	·07	—	·45	·55	·01	·31		35	4
5		·05	·25	·07	26	—	·03	·13	·01	·18		·04	5
6		—	·45	·17	·44	—	·02			·02		·03	6
7	·19	·08	*07	·04	·02	—	17						7
8	·07	·04		·11	·20	—	·29	·15			·01		8
9	·17	46		·07	—	—	45	·03			·01		9
10	·79	·28	·04	·09	—	—	·19		·14			·08	10
11	·44	·07	·03	·06	·20	—	—		·01	·04	·01	·04	11
12	15	·33	·33	·11	·43	—	·13		·11	·04	·03		12
13	·38	03	·34	·42	·04	·12	03				05	* 35	13
14	·02	17	* 12	·42	—		·21		·09		135	·01	14
15	·02	23	* ·16	·45	—	—	·02				1·10	* ·10	15 See 25/3
16	·02	·04	04	·04	·09	—	·16		·33		·11		16
17	·11	—	13	—	·28	—	·18	·37	·26		20 ·20		17
18	·40	·01	—	·04	·71	·07	09		·02				18
19	·07	·18	—	·07	·10	·02	—	·03					19
20	·08	·01	—	—	—	·03	—		·57				20
21	·05	—	—	—	—		·09	·02				·26	21
22	·50	—	—	·20	—	·04	·25	·09				·22	22
23	18	—	·04	·11	—	·00	·18					·08	23
24	16	—	1·42	—	—	·02	·13	·05				·15	24
25	10	05	·22	·06	—	—	·55	·01				·16	25
26		·04	·74	·05	·12	—	·31		·02		·14	·02	26
27	26	—	·63	·08	·57	63	·10				·15	·07	27
28	05	·06	·43	11	—	·03	11				·06	·21	28
29	22	01	·05	04	·73	·05	13				—	·88	29
30	·12	✕	·09	—	·05	·04	—		·07		·12	·20	30
31	·23	✕	·10	✕	·05	✕	14	·05	✕		✕	20	31 39.36
Total	4·82	2·38	5·84	2·94	5·37	1·09	4·85	1·79	2·11	1·09	3·37	3·71	Year's Total ~~39 36~~
Days with ·01 in. or more	27	21	22	24	20	11	27	14	15	8	14	22	223
Days with ·04 in. or more	21	4	20	24	19 18	7	23 27	9	10	7	9	19	~~188~~ 185

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BARBON

WESTMORLAND

1911

~~372~~6

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

11.

Kept at
5 in.
ve Ground ~~1~~ ft. ~~2~~6 in.

in the County of
Sea Level 405 ft.

a.m.

by Charlotte
Name Barbon L & N.W.R.
Distance ¼ mile Direction N.W.

IMPORTA … nd the result entered to the previous day. … niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·46	—	·05	—	·27	0·17	—	—	·58	·09	1
2	·20	—	·02	—	·18	—	—			·06	·29	·09	2
3	—	—	·41	—	·68	—	·05	0·13	—		1·06	·20	3
4	—	—	·08	—	·02	—	·03	0·77	—		·66	·25	4
5	·13	—	·09	·03 (snow)	-	—	—	0·72	—	·05	·11	·22	5
6	—	—	—	·05	-	—	✓	·87	—	—	·49	·25	6
7	·21	—	-	·02	-	—	✓		—	—	·30	—	7
8	·12	—	·42		-	—	✓		—	—	·35	·69	8
9	·01	—			-	—	✓		—	—	—	·55	9
10	·84	·15	·10		-	—	✓		0·07	—	—	·08	10
11	—	—			-	—	✓		~~13~~	—	—	—	11
12	·01	—	·09		·01	—	✓		~~·13~~	—	·47	·37	12
13	—	·07	—		·10	—	✓		·94	—	·50	·25	13
14	·17	·53	—		·26	—	✓			—	·53	·17	14
15	—	·58	·03	·04	-	—	✓			—	·89	·11	15
16	·07	·46	·05	·09	—	·02	·08			—	·19	·31	16
17	—	·03	—	·00	-	·58	·07			—	·13	·05	17
18	—	·63	—	·06	—	·57	—			·05	·06	·19	18
19	—	·03	—	·16	—	·13	—	·07	·34	·19	·08	·16	19
20	—	·18	—	·42	—	·00	·11	·15	·17	·04	—	·46	20
21	—	1·24	—	·26	-	·17	·28	—	·19		—	·08	21
22	·16	·21	—	·11	-		—	—	—	·25	—	—	22
23	·03	·49	—	·04	·74	·53	·04	—	·79	·45	—		23
24	·23	·16	—	·61	—	·88	—	·20	·03	·18	—	·54	24
25	·04	·52	—	·96	·005	·03	—		·52	·49	·02	·29	25
26	—	·04	—	·19	·020	—	—	·62		·62	·24	·20	26
27	·05	1·21	—	·22		—	·02	·64	·01		—	·11	27
28	—	·25	—	·68		·35	—	·02	·26		·06	·46	28
29	—		—	·30		·43	·05	·01	·64	2·19	·01	·40	29
30	—		—					·07	·01	·55	·01	·01	30
31							·01			·13	~~·01~~	·12	31
Total	2·27 2·27	6·89	1·75	4·24	2·06	3·69	1·01	4·44	3·97	5·25	7·03	6·70	TOTAL for year 49·21
No. of Rain Days	14	17	10	18	9	11	11	13	12	13	21	28	177

9,000, IX. '10.

51 '75

~~3726~~ 6

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Barbon-
in the County of Westmoreland 4
by Charlotte E. Wilson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ~~1~~ ft. ~~6~~ 2 in.
" " " Sea Level 405 ft.

Time of Observation 9. am.

Nearest Railway Station
Name Barbon L & N W R.
Distance 1/4 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·46	—	·05	—	·27	0·17	—	—	·58	·09	1
2	·20	—	·02	—	·18	—	—			·06	·29	·09	2
3	—	—	·41	—	·68	—	·05	0·13	—		1·06	·20	3
4	—	—	·08	—	·02	—	·03	0·77	—		·66	·25	4
5	·13	—	·09	·03 (snow)	-	—	—	0·72	—	·05	·11	·22	5
6	—	—	—	·05		—	✓	·87	—	—	·49	·25	6
7	·21	—	-	·02		—	✓		—	—	·30	—	7
8	·12	—	·42			—	✓		—	—	·35	·69	8
9	·01	—				—	✓		—	—	—	·55	9
10	·84	·15	·10			—	✓		0·07	—	—	·08	10
11	—	—				—	✓		~~·13~~	—	—	—	11
12	·01	—	·09		·01	—	✓		~~·13~~	—	·47	·37	12
13	—	·07	—		·10	—	✓		·94	—	·50	·25	13
14	·17	·53	—		·26	—	✓			—	·53	·17	14
15	—	·58	·03	·04	-	—	✓			—	·89	·11	15
16	·07	·46	·05	·09	—	·02	·08			—	·19	·31	16
17	—	·03	—	·00	-	·58	·07			—	·13	·05	17
18	—	·63	—	·06	—	·57	—			·05	·06	·19	18
19	—	·03	—	·16	—	·13	—	·07	·34	·19	·08	·16	19
20	—	·18	—	·42	—	·00	·11	·15	·17	·04	-	·46	20
21	—	1·24	—	·26	-	·17	·28	—	·19		—	·08	21
22	·16	·21	—	·11	-		—	—	—	·25	—	—	22
23	·03	·49	—	·04	·74	·53	·04	—	·79	·45	—		23
24	·23	·16	—	·61	—	·88	—	·20	·03	·18	—	·54	24
25	·04	·52	—	1·96	·00	·03	—		·52	·49	·02	·29	25
26	—	·04	—	·19	·020	—	—	·62		·62	·24	·26	26
27	·05	1·21	—	·22		—	·02	·64	·01		—	·11	27
28	—	·25	—	·68		·35	—	·02	·26		·06	·46	28
29	—		—	·30		·43	·05	·01	·64	2·19	·01	·40	29
30	—		—					·07	·01	·55	·01	·01	30
31							·01	—		·13	~~·01~~	·12	31
Total	2·27	6·89	1·75	4·24	2·06	3·69	1·01	4·44	3·97	5·25	7·03	6·70	TOTAL for year 49·21
No. of Rain Days	14	17	10	18	9	11	11	13	12	13	21	28	177

9,000, IX. '10.

·75

BARBON MANOR

1911 – 1920

R 11

FORM A.
BRITISH RAINFALL.
13 JAN 1912
3726

Kept at Barbon

in the County of We

by James Mac

ng.
on Barbon (L & N W)
9 a.m.
ge 6 in.
above Ground 1 ft. 3 in.
Sea Level 650 ft.

NOTE.—Rain should be mea of rain and particulars as to the Full instructions for the measurement Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	–	·16	–	·07	–	·62	·10	1
2	–	–	·04	–	·10	–	·07	·45	–	–	·26	·15	2
3	·25	–	·40	–	·70	–	–	–	–	–	·16	·12	3
4	·10	–	·05	·12	–	–	–	·86	–	–	–	·13	4
5	–	–	·10	–	–	–	–	·75	–	–	·83	·18	5
6	·21	–	·15	snow ·06	–	–	–	·03	–	–	·54	·24	6
7	·10	–	–	–	–	–	–	–	–	–	–	·34	7
8	·30	–	·18	–	–	–	–	–	–	–	·45	·51	8
9	–	–	–	–	–	–	–	–	–	–	·52	·81	9
10	·96	·06	·14	–	–	–	–	–	·007 –	–	–	·60	10
11	–	–	·08	–	–	–	–	–	nil ~~·07~~	–	·10	·10	11
12	–	–	–	–	·04	–	–	–	nil ~~·96~~	–	·40	·40	12
13	snow ·06	–	–	–	·22	–	–	–	–	–	·25	·20	13
14	·10	·89	–	–	–	·04	–	–	–	–	1·10	·08	14
15	·04	–	–	–	–	–	–	–	–	–	·86	·38	15
16	–	1·04	–	·06	–	·20	–	–	–	–	·35	·05	16
17	·18	–	–	–	–	·56	·05	–	–	–	·38	·20	17
18	–	·64	–	–	–	·53	–	–	–	–	·03	·13	18
19	–	·12	–	·08	–	–	–	·10	–	–	·14	·10	19
20	·04	·08	–	·31	–	–	·10	·16	·45	·45	–	·05	20
21	·03	1·25	–	·42	–	·45	·30	·07	·34	·14	–	–	21
22	·06	·56	–	·10	–	·10	–	–	–	·06	–	·54	22
23	–	·10	–	·30	·06	·32	·06	–	·86	·40	–	·08	23
24	–	·16	–	·16	–	1·03	–	·17	·04	–	–	–	24
25	–	·50	–	1·01	–	·04	–	–	·58	·16	–	–	25
26	–	–	–	·21	–	–	–	·75	–	·70	·28	·10	26
27	–	1·28	–	·52	–	·08	–	·64	·35	–	–	–	27
28	–	·48	–	·21	–	·15	·05	–	·25	–	–	·54	28
29	–	X	–	·32	–	·40	–	–	·76	2·04	–	·80	29
30	–	X	–	·14	–	·10	·08	–	–	·76	·08	·25	30
31	–	X	–	X	–	X	–	–	X	·06	X	·11	31
Total	2·43	7·16	1·14	4·02	1·12	4·00	·87	3·98	4·73	4·77	7·35	7·29	TOTAL for year 48·86
No. of Rain Days	13	13	8	15	5	13	8	10	11	9	18	27	150

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
13 JAN 1912
3726

REGISTER OF RAINFALL IN 1911

Kept at Barbon Manor
in the County of Westmorland. 4
by James Macdiarmid.

Lat. Long.
Nearest Railway Station Barbon (L & N W R)
Time of Observation 9 a.m.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 650 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	–	·16	–	·07	–	·62	·10	1
2	–	–	·04	–	·10	–	·07	·45	–	–	·26	·15	2
3	·25	–	·40	–	·70	–	–	–	–	–	·16	·12	3
4	·10	–	·05	·12	–	–	–	·86	–	–	–	·13	4
5	–	–	·10	–	–	–	–	·75	–	–	·83	·18	5
6	·21	–	·15	snow ·06	–	–	–	·03	–	–	·54	·24	6
7	·10	–	–	–	–	–	–	–	–	–	–	·34	7
8	·30	–	·18	–	–	–	–	–	–	–	·45	·51	8
9	–	–	–	–	–	–	–	–	–	–	·52	·81	9
10	·96	·06	·14	–	–	–	–	–	[illegible] –	–	–	·60	10
11	–	–	·08	–	–	–	–	–	[illegible] ·07	–	·10	·10	11
12	–	–	–	–	·04	–	–	–	[illegible] ·96	–	·40	·40	12
13	snow ·06	–	–	–	·22	–	–	–	–	–	·25	·20	13
14	·10	·89	–	–	–	·04	–	–	–	–	1·10	·08	14
15	·04	–	–	–	–	–	–	–	–	–	·86	·38	15
16	–	1·04	–	·06	–	·20	–	–	–	–	·35	·05	16
17	·18	–	–	–	–	·56	·05	–	–	–	·38	·20	17
18	–	·64	–	–	–	·53	–	–	–	–	·03	·13	18
19	–	·12	–	·08	–	–	–	·10	–	–	·14	·10	19
20	·04	·08	–	·31	–	–	·10	·16	·45	·45	–	·05	20
21	·03	1·25	–	·42	–	·45	·30	·07	·34	·14	–	–	21
22	·06	·56	–	·10	–	·10	–	–	–	·06	–	·54	22
23	–	·10	–	·30	·06	·32	·06	–	·86	·40	–	·08	23
24	–	·16	–	·16	–	1·03	–	·17	·04	–	–	–	24
25	–	·50	–	1·01	–	·04	–	–	·58	·16	–	–	25
26	–	–	–	·21	–	–	–	·75	–	·70	·28	·10	26
27	–	1·28	–	·52	–	·08	–	·64	·35	–	–	–	27
28	–	·48	–	·21	–	·15	·05	–	·25	–	–	·54	28
29	–	X	–	·32	–	·40	–	–	·76	2·04	–	·80	29
30	–	X	–	·14	–	·10	·08	–	–	·76	·08	·25	30
31	–	X	–	X	–	X	–	–	X	·06	X	·11	31
Total	2·43	7·16	1·14	4·02	1·12	4·00	·87	3·98	4·73	4·77	7·35	7·29	TOTAL for year 48·86
No. of Rain Days	13	13	8	15	5	13	8	10	11	9	18	27	150

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd 3/1

REGISTER OF RAINFALL IN 1912

FORM A.

BRITISH RAINFALL. 10 JAN 1913

3726

Kept at Barbon Manor

in the County of Westmoreland. 4

by James Macdiarmid

Lat. 54-15 Long. 2·30

Nearest Railway Station Barbon Lower

Time of Observation 9 am.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 650 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in. Snow & Rain	in.	in.	in.	in.	in.	in.	in.	in.	in.	Snow & rain	
1	·10	·15	—	—	—	·10	—	—	·18	—	—	·30	1
2	·20	—	·60	·09	—	·30	—	—	·16	—	—	—	2
3	·16	—	—	—	·31	1·04	—	·26	·80	—	—	·25	3
4	·50	—	·40	·50	—	·30	—	1·96	·11	—	1·57	—	4
5	·11	—	·21	—	·18	—	—	·16	—	·06	—	·10	5
6	·09	·30	·09	·05	·08	—	—	·28	—	—	·08	—	6
7		·26	·16	·10	·15	·08	·12	·21	·15	—	·70	·18	7
8	·10	·18	·24	—	·10	—	—	—	·08	—	·25	·05	8
9	·08	·15	·20	·11	—	·06	—	·10	—	—	·84	·28	9
10	·34	—	—	·16	—	—	—	—	·06	—	·54	·26	10
11	·50	—	—	—	·15	·74	—	·52	—	—	—	·45	11
12	·15	—	·37	—	—	—	—	·10	—	—	·10	·40	12
13	·22	—	·09	—	—	·30	—	—	—	·70	—	·56	13
14	·01	·06	·36	—	—	—	—	·14	·04	—	—	·43	14
15	—	·13	·06	—	·47	·52	—	—	—	·17	—	·06	15
16	·13	—	·54	—	—	·10	—	·26	—	·10	·12	·04	16
17	—	·10	·43	—	—	1·20	—	·87	—	·09 ~~·60~~	·45	·65	17
18	—	·20	—	—	—	·14	—	—	—	·60 ~~·09~~	·10	·28	18
19	—	·10	—	—	—	—	—	·12	—	·40	·30	—	19
20	·20	—	·40	—	·16	—	—	·28	—	·27	—	·16	20
21	·08	·24	·10	—	·86	·30	·06	—	—	—	—	—	21
22	—	·09	—	—	·30	—	—	·10	—	—	·21	—	22
23	—	—	·18	—	—	·26	·26	·75	—	·07	1·02	·16	23
24	—	·11	·13	—	—	·60	—	·16	—	—	·19	—	24
25	·06	·14	·18	—	—	·30	·16	—	—	—	·45	·28	25
26	—	—	·24	—	—	·19	·26	·74	—	1·42	·25	·20	26
27	—	·20	·39	—	—	1·60	·35	—	—	·37	Snow & rain ·76	—	27
28	—	·11	—	—	—	·25	1·60	·83	·08	·37	—	—	28
29	—	·30	·14	—	—	—	·65	·27 ~~1·10~~	·26	·54	—	·26	29
30	—	X	·52	—	—	—	·26	—	—	·07	—	·45	30
31	—	X	·24	X	—	X	1·10	·16	X	—	X	·18	31
Total	3·03	2·82	6·27	1·01	2·76	8·38	4·82	8·27	1·92	5·23	7·93	5·98	TOTAL 5842
No. of Rain Days	17	17	23	6	10	19	10	19	10	14	17	22	184

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3726

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Barbon Manor
in the County of Westmorland
by James Macdiarmid

Lat. 54° 15′ N. Long. 2° 30′ W.
Time of Observation 9 a.m.
Nearest Railway Station Barbon L+N.W.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.07	0.84	0.11	0.12	—	—	—	—	—	—	—	—	1
2	—	0.34	0.94	0.10	—	—	—	—	—	—	0.21	0.44	2
3	0.12	0.09	0.14	0.17	0.64	—	—	—	—	—	—	0.36	3
4	0.06	0.06	—	—	0.04	0.14	—	—	—	—	0.15	0.32	4
5	0.32	0.42	0.11	—	—	0.09	0.10	—	—	—	0.25	—	5
6	0.09	0.11	0.22	—	0.65	0.10	0.15	—	—	—	—	—	6
7	—	0.38	—	—	0.17	0.52	—	—	—	0.85	—	0.11	7
8	0.06	0.15	0.21	—	—	0.16	—	0.10	—	—	—	0.16	8
9	—	0.12	0.23	—	0.22	1.32	0.15	0.32	—	—	0.15	0.10	9
10		—	0.53	0.05	—	0.07	—	—	—	—	—	0.06	10
11	Snow 0.34	—	—	0.11	0.06	—	0.09	—	—	0.16	0.45	0.22	11
12	—	—	0.26	0.20	—	—	—	—	0.75	—	0.21	—	12
13	—	—	0.60	—	—	—	0.05	—	0.22	0.28	0.38	—	13
14	0.13	0.06	0.32	0.03	—	—	—	—	—	0.40	0.09	0.10	14
15	—	—	0.19	0.13	—	—	0.14	—	—	—	0.51	—	15
16	—	—	0.06	0.45	0.06	0.35	—	0.05	—	—	0.38	—	16
17	—	—	—	0.03	0.09	—	0.06	—	—	—	0.51	—	17
18	0.15	—	—	0.74	0.04	0.21	—	—	—	—	0.19	—	18
19	0.10	—	0.26	0.27	0.11	—	—	—	—	0.16	0.95	—	19
20	—	—	0.05	0.16	—	—	0.04	—	0.03	0.24	1.25	—	20
21	—	—	—	—	0.15	—	—	0.96	—	0.13	—	—	21
22	0.96	—	0.11	—	—	0.09	—	0.36	—	—	—	—	22
23	0.28	—	0.56	—	0.19	—	—	—	—	—	0.03	0.09	23
24	0.13	—	—	0.18	0.10	0.65	—	—	0.45	—	0.14	—	24
25	—	—	—	—	—	—	—	—	0.83	—	0.09	0.40	25
26	—	0.09	—	0.17	—	0.06	—	—	1.78	0.16	0.05	0.52	26
27	—	—	0.02	0.65	—	—	—	—	—	0.16	—	0.10	27
28	0.10	0.16	—	0.96	0.07	—	—	—	—	—	0.16	0.06	28
29	—	X	0.38	0.75	—	—	—	0.35	—	0.30	—	—	29
30	0.16	X	0.11	—	—	—	—	—	—	0.14	—	—	30
31	—	X	—	X	—	X	—	—	X	—	X	—	31
Total	3.07	2.82	5.41	5.27	2.59	3.76	0.78	2.14	4.06	2.98	6.15	3.04	YEAR'S TOTAL 42.07
Rain Days.	15	12	20	18	14	12	8	6	6	11	19	14	155.

W.7,000, XI. 13

3726

FORM A.
BRITISH RAINFALL.

12 JAN 1915

ask for original written 19.IV.15

REGISTER OF RAINFALL IN 1914

Kept at Barbon Manor Kirkby Lonsdale

in the County of Westmorland 4

by James Macdiarmid

Lat. 54·15 Long. 2·30
Time of Observation 9. am.
Nearest Railway Station Barbon L&NW.
Diameter of Rain Gauge 6" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·30				·30					·10	1
2		·18					·27			·10	·27	·42	2
3			·16		·72				·06			·95	3
4			·11	·40	·30							·17	4
5			·54	·13		·10					·07	·04	5
6	·45		·08	·12				·17				·07	6
7	·25		·30	·07	·30	·08		·10			·20	·10	7
8	·09	·08			·21			1·52	·86		·11		8
9		·13		·14			·30	·11	·27		·70	·09	9
10		·25							·14		·34	·11	10
11		·12	·30				·40				·52		11
12		·10	·06				·06		·38		·45	·06	12
13		·44	·27						·13		·10	·07	13
14		·08	·15								Snow+rain ·14		14
15		·47	·45						·51		·11		15
16	·16	·10	·25				1·30		1·26			·16	16
17		·50	·09				·09		·44			1·65	17
18		·40	Snow+rain ·19				·10					·27	18
19		·39	Snow+rain ·16									Snow+rain ·10	19
20			·07			·06						·04	20
21		·20	·25		·08		1·28					·06	21
22		·75		·14	·50			·30					22
23			·35	·06	·16	·10	·17	·15			·03		23
24	·76	·12						·20	·8	·82	·09		24
25	·09		·10					·34			·24	·71	25
26		·07								·15	·35	·16	26
27		·05								·62	·52		27
28	·16		·16			·03		·08			·65		28
29	·55		·11		·16			·12		·08	·16		29
30	·34		·96		·13	·10					·08	·08	30
31	·72		·07										31
Total	3·57	4·43	5·48	1·06	2·56	·47	4·27	3·09	4·05	1·77	5·13	5·41	YEAR'S TOTAL 41·29?
Rain Days.	10	18	23	7	9	6		0	9	5	19	20	146

Bad

W. 8,000. X. 14.

3726

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Barbon Manor

in the County of Westmorland

by James Macdairmid

Lat. 54° 15' Long. 2° 30'

Time of Observation 9 a.m.

Nearest Railway Station Barbon L & N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.24	0.82	—	—	0.05	—	0.02	0.21	0.09	—	—	0.04	1
2	—	0.60	0.39	0.40	—	0.04	0.51	0.12	—	—	—	—	2
3	0.19	0.08	0.47	0.42	—	—	0.41	0.19	—	—	—	0.05	3
4	0.10	0.51	0.10	0.08	0.12	0.20	—	—	—	—	—	0.87	4
5	0.24	0.28	0.44	—	—	0.05	—	0.07	—	—	—	1.07	5
6	0.30	—	—	0.36	—	—	0.86	0.04	—	—	0.05	0.17	6
7	0.45	0.78	—	0.10	—	—	0.65	0.19	—	—	—	—	7
8	0.21	0.38	—	0.03	—	—	—	0.22	—	—	1.40	~~0.45~~	8
9	0.40	0.15	—	—	—	—	—	—	—	0.03	0.15	0.45	9
10	0.25	—	0.14	—	—	—	—	0.37	—	0.06	—	0.29	10
11	—	0.03	—	—	0.65 —	—	0.10	0.05	—	—	—	0.13	11
12	0.33	—	—	0.10	~~0.65~~	—	0.12	0.06	—	—	0.93	Snow + Rain 0.20	12
13	0.15	0.36	—	—	—	—	0.04	1.10	—	0.09	—	—	13
14	0.30	—	—	0.30	—	—	0.06	0.16	0.05	0.11	—	0.20	14
15	0.86	—	—	0.05	—	—	0.21	0.27	0.14	—	0.25	0.25	15
16	—	0.96	—	—	—	—	0.14	0.61	0.05	—	—	—	16
17	—	0.35	—	—	—	—	—	—	—	—	—	—	17
18	—	0.26	—	—	—	—	0.05	—	—	—	—	—	18
19	0.05	0.07	0.05	0.76	0.15	—	0.54	0.05	—	—	—	—	19
20	0.40	—	0.03	—	—	—	0.22	—	—	—	—	0.34	20
21	0.03	0.06	—	0.11	—	—	0.13	—	—	—	—	0.07	21
22	—	—	0.05	—	—	—	0.22	—	—	—	—	0.28	22
23	—	—	0.07	0.05	—	—	0.09	—	0.09	0.12	—	0.55	23
24	—	—	0.08	—	—	—	—	—	0.50	0.02	—	0.43	24
25	—	—	—	—	—	—	0.17	—	0.12	—	—	—	25
26	—	0.72	—	—	—	0.16	0.26	—	0.02	—	—	0.65	26
27	—	Snow + Rain 0.19	—	—	—	0.98	0.07	—	—	0.85	Snow + Rain 0.05	0.14	27
28	—	Snow + Rain 0.17	—	—	0.04	0.20	—	0.41	—	0.10	—	0.05	28
29	—	X	—	—	0.14	0.03	—	0.08	—	—	0.22	0.45	29
30	Snow + Rain 0.14	X	—	0.36	—	—	—	—	—	0.05	0.08	0.06	30
31	0.29	X	—	X	—	X	0.29	0.57	X	—	X	0.55	31
Total	4.93	6.77	1.82	3.12	1.15	1.66	5.16	4.77	1.06	1.43	3.13	7.29	YEAR'S TOTAL 42.29
Rain Days.	18	18	10	13	6	7	21	18	8	9	8	22	158

W. 8,000. X. 15.

3726

FORM A.
BRITISH RAINFALL.

9 JA 1917

REGISTER OF RAINFALL IN 1916

Kept at Barbon Manor

in the County of Westmorland

by James Macdiarmid

Lat. 54°·15′ Long. 2°30′

Time of Observation 9 a.m.

Nearest Railway Station Barbon (L&NW)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·30	0·03	Snow+rain 0·11	—	—	0·35	0·77	0·14	0·03	—	0·10	—	1
2	—	0·06	—	—	—	0·26	—	—	0·31	—	0·06	—	2
3	0·10	0·10	—	0·12	0·04	0·12	—	—	0·82	0·19	0·49	—	3
4	0·13	—	—	—	0·80	0·34	0·04	—	0·27	0·65	—	—	4
5	0·21	0·98	—	—	0·17	0·23	—	—	—	1·68	0·29	—	5
6	0·44	0·15	0·19	—	0·39	0·10	0·22	—	—	0·66	0·25	—	6
7	0·03	0·18	0·15	—	0·36	0·05	0·51	—	—	0·64	0·12	0·30	7
8	—	0·06	Snow+rain 0·22	—	—	—	0·24	—	—	0·10	0·19	—	8
9	0·06	—	—	—	0·54	0·10	—	—	—	—	0·08	0·36	9
10	0·32	0·26	—	—	—	0·09	0·16	—	—	0·79	0·21	—	10
11	0·07	0·49	0·06	0·56	1·06	0·05	0·48	—	0·38	0·17	0·10	0·03	11
12	0·12	0·11	—	0·34	0·36	0·04	0·54	0·03	—	0·13	0·05	—	12
13	—	0·15	—	—	0·14	—	0·02	0·50	—	0·91	—	Snow+rain 0·16	13
14	0·07	0·25	0·03	0·08	0·40	—	—	2·27	0·06	0·44	—	—	14
15	0·04	0·09	0·08	0·11	—	—	0·05	0·10	—	0·05	—	—	15
16	0·06	0·21	0·70	0·80	—	—	0·29	—	0·03	—	—	—	16
17	0·40	0·30	—	0·46	—	—	0·03	—	0·80	0·16	—	0·05	17
18	0·03	0·41	—	0·05	—	—	—	—	—	0·23	0·27	—	18
19	0·48	0·05	0·06	0·10	—	—	0·04	—	—	—	0·08	0·24	19
20	0·64	—	0·80	—	—	—	0·03	—	—	—	0·20	—	20
21	0·54	—	0·05	0·11	0·05	—	0·27	—	—	—	0·02	—	21
22	—	—	—	—	—	—	—	—	—	0·13	0·10	—	22
23	0·33	—	Snow+rain 0·16	0·10	—	0·25	—	0·12	—	—	0·27	0·32	23
24	0·07	—	—	—	0·10	0·86	—	0·68	—	0·09	—	0·09	24
25	0·08	Snow+rain 0·25	0·10	—	—	—	—	0·10	—	—	—	—	25
26	0·14	0·06	0·09	—	—	—	0·03	0·05	0·28	—	—	—	26
27	0·20	Snow+rain 0·08	—	—	—	—	—	0·13	—	0·67	—	—	27
28	0·56	—	0·10	—	0·03	—	—	—	—	0·38	0·27	1·90	28
29	0·06	—	—	—	—	0·04	—	—	—	0·34	0·63	0·31	29
30	0·29	✕	—	—	—	0·37	0·04	—	—	0·98	0·08	0·22	30
31	—	✕	—	✕	1·24	✕	—	0·64	✕	0·47	✕	0·31	31
Total	5·77	4·27	2·90	2·83	5·68	3·25	3·76	4·76	2·98	9·86	3·86	4·29	YEAR'S TOTAL 54·21
Rain Days.	26	20	15	11	14	15	17	11	9	21	20	12	191

W. 8,000, VIII. 16

3719
3726

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Barbon Manor.
in the County of Westmorland.
by James Macdiarmid.

Lat. 54·15 Long. 2·30
Time of Observation 9 a.m.
Nearest Railway Station Barbon. L&N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. in.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·12	—	—	0·35	—	0·14	—	—	0·46	—	0·13	0·07	1
2	~~0~~	—	—	—	—	—	—	0·05	0·10	—	—	—	2
3	0·34	Snow+rain 0·10	—	0·10	—	0·76	—	—	—	0·89	0·11	—	3
4	0·06	—	—	—	—	—	—	—	—	—	0·05	0·20	4
5	0·18	—	—	0·30	—	—	—	—	—	0·12	1·07	0·10	5
6	~~0·65~~	—	—	—	—	0·18	—	—	—	0·20	0·08	0·42	6
7	0·65	—	—	0·18	—	—	—	—	—	0·56	0·10	0·14	7
8	—	—	—	0·09	—	—	—	0·75	0·09	0·75	—	0·26	8
9	—	—	—	Snow+rain 0·10	—	—	—	0·89	—	0·04	0·41	—	9
10	0·81	—	0·94	—	—	—	—	0·24	—	—	—	—	10
11	—	—	—	0·14	0·33	—	0·01	0·68	—	0·63	0·04	0·06	11
12	—	—	0·06	—	0·85	—	—	0·08	—	0·08	—	0·17	12
13	0·11	—	—	—	0·28	—	—	0·35	1·33	0·04	—	0·08	13
14	Snow+rain 0·10	—	—	0·65	—	—	—	—	—	—	0·06	—	14
15	—	—	—	—	—	—	—	0·09	0·40	0·08	0·10	0·06	15
16	—	—	0.10	—	—	—	—	0·96	0·36	—	—	Snow+rain 0·15	16
17	Snow+rain 0·09	0·27	0·24	—	0·04	—	—	1·41	0·18	0·34	0·14	—	17
18	Snow+rain 0·16	0·15	0·11	—	0·22	—	1·07	0·15	0·06	—	0·12	0·10	18
19	—	0·10	—	—	0·16	—	0·04	0·06	0·44	—	—	—	19
20	—	0·40	—	—	0·11	0·85	—	0·72	0·34	0·07	—	0·20	20
21	—	0·09	0·05	—	—	—	—	0·20	0·10	0·06	0·08	0·09	21
22	—	—	—	—	—	—	—	0·18	0·30	—	—	—	22
23	—	0·17	—	—	—	0·94	—	0·30	0·06	0·06	0·27	—	23
24	—	0·03	—	—	—	0·18	—	0·51	0·08	0·78	0·10	—	24
25	—	0·11	—	—	—	0·14	0·96	0·20	0·11	0·09	0·04	—	25
26	—	—	—	—	—	—	—	1·11	0·56	0·10	0·16	—	26
27	—	0·03	0·16	—	0·18	0·11	0·04	0·42	—	0·07	0·41	—	27
28	—	—	0·36	—	—	—	0·06	0·18	—	—	0·24	—	28
29	—	—	—	—	—	—	0·11	0·07	0·03	0·43	0·30	—	29
30	—	✕	—	—	—	—	—	—	—	—	0·06	—	30
31	—	✕	—	✕	0·30	✕	—	0·35	✕	0·06	✕	—	31
Total	2·62	1·45	2·02	1·91	2·47	3·30	2·29	9·95	5·00	5·45	4·07	2·10	YEAR'S TOTAL 42·63
Rain Days.	10	10	8	8	9	8	7	23	17	20	21	14	155

W. 8,000, IX. 17.

51 3726

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Barbon Manor
in the County of Westmotland
by James Macdiarmid

Lat. 54-15 Long. 2-30
Time of Observation 9 a.m.
Nearest Railway Station Barbon (L.&N.W.).
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		0·13 (1)											
1	—	0·09 (2)	—	0·17	—	—	—	—	0·20	—	0·25	0·96	1
2	—	0·11 (3)	—	—	—	—	—	—	0·23	0·12	0·16	0·84	2
3	—	0·08 (4)	—	—	0·45	—	—	—	—	1·42	0·03	0·08	3
4	—	1·69 (5)	—	—	0·09	—	—	0·12	0·27	0·79	0·34	—	4
5	0·04 (6)		—	0·48	0·06	—	—	1·15	—	0·52	—	0·10	5
6		0·11	—	0·18	—	0·52	—	0·04	—	0·94	—	—	6
7	—	0·08	—	0·14	—	—	—	0·12	0·52	0·16	0·23	0·09	7
8	snow + rain 0·10	0·06	0·15	—	—	—	0·20	0·05	0·30	0·12	0·21	0·06	8
9	0·45	0·44	—	—	—	0·26	—	—	0·98	0·27	0·18	0·26	9
10	—	0·76	0·25	—	0·10	—	0·19	—	0·46	0·73	0·48	0·08	10
11	0·39	0·32	—	—	0·14	—	—	0·05	0·26	0·32	—	0·18	11
12	—	0·24	—	—	0·18	—	—	—	0·16	—	—	0·26	12
13	—	0·09	—	0·17	—	—	—	—	0·14	—	—	0·17	13
14	·76	—	—	—	—	0·15	0·26	0·06	0·70	0·39	—	0·29	14
15	snow + rain ~~0·76~~ —	—	—	—	—	0·20	0·43	—	1·97	0·11	—	0·47	15
16	0·06	—	—	—	—	0·12	1·33	0·25	0·67	0·04	—	—	16
17	0·46	—	—	—	0·12	—	0·91	0·33	0·36	0·10	—	0·62	17
18	0·34	—	0·25	—	—	—	0·21	—	0·20	0·33	—	0·30	18
19	0·58	0·16	0·13	—	—	0·05	0·30	0·23	0·16	—	—	—	19
20	0·61	0·63	—	0·25	0·45	0·45	1·74	0·25	0·42	0·06	—	—	20
21	0·37	0·42	—	—	—	0·08	—	—	1·35	0·04	—	—	21
22	0·28	—	—	—	0·21	0·13	0.62	0·11	0·36	—	—	0·75	22
23	0·07	0·03	—	—	0·28	0·10	0·68	—	0·06	0·06	—	0·08	23
24	0·16	0·14	—	—	—	—	0·37	0·21	0·43	—	0·07	0·03	24
25	—	0·26	—	—	0·18	—	0·09	1·02	0·24	—	—	—	25
26	—	—	—	—	—	—	0·05	0·05	0·84	—	0·16	0·18	26
27	0·11	0·18	0·75	—	—	0·11	—	0·66	0·37	0·09	0·18	0·21	27
28	—	—	—	—	—	—	—	0·07	0·26	0·13	—	0·98	28
29	—	✕	0·17	—	—	—	—	0·04	0·11	—	—	0·32	29
30	—	✕	0·20	—	—	—	—	0·60	—	—	0·35	—	30
31	—	✕	0·11	✕	—	✕	—	0·35	✕	0·08	✕	0·22	31
Total	4·78	6·02	2·01	1·39	2·26	2·17	7·38	5·76	12·02	6·82	2·64	7·53	YEAR'S TOTAL 60·78 ✓
Rain Days.	15	20	8	6	11	11	14	20	26	21	12	23	187 ✓

W 6,500, VII. 18. W W 6

3530

3726

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Barbon Manor

in the County of Westmorland

by James Macdiarmid

Lat. 54·15 Long. 2·30

Time of Observation 9 a.m.

Nearest Railway Station Barbon L&N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·48	—	0·12	—	0·11	—	0·14	0·10	1·46	0·32	0·04	—	1
2	0·21	—	Snow & Rain 0·35	—	0·28	—	0·19	—	0·18	—	—	0·24	2
3	0·16	0·06	—	0·10	0·33	0·14	0·09	—	—	—	—	0·20	3
4	Snow & Rain 0·12	—	—	—	—	0·04	0·13	0·45	0·05	—	—	0·11	4
5	0·16	—	Snow & Rain 0·15	—	—	—	—	—	0·04	—	0·09	0·16	5
6	0·10	—	0·86	—	0·30	—	—	—	0·11	—	—	0·37	6
7	0·20	—	0·65	—	—	0·08	—	—	—	—	0·11	—	7
8	0·36	—	0·08	0·16	—	—	—	0·06	—	—	0·04	—	8
9	0·08	—	0·10	—	—	0·03	—	—	—	—	0·10	—	9
10	0·03	—	0·86	—	—	—	—	—	—	0·07	0·12	0·16	10
11	—	—	0·59	—	—	—	0·16	—	0·03	—	—	—	11
12	0·08	—	0·26	0·14	—	0·15	0·09	—	—	—	—	0·18	12
13	0·26	—	0·04	0·21	—	—	0·03	0·13	—	0·28	Snow & Rain 0·54	—	13
14	1·04	—	—	0·35	—	—	—	0·04	—	—	—	0·15	14
15	0·48	0·04	—	—	—	—	—	0·05	—	—	—	0·08	15
16	0·35	—	—	0·15	—	0·07	—	—	—	—	Snow & Rain 0·22	0·56	16
17	0·04	—	0·20	—	0·04	—	—	—	—	—	0·52	0·10	17
18	—	—	0·14	0·06	—	—	0·27	0·57	0·21	—	0·23	0·05	18
19	0·08	0·56	0·07	—	—	0·47	0·03	0·14	0·03	—	0·07	0·13	19
20	—	0·48	—	—	—	0·17	0·05	0·05	—	—	0·20	0·63	20
21	—	0·22	—	—	—	—	0·03	0·11	0·23	—	0·07	0·16	21
22	—	0·18	—	—	—	0·32	—	0·20	0·45	0·09	0·10	0·34	22
23	—	—	—	0·25	—	0·17	—	—	—	1·56	0·13	0·11	23
24	0·14	—	—	—	0·16	—	—	—	0·43	0·10	0·34	—	24
25	0·40	—	0·45	0·36	—	0·07	—	0·95	0·46	—	0·13	—	25
26	Snow & Rain 0·16	—	0·06	0·20	—	0·04	—	0·20	—	—	0·04	0·64	26
27	0·25	—	—	0·14	—	—	—	—	—	—	—	0·07	27
28	—	—	—	—	—	—	—	1·08	0·28	—	—	0·36	28
29	0·11	✕	—	—	—	—	—	—	0·36	0·46	—	0·23	29
30	—	✕	—	0·12	—	0·09	—	0·21	—	0·17	0·27	0·80	30
31	—	✕	—	✕	—	✕	0·81	—	✕	0·08	✕	—	31
TOTAL	5·29	1·54	4·98	2·24	1·22	1·84	2·02	4·34	4·32	3·13	3·36	5·83	YEAR'S TOTAL 40·11
Days with ·01 in. or more	22	6	16	12	6	13	12	15	14	9	19	22	166

3417
3726
JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Barbon Manor
in the County of Westmorland
by James Macdiarmid

Lat. 54·15 Long. 2·30
Time of Observation 9 a.m.
Nearest Railway Station Barbon L&N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·18	0·06	0·20	—	0·47	0·17	0·11	—	—	0·17	1
2	—	0·09	0·20	0·20	0·10	—	0·16	0·06	0·46	—	—	0·74	2
3	—	0·06	0·22	0·14	0·05	—	0·27	0·30	0·27	0·11	—	0·08	3
4	—	—	—	0·11	0·10	—	0·36	1·82	0·05	0·52	—	0·16	4
5	—	—	0·24	0·05	0·16	—	0·27	0·32	—	0·26	—	0·04	5
6	—	—	—	0·52	1·40	—	0·04	—	0·06	—	0·08	0·06	6
7	0·76	0·24	—	—	0·89	—	0·86	—	—	—	0·17	—	7
8	0·12	0·25	—	0·07	0·06	—	0·07	0·15	—	—	0·47	—	8
9	0·52	1·70	—	0·48	—	—	0·73	0·03	0·09	—	0·05	—	9
10	0·76	0·14	0·08	0·27	—	—	0·26	0·06	—	—	—	—	10
11	0·37	0·26	0·56	—	0·85	0·14	0·04	—	—	—	—	0·18	11
12	0·11	0·09	0·13	0·05	—	—	0·52	—	0·05	—	0·35	Snow & Rain 0·15	12
13	0·33	0·37	0·07	0·31	0·14	0·17	0·06	—	—	—	0·51	Snow & Rain 0·14	13
14	0·13	0·32	0·16	—	—	0·73	0·26	—	—	0·22	0·76	—	14
15	0·09	0·25	—	0·55	—	—	0·09	—	0·56	—	0·15	—	15
16	0·14	—	0·15	0·07	0·11	—	0·39	—	0·77	0·06	0·26	—	16
17	0·16	—	0·03	0·24	1·26	—	0·10	0·88	0·39	—	—	—	17
18	0·24	—	0·10	0·26	0·05	0·61	0·04	0·05	0·08	—	—	—	18
19	0·09	0·46	—	0·13	—	0·14	0·25	—	—	—	—	—	19
20	0·26	—	—	0·23	—	—	0·21	—	0·36	—	—	0·25	20
21	0·21	—	—	0·49	0·03	0·05	0·23	—	—	—	—	—	21
22	0·15	—	—	0·87	—	0·04	0·96	—	—	—	—	—	22
23	0·35	—	—	0·27	—	—	0·35	—	—	—	—	0·32	23
24	0·10	—	0·34	—	—	—	0·08	—	—	—	—	0·22	24
25	0·09	—	0·97	0·02	—	0·12	0·46	—	0·04	—	0·05	0·16	25
26	0·07	0·25	0·88	0·30	0·09	—	0·68	—	—	—	0·10	0·20	26
27	—	0·04	0·68	0·02	0·37	0·81	0·26	—	—	—	0·15	0·30	27
28	—	0·33	0·35	0·25	0·12	0·35	0·12	—	—	—	0·08	0·27	28
29	0·16	0·45	0·08	—	0·91	0·08	0·76	—	—	—	0·18	0·79	29
30	0·78	×	0·05	0·11	0·06	0·06	—	—	0·26	—	—	0·68	30
31	0·06	×	0·15	×	—	×	0·16	—	×	0·06	×	0·26	31
													YEAR'S TOTAL
TOTAL	6·05	5·30	5·62	6·07	6·95	3·30	9·51	3·84	3·55	1·23	3·36	5·17	59·95
Days with ·01 in. or more	23	16	20	25	19	12	30	10	14	6	14	19	208
Days with ·04 in. or more	23	16	19	23	18	12	30	9	14	6	14	19	203

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

BARBON.
THE STORES

1911 - 1920

RE 11

Kept at Barbon, owdon

five in.

ove Ground one ft. — in.

Sea Level 310 ft.

in the County of Wes

by annie Wil

Name Barbon
Distance 300 yds Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·45	—	·02	—	·20	·16	—	—	·57	·10	1
2	·22	—	—	—	·22	—	·03	·22	—	—	·31	·09	2
3	—	—	·39	—	·68	—	—	·26	—	—	1·09	·28	3
4	—	—	—	·03	—	—	—	·82	—	—	·60	·26	4
5	·11	—	·20	—	—	—	—	·75	—	·09	·09	·22	5
6	—	—	—	·04	—	—	—	·92	—	—	·61	·28	6
7	·27	—	·03	—	—	—	—	—	—	—	·35	·01	7
8	·14	—	·41	—	—	—	—	—	—	—	·44	·78	8
9	—	—	—	—	—	—	—	—	—	—	—	·65	9
10	·85	·17	·12	—	—	—	—	—	·08	—	—	·65	10
11	·09	—	—	—	—	—	—	—	—	—	·12	·11	11
12	—	—	—	—	—	—	—	—	1·07	—	·44	—	12
13	—	·09	—	—	·11	·05	—	—	—	—	·50	·42	13
14	·07	·52	·10	—	·28	—	—	—	—	—	·55	·20	14
15	—	·63	·03	·05	—	—	—	—	—	—	·93	·13	15
16	·08	·47	·03	·09	—	·09	·07	—	—	—	·27	·33	16
17	—	·03	—	—	—	·55	·07	—	—	—	·33	·06	17
18	—	·70	·03	·07	—	·38	—	—	—	·05	·02	—	18
19	—	—	—	·15	—	·15	—	·07	·38	·25	—	·42	19
20	—	·23	—	·44	—	—	·13	·17	·17	·09	—	·53	20
21	—	1·20	—	·23	—	·17	·27	·06	·19	·13	·08	·08	21
22	·18	·23	—	·11	—	·17	—	—	—	—	·02	—	22
23	—	·40	—	·04	·70	·29	—	—	·84	·43	—	·28	23
24	·25	·16	—	·60	·01	·91	—	·18	·03	·24	—	·28	24
25	·06	·55	—	·92	—	·04	—	—	·55	·50	—	·34	25
26	—	—	—	·18	·02	—	—	·59	—	·80	·22	·17	26
27	·05	1·29	—	·24	—	·04	—	·62	·37	—	·06	·11	27
28	—	·24	—	·65	—	·33	—	·04	·25	—	—	·50	28
29	—		—	·30	—	·43	·07	·02	·73	2·20	—	·40	29
30	—		—	·01	·01	·06	·03	·01	—	·54	·01	—	30
31	—		—		—		·02	—		·17		·14	31
Total	2·37	6·91	1·79	4·15	2·05	3·66	·89	4·89	4·66	5·49	7·61	7·82	TOTAL for year 52·29
No. of Rain Days.	12	15	10	17	9	14	9	15	11	12	21	27	172

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Barbon, Kirkby Lonsdale
in the County of Westmorland 4
by Annie Wilkinson

RAIN GAUGE
Pattern Snowdon
Diameter of top five in.
Height of top above Ground one ft. — in.
" " " Sea Level 310 ft.

Time of Observation

Nearest Railway Station
Name Barbon
Distance 300 yds Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·45	—	·02	—	·20	·16	—	—	·57	·10	1
2	·22	—	—	—	·22	—	·03	·22	—	—	·31	·09	2
3	—	—	·39	—	·68	—	—	·26	—	—	1·09	·28	3
4	—	—	—	·03	—	—	—	·82	—	—	·60	·26	4
5	·11	—	·20	—	—	—	—	·75	—	·09	·09	·22	5
6	—	—	—	·04	—	—	—	·92	—	—	·61	·28	6
7	·27	—	·03	—	—	—	—	—	—	—	·35	·01	7
8	·14	—	·41	—	—	—	—	—	—	—	·44	·78	8
9	—	—	—	—	—	—	—	—	—	—	—	·65	9
10	·85	·17	·12	—	—	—	—	—	·08	—	—	·65	10
11	·09	—	—	—	—	—	—	—	—	—	·12	·11	11
12	—	—	—	—	—	—	—	—	1·07	—	·44	—	12
13	—	·09	—	—	·11	·05	—	—	—	—	·50	·42	13
14	·07	·52	·10	—	·28	—	—	—	—	—	·55	·20	14
15	—	·63	·03	·05	—	—	—	—	—	—	·93	·13	15
16	·08	·47	·03	·09	—	·09	·07	—	—	—	·27	·33	16
17	—	·03	—	—	—	·55	·07	—	—	—	·33	·06	17
18	—	·70	·03	·07	—	·38	—	—	—	·05	·02	—	18
19	—	—	—	·15	—	·15	—	·07	·38	·25	—	·42	19
20	—	·23	—	·44	—	—	·13	·17	·17	·09	—	·53	20
21	—	1·20	—	·23	—	·17	·27	·06	·19	·13	·08	·08	21
22	·18	·23	—	·11	—	·17	—	—	—	—	·02	—	22
23	—	·40	—	·04	·70	·29	—	—	·84	·43	—	·28	23
24	·25	·16	—	·60	·01	·91	—	·18	·03	·24	—	·28	24
25	·06	·55	—	·92	—	·04	—	—	·55	·50	—	·34	25
26	—	—	—	·18	·02	—	—	·59	—	·80	·22	·17	26
27	·05	1·29	—	·24	—	·04	—	·62	·37	—	·06	·11	27
28	—	·24	—	·65	—	·33	—	·04	·25	—	—	·50	28
29	—		—	·30	—	·43	·07	·02	·73	2·20	—	·40	29
30	—		—	·01	·01	·06	·03	·01	—	·54	·01	—	30
31	—		—		—		·02	—		·17		·14	31
Total	2·37	6·91	1·79	4·15	2·05	3·66	·89	4·89	4·66	5·49	7·61	7·82	TOTAL for year 52.29
No. of Rain Days.	12	15	10	17	9	14	9	15	11	12	21	27	172

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at Barbon
in the County of Westmorland 4
by William Wilkinson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Barbon
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	—	·11	—	·09	·10	·35	·29	·18	·02	—	—	1
2	·05	—	·55	·06	·19	·12	·05	—	·06	—	—	—	2
3	·27	—	·03	—	—	1·02	—	·16	·94	—	—	·96	3
4	·43	—	·85	·70	—	·19	—	1·00	·19	—	1·64	·03	4
5	·14	—	·04	·16	·21	·04	—	·30	·04	·03	—	—	5
6	·18	·37	·02	—	·06	—	—	·11	—	—	·02	—	6
7	—	·18	·07	·04	·15	—	·14	·23	·15	—	·35	·07	7
8	·46	·17	·13	·14	·13	·06	—	—	—	—	·45	·03	8
9	·11	·19	·42	·22	—	—	—	·18	—	—	·23	—	9
10	·10	·06	—	·03	·09	·41	·10	·02	—	—	·52	·40	10
11	—	—	—	—	·06	—	·34	—	—	—	—	·54	11
12	·33	—	·40	—	—	·67	—	—	—	—	—	·27	12
13	·08	—	·09	—	—	·15	—	·04	—	·65	·08	·86	13
14	·40	—	·29	—	—	·19	—	·03	—	—	—	·42	14
15	·10	·21	·11	—	·31	·70	—	—	—	·17	—	·07	15
16	·46	—	·56	—	—	—	—	·20	—	·31	·06	·04	16
17	—	·23	·38	—	·07	1·02	—	·75	—	—	·02	·63	17
18	·02	·04	—	—	—	·35	—	—	—	·66	·05	·30	18
19	·03	·10	·45	—	—	·09	—	·13	—	·35	·30	—	19
20	·08	—	—	—	1·15	·08	—	·12	—	·40	·23	·10	20
21	—	—	·41	—	—	—	·04	·09	—	·06	—	·07	21
22	—	·52	—	—	·33	—	—	·40	—	—	·30	—	22
23	—	—	·15	—	—	·19	·26	·30	—	—	·82	·09	23
24	·07	·09	·14	—	—	·17	·29	·05	—	—	·14	·10	24
25	—	—	·21	—	—	·73	—	·10	—	—	·45	·13	25
26	—	·36	·24	—	—	·09	·20	·62	—	1·72	·27	·35	26
27	—	·11	·45	—	·05	1·45	·41	—	—	·26	—	·44	27
28	—	·12	—	—	—	·30	1·40	·60	—	·45	—	—	28
29	—	·10	·25	—	—	—	·70	·47	·28	·44	—	·30	29
30	·05		·48	—	—	—	·34	·02	—	·03	—	·36	30
31	—		·26		·08		1·11	·44		—		·30	31
Total	3·43	2·85	7·09	1·35	2·97	8·12	5·73	6·05	1·84	5·55	5·73	6·86	YEAR'S TOTAL 57·57
Rain Days.	19	15	25	7	14	21	14	24	7	14	17	23	200

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

Exd

Kept at Barbon, Kirkby-Lonsdale
in the County of Westmorland
by William Wilkinson

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Barbon
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 310 ft.

FORM A. BRITISH RAINFALL.
14 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·03	·09	·11	—	—	—	—	·01	—	·08	—	1
2	·04	·38	·94	·16	—	·26	—	—	—	—	·16	·42	2
3	·09	·15	·30	—	·67	—	—	—	—	—	·03	·56	3
4	·06	·20	·09	—	—	—	—	—	—	—	·16	·42	4
5	·44	·14	·04	—	—	·10	—	—	—	—	—	—	5
6	·19	·37	·25	—	·75	·24	·30	—	—	—	·10	—	6
7	—	·40	—	—	·10	·33	·06	—	—	·68	—	·10	7
8	—	·15	·09	—	—	·06	—	·10	—	·14	—	·16	8
9	—	·26	·50	·04	·04	1·28	—	·34	—	—	·03	·15	9
10	—	·58	·58	·10	—	·02	·05	—	—	—	—	—	10
11	·24	—	—	·22	·02	·06	·09	—	—	·12	·29	·22	11
12	—	—	—	—	—	—	·06	·02	·71	—	·30	·04	12
13	—	—	·72	·03	—	—	·03	·09	·17	·28	·38	—	13
14	·11	—	·20	·14	—	—	—	—	—	·46	·08	·09	14
15	·12	—	·23	·49	—	—	—	·06	·02	—	·40	·18	15
16	—	—	·06	—	—	—	·08	—	—	—	·31	·03	16
17	·02	—	—	—	·04	·29	—	—	—	—	·31	—	17
18	·09	—	·36	·42	—	·08	·23	—	—	—	·46	—	18
19	·08	—	·05	·26	·21	·13	—	—	—	·16	·91	—	19
20	—	—	—	·16	·03	—	—	·02	·02	·21	1·20	—	20
21	—	—	·09	—	·09	—	·10	·88	—	·09	—	—	21
22	·21	—	·52	—	·18	·32	—	·75	·11	—	—	—	22
23	·56	—	—	—	·16	·32	—	·19	·25	—	·16	·03	23
24	·69	·09	—	·20	—	·65	—	—	—	—	·07	·10	24
25	—	—	—	—	—	—	—	—	·76	·02	·06	·44	25
26	—	·02	·02	·73	—	·03	—	—	1·58	·09	·02	·70	26
27	—	—	—	·45	—	·03	—	—	—	·23	·05	·13	27
28	·40	—	·26	·44	—	—	—	—	—	·02	—	—	28
29	—		·09	·66	·08	—	—	·35	—	·33	·16	—	29
30	·57		—	—	—	—	—	—	—	·12	—	—	30
31	·09		·10		—		—	—		—		—	31
Total	4·10	2·77	5·58	4·61	2·37	4·20	1·00	2·80	3·63	2·95	5·72	3·77	YEAR'S TOTAL 43·50
Rain Days.	18	12	21	16	12	16	9	10	9	14	22	16	175 days

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Barbon, Kirkby Lonsdale
in the County of Westmorland 4
by William Wilkinson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Barbon
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·08	·08	—	—	—	·31	·15	—	—	—	·09	1
2	·07	·19	—	·02	—	—	·32	·46	—	·12	·22	·19	2
3	·27	·10	·18	—	·71	—	—	·01	—	—	—	1·00	3
4	·67	—	·26	·45	·34	·04	—	—	—	—	·05	·30	4
5	·04	—	·69	·16	·04	·22	·11	—	—	—	·17	·07	5
6	—	—	·02	·10	·15	·02	—	·33	—	—	·32	·03	6
7	·12	·02	·28	·07	·30	—	—	·13	—	—	·08	·04	7
8	·97	·03	·06	—	·22	·14	·30	1·60	—	—	·54	·12	8
9	·60	·25	—	·23	—	·37	—	—	1·37	—	·66	·02	9
10	—	·12	—	—	·02	—	—	—	·28	—	·29	—	10
11	—	·10	·60	—	—	—	·48	—	·22	—	·58	·27	11
12	—	·44	·07	—	·06	—	·11	—	·42	—	·54	·10	12
13	—	·08	·24	·15	—	—	—	—	·14	—	·43	—	13
14	—	·47	·16	—	—	—	—	—	·14	—	·16	·33	14
15	—	·02	·46	—	—	—	—	—	·57	—	—	—	15
16	·03	·04	—	—	—	—	1·63	—	1·45	—	—	·04	16
17	·02	·42	·20	—	—	—	·13	—	·40	—	—	1·65	17
18	—	·43	·24	—	—	—	·08	—	—	—	—	·16	18
19	—	·07	—	—	—	—	—	—	·03	—	—	—	19
20	—	·30	·22	—	·07	—	—	—	—	—	—	·24	20
21	—	·29	—	—	—	·06	1·58	—	—	—	·25	—	21
22	—	·70	·04	·05	·46	·06	—	·26	—	—	—	·02	22
23	—	·19	·30	·13	·14	·05	·05	·02	—	—	—	—	23
24	·86	—	·18	·07	·14	·09	·11	·20	—	—	·30	—	24
25	·10	—	·01	—	—	—	·05	·36	—	·95	·21	·73	25
26	·02	·05	—	—	—	—	—	—	—	·28	·33	·21	26
27	·06	·02	—	—	—	—	—	—	—	·48	·50	·36	27
28	·08	·25	·11	—	·09	—	—	·02	—	—	·67	—	28
29	·52		·18	—	·13	—	—	·35	—	·03	·64	—	29
30	·17	×	1·00	—	—	—	—	—	—	—	·32	·06	30
31	·76	×	·02	×	·04	×	·53	—	×	·07	×	—	31
Total	5·36	4·66	5·60	1·43	2·91	1·05	5·79	3·89	5·02	1·93	7·26	6·03	YEAR'S TOTAL 50·93
Rain Days.	17	23	23	10	15	9	14	12	10	6	20	21	180

W. 8,000. X. 14.

3954

FORM A.
BRITISH RAINFALL.
14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Barbon

in the County of Westmorland

by William Wilkinson

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Barbon

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65	·68	—	—	·16	—	—	·24	—	—	—	—	1
2	—	·69	·28	·45	—	—	·51	·20	—	—	—	—	2
3	·33	·08	·55	·40	—	—	·37	·07	—	—	—	·42	3
4	·02	·44	·08	—	·09	·28	—	—	—	—	—	·50	4
5	·47	·21	·56	—	—	·08	—	·04	—	—	—	1·07	5
6	·78	·10	·02	·35	—	—	·86	—	·04	—	·03	·41	6
7	·49	·70	—	·13	—	—	·65	·19	—	—	—	·13	7
8	·30	·45	—	·10	—	—	—	·18	—	—	1·41	—	8
9	—	·12	—	—	—	—	—	·01	—	—	·26	·66	9
10	·80	—	·12	·07	—	—	—	·33	—	—	—	·45	10
11	·13	·04	—	—	·50	—	·13	·06	—	—	—	—	11
12	·21	—	—	—	—	—	·09	·08	—	·15	·69	·21	12
13	·29	·27	—	—	—	—	·03	·88	—	·05	—	·19	13
14	·41	—	—	·24	—	—	·06	—	—	—	—	·10	14
15	1·20	—	—	·04	—	—	·09	·38	·15	—	—	·37	15
16	—	·95	—	—	—	—	·14	·49	·02	—	—	—	16
17	—	·27	—	—	—	—	—	—	—	—	—	—	17
18	—	·27	·17	—	—	—	·04	—	—	—	—	—	18
19	·04	·07	·11	·81	·15	—	·57	—	—	—	—	—	19
20	—	·03	—	—	·05	—	·16	—	—	—	—	·15	20
21	·05	—	—	—	—	—	·23	—	—	—	—	·23	21
22	—	—	·05	—	—	—	·10	—	—	—	—	·22	22
23	—	—	·08	·12	—	—	·18	—	·08	—	—	·47	23
24	—	—	—	—	—	—	—	—	·48	—	—	·44	24
25	—	—	—	—	—	—	·17	—	·10	—	—	·13	25
26	—	·70	—	—	—	·13	·21	—	—	—	—	·48	26
27	—	·15	—	—	—	·98	·06	—	—	1·02	—	·20	27
28	—	·36	—	—	·04	·17	—	·42	—	·06	—	·02	28
29	—		—	—	—	—	—	—	—	—	·39	·35	29
30	·22		—	·27	—	—	—	—	—	—	·03	·01	30
31	·36		—		—		·11	·54		—		·35	31
Total	6.75	6.58	2.02	2.98	·99	1.64	4.76	4.11	·87	1.28	2.81	7.56	YEAR'S TOTAL 42.35
Rain Days.	17	19	10	11	6	5	20	15	6	4	6	23	142 days

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sed Sw

3874

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
16. JAN 1917

Kept at Barbon

in the County of Westmorland

by William Wilkinson

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Barbon

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. ...... in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·57	·06	·03	—	—	·43	·80	·14	—	—	·40	—	1
2	·14	·09	—	—	—	·24	—	—	·15	·09	·27	·03	2
3	·03	—	—	·11	—	·10	—	—	·78	·20	·29	—	3
4	·18	·10	—	—	·54	·34	—	—	·05	·54	·13	—	4
5	·21	·90	—	—	·19	·27	—	—	—	1·52	·44	—	5
6	·57	·45	·07	—	·17	·07	·24	—	—	·55	·24	—	6
7	·04	·11	·05	—	·32	·11	·50	—	—	·71	·13	·29	7
8	—	·03	·06	—	—	·07	·15	—	—	·11	·17	·02	8
9	·05	—	—	—	·39	—	·04	—	—	·02	·24	·19	9
10	·33	·15	—	·37	—	·20	·15	—	—	·80	·25	—	10
11	·08	·23	·06	·57	·02	—	·43	—	·27	·16	·04	—	11
12	·16	·40	·07	·12	·46	—	·65	·04	—	·17	·04	·09	12
13	—	·16	—	·09	·01	—	—	·46	—	·85	—	—	13
14	·04	·24	—	—	·60	—	—	2·27	—	·58	—	—	14
15	·05	·65	—	·15	—	—	·12	2·00	—	—	—	—	15
16	·07	·12	·58	·74	—	—	·22	·01	—	—	—	—	16
17	·45	·18	—	·58	—	—	—	—	·95	·26	—	—	17
18	·02	·54	—	·05	—	—	·05	—	·24	·21	·18	—	18
19	·50	—	·11	·10	—	—	—	·07	—	—	·02	—	19
20	·62	—	·33	·02	—	—	·02	—	—	—	·15	·42	20
21	·51	—	—	—	·07	—	·11	—	—	—	—	—	21
22	—	—	—	·08	—	·27	—	—	—	·08	·15	—	22
23	·20	—	·26	·06	—	—	—	—	—	—	·23	·26	23
24	·08	—	·02	·02	·06	·75	—	·20	—	·11	·04	·12	24
25	·02	—	·20	—	—	—	—	·94	—	·06	·29	·03	25
26	·32	·13	·19	—	—	—	—	—	—	·07	—	—	26
27	—	·02	·03	—	·01	—	—	·04	·20	·40	—	—	27
28	·60	·10	·01	—	—	—	—	—	—	·39	·19	1·81	28
29	·50	·19	—	—	—	—	—	—	—	·34	·55	·32	29
30	·18	×	—	—	—	·30	—	—	—	1·03	·07	·33	30
31	—	×	—	×	1·15	×	—	·62	×	·53	×	·26	31
Total	6·52	4·85	2·07	3·06	3·99	3·15	3·48	6·79	2·64	9·78	4·51	4·17	YEAR'S TOTAL 55·01
Rain Days.	26	20	15	14	13	12	13	11	7	24	22	13	190

W. 8,000, VIII. 16

Exe 9L

FORM A.
BRITISH RAINFALL.

9 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Barbon
in the County of Westmorland
by William Wilkinson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Barbon
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	—	37	—	·12	—	·04	·42	—	·17	·13	1
2	·70	—	—	—	—	·03	—	—	·02	·04	—	—	2
3	·24	—	—	·23	—	·72	—	—	—	·52	·11	—	3
4	—	—	—	—	—	—	—	—	—	·34	·05	—	4
5	·25	—	—	·19	—	—	—	—	—	—	1·04	·22	5
6	·07	—	·11	·20	—	·16	—	—	—	·53	·26	·57	6
7	·85	—	—	—	—	·22	—	—	—	·28	·02	·22	7
8	·30	—	—	·19	—	·08	—	·62	·10	·78	·24	·19	8
9	—	—	—	·17	—	—	—	·75	—	·09	·45	—	9
10	·42	·11	1·23	·16	·33	—	—	·21	—	—	—	—	10
11	·04	—	—	·06	—	—	—	1·02	—	·55	—	—	11
12	—	—	·08	—	·61	—	—	·04	—	·22	—	·06	12
13	—	—	—	·28	·31	—	—	·29	1·45	·07	·21	·40	13
14	—	—	—	—	—	—	—	·32	—	—	—	·19	14
15	—	—	—	·45	—	—	·04	—	·38	·02	·03	·30	15
16	—	—	—	·41	—	—	—	·75	·37	·04	—	·14	16
17	·14	—	·40	·19	—	—	·03	1·32	·13	·23	·03	—	17
18	—	—	·27	—	·03	—	1·03	·14	·45	—	—	·12	18
19	—	·27	·22	—	·14	—	—	—	·01	—	·08	·08	19
20	—	—	—	—	·20	·49	—	·59	·32	·06	·23	·20	20
21	—	·10	—	—	—	·01	—	·13	·22	·16	—	—	21
22	—	—	—	—	—	—	—	·11	·17	·90	—	—	22
23	—	·14	—	—	·29	·91	—	·59	·06	·16	·15	·02	23
24	—	—	—	—	—	·06	·09	·57	·01	·89	·29	—	24
25	—	·13	·07	—	·01	—	—	·32	·32	—	·04	—	25
26	—	—	—	—	—	·03	—	·94	·34	·16	·79	—	26
27	—	—	·11	—	·24	·25	·85	·32	—	·08	·24	—	27
28	—	—	·42	—	—	—	—	·14	—	—	·11	—	28
29	—		·12	—	—	—	·21	·05	—	·37	·10	—	29
30	—	X	—	—	—	—	—	—	—	·14	·24	—	30
31	—	X	—	X	·22	X	—	·41	X	—	X	·02	31
Total	3·16	·75	3·03	2·90	2·38	3·08	2·25	9·67	4·77	6·63	4·88	2·86	YEAR'S TOTAL 46·36
Rain Days.	10	5	10	12	10	12	6	22	16	22	21	15	161

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

~~W~~ C Q? [illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 20 · 1 19

Kept at Barbon

in the County of Westmorland

by William Wilkinson

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Barbon

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·13	—	—	—	—	—	—	·50	·09	·32	1·00	1
2	—	·11	—	·19	—	—	—	—	·44	1·55	—	·84	2
3	—	·08	—	—	·32	—	—	—	—	·75	—	·08	3
4	—	·09	—	—	·16	—	—	·11	·17	·50	·50	·03	4
5	—	·11	—	·38	—	—	—	1·15	—	·87	·10	·04	5
6	—	1·69	—	·24	—	·50	—	·04	—	·23	—	—	6
7	—	·21	—	·15	—	—	·26	·13	·29	·13	·20	·05	7
8	—	·07	—	—	—	—	·18	·04	·40	·27	·25	—	8
9	·81	·59	—	—	—	·20	—	—	·90	·68	·21	·13	9
10	·20	·83	·33	—	—	—	·27	—	·43	·33	·64	—	10
11	·30	·23	·10	—	·12	—	·38	—	·33	—	—	·27	11
12	—	·38	—	—	·11	—	—	—	·19	—	—	·25	12
13	—	—	—	·15	·10	·02	—	—	·37	·43	—	·05	13
14	·78	—	—	—	—	·28	·25	·07	·28	·09	—	·09	14
15	—	—	—	—	—	·11	·38	—	2·00	·04	—	·90	15
16	—	—	—	—	—	·18	1·15	·25	·65	—	—	·29	16
17	·46	—	—	—	·05	—	·73	·31	·35	·40	—	·30	17
18	·89	—	·18	—	—	·03	·27	—	·10	—	—	·33	18
19	·28	·17	·30	·03	—	—	·28	·25	·53	·05	—	·94	19
20	·50	·58	—	·19	·40	·18	1·24	·03	·38	—	—	—	20
21	·22	·58	—	—	—	·14	·59	—	·95	·04	—	—	21
22	·04	·03	—	—	·18	·26	·25	·09	·31	—	—	·85	22
23	·32	—	—	—	·30	—	·29	—	·03	—	·07	·05	23
24	·28	·15	—	—	—	—	·31	·18	·42	—	·09	—	24
25	—	·03	—	—	·18	—	·07	·90	·20	—	—	—	25
26	—	·19	—	—	—	—	—	·04	·88	·05	·11	·20	26
27	·04	·18	·65	—	—	·14	—	·65	·39	·16	·14	·64	27
28	—	·10	·28	—	—	—	—	—	·38	—	—	·47	28
29	—	—	—	—	—	—	—	·25	·07	—	—	·10	29
30	—	X	·27	—	—	—	—	—	—	—	·23	·07	30
31	—	X	·16	X	—	X	—	·18	X	—	X	—	31
Total	5·12	6·53	2·27	1·33	1·92	2·04	6·90	4·67	11·94	6·66 ~~6·56~~	2·86	7·97	YEAR'S TOTAL 60·2 ~~60·4~~
Rain Days.	13	21	8	7	10	11	16	17	26	18	12	23	182

W, 6,500, VII. 18. w w c

3531

FORM A.
BRITISH RAINFALL

23 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Barbon, Kirkby-Lonsdale

in the County of Westmorland

by William Wilkinson

Lat. ______ Long. ______

Time of Observation 9 am

Nearest Railway Station Barbon

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·90	—	·08	—	·32	—	·11	·08	1·30	·31	—	—	1
2	·35	—	·35	—	·14	—	·17	—	·19	—	—	·26	2
3	·65	—	—	—	·19	·13	·04	—	—	—	·13	·14	3
4	·26	·06	·40	—	·17	—	·09	·42	·01	—	—	·31	4
5	·14	—	—	—	·10	—	—	—	·03	—	—	·33	5
6	·04	—	·65	—	·44	—	—	—	·09	—	—	·18	6
7	—	—	·26	·24	—	·07	—	—	—	—	·11	—	7
8	·16	—	·04	—	—	·02	—	·07	—	—	—	—	8
9	·75	—	·26	·03	—	·03	—	—	·02	—	—	—	9
10	·02	—	1·40	·10	·03	—	—	—	—	·05	·13	·19	10
11	—	—	—	—	—	—	·15	—	·01	·06	—	·10	11
12	—	—	·46	·10	—	·14	·08	—	—	—	—	—	12
13	·70	—	—	·55	—	—	—	·13	—	·23	—	·08	13
14	·46	—	—	—	—	—	—	—	—	—	—	·15	14
15	·55	·07	—	·21	—	—	—	—	—	—	—	·33	15
16	·28	—	—	·12	—	·02	—	—	—	—	·48	·16	16
17	·04	—	—	·08	—	—	—	·77	—	—	·60	·05	17
18	—	—	·29	—	·09	—	·26	·59	·28	—	·21	·44	18
19	—	·59	·21	—	—	·48	—	·14	·02	—	·34	·05	19
20	·34	·30	—	—	—	·14	·04	·02	—	—	—	·76	20
21	·04	·08	—	—	—	—	—	·10	·19	—	·06	·32	21
22	—	·14	—	—	—	·25	—	·28	·40	—	·11	·34	22
23	—	—	—	·04	—	—	—	—	—	1·44	·24	·25	23
24	·09	—	—	—	·15	·04	—	—	·59	—	·26	·24	24
25	·42	—	—	·58	·02	·05	—	·91	·44	—	·13	—	25
26	·24	—	·76	—	—	—	—	·21	—	—	—	·53	26
27	·35	—	—	·07	—	—	—	—	—	—	—	·17	27
28	—	—	—	·21	—	—	—	·73	·34	·08	—	·47	28
29	—	—	—	·04	—	—	—	·01	·36	·40	—	·16	29
30	—	×	—	·08	—	·13	—	·15	—	—	·18	·75	30
31	·07	×	—	×	—	×	·76	—	×	—	×	—	31
Total	6·85	1·24	5·16	2·45	1·65	1·50	1·70	4·61	4·27	2·57	2·98	6·76	YEAR'S TOTAL 41·74 ✓
Rain Days.	21	6	12	14	10	12	9	15	15	7	13	24	158 ✓

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3418

14 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Barbon Kirkby Lonsdale

in the County of Westmorland

by William Wilkinson

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Barbon

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	·18	·27	·25	—	·42	·20	—	·01	—	·15	1
2	·10	·02	—	·09	·04	—	·03	·02	·39	·13	—	·60	2
3	—	·25	·39	·07	·09	—	·23	·32	·28	·18	—	·33	3
4	—	—	—	·10	·09	—	·41	1·64	·02	·23	—	·03	4
5	—	—	·22	—	1·65	—	·15	·19	·03	·19	—	—	5
6	—	—	·27	·30	·85	—	·03	—	—	—	·06	·02	6
7	·65	·10	·09	·17	·03	—	·59	—	—	—	·14	—	7
8	·06	·15	—	·20	·19	—	·25	·30	—	—	·44	—	8
9	·24	1·59	·03	·19	—	—	·42	·03	·07	—	·08	·06	9
10	1·20	·30	·22	·22	—	—	·37	·07	—	—	—	—	10
11	·45	·13	·04	·11	·55	·11	·02	—	—	—	—	·07	11
12	·31	·42	·52	·25	·12	—	·47	—	·05	—	·34	—	12
13	—	·20	·11	·08	·08	·12	·06	—	·13	—	·37	·35	13
14	·35	·29	—	·41	—	·40	·23	—	·43	·12	·81	—	14
15	·05	·19	—	·88	—	—	·05	·01	—	·08	·08	—	15
16	·18	·02	·35	·24	·12	—	·38	·02	·66	—	·24	—	16
17	·11	—	·13	—	·19	—	·04	·80	·34	—	·01	—	17
18	·62	—	·02	—	1·11	·40	—	·03	·10	—	—	—	18
19	—	·45	—	—	·05	·14	·29	·02	—	—	—	—	19
20	·18	—	—	·21	—	·03	·22	—	·28	—	—	·21	20
21	·04	—	—	—	—	·03	·20	—	—	—	—	·14	21
22	·40	—	—	·50	—	·01	·89	—	—	—	—	·02	22
23	·04	—	·12	·12	—	—	·40	—	—	—	—	·13	23
24	·11	—	1·15	·26	—	·02	·10	—	—	—	—	·40	24
25	—	—	·15	·31	—	·08	·49	—	·02	—	—	·10	25
26	·14	·25	·70	·40	·08	—	·40	—	·09	—	·12	—	26
27	·15	—	·16	·06	·37	·82	·23	—	—	—	·08	·13	27
28	·20	·25	—	·18	·02	·30	·13	—	—	—	—	·29	28
29	·17	·45	—	—	·75	·08	·72	—	—	—	·27	·62	29
30	·48		·04	—	·05	·04	—	—	·19	—	·12	·61	30
31	·30		—		·13		·15	·07		—		·21	31
TOTAL	6·53	5·12	4·89	5·62	6·81	2·58	8·37	3·72	3·08	·94	3·16	4·47	YEAR'S TOTAL 55·29
Days with ·01 in. or more	23	17	19	23	21	14	29	14	15	7	14	19	215
Days with ·04 in. or more	23	15	17	23	19	10	26	8	12	6	13	16	188

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

FORM A.
BRITISH RAINFALL.
6- JAN 19

3693.

BOWNESS.
DAWSTONE
~~1913~~ - ~~39~~.
1913 - 1920

Kept at Dawstone ... a. m.
...ndermere (hon. sct. Wm ...)
in the County of Westm...
... 5 in. funnel
by Alexander Mit...
Ground 1 ft. 1½ in.
Sea Level 550 ft.

IMPORTANT NO... the result entered to the previous day. If an O... ersal rule, he is earnestly requested to add the rea... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.04	.34								.26		1
2	.25	.24	.92	.13	.58	.43					.54	.51	2
3	.24	.40	.05								.02	1.00	3
4	.75	.15	.06			.02					.40	.61	4
5	.30	.27	.04		.06	.23	.11			.02			5
6	.59	.74	.47		.69	.56	.19				.02	.03	6
7	.13	.95	.12		.16	.21	.01			.52		.13	7
8		.71	.14		.16	.05		.08	.01	.06	.20	.17	8
9		.28	.66	.12	.22	.56	.01	.04			.36	.05	9
10		.40	.65	.14 S.	.01	.01				.43	.42	.02	10
11	.22			.42 S		.12	.27			.20	.38	.36	11
12				.02 S	.005		.05	.01	.79		.40	.06	12
13			.72	.04	.005		.13	.03	.31	.33	.30		13
14	.04	.02	.12	.10					.01	.75	.25	.03	14
15	.10		.36	1.25				.06			.49	.13	15
16			.07	.25			.05				.60	.02	16
17	.07		.03	.27		.43	.17				.68		17
18	.20		.77	.64	.35	.12	.06			.02	.29		18
19	.10		.05	.07	.12	.07				.28	.95		19
20			.10	.11	.06	.09		.05	.09	.36	1.12		20
21			.19		.08		.13	1.09		.56			21
22	.55		.66		.33			.37	.15	.02			22
23	.55		.07		.06	.65		.35	.63		.15	.07	23
24	.66	.05		.24		.47		.03	.01		.22	.18	24
25		.02		.19					.68	.07	.24	.69	25
26		.24	.02	1.10		.04			.53	.14	.02	.91	26
27				.66	.04					.34	.01	29 S.	27
28	.70		.26	.50	.19					.07			28
29			.30	.85	.01			.25		.46	.14		29
30	.90		.14		.42					.05			30
31	.13		.03							.08			31
Total	6.53	4.51	7.34	7.10	3.55	4.06	1.18	2.36	3.21	4.76	8.46	5.26	YEAR'S TOTAL
Rain Days.	206^{5}	11.04	18.38	25.48	29.03	33.09	34.27	36.63	39.84	44.60	53.06	58.32	58.32 205
	19	14	26	19	18	16	11	11	10	19	24	18	

W. 7,500, XI. 12

REG

FORM A.
BRITISH RAINFALL.
6- JAN 19

Kept at Dawstone, Windermere

in the County of Westmorland,

by Alexander Millington Sing, Esqre.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Windermere (Lon. Nth. W. Rly)
Diameter of Rain Gauge 5 in. funnel
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.05	.04	.34								.26		1
2	.25	.24	.92	.13	.58	.43					.54	.51	2
3	.24	.40	.05								.02	1.00	3
4	.75	.15	.06			.02					.40	.61	4
5	.30	.27	.04		.06	.23	.11			.02			5
6	.59	.74	.47		.69	.56	.19				.02	.03	6
7	.13	.95	.12		.16	.21	.01			.52		.13	7
8		.71	.14		.16	.05		.08	.01	.06	.20	.17	8
9		.28	.66	.12	.22	.56	.01	.04			.36	.05	9
10		.40	.65	.14 S.	.01	.01				.43	.42	.02	10
11	.22			.42 S		.12	.27			.20	.38	.36	11
12				.02 S	.005		.05	.01	.79		.40	.06	12
13			.72	.04	.005		.13	.03	.31	.33	.30		13
14	.04	.02	.12	.10					.01	.75	.25	.03	14
15	.10		.36	1.25				.06			.49	.13	15
16			.07	.25			.05				.60	.02	16
17	.07		.03	.27		.43	.17				.68		17
18	.20		.77	.64	.35	.12	.06			.02	.29		18
19	.10		.05	.07	.12	.07				.28	.95		19
20			.10	.11	.06	.09		.05	.09	.36	1.12		20
21			.19		.08		.13	1.09		.56			21
22	.55		.66		.33			.37	.15	.02			22
23	.55		.07		.06	.65		.35	.63		.15	.07	23
24	.66	.05		.24		.47		.03	.01		.22	.18	24
25		.02		.19					.68	.07	.24	.69	25
26		.24	.02	1.10		.04			.53	.14	.02	.91	26
27				.66	.04					.34	.01	29 S.	27
28	.70		.26	.50	.19					.07			28
29			.30	.85	.01			.25		.46	.14		29
30	.90		.14		.42					.05			30
31	.13		.03							.08			31
Total	6.53	4.51	7.34	7.10	3.55	4.06	1.18	2.36	3.21	4.76	8.46	5.26	YEAR'S TOTAL
Rain Days.	206^{5}	11.04	18.38	25.48	29.03	33.09	34.27	36.63	39.84	44.60	53.06	58.32	58.32 205
	19	14	26	19	18	16	11	11	10	19	24	18	

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Dawstone Windermere

in the County of Westmoreland 2

by Alexander Millington Sing Esq

RAIN GAUGE
Pattern Snowdon Guage
Diameter of top 5 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 550 ft.

Time of Observation 9 - a.m.

Nearest Railway Station
Name Windermere (L & N. W Ry)
Distance 1½ miles Direction N. N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·40	·14	-	.	·01	·63	·30	-	.	-	·25	1
2	.	·36	·08	·01	.	-	·30	·27	-	·15	·32	·19	2
3	·28	·56	·11	-	·89	-	.	·11	-	-	-	1·53	3
4	·58	-	·38	·58	·28	-	-	·01	-	-	·01	·92	4
5	·18	·02	·79	·22	·08	·04	·28	-	-	-	·43	·18	5
6	-	·05	·02	·09	·11	·06	-	·22	-	-	·23	·57	6
7	·17	·04	·31	·05	·21	·02	-	·27	-	·03	·12	·06	7
8	·71	·01	·09	·05	·42	·16	-	3·18	·40	·04	·45	·29	8
9	·54	·46	-	·16	-	·53	-	-	·04	-	·58	-	9
10	-	·40	-	-	·02	-	-	-	·21	-	·50	-	10
11	-	·25	·65	·03	·09	-	1·17	-	·23	.	·56	·08	11
12	-	·62	·13	-	·02	-	·04	-	·25	.	·69	·06	12
13	-	·41	·54	·16	·02	-	·03	.	·46	·11	·48	·22	13
14	-	·50	·28	-	-	-	-	-	·19	.	·45	·40	14
15	-	·07	·48	-	-	.	-	-	·13	.	18	-	15
16	-	·03	·04	-	-	-	1·03	-	2·19	.	-	·03	16
17	·01	1·08	·32	-	-	·14	·15	-	·27	.	-	2·40	17
18	-	·58	·28	-	-	-	·06	-	·02	·04	.	·08	18
19	-	·03	·09	-	-	-	·03	.	·07	.	·02	·06	19
20	-	·93	·08	-	·09	·07	-	-	.	.	-	·13	20
21	-	·26	-	-	·04	·01	-	·03	.	.	-	-	21
22	-	·81	-	·05	·35	·20	-	·45	.	·18	·02	-	22
23	.	·18	·24	·15	·09	·16	·06	·17	.	-	-	-	23
24	1·32	-	·42	·04	-	·03	·24	·08	.	·02	·29	-	24
25	·14	.	-	-	·01	-	·09	·70	.	1·07	·63	1·20	25
26	·03	·16	-	-	-	-	-	·01	.	·26	·65	50	26
27	·08	·14	-	-	-	-	-	-	·08	·21	·61	·08	27
28	·13	·48	·50	-	·02	-	-	·15	·02	·03	·78	.	28
29	1·04	.	·39	-	·05	-	-	·37	-	·01	1·61	·03	29
30	·20	.	·87	·01	.	-	-	·01	-	·01	·37	·49	30
31	·73	.	·01	.	·01	-	·69	.	-	·25	.	.	31
Total	6·14	8·83	7·24	1·60	2·80	1·43	4·80	6·33	4·56	2·41	9·98	9·69	TOTAL for year 65·81
No. of Rain Days.	15	25	24	13	18	12	14	16	14	14	22	22	209 days

W. 8,000, X. '11.

3917

REGISTER OF RAINFALL IN 1915

FORM A2. BRITISH RAINFALL.

5 JAN 1916

Kept at Dawstone, Windermere

in the County of Westmorland

by Albt. M. Sing

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 550 ft.

Time of Observation 9 am

Nearest Railway Station
Name Windermere
Distance 1½ mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	1·07	s ·05	—	·08	—	·09	·50	—	—	—	—	1
2	·10	·91	s ·55	·66	—	·13	·48	·54	—	—	—	—	2
3	·13	·25	·48	·40	—	—	·52	·15	—	—	—	·47	3
4	·04	·38	·19	·02	·12	·27	—	—	—	—	—	·25	4
5	·50	1·01	·42	·01	·23	—	—	·02	—	—	·01	1·74	5
6	·40	·21	·01	·44	—	·15	1·52	·03	·06	—	·01	·44	6
7	·41	1·15	·01	·20	—	—	·42	·13	—	—	—	·10	7
8	·33	·69	—	·15	—	—	—	·16	—	—	1·24	—	8
9	—	·20	—	—	—	—	—	·03	—	—	·18	·91	9
10	·98	·02	·04	·14	—	—	·01	·15	—	·08	—	·84	10
11	·44	—	—	·01	·56	—	·08	·18	—	—	·07	·21	11
12	·13	—	—	—	—	—	·15	·24	—	·17	·47	—	12
13	·29	·07	—	—	—	—	·01	·28	·04	·17	—	·30	13
14	·49	—	—	·04	—	—	·16	·27	·11	·02	—	·53	14
15	1·04	—	—	·06	—	—	—	·20	·06	—	s ·17	·85	15
16	—	2·60	—	·02	·04	—	·25	·09	·09	—	—	—	16
17	—	·40	s ·05	·01	·02	—	·18	—	—	—	—	—	17
18	—	·39	s ·07	—	—	—	·26	—	—	—	—	—	18
19	·07	·04	s ·14	·94	·35	—	·14	—	—	—	—	—	19
20	·31	·01	·04	—	·07	—	·31	·01	—	—	—	·25	20
21	·07	·07	—	·09	—	—	·30	—	—	—	—	s ·10	21
22	—	—	·18	—	—	·05	·36	—	—	—	—	·47	22
23	—	·02	·16	·04	—	·03	·06	—	·17	·70	—	·48	23
24	—	—	·03	·01	—	—	·05	—	·53	·05	—	·62	24
25	—	—	—	—	—	—	·12	—	·61	—	—	·18	25
26	—	1·28	—	—	—	·01	·31	—	·02	—	—	·95	26
27	—	s ·28	·01	—	—	·26	·05	—	—	·73	s ·13	·54	27
28	—	s ·35	·01	—	·07	·14	·01	·40	—	·12	—	·01	28
29	—		—	—	·07	·03	—	—	—	—	·87	·17	29
30	s ·28		—	·24	—	·19	—	—	—	—	·08	·13	30
31	s ·63		·06		—		·04	·64		·01		1·10	31
Total	7·07	11·40	2·50	3·48	1·61	1·26	5·88	4·02	1·69	2·05	3·23	11·64	TOTAL for year
No. of Rain Days.	19	21	18	18	10	10	24	18	9	9	10	23	55·83 inches 189 days

W. 8,000, X. '11.

✓ Ent. 4/5 3839

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 1917

Kept at Dawstone, Windermere
in the County of Westmorland
by Alex. M. Sing

Lat. .... Long. ....
Time of Observation 9 a.m. (Greenwich time)
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·79	·30	—	—	—	·70	·88	·02	—	—	·38	·01	1
2	·33	·17	—	—	—	·20	—	—	·35	·42	·02	·05	2
3	·06	·18	—	·06	·03	·28	·32	—	·90	·28	·61	·01	3
4	·15	·24	—	·01	·87	·55	·03	—	·05	1·07	·38	—	4
5	·31	1·42	—	—	·33	·28	—	—	—	1·41	·51	—	5
6	·80	·30	·02	—	·63	·07	·32	—	—	·62	·39	·05	6
7	·05	·05	·01	—	·73	·04	·60	—	—	·63	·35	·25	7
8	·01	·14	·04	·01	·12	·05	·01	—	—	·09	·44	·01	8
9	·09	—	—	—	·23	·06	·13	—	—	·08	·31	·15	9
10	·24	·23	·02	·24	—	·02	·15	—	—	·83	·60	—	10
11	·10	·17	—	·80	·03	—	·26	—	·16	·24	·05	·02	11
12	·34	·81	·02	·07	·52	·01	·55	·17	—	·14	·01	—	12
13	—	·35	·16	·09	·01	—	—	·53	—	1·04	·01	·01	13
14	·18	·37	·01	·07	·43	—	—	·44	·03	·87	—	—	14
15	·10	·79	·27	·11	—	—	·07	·50	·01	·13	—	—	15
16	·20	·39	·38	·75	·01	—	·25	·36	·01	·01	—	·01	16
17	·71	·14	—	·45	—	—	·07	·06	1·19	·31	—	·01	17
18	·30	·61	—	·07	—	—	—	·23	·31	·25	·08	·05	18
19	·98	·01	·26	·06	—	—	—	·04	·01	—	·20	·08	19
20	1·05	—	·02	·06	—	—	—	·06	—	—	·12	·75	20
21	·58	—	—	·13	·04	—	·14	—	·02	—	·18	—	21
22	—	—	—	·04	—	·27	—	—	—	·23	·09	·03	22
23	·22	·02	s ·55	·17	—	·28	—	·02	—	·64	·80	·17	23
24	·10	—	—	·29	—	1·45	—	·52	—	·30	·21	·06	24
25	·04	—	s ·48	·01	·14	·14	—	·58	—	·08	·85	·17	25
26	·39	·01	·17	—	—	—	—	·01	·03	·02	·02	—	26
27	—	—	—	—	·01	—	—	—	·18	·23	·07	·10	27
28	1·30	·05	·01	—	—	—	—	—	—	·32	·39	2·62	28
29	·29	·11	·01	—	·01	—	—	—	—	·87	1·34	·30	29
30	·16	✕	—	—	—	·03	·05	—	—	1·55	·68	·63	30
31	·01	✕	—	✕	1·27	✕	—	·24	✕	·28	✕	·33	31
Total	9·88	6·86	2·43	3·49	5·41	4·43	3·83	3·78	3·25	12·94	9·09	5·87	YEAR'S TOTAL 71,26
Rain Days.	28	22	16	19	17	16	15	15	13	27	26	23	237

W. 8,000. X. 14.

3679

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Dawstone Windermere

in the County of Westmorland

by Alexander M. Ling

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	—	·04	s ·32	—	·01	—	—	·29	—	·22	·24	1
2	1·29	—	—	—	—	—	—	—	·07	—	·02	—	2
3	·33	s ·09	—	s ·20	—	·84	—	—	·02	·77	·04	—	3
4	—	—	—	s ·04	—	—	—	—	—	·05	·11	·11	4
5	·29	—	s ·09	s ·15	—	—	—	—	·01	·07	1·69	·20	5
6	·10	—	—	s ·07	—	·17	—	—	—	·62	·61	·46	6
7	·55	—	—	—	—	·19	—	—	—	·32	·02	·17	7
8	·32	—	—	s ·15	—	·02	—	·90	·14	1·10	·49	·05	8
9	—	—	—	s ·22	—	—	—	·20	—	·12	·35	·11	9
10	s ·40	—	1·17	s ·18	·33	—	—	·36	·01	·04	—	—	10
11	s ·09	—	—	—	·14	—	—	·30	—	·78	·07	—	11
12	—	—	·09	—	·69	—	—	·01	·04	·21	—	·02	12
13	—	—	—	·26	·05	·06	—	·16	1·12	—	·14	·33	13
14	·02	—	—	s ·17	·07	—	—	·37	—	—	—	·12	14
15	·01	—	—	s ·10	—	—	·01	·04	·60	·25	—	·34	15
16	—	·10	·07	s ·40	—	—	—	1·99	·17	·57	—	·31	16
17	—	·23	·13	s ·32	—	—	·14	1·94	·26	·26	·01	s ·04	17
18	·04	·04	·32	·04	·22	—	1·24	·12	·45	·01	—	·36	18
19	·01	·35	·22	—	·32	—	—	—	·01	—	·19	·46	19
20	—	·74	—	—	·15	1·50	—	1·35	·42	·14	·30	s ·23	20
21	—	·06	—	—	·17	·02	—	·04	·34	·23	—	—	21
22	—	—	—	—	—	—	—	·24	·20	1·20	·04	—	22
23	—	·09	—	—	·56	·57	·02	·70	·11	·21	·16	·03	23
24	—	—	—	—	—	·04	·06	·15	·12	1·27	·40	—	24
25	—	·08	·16	—	·03	—	·01	·49	·60	·31	—	—	25
26	—	·01	—	—	—	·22	·17	·99	·59	·20	·74	—	26
27	—	—	·06	—	·18	—	·40	·70	—	·13	·27	—	27
28	—	·01	·30	—	—	—	·01	·08	·01	·06	·40	—	28
29	—	×	s ·05	—	—	—	·06	·09	—	·79	·15	—	29
30	—	×	s ·03	—	—	—	—	·01	—	·49	·30	—	30
31	—	×	—	×	·69	×	—	·86	×	—	×	—	31
Total	3·60	1·80	2·73	2·62	3·60	3·64	2·12	12·09	5·58	10·20	6·72	3·58	YEAR'S TOTAL 58·28
Rain Days.	13	11	13	14	13	11	10	23	21	25	22	17	193

W. 8,000, VIII. 16

14

FORM A.
BRITISH RAINFALL.
6. 19

REGISTER OF RAINFALL IN 1918

Kept at Dawstone, Windermere
in the County of Westmorland
by Alex M. Sing

Lat. Long.
Time of Observation 9 a.m. (10 in Summer)
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·32	·02	·04	·03	—	—	—	·45	·06	·40	·62	1
2	—	·04	—	·26	—	—	—	—	·21	1·14	·22	1·39	2
3	—	·17	—	—	·85	—	—	—	—	1·37	·04	·12	3
4	·01	·16	—	—	·10	—	—	·13	·15	·77	·45	·25	4
5	—	·12	·01	·24	·27	—	—	1·10	—	·95	·12	·19	5
6	·06	·91	—	·50	—	·60	—	—	·05	·60	—	·04	6
7	—	·20	—	·04	·02	—	·50	·22	·50	·09	·35	·27	7
8	—	·02	·11	—	—	·14	·14	·10	·22	·30	·20	·04	8
9	·67	·74	—	·02	—	·36	·04	—	·67	·71	·17	·07	9
10	—	·89	·45	—	—	—	·02	—	·55	·57	·90	·04	10
11	·55	·16	·23	·01	·20	—	·03	—	·30	—	—	·50	11
12	—	·79	—	·04	·08	·02	—	—	·14	—	—	·17	12
13	·01	—	—	·05	·11	·03	—	—	·21	·50	—	·05	13
14	s 1·27	—	—	—	·07	·31	·47	·09	·40	·04	—	·16	14
15	—	s ·01	—	—	—	·14	·60	—	3·05	·02	—	·50	15
16	·06	·04	—	—	—	·26	·40	·20	·80	—	—	·16	16
17	s ·40	—	—	—	—	·25	·75	·29	·62	·06	—	·62	17
18	1·55	—	·30	—	—	·02	·54	·02	·15	·01	—	·21	18
19	·54	·20	·11	—	—	—	·15	·46	·51	·09	—	s ·87	19
20	1·29	·42	·02	·20	·11	·13	·60	·01	·45	—	—	·01	20
21	·39	1·50	—	—	—	·24	·03	—	2·35	·04	—	·03	21
22	·20	·16	—	—	·60	·16	·61	·05	1·02	—	—	·95	22
23	·82	—	—	—	·09	—	·35	—	·11	—	·11	s ·07	23
24	·66	·09	—	—	—	·02	·02	·57	·42	·02	·07	s ·02	24
25	·12	·04	—	—	·37	—	·33	·89	·47	—	·02	—	25
26	·04	·25	—	—	—	—	·03	·09	·50	·12	·19	·62	26
27	·01	·23	·74	—	—	·07	—	·60	·34	·13	·10	·67	27
28	·08	·12	·20	—	—	—	—	·07	·30	·05	·06	·42	28
29	·06	×	·01	—	—	—	—	·02	·21	—	—	·47	29
30	—	×	·26	—	—	—	—	·03	—	·09	·37	·05	30
31	—	×	·22	×	—	×	—	·09	×	·22	×	—	31
Total	8·79	7·68	2·68	1·40	2·90	2·75	5·61	5·03	15·15	7·95	3·77	9·58	YEAR'S TOTAL 73·29
Rain Days.	20	23	13	10	13	15	18	19	27	23	16	29	226

W. 8,000, IX. 17.

Form A4 3494

FORM A. BRITISH RAINFALL. 8 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Dawstone, Undermillbeck, Windermere
in the County of Westmorland
by Alexander M. Sing

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	~~1·45~~ s												
1	1·45 s	—	·12	—	·19	—	·05	·04	1·56	·49	—	·41	1
2	·40	—	·30 s	·02	·06	—	·09	·02	·01	·01	·02	·50	2
3	·22	·07 s	—	·03	·36	·11	·05	—	—	·01	·01	·34	3
4	·07 s	·10 s	·26 s	·01	·20	·02	·09	·27	·12	—	·04	·35	4
5	·04	—	—	·01	·45	—	—	—	·17	·03	—	·50	5
6	—	—	·55	—	·05	—	—	—	·08	·02	—	·26	6
7	·07	—	·15	·21	—	·16	—	·05	—	—	s ·29	·01	7
8	·30	—	·14	·01	·03	·02	—	·01	—	—	s ·03	—	8
9	·65	—	·30	·05	—	·03	—	—	·01	—	s ·02	·01	9
10	·20	—	·91	·14	·21	·04	—	—	—	·01	s ·01	·57	10
11	·05	—	·15	·04	·08	·01	·05	—	·09	·08	—	·11	11
12	—	—	·04	·32	·09	·28	·04	—	·05	·05	s ·47	—	12
13	1·25	—	—	·74	—	—	·02	·20	—	·15	—	·35	13
14	·24	·01	—	·23	—	—	—	—	—	—	—	·22	14
15	·75	·25	—	·42	—	—	—	—	—	—	s ·02	1·12	15
16	·11	·02	—	·02	—	·07	—	—	·01	—	·29	·35	16
17	·05	—	—	·03	—	—	·03	·82	·02	—	1·26	—	17
18	—	—	·80 s	—	—	·06	·37	·27	·21	—	·32	·49	18
19	·07	·64 s	1·04 s	—	—	1·12	—	·01	·04	—	·40	·05	19
20	·65	·22	—	—	—	·03	—	—	·07	—	s ·10	·67	20
21	·10	·34	—	—	—	—	—	·20	·25	—	·12	·35	21
22	—	·04	—	—	—	·31	—	·12	·35	·12	·16	·34	22
23	·02	—	—	·04	—	·14	—	·01	—	1·15	·13	·07	23
24	·17	—	—	·01	·12	·01	—	·01	·70	·05	·35	·04	24
25	·47	—	—	·58	—	·03	—	1·04	·45	—	·25	—	25
26	·07 s	—	·72	·13 s	—	·04	—	·14	·08	—	·01	·94	26
27	·04 s	·05 s	·02 s	·10 s	—	·01	—	—	—	—	—	·02	27
28	—	—	—	·03	—	—	—	·78	·14	·01	—	·98	28
29	·02	☒	—	—	—	—	—	·27	·40	·02	·01	·05	29
30	—	☒	·09 s	·05	—	·01	—	·18	—	·03	·60	·86	30
31	—	☒	·05 s	☒	—	☒	·84	·02	☒	—	☒	·01	31
Total	7·46	1·74	5·64	3·22	1·84	2·50	1·63	4·46	4·81	2·23	4·91 ~~3·91~~	9·97	YEAR'S TOTAL 50·41 ~~49·41~~
Rain Days.	24	10	16	22	11	19	10	19	20	15	22	27	215

W. 6,500, VII. 18. W W G

Sed. [illegible] 3383

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Dawstone Undermillbeck, Windermere
in the County of Westmorland
by Alex M. Sing

Lat. 54½ N Long. 3 W
Time of Observation 9 a.m. (10 a.m. in Summer Time)
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
„ „ „ „ Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	s ·07	·10	·17	·07	·74	—	·54	·02	·02	·05	—	·27	1
2	—	·02	—	·08	·15	—	·55	·02	·45	·04	—	·97	2
3	·13	·20	·40	·05	·14	—	·01	·21	·34	·99	—	·29	3
4	—	—	·02	·02	·15	—	·12	1·56	—	·47	·01	·01	4
5	—	·05	·34	—	1·20	—	·13	·14	·02	·42	·02	·01	5
6	·01	[illegible]	s ·42	·70	·52	—	·02	—	—	·01	·03	—	6
7	·85	·20	s ·05	·02	—	—	·55	—	·01	—	·02	—	7
8	·75	·21	—	·16	·22	—	·21	·37	—	—	·24	·01	8
9	·70	2·22	·02	·26	—	—	·15	·02	·10	—	·07	·04	9
10	·26	·33	·22	·60	—	—	·20	—	—	—	·01	·03	10
11	·35	·07	·02	·01	·44	·13	·03	—	—	—	·15	s ·04	11
12	·25	·77	·54	·35	·07	·02	·30	—	·14	—	·42	s ·14	12
13	—	·10	·24	·32	·12	·25	·02	—	—	·01	·11	s ·20	13
14	·15	·54	s ·11	·64	—	·52	·70	—	·60	·25	·65	—	14
15	·12	·34	·05	·74	—	—	·01	—	·01	·21	·09	—	15
16	·32	·05	·41	·03	·11	—	·74	·02	·54	—	·10	—	16
17	·20	—	·25	—	·32	—	·08	·88	·46	—	·02	—	17
18	·45	·02	—	·14	·99	·32	·02	—	·01	—	—	—	18
19	·03	·25	—	·10	—	·22	·21	·02	—	—	·01	—	19
20	·25	—	—	·09	—	·02	·13	—	·47	—	—	·57	20
21	·03	—	—	·05	—	—	·12	—	·01	·01	—	·20	21
22	·70	—	—	·50	·10	·03	·56	—	—	·02	—	—	22
23	·67	—	·17	·27	—	—	·14	·03	—	—	—	·28	23
24	·12	·02	·84	·10	—	·10	·04	—	—	—	—	·30	24
25	·01	·05	·15	·12	—	·11	·45	—	·03	—	—	·05	25
26	·14	·10	·82	·22	—	—	·01	—	·21	—	·15	·11	26
27	·10	—	·57	·03	·30	·80	·34	—	—	—	·17	·09	27
28	·07	·27	·45	·57	·02	·25	·14	—	—	—	·05	·25	28
29	·34	·50	·08	—	·47	·03	·58	—	—	—	·57	·91	29
30	·54		·20	—	·10	·10	—	—	·10	·03	·15	·71	30
31	·22		·15		·07		·10	·10		—		·37	31
TOTAL	7·83	6·41	6·69	6·24	6·23	2·90	7·20	3·39	3·52	2·51	3·04	5·85	YEAR'S TOTAL 61·81 ✓
Days with ·01 in. or more	27	21	24	26	19	14	30	12	17	12	20	22	244 ✓
	23	18	21	21	18	10	23	6	10	7	13	18	188

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

BOWNESS

FALLBARROW

WESTMORLAND

1911 - 1917

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Fallba
in the County of W
by Miss E F

in.
nd 1 ft. - in.
Level 155 ft.
e Windermere
ance 1¼ M Direction NE

IMPORTANT result entered to the previous day. If an l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			87		14		4	2			79	23	1
2	11		2		46		2	14		2	9	28	2
3			39		167			4			141	24	3
4			3		6			136			120	53	4
5	49		21	2				67			9	18	5
6	21		2					53			29	76	6
7	49		5		8						66	3	7
8	24		25								50	140	8
9												66	9
10	136	21 S	54						21			146	10
11	8		2						44		18	12	11
12	3		6		2				68		25		12
13	2	26			42						70	10	13
14	10	91	2								113	38	14
15	3	92		4							82	20	15
16	17	78	4	16	2	46					38	50	16
17	11	4				109	4				62	27	17
18		150		24		26				2	4	46	18
19		4		12		15			167	78	2	60	19
20		22		80			32	54	6	2		54	20
21	2	179		33		69		6		31		17	21
22	4	37		17		22				9			22
23	13	51		6	59	12			65	15		48	23
24	25	25		64		38		12	2	35		34	24
25	14	59		68		5			37	16		32	25
26		9		25				50	2	76	6	20	26
27	3	158		30		4	6	37	52		12	23	27
28		18		64		26		12	32		2	68	28
29				10		29	3	2	61	330		34	29
30					2		10	4		86	15		30
31					2		2	12		22		10	31
Total	4.06	10.24	2.52	4.55	3.40	4.01	·63	4.61	5.57	7.03	9.52	11.80	TOTAL for year 67.93
No. of Rain Days.	19	17	13	15	11	12	8	14	12	13	21	28	183

W. 8,000, X. '11.

S. = Snow

✓

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Fallbarrow. Bowness

in the County of Westmorland

by Miss E F Rawson

Rain Gauge:
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 155 ft.

Time of Observation 9 AM

Nearest Railway Station:
Name Windermere
Distance 1¼ M Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			87		14		4	2			79	23	1
2	11		2		46		2	14		2	9	28	2
3			39		167			4			141	24	3
4			3		6			136			120	53	4
5	49		21	2				67			9	18	5
6	21		2					53			29	76	6
7	49		5		8						66	3	7
8	24		25								50	140	8
9												66	9
10	136	21 S	54						21			146	10
11	8		2						44		18	12	11
12	3		6		2				68		25		12
13	2	26			42						70	10	13
14	10	91	2								113	38	14
15	3	92		4							82	20	15
16	17	78	4	16	2	46					38	50	16
17	11	4				109	4				62	27	17
18		150		24		26				2	4	46	18
19		4		12		15			167	78	2	60	19
20		22		80			32	54	6	2		54	20
21	2	179		33		69		6		31		17	21
22	4	37		17		22				9			22
23	13	51		6	59	12			65	15		48	23
24	25	25		64		38		12	2	35		34	24
25	14	59		68		5			37	16		32	25
26		9		25				50	2	76	6	20	26
27	3	158		30		4	6	37	52		12	23	27
28		18		64		26		12	32		2	68	28
29				10		29	3	2	61	330		34	29
30					2		10	+		86	15		30
31					2		2	12		22		10	31
Total	4.06	10.24	2.52	4.56	3.40	4.01	.63	4.61	5.57	7.03	9.52	11.80	TOTAL for year 67.93
No. of Rain Days.	19	17	13	15	11	12	8	14	12	13	21	28	183

W. 8,000, X. '11.

S. = snow

FORM A2. BRITISH RAINFALL.

2 JAN 1913

REGISTER OF RAINFALL IN 19 12

Kept at Fellbarrow Bowness on Windermere

in the County of Westmorland 2

by Miss E F Rawson

Rain Gauge	Pattern
	Diameter of top 8 in.
	Height of top above Ground 1 ft. — in.
	„ „ „ Sea Level 155 ft.

Time of Observation 9 AM

Nearest Railway Station: Name Windermere; Distance 1¼ mile; Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					17	34	13	11	11			31 S	1
2	23	3	55	2	21	18	4		7			4	2
3	43		106			72		46	105		2	56	3
4	34		4	120	2	12		92	51		152	5	4
5	16		89	10	44			20	9	61		4	5
6	31	39	13		34			19				2	6
7		66	4	5	10		42	15	16		50	8	7
8	125 S	68	20	13	8			12	2		47	22	8
9	34	16	25	43		26		36			41	67	9
10	13	4	34		12	26	78	4			72	71	10
11	31		5			10	15	20				32	11
12	58		-			30	2					42	12
13	14		128			8		6		121	6	128	13
14	65		20			18		2		2		31	14
15	39	38	32		7	29				41		13	15
16	195		2		6	2		26		84	2		16
17	10 S	20	52		8	90		86		76	1	50	17
18	2	18	23			28		2			8	50	18
19	3	12	60			8		50		8	20	6	19
20	20		5		64	4	8	21		67		32	20
21		12	43			14		22		24		5	21
22	5	84			7	2		58			26	4	22
23			12			35	20	31			78	39	23
24		14	27			36	38	4		40	27	23	24
25		2	28			48	2	16			69	12	25
26		68	28	18		4	4			208	36	48	26
27		23	42			97	97			38	5	74	27
28		24	2			6	25	76		73	56 S		28
29		2	48			15	69	24	38	24		26	29
30	4		52	3		2	10		2	7	~~73~~	885 73	30
31			18		4		109	48				42	31
Total	765	513	977	214	244	674	536	747	241	864	698	1000	TOTAL for year
No. of Rain Days.	20	18	28	8	14	26	16	25	9	16	18	29	226

W. 8,000, X. '11.

S. = SNOW

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2- JAN 1914

Kept at Fallbarrow, Bowness on Windermere
in the County of Westmorland
by Miss E F Rawson

Lat. .... Long. ....
Time of Observation 9 Am
Nearest Railway Station Windermere
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	7	10	30								26		1
2	24	28	100	15		43					49	50	2
3	22	48	9		49						3	97	3
4	57	18	7			2					29	65	4
5	25	25	3		12	47	10			2	2		5
6	66	66	47		71	61	46					2	6
7	9	103	21		16	24				47		10	7
8		68	12		14	5		7		6	16	17	8
9		28	64	13	18	151					27	5	9
10		43	65	14		2				43	39		10
11	54 5			37		13	23			10	36	34	11
12			2	6			6		68		55	6	12
13			71	5			13	3	30	32	32		13
14			13	13						76	30	2	14
15			32	125				4			47	12	15
16			11	21			3				59	2	16
17				34	5	36	17				54	302	17
18			72	71	2	12	5			2	38		18
19	17		3	12	36	10				28	36		19
20			2	12	12	9		5	10	28	111		20
21			18		11		9	104		56	4		21
22	52		54		31	3		31	17				22
23	57		10		6	65		32	59		14	12	23
24	64	6		27		49		2			21	17	24
25		4		22					64	4	22	72	25
26		22		109		4			46	12	3	93	26
27				65	4					32	2	32	27
28	54		31	43	19					8	2	528	28
29			31	86				21		47	9		29
30	95		10		35					10			30
31	15		2							9			31
Total	6.18	4.69	7.20	7.30	3.41	5.36	1.32	2.09	2.94	4.52	7.76	5.28	YEAR'S TOTAL 58.05
Rain Days.	15	13	25	19	16	17	9	9	7	18	26	17	191

W.7,000, XI. 13.

Esc. m.g.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Fallbarrow Bowness

in the County of Westmoreland 2

by Miss E. F. Rawson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.39	.16				.62	.24		.01		.25	1
2		.39	.08				38	.25		.14	.32	20	2
3	.28	.49	.12		.083			.10				150	3
4	.54		.37	47	.026							89	4
5	.23	.02	.84	.20	.05	.05	.36				42	24	5
6		.06	.02	.07	.07	.06		26			.20	44	6
7	.12	.04	.25	.04	.25	.04		.19		.02	12	05	7
8	.74		.12	.03	.40	.10		350	037	.04	46	28	8
9	.51	.45		.15		.36			.03		.48		9
10		.40		.02	.03				.17		.46		10
11		.26	.62		.09		1.24		.22		.62	09	11
12		.67	.12	.15	.02		02		.22		.69	07	12
13		.39	.54						.48	.14	.54	20	13
14		50	.27						.21		.46	.34	14
15		10	.55						15		.24	.94	15
16		02	.04				92		2.16			—	16
17		1.14	27				.11		.29			2.26	17
18		.63	.23				.07		02	.04		08	18
19		.03	.06				.03		06		02	09	19
20		.69	.05		.05	09						10	20
21		.26			.04			.04		03			21
22		86	02	04	.34	.13		42		.15			22
23		.17	.23	.15	.10	.13	.07	.06	—				23
24	1.28		.41	.03		.03	.30	73			.34		24
25	.15						.08	.02		98	61	116	25
26	.04	.14						.14		.27	.58	56	26
27	.08	.23							.08	.19	62	09	27
28	.12	.53	.47		.02			.15	02	.02	74	05	28
29	104		.34		.05			.34			152	57	29
30	.20		.88	.02							42		30
31	.70						059			24			31
Total	6.03	8.86	7.01	1.37	2.60	0.99	4.79	6.44	448	227	986	955	YEAR'S TOTAL 64.25
Rain Days.	14	24	24	12	15	9	13	14	14	13	20	22	194

W.7,000, XI. 13

3914

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Fallbarrow. Bowness

in the County of Westmorland

by J Raven

Lat. Long.

Time of Observation 9. 0 a m

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Can give no. if needed

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	7.14	11.19	2.44	3.41	1.39	1.18	5.44	3.01 ~~16~~	1.28	1.93	3.06	11.68	YEAR'S TOTAL 53.21
Rain Days.	18	19	15	14	9	9	23	~~3.01~~ 16	9	9	9	22	192 da

W. 8,000. X. 15.

3840

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

5 JAN 1917

Kept at Bowness Westmorland

in the County of

by Miss E. J. Rawson

Lat. .... Long. as before

Time of Observation 9. 0 a m Greenwich

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	8.2	36	–	–	–	61	46	2	–	–	46	–	1
2	3.2	18	–	–	–	18	–	–	30	36	3	5	2
3	6	26	–	4	–	19	20	–	96	29	≠42	2	3
4	1.2	15	–	–	64	69	6	–	4	100	36	–	4
5	3.6	1.40	–	–	24	23	–	–	–	132	50	–	5
6	6.8	34	2	–	54	9	22	–	–	52	43	6	6
7	5	4	–	–	62	4	51	–	–	62	38	23	7
8	–	12	2	–	62	5	1	–	–	9	54	–	8
9	6	–	–	–	25	2	11	–	–	4	34	23	9
10	18	31	–	26	–	1	20	–	–	31	43	–	10
11	12	4	–	81	2	–	25	–	16	21	7	–	11
12	3.3	86	3	9	46	–	44	18	–	14	–	–	12
13	–	36	10	10	–	–	–	49	–	94	2	1	13
14	1.8	45	28	13	46	–	–	24	4	83	–	–	14
15	1.2	80	29	10	–	–	–	60	–	14	–	–	15
16	13	50	–	65	–	–	14	43	4	2	–	–	16
17	6.3	22	–	56	–	–	5	11	122	30	–	5	17
18	9	61	–	8	–	–	–	25	29	24	21	26	18
19	1.24	–	24	6	–	–	–	4	–	–	9	13	19
20	1.04	–	2	4	–	–	–	4	–	–	(12)	56	20
21	60	–	–	4	3	–	11	–	2	–	11	–	21
22	–	–	–	4	–	22	–	–	–	23	10	4	22
23	018	–	38	21	–	36	–	4	–	41	8	14	23
24	010	–	–	36	–	154	–	44	–	18	≠48	9	24
25	4	–	64		12	10	–	36	–	19	85	19	25
26	34	2	22		–	–	–	–	29	3	4	–	26
27	–	2	–		–	–	–	–	15	20	9	6	27
28	126	–	2		–	–	–	–	–	31	36	235	28
29	29	18	–		9	–	–	–	–	69	126	39	29
30	14	✕	–		–	4	2	2	–	150	46	64	30
31	–	✕	–	✕	1.14	✕	–	24	✕	38	✕	32	31
Total	9.51	4.28	2.29	3.63	5.32	4.34	3.14	3.53	3.54	11.85	9.16	5.80	YEAR'S TOTAL 69.42
Rain Days.	26	20	12	16	13	15	14	15	11	24	25	19	213

W. 8,000, VIII. 16

Exd HW

3680

FORM A. BRITISH RAINFALL 5. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Fallbarrow Bowness
in the County of Westmoreland
by J Raven (Bank of Liverpool)

Lat. Long.
Time of Observation 9. 0 a m
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
						008							
1	016	–	006	–					049		021	029	1
2	142	–		002		080			006		002		2
3	030	–		021					002	082	004		3
4		010	002	002						005	012	014	4
5	029	–	018	015		020			002	007	160	027	5
6	011	–		006		022				050	063	049	6
7	067	–								037		024	7
8	017	–		018				076	014	106	047	014	8
9	004	–		026				027		012	039		9
10	039	–	121	039	040			036	002	093			10
11	006	004			011			062	003		007		11
12		–	012	032	065			002	110	021		004	12
13		–			004			017			013	034	13
14		–			005			027	056	030		024	14
15	002	–	009	016		005						076	15
16	–	012		034				185	012	045		006	16
17	–	022	015	017				174	020	030			17
18		004	032	033	020		100	027	050			038	18
19	000	034	027	002	031			003	002		016	050	19
20	002	061			019	140		111	053	012	031		20
21		006		–	019			011	034	029	004	024	21
22								012	018	118			22
23	–	012			057	055	003	074	009	025	012	002	23
24						003	008	029	012	140	044		24
25		008	016		002			047	059	036	002		25
26		003	~~015~~			031	016	098	069	027	087		26
27		002	006		012		043	062		014	027		27
28			035					006		004	014		28
29			006					008		034	034		29
30		✕	002				005	071		041			30
31		✕	042	✕	068	✕			✕		✕		31
Total	365	1.78	3.49	2.63	3.53	3.59	1.75	11.65	582	9.98	639	415	YEAR'S TOTAL 58.41
Rain Days.	12da	12da	~~349~~ 15da	14da	13da	9.da	6da	22da	20da	23da	20da	15da	181

W. 8,000, IX. 17.

✓

REC

BOWNESS

~~WINDERMERE~~

LINDETH HOWE

WESTMORLAND

1911- 13

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Lindeth Howe,

in the County of Westmor

ft. — in.

250 ft.

by J. G. Senior.

rmere

Direction N.

IMPORTANT NOTE.- entered to the previous day. If an Obser he is earnestly requested to add the reading following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·75	·	·13	·	·05	·04	·01	·	·71	·26	1
2	·14	01	·01	·	·53	·	·03	·13	·	·01	·11	·30	2
3	·	·	·31	·	1·49	·	·	·	·	·01	1·27	·30	3
4	·	·	·04	·	·04	·	·	1·48	·	·	1·12	·46	4
5	·60	·	·19	·01	·	·	·	·72	·	·	·07	·20	5
6	·18	·	·03	·	·	·	·	·63	·	·	·36	·72	6
7	·49	·	·05	·	·06	·	·	·	·	·	·63	·06	7
8	·20	·	·26	·	·	·	·	·	·	·	·41	1·40	8
9	·03	·	·	·	·	·	·	·	·	·	·	·73	9
10	1·13	·20	·50	·	·	·	·	·	·29	·	·01	1·42	10
11	·07	·	·02	·	·	·	·	·	·24	·	·11	·08	11
12	·04	·01	·03	·	·03	·	·	·	·74	·	·23	·	12
13	·01	·34	·	·	·22	·	·	·	·	·	·65	·09	13
14	·10	1·04	·	·	·	·	·	·	·	·	1·14	·35	14
15	·04	·93	·	·02	·	·	·	·	·	·	·77	·21	15
16	·18	·72	·02	·17	·01	·48	·02	·	·	·	·42	·44	16
17	·08	·01	·	·01	·	1·11	·02	·	·	·	·64	·27	17
18	·	1·51	·	·21	·	·18	·	·	·	·02	·02	·47	18
19	·	·03	·	·13	·	·26	·	·	1·46	·82	·01	·62	19
20	·	·23	·	·77	·	·01	·35	·38	·05	·01	·	·53	20
21	·	1·77	·	·28	·	·69	·	·12	·	·29	·	·09	21
22	·05	·28	·	·13	·	·18	·	·	·	·05	·	·	22
23	·12	·50	·	·05	·52	·13	·	·	·62	·15	·	·47	23
24	·22	·23	·01	·57	·	·34	·	·14	·01	·40	·	·36	24
25	·07	·61	·	·62	·	·05	·	·	·40	·18	·	·32	25
26	·	·12	·	·23	·	·	·	·55	·02	·78	·04	·23	26
27	·01	1·62	·	·27	·	·03	·04	·39	·59	·	·16	·28	27
28	·	·14	·	·70	·	·26	·	·12	·30	·	·01	·64	28
29	·	—	·	·07	·	·29	·02	·	·68	2·98	·01	·32	29
30	·	—	·	·	·01	·	·11	·	·	·80	·11	·	30
31	·	—	·	—	·01	—	·02	·06	—	·15	—	·05	31
Total	3·76	10·30	2·22	4·24	3·05	4·01	·66	4·76	5·41	6·65	9·01	11·67	TOTAL for year 65·74
No. of Rain Days.	19	19	13	16	11	13	9	12	13	14	23	28	190

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Lindeth Howe, Windermere

in the County of Westmorland 2

by J. G. Senior.

RAIN GAUGE
Pattern Funnel & Bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Windermere
Distance 2¼ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·75	·	·13	·	·05	·04	·01	·	·71	·26	1
2	·14	01	·01	·	·53	·	·03	·13	·	·01	·11	·30	2
3	·	·	·31	·	1·49	·	·	·	·	·01	1·27	·30	3
4	·	·	·04	·	·04	·	·	1·48	·	·	1·12	·46	4
5	·60	·	·19	·01	·	·	·	·72	·	·	·07	·20	5
6	·18	·	·03	·	·	·	·	·63	·	·	·36	·72	6
7	·49	·	·05	·	·06	·	·	·	·	·	·63	·06	7
8	·20	·	·26	·	·	·	·	·	·	·	·41	1·40	8
9	·03	·	·	·	·	·	·	·	·	·	·	·73	9
10	1·13	·20	·50	·	·	·	·	·	·29	·	·01	1·42	10
11	·07	·	·02	·	·	·	·	·	·24	·	·11	·08	11
12	·04	·01	·03	·	·03	·	·	·	·74	·	·23	·	12
13	·01	·34	·	·	·22	·	·	·	·	·	·65	·09	13
14	·10	1·04	·	·	·	·	·	·	·	·	1·14	·35	14
15	·04	·93	·	·02	·	·	·	·	·	·	·77	·21	15
16	·18	·72	·02	·17	·01	·48	·02	·	·	·	·42	·44	16
17	·08	·01	·	·01	·	1·11	·02	·	·	·	·64	·27	17
18	·	1·51	·	·21	·	·18	·	·	·	·02	·02	·47	18
19	·	·03	·	·13	·	·26	·	·	1·46	·82	·01	·62	19
20	·	·23	·	·77	·	·01	·35	·38	·05	·01	·	·53	20
21	·	1·77	·	·28	·	·69	·	·12	·	·29	·	·09	21
22	·05	·28	·	·13	·	·18	·	·	·	·05	·	·	22
23	·12	·50	·	·05	·52	·13	·	·	·62	·15	·	·47	23
24	·22	·23	·01	·57	·	·34	·	·14	·01	·40	·	·36	24
25	·07	·61	·	·62	·	·05	·	·	·40	·18	·	·32	25
26	·	·12	·	·23	·	·	·	·55	·02	·78	·04	·23	26
27	·01	1·62	·	·27	·	·03	·04	·39	·59	·	·16	·28	27
28	·	·14	·	·70	·	·26	·	·12	·30	·	·01	·64	28
29	·	–	·	·07	·	·29	·02	·	·68	2·98	·01	·32	29
30	·	–	·	·	·01	·	·11	·	·	·80	·11	·	30
31	·	–	·	–	·01	–	·02	·06	–	·15	–	·05	31
Total	3·76	10·30	2·22	4·24	3·05	4·01	·66	4·76	5·41	6·65	9·01	11·67	TOTAL for year 65·74
No. of Rain Days.	19	19	13	16	11	13	9	12	13	14	23	28	190

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Lindeth Howe, Windermere

in the County of Westmorland 2

by F. G. Senior

RAIN GAUGE Pattern Funnel & Bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Windermere L&NWR.
Distance 2¼ miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·52	–	·16	·26	·12	·06	·12	–	–	·34	1
2	·20	·03	1·03	·03	·21	·16	·02	·02	·07	–	–	·03	2
3	·52	–	·07	–	–	·65	–	·49	1·20	–	·03	·60	3
4	·29	–	·89	1·16	·02	·15	–	1·12	·32	–	1·69	·04	4
5	·16	–	·02	·07	·32	·03	–	·25	·10	·58	–	·02	5
6	·34	·36	·03	–	·29	–	–	·17	–	·01	·01	·01	6
7	–	·70	·33	·05	·13	–	·41	·15	·23	–	·45	·05	7
8	1·19	·63	·19	·11	·09	·01	–	·09	·02	–	·40	·19	8
9	·23	·16	·38	·27	–	·24	–	·22	–	–	·31	·57	9
10	·15	·04	·02	·01	·10	·30	·58	·02	–	–	·63	·56	10
11	·18	–	·01	–	·05	·06	·19	·16	–	–	–	·26	11
12	·5~~2~~3	–	1·28	–	–	·25	·01	–	–	–	–	·31	12
13	·10	·01	·21	–	–	·04	–	·08	–	1·13	·06	1·26	13
14	·67	–	·31	–	–	·22	–	·02	–	–	–	·35	14
15	·45	·35	–	–	·04	·36	–	·02	–	·30	–	·15	15
16	1·37	–	·53	–	·03	·04	–	·21	–	·82	·02	·01	16
17	·04	·22	·21	–	·10	·98	–	·93	–	–	·01	·43	17
18	·01	·19	–	–	–	·28	–	·02	–	·70	·09	·52	18
19	·03	·12	·52	–	–	·04	–	·54	–	·09	·12	·04	19
20	·24	–	·06	–	1·10	·04	·10	·28	–	·63	–	·31	20
21	·01	·11	·41	–	–	·14	–	·19	–	·29	–	·11	21
22	·04	·78	–	–	·10	·01	–	·58	–	·01	·27	·05	22
23	–	–	·14	–	–	·26	·21	·34	–	–	·91	·35	23
24	–	·13	·30	–	·02	·38	·46	·05	–	·42	·17	·23	24
25	–	·02	·23	–	–	·45	·01	·16	–	–	·65	·13	25
26	–	·59	·24	·08	–	·04	·10	·01	–	2·15	·36	·44	26
27	–	·17	·41	–	–	1·03	1·15	–	–	·42	·04	·69	27
28	–	·22	–	–	–	·06	·32	·81	–	·70	·46	–	28
29	–	·03	·29	–	–	·01	·68	·28	·36	·29	–	·22	29
30	·05		·47	·03	·02	–	·18	–	·03 ~~·30~~	·08	–	·64	30
31	–		·16		·05		1·28	·60		–		·33	31
Total	6·80	4·86	9·26	1·81	2·83	6·49	5·82	7·87	2·45	8·62	6·68	9·24	TOTAL for year 72·73
No. of Rain Days.	21	19	27	9	17	27	16	28	9	16	19	30	238

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Lindeth Howe, Windermere
in the County of Westmorland
by F. G. Simon.

Lat. 50°21'N Long. 2° 55'W
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·04	·37	-	-	-	-	-	-	-	·26	-	1
2	·30	·22	·95	·15	-	·41	-	-	-	-	·50	·46	2
3	·23	·38	·07	-	·52	-	-	-	-	-	·04	·97	3
4	·78	·14	·06	-	-	·02	·01	-	-	-	·40	·55	4
5	·38	·24	·05	-	·06	·31	·04	-	-	·02	·01	-	5
6	·57	·68	·52	-	·77	·53	·16	-	-	-	·02	·02	6
7	·10	·84	·02	-	·11	·24	·01	-	-	·66	-	·14	7
8	-	·66	·13	-	·15	·04	·01	·06	·01	·06	·19	·15	8
9	-	·27	·62	·12	·17	1·55	·01	·02	-	-	·35	·06	9
10	-	·46	·69	·13	-	-	-	-	-	·37	·40	·03	10
11	·36	-	-	·46	-	·09	·23	-	-	·07	·34	·42	11
12	·02	-	·02	·05	-	-	·03	-	·73	-	·44	·05	12
13	-	-	·69	·05	·01	-	·13	·05	·30	·33	·37	-	13
14	·04	-	·10	·10	-	-	-	-	·01	·77	·24	·03	14
15	·11	-	·32	1·36	-	-	-	·03	-	-	·51	·12	15
16	-	-	·09	·20	-	-	·03	-	-	-	·60	·04	16
17	·09	-	·01	·29	·01	·34	·14	-	-	-	·61	-	17
18	·22	-	·78	·64	-	·09	·07	-	-	·01	·33	-	18
19	·16	-	·04	·10	·40	·11	-	-	-	·29	·65	-	19
20	-	-	·06	·11	·09	·09	-	·06	·16	·31	·93	-	20
21	-	-	·20	-	·08	-	·12	1·15	-	·44	·05	-	21
22	·58	-	·68	-	·33	·02	-	·35	·18	-	·01	-	22
23	·55	-	·09	-	·08	·63	-	·36	·72	·01	·16	·08	23
24	·60	·06	-	·28	-	·76	-	·01	-	-	·28	·15	24
25	-	·02	-	·23	-	-	-	-	·68	·04	·25	·67	25
26	·01	·19	-	1·05	-	·03	-	-	·51	·18	·03	·78	26
27	-	-	-	·65	·04	-	-	-	-	·32	·02	·50	27
28	·59	-	·28	·48	·15	-	-	-	-	·08	·02	-	28
29	-	...	·33	·85	·01	-	-	·20	-	·46	·06	-	29
30	·89	...	·09	-	·39	-	-	-	-	·05	·02	-	30
31	·16	...	·03	...	-	....	-	-	....	·08	....	-	31
Total	6·77	4·20	7·29	7·30	3·37	5·26	·99	2·29	3·30	4·55	8·09	5·22	YEAR'S TOTAL 58·63
Rain Days.	21	13	26	19	17	16	13	10	9	19	29	18	210

W. 7,500, XI. 12

✓

BOW~~NESS~~
FELLSIDE
WESTMORLAND
1911- 1920

FORM A.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Fellsi

in the County of W

by J. D. L

indermere

9 a.m.

5 in.

Ground — ft. 6 in.

Sea Level 310. ft.

NOTE.—Rain should

of rain and particulars as

to Dr. H. R. MILL, 62, Ca

nstructions for the measurement

rs," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.74		.12			.10			.77	.27	1
2	.14		.02		.44			.10			.10	.32	2
3			.34		1.54						1.41	.24	3
4			.04	.04	.06			1.42			1.18	.44	4
5	.56		.22					.86		.02	.10	.21	5
6	.18							.60			.23	.70	6
7	.50		.04								.62	.02	7
8	.19		.27		.08						.39	1.22	8
9												1.00	9
10	.78	.08	.54									1.40	10
11									.66		.17		11
12		.23	.04		.03				.70		.24		12
13		.26			.58						.54		13
14	.18	1.04		.03							.80	.70	14
15		.51									.80		15
16	.20	.70	.04	.16		.48					.43	.59	16
17	.08			.02		1.08	.11				.60	.28	17
18		1.42		.23		.16					.03	.50	18
19				.13		.26			1.57	.80		.81	19
20		.20		.78			.33	.44				.34	20
21	.02	1.88		.34		.74		.16		.40		.10	21
22	.06	.28		.14		.20				.07			22
23	.14	.52			.61	.12			.73	.12		.50	23
24	.22	.22		.63		.32		.10		.36		.33	24
25		.52		.74		.04			.42	.11		.24	25
26		.03		.21				.52		.86	.10	.30	26
27	.02	1.77		.30			.06	.41	.62		.14	.39 .29	27
28		.16		.60		.30		.06	.33		.02	.61	28
29				.08		.30			.56	3.20		.31	29
30							.14			.96	.12		30
31					.02					.16		.11	31
Total	3.27	9.82	2.29	4.43	3.48	4.00	.64	4.77	5.59	7.06	8.79	11·93 11.93	66·07 TOTAL for year 65.97
No. of Rain Days	14.	16.	10.	15.	9.	11.	4.	11.	8.	11.	20.	25.	154

✓

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

✓

REGISTER

FORM A.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Fellside - Bowness

in the County of Westmorland

by T. D. Lingard

Lat. Long.

Nearest Railway Station Windermere

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " Sea Level 310. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.74		.12			.10			.77	.27	1
2	.14		.02		.44			.10			.10	.32	2
3			.34		1.54						1.41	.24	3
4			.04	.04	.06			1.42			1.18	.44	4
5	.56		.22					.86		.02	.10	.21	5
6	.18							.60			.23	.70	6
7	.50		.04								.62	.02	7
8	.19		.27		.08						.39	1.22	8
9												1.00	9
10	.78	.08	.54									1.40	10
11									.66		.17		11
12		.23	.04		.03				.70		.24		12
13		.26			.58						.54		13
14	.18	1.04		.03							.80	.70	14
15		.51									.80		15
16	.20	.70	.04	.16		.48					.43	.59	16
17	.08			.02		1.08	.11				.60	.28	17
18		1.42		.23		.16					.03	.50	18
19				.13		.26			1.57	.80		.81	19
20		.20		.78			.33	.44				.34	20
21	.02	1.88		.34		.74		.16		.40		.10	21
22	.06	.28		.14		.20				.07			22
23	.14	.52			.61	.12			.73	.12		.50	23
24	.22	.22		.63		.32		.10		.36		.33	24
25		.52		.74		.04			.42	.11		.24	25
26		.03		.21				.52		.86	.10	.30	26
27	.02	1.77		.30			.06	.41	.62		.14	·39 .89	27
28		.16		.60		.30		.06	.33		.02	.61	28
29				.08		.30			.56	3.20		.31	29
30							.14			.96	.12		30
31					.02					.16		.11	31
Total	3.27	9.82	2.29	4.43	3.48	4.00	.64	4.77	5.59	7.06	8.79	11·93 11.93	TOTAL for year 66·07 65.97
No. of Rain Days	14.	16.	10.	15.	9.	11.	4.	11.	8.	11.	20.	25.	154

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Cor Pranth 20·III·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Fellside-Bowness-Windermere

in the County of Westmorland 2

by J. D. Lingard

Lat. .... Long. ....

Nearest Railway Station Windermere

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 6 in.

" " " Sea Level 310 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.60		.20	.31	.10	.10	.12			.25	1
2	.23	.13	1.12		.21	.20	.02		.08		—		2
3	.46		.02			.72		.50	1.20		.02	.28	3
4	.28		.87	1.16		.14		.92	.50		1.62	.08	4
5	.40		.02	.22	.34	.04		.20	.10	.70	—	.05	5
6		.50	.03		.26			.18			.02	.02	6
7		.70	.36		.12	.02	.50	.16	.16		.43	.06	7
8	.62	.63	.22	.18	.08	.03		.08	.02		.44	.20	8
9	.25	.20	.38	.27		.25	.02	.34			.30	.60	9
10	.15		.03		.10	.28	.70	.04			.64	.64	10
11	.25		.02		.07	.10	.16	.20				.30	11
12	.54		1.30			.28	.02			.01		.31	12
13	.18		.20			.66		.08		1.14	.06	1.29	13
14	.67		.32			.22		.02		.02		.33	14
15	.38	.38	.02		.04	.34				.36	.04	.13	15
16	1.66		.56		.07	.03		.22		.86		.01	16
17	.06	.24	.24		.10	.90		.96			.06	.46	17
18	.08	.18	.46			.32		.02		.77	.10	.52	18
19	.04	.12			—	.04		.54		.10	.14	.04	19
20	.21		.06		.80	.03	.08	.28		.56	.01	.32	20
21	.01	.10	.36			.13		.20		.28		.09	21
22	.05	.86	.14		.06	.02		.52			.24	.06	22
23						.26	.20	.34			.86	.39	23
24		.13	.37			.22	.40	.12		.42	.18	.25	24
25		.02	.34			.62	.03	.10			.47	.12	25
26		.63	.26	.13	.03	.03	.10			2.12	.66	.40	26
27		.20	.40			.93	1.04			.42	.04	.74	27
28		.23	.02			.09	.34	.78		.78	.50	.03	28
29		.02	.29			.08	.70	.26	.35	.31		.22	29
30			.41		.02	.02	.20		.02	.14		.78	30
31			.17		.06		1.22	.54				.33	31
Total	6.52	5.27	9.59 9.59	1.96	2.56	6.71	5.83	7.60 7.70	2.55	8.99	6.83	9.30	TOTAL for year 73.81
No. of Rain Days	19.	17.	29.	5.	16.	29.	17.	25.	9.	16.	20.	30	232

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Exp DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Fellside. Bowness (Windermere)

in the County of Westmorland

by T. D. Lingard

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 310 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Windermere
Distance 1¼ m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.04	.36								.28		1
2	.25	.24	.95	.19		.44					.53	.52	2
3	.32	.36	.10		.53					.01	.04	1.04	3
4	.72	.16	.06			.04	.01				.39	.51	4
5	.31	.24	.04		.10	.32	.08			.02	.02		5
6	.62	.70	.50		.81	.58	.17				.02	.10	6
7	.09	.92	.07		.14	.22	.02			.56		.13	7
8		.72	.14		.12	.04	.01	.07	—	.07	.19	.17	8
9			.68	.11	.20	1.66		.02			.26	.06	9
10		.46	.66	.14						.34	.46	.02	10
11	.42	—		.44		.10	.24			.18	.32	.40	11
12	.02		.03	.06	.01		.04		.71		.52	.06	12
13			.74	.05	.01		.14	.06	.29	.32	.36		13
14	.05	.02	.11	.12				.01	.02	.83	.25	.04	14
15	.11		.34	1.40				.02			.48	.14	15
16			.09	.24			.04				.62		16
17	.10			.31	.06	.36	.14				.50		17
18	.20		.88	.62	.02	.11	.07			.03	.44		18
19	.14		.03	.11	.30	.12				.30	.76		19
20			.08	.10	.19	.09		.06	.16	.31	1.11		20
21			.21		.10		.11	1.00		.50			21
22	.64		.58		.33			.45	.18				22
23	.63		.07		.08	.64		.34	.79		.25	.10	23
24	.58	.06		.30		.60		.02			.22	.16	24
25		.08		.20					.68	.05	.26	.50	25
26		.18	.02	1.11		.04			.51	.26	.04	.96	26
27		.03		.64	.02	.01				.30	.02	.32	27
28	.58		.30	.53	.22					.09			28
29			.33	.82	.02			.21		.53	.08		29
30	.93		.14		.25					.10			30
31			.02							.09			31
Total	6.78	4.21	7.53	7.49	3.51	5.37	1.07	2.26	3.34	4.89	8.42	5.23	TOTAL for Year 60.10
No. of Rain Days.	19.	14.	26.	19.	19.	16.	12.	11.	8.	19.	25.	17.	205.

W. 8,000, X. '11.

16.IV.15

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Fellside - Bowness

in the County of Westmorland 2

by T. D. Lingard

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 6 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.40	.15			.01	.66	.26		.02		.18	1
2	.02	.32	.06	.02			.34	.25		.14	.21	.19	2
3	.26	.56	.14	.01	.92		.06	.10				1.57	3
4	.53		.40	.51	.28							.84	4
5	.28	.02	.84	.23	.10	.04	.30				.40	.20	5
6		.06	.03	.09	.09	.07		.20			.16	.44	6
7	.12	.04	.26	.04	.21	.03		.16		.02	.10	.07	7
8	.80		.10	.02	.37	.14		3.25	.40	.06	.43	.29	8
9	.56	.46		.17		.45			.10		.53		9
10		.43			.04				.15		.48		10
11		.28	.49	.02	.11	.01	1.33		.24		.58	.08	11
12		.62	.09	.14	.05		.05		.23		.64	.06	12
13		.44	.59		.02		.01		.46	12	.53	.20	13
14		.52	.31						.18		.25	.36	14
15		.06	.53						.14		.71		15
16		.03	.04				1.03		2.48			.03	16
17	.02	1.23	.24				.09		.13			2.40	17
18		.60	.26				.11		.03	.03		.08	18
19		.04	.07				.03		.08			.10	19
20		.76	.06		.10	.13						.11	20
21		.28			.03								21
22		.90	.02	.04	.34	23		.48		.16	.04		22
23	.01	.19	.33	.14	.09	.14	.06	.15					23
24	1.37		36	.03		.04	.37	.07			.31		24
25	.14				.04		.08	.72		1.03	.63	1.34	25
26	.06	.20								.25	.66	.42	26
27	.09	.21				.01		.02	.10	23	.67	.09	27
28		.49	.54		.02			.16	.04	.06	.80		28
29	1.10		.35		.08			.36		.02	(1·60)	.03	29
30	.22		.86	.02	.02					.01	(·40)	.61	30
31	.69						.64			.26			31
Total	6.35	9.14	7.12	1.48	2.91	1.30	5.16	6.18	4.76	2.41	10.13	9.69	YEAR'S TOTAL 66.63
Rain Days.	17.	24.	24.	14.	18.	12.	15.	13.	14.	14.	18.	22.	205

W.7,000, XI. 13

~~XI~~ LN

3916

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Kept at Bowness, Windermere

in the County of Westmorland

by T. D. Lingard

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.46	1.99	.04		.07		.04	.56					1
2	.08	.91	.46	.66		.13	.53	.18					2
3	.11	.36	.55	.46			.52	.14				.37	3
4		.38	.22	.02	.10	.26		.02				.33	4
5	.50	.92	38	.01	.27							1.60	5
6	.39	.33	.02	.46		.13	1.32	.03	.08		.03	.57	6
7	.41	1.03	.01	.20			.52	.14			.01	.10	7
8	.30	.24		.10				.16			1.20		8
9				01				.05			.21	.49 xxx	9
10	1.06	.02	.06	.16			.02	.17		.09		.85	10
11	.11				56		.08	.09			.04	.12	11
12	.44			.01			.18	.20		19	.52		12
13	.30	.07					.02	.12	.02	.16		.22	13
14	.46			.04			.14	21	.09			.66	14
15	1.01			.03			.01	24	.06		x .29	.73	15
16		2.02		.05			.24	12	.07				16
17		.53		.01			.17						17
18		.37	.42	.03			.20						18
19	.03	.10	.19	.91	.29		.16						19
20	.33	.02	.06		.10		.32	.04				.23	20
21	.10	.07		.07			.31					.10	21
22			.17			.05	.28					.50	22
23			.18	.04		.04	.12		.13	.80		.54	23
24			.03	.01			.03		.48	.06		.61	24
25							10		.85			.20	25
26		1.56				.01	.34		.01			.74	26
27		.31				.24	.02			.70	xx .08	.60	27
28		.32			.06	.06	.03	.33		.22			28
29					.07	.07					.90	.12	29
30	.61			.22		(.22)	.01				10	.13	30
31	.41		.09				.04	.64		.01		1.07	31
Total	7.11	10.65	2.88	3.50	1.52	1.22	✓5.75	3.44	1.79	2.23	3.38	10.88	YEAR'S TOTAL 54.35 ✓
Rain Days.	18.	19.	15.	20.	8.	10.	26.	18.	9.	8.	10.	22	183

W. 8,000. X. 14.

x 3½ in: of snow.

xx 1in: of snow.

xxx 3" snow & .16 rain.

3843

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Fellside, Bowness, Windermere

in the County of Westmorland

by T. D. Lingard

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.26	.22				.64	.84	03	.30		.41		1
2	.34	.24				.23	.01			.28	.03	.06	2
3	.06	.27		.04	.06	.22	.22		1.04	.40	.64		3
4	.14	.22		.01	.68	.69	.06		.06	1.06	.36		4
5	.38	1.40			33	.26				1.27	.54		5
6	.66	.24	.04		.56	.09	.27			.71	.40	.08	6
7	.04	.04			54	.04	.70			.72	.34	.24	7
8	.02	.16		.02	.12	.06	.02			.09	.46	.21	8
9	.05				.24	.02	.11				.30		9
10	.12	28		.23		.02	16			.91	.49		10
11	.11	.13		.90	.04	.01	.22		.13	.31	.07		11
12	.30	.82	10	.08	.50		.59	.21		.16	.02		12
13		.38	11	.10	.01			.46		.98	.03	.03	13
14	.14	.36		.12	.52			.22	.04	.96	.02		14
15	.13	.78	.26	.10			.01	.52		.15			15
16	.12	.39	.32	.58			.21	.46	.02	.03		.02	16
17	.66	.19		.57			.08	.08	1.31	.30			17
18	.06	.62		.10			.01	.28	.29	.24	.07	.31	18
19	1.19		.28	.09					.02		.36	.17	19
20	1.07		04	.07			.02	.06			.11	.72	20
21	.59			.12	.04		.11		.01		.16		21
22				.02		.26				.22	.09	.03	22
23	.19		.67	.20		.42				.76	.82	.17	23
24	.10		—	.31		1.86		.52		.16	.12	.09	24
25	.06		1.08	.01	.13	.12		.40		20	1.00	.19	25
26	.38	.02	.19						.31	.02	.04		26
27		.03			.01					.22	.03	.02	27
28	1.31								.15	.31	.45	2.66	28
29	.32	.19	.02							.62	1.28	.30	29
30	.15	✕	.01			.02	.02			1.80	.70	.56	30
31		✕		✕	1.37	✕		.24	✕	.29	✕	.32	31
Total	8.95	6.98	3.12	3.67	5.15 ~~4.85~~	4.96	3.66 3.64	3.48 ~~34.8~~	3.68	13.17	9.34	6.18	YEAR'S TOTAL 72.34 72.34
Rain Days.	27.	20.	12.	19.	15.	16.	18.	12.	12.	26.	27.	18.	222.

W. 8,000. X. 14.

3683

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Fellside - Bowness - Windermere

in the County of Westmorland

by T. D. Lingard

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13		.07			.05			.63		.24	.27	1
2	1.27					.01			.05		.02		2
3	.31			.20		.86			.03	.58	.06		3
4										20	.08	.14	4
5	.30		.16	.29					.02	.06	1.81	.24	5
6	.09			.08		.18				.53	.64	.50	6
7	.56					.36				.33	.02	.17	7
8	.21			.16				.73	.13	1.15	.48	.16	8
9	.02			.20				.30		.10	.40		9
10	.37		1.18	.39	.31			.33	.01	.02			10
11	.04	.04			.12			.34		1.02	.08		11
12			.09		.68					.24		.04	12
13	.01			.48	.07	.05		.12	.72	.01	.16	.31	13
14				.18	.06			.34				.18	14
15				.06			.02	.02	.54	.30		.66	15
16		.11	.09	.46			.02	1.76	.20	.52			16
17		.22	.13	.40	.02		.03	2.14	.40	.27	.02		17
18		.04	.31	.04	.10		1.26	.21	.32	.01	.02	.40	18
19		.30	.24		.41		.02	.03	.03		.12	.59	19
20		.67			.20	1.33		1.21	.47	.14	.30		20
21		.20			.22			.09	.38	.27			21
22								.12	.20	1.28	.05		22
23		.11			.64	.62	.03	.71	.10	.24	.07	.26	23
24			.02		.04	.04	.07	.33	.12	1.25	.38		24
25		.08	.14					.40	.64	.30			25
26		.02				.26	.20	1.00	.60	.21	.90		26
27			.06	.16	.14		.40	.70		.12	.26		27
28		.04	.28	.02				.06		.03	.27		28
29			.05	.03	.04		.06	.07		1.24	.12		29
30								.02		.65	.25		30
31			.41		.72			.65					31
Total	3.31	1.73	3.23	3.15	3.77	3.76	2.11	11.68	5.59	11.07	6.75	3.92 ~~3.94~~	YEAR'S TOTAL 60.07
Rain Days.	11.	11.	14.	15.	15.	10.	10.	23.	19.	26.	23.	13	190

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2 · 1 · 19

Kept at Fellside Bowness, Windermere
in the County of Westmorland
by T. D. Lingard

Lat. ______ Long. ______
Time of Observation 9. a.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.40		.08	.02				.44	.	.61	.86	1
2		.10		.30					.29	.62	.29	1.76	2
3		.12			.62					2.10		.17	3
4		.25			.32			.12	.14	.82	.56	.30	4
5		.11		.24	.29					1.00	.16	.24	5
6	.08	1.44		.42		.62			.04	.60		.02	6
7		20		04			.44		.20	.06	.44	.30	7
8	.64	.03	.04				.26		.60	.30	.22	.06	8
9	.52	.91				.50			.77	.90	.20	.07	9
10	.25	.83	.60	.09			.12	1.34	.36	.65	1.11	.04	10
11	.50	.18	30		.20		.04		.34	.01		.56	11
12		.86		.02	.06	.03			.24			.20	12
13				.08	.12	.02		.08	.21	.52		.08	13
14	.50				.06	.32	.46		.40	.10		.06	14
15		.02				.17	.56		3.10	.02		.12	15
16	.04					.32	.66	.20	.90	.06		.16	16
17	.25					.24	.38	.30	.50	.02		.70	17
18	1.56		.32			.03	1.13	.04	.12	.12		.28	18
19	.66	.30	.10				.14	.52	.63			.86	19
20	1.36	.42	.02	.29	.11	.13	.53	.03	.52				20
21	.37	1.40				.16	.02		2.77	.06		.36	21
22	.25	.13			.44	.24	.63	.04	1.12			1.02	22
23	.80	.06			.21		.30		.20	.02	11	.09	23
24	.72	.11				.01	.02	.50	.54	.02	.06		24
25	.13	.02			.32		.23	.88	.24		.03	.95	25
26	.03	.20					.03	.03	.82	.14	.19		26
27	.02	.26	.84			.03		.62	.50	.20	.10	.62	27
28	.06	1.18	.23					.10	.34	.06	.08	.53	28
29	.08								.17			.48	29
30			.24					.04		.22	.38	.20	30
31			.25					.10		.20			31
Total	8.82	9.53	2.94	1.56	2.77	2.82	5.95	4.94	16.50	8.82	4.54	11.09	YEAR'S TOTAL 80.28
Rain Days.	20.	23.	10.	9.	12.	14.	17.	16.	27.	24.	15.	27	214

W. 8,000. X. 14.

3497

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Fellside, Bowness, Windermere

in the County of Westmorland

by J. D. Lingard

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.95		.23		.22		.14	~~.03~~ .10	.86	.46		.40	1
2	.23		.08		.08		.03	.03	.08	.02	.03	.60	2
3	.51			.05	.24	.10	.08				.02	.50	3
4	.06	.08	.20		.40		.09	.30	.12		.03	.30	4
5				.02	.38				.23	.03		.62	5
6	.02		1.61		.14				.09	.02		.28	6
7	.10		.50	.26		.20			.03		.08		7
8	.30		.13		.04	.02		.06	.04		.33		8
9	1.32		.12	.08		.02					.02	.02	9
10	.26		1.[illegible]0	.24	.14	.04						.73	10
11	.06		.16		.16	.02	.04		.08	.10		.14	11
12			.02	.34	.08	.24	.05			.06	.62		12
13	1.18			.61		.06	.02	.15		.16		.47	13
14	.50			.34				.04				.22	14
15	.74	.45		.42								1.16	15
16	.21	.03				.03					.10	.38	16
17	.06			.07			.02	1.08			1.28	.10	17
18			.65				.36	.14	.30		.36	.62	18
19	.18	57	1.29			1.30		.12	.02		.44	.04	19
20	.63	.33				.03			.04		.14	.72	20
21	.17	.34				.01		.08	.34		.12	.40	21
22						.40		.29	.40	.08	.16	.40	22
23						.20				1.34	.14	.10	23
24	.16			.04	.08			.02	.86	.06	.50	.05	24
25	.56			.60	.02	.01		1.07	.60		.30		25
26	.12		.88	.18		.03		.14	.12			1.04	26
27	.05			.14								.02	27
28				.03				.89	.16			.96	28
29								.21	.63	.02		.11	29
30		X	.13	.03				30		.03	.62	1.06	30
31		X		X		X	1.02		X		X		31
Total	9.37	1.80	7.30	3.45	1.98	2.71	1.85	5.02	5.00	2.38	5.29	11.44	YEAR'S TOTAL 57.59
Rain Days.	22.	6.	14	16.	12.	16.	10.	17.	18.	12.	18.	26	18~~9~~7

W. 8,000, IX. 17.

[illegible] 3386

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Windermere [illegible]
in the County of Westmorland
by [illegible]

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12	.22	.06	1.00		.54	.02	.10	.08		.30	1
2		.02		.07	.10		1.17	.01	.50	.04		1.22	2
3	.20	.20	.44	.10	.33			.30	.46	.82		.34	3
4			.04	.04	.02		.13	1.56	.03	.64	.01		4
5		.04	.46		1.92		.10	.12	.04	.54	.02	.02	5
6	.04		.56	.50	.90					.07	.04		6
7	.84	.20	.08	.30	.01		.24				.06		7
8	.10	.20		.14	.23		.54	.38	.03		.24	.02	8
9	.30	2.06	.10	.48			.10	.02	.07		.12		9
10	1.54	.42	.26	.68			.27						10
11	.34	.12	.04	.02	.50	.09	.02				.18	.02	11
12	.36	.82	.80	.36	.21	.07	.35		.14		.66	.20	12
13	.35	.10	.24	.44	.14	.20	.12				.12	.40	13
14	.20	.56	.10	.16		.60	.70		.80	.30	1.11		14
15	.16	.30	.06	.83						.40	.10		15
16	.22	.03	.44	.16	.12		.66	.02	.60		.14		16
17	.23		.40		.28		.18	.90	.38		.02		17
18	.70	.02		.11	1.16	.16		.02	.13				18
19	.08	.56		.14		.24	.30	.01	.50		.02		19
20	.24			.15		.04	.13					.17	20
21	.06						.10		.02			.27	21
22	.83			.58	.12		.40			.03			22
23	.80		.24	.14			.42	.03				.24	23
24	.16	.02	1.02	.24			.02					.40	24
25		.03	.20	.12		.16	.44		.03			.06	25
26	.23	.12	1.02	.25			.02		.35		.17	.07	26
27	.10		1.00	.10	.31	1.08	.20				.20	.18	27
28	.08	.32	.62	.48	.02	.32	.30				.07	.34	28
29	.84	.60	.08		.45	.06	.64				.54	.96	29
30	.10	✕	.20		.10	.12			.14	.03	.23	.90	30
31	.27	✕	.10	✕	.07	✕	.10		✕		✕	.46	31
TOTAL	9.37	6.86	8.72	6.65	7.99	3.14	8.19	3.39	4.32	2.95	4.05	6.57	YEAR'S TOTAL 72.20
Days with ·01 in. or more	26.	21.	24.	25.	20.	12.	26.	12.	17.	10.	19.	19.	231.
	26	16	24	24	17	12	23	5	13	8	15	16	199

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DUNGEON GHYLL

1911 - 1920

for lossy overflow on Oct 29 cf. monthly

Westmorland 29.IV.12

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

3707

REGI 1911

Kept at Dungeon Ghy

in the County of Westmor

by Cordelia Mars

Snowdon

of top five in.

top above Ground ft. in.

„ „ Sea Level ft.

ion 9 A.M.

Station Name Coniston

Distance 5½ m. Direction S

IMPORTANT NOTE.— m., and the result entered to the previous day. If an Obser ost universal rule, he is earnestly requested to add the reading wing year in the space provided for it at the end of this p easurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	3.03	—	0.47	—	0.06	0.10	0.06	—	1.57	0.65	1
2	0.11	—	0.06	—	0.85	—	0.04	0.21	—	—	0.39	1.61	2
3	—	—	1.49	—	2.36	—	0.02	0.03	—	0.05	2.03	0.78	3
4	—	—	0.02	—	0.06	—	—	1.91	—	—	0.85	1.91	4
5	0.55	—	0.19	—	—	—	—	1.36	—	—	0.40	0.47	5
6	0.42	—	0.18	0.02	—	—	—	0.83	—	—	1.02	1.33	6
7	1.02	—	0.03	—	0.04	—	—	—	—	—	1.60	0.02	7
8	0.34	0.01	0.22	—	—	—	—	—	—	—	0.81	1.61	8
9	0.03	—	0.01	—	—	—	—	—	—	—	0.02	0.82	9
10	2.77	0.31	0.81	—	—	—	—	—	0.07	—	0.01	1.74	10
11	0.31	—	0.05	—	—	—	—	0.01	0.02	—	0.02	0.22	11
12	0.02	0.12	0.16	—	0.03	—	—	—	0.76	—	0.33	0.03	12
13	0.04	1.27	—	—	0.79	—	—	—	—	—	0.59	0.11	13
14	0.16	2.65	0.09	—	0.01	—	—	—	—	—	1.98	0.85	14
15	0.07	1.69	0.13	0.19	—	—	—	—	—	—	1.65	0.45	15
16	0.17	2.44	0.14	0.19	—	0.58	0.06	—	—	—	0.65	0.82	16
17	0.14	0.24	—	0.02	—	1.17	0.12	—	—	—	0.94	0.44	17
18	—	4.19	—	0.58	—	0.28	0.02	—	—	0.01	0.11	1.33	18
19	—	0.19	—	0.90	—	0.11	0.01	—	1.75	0.56	0.06	1.54	19
20	—	0.49	—	1.21	—	0.03	1.23	0.47	0.14	0.59	0.01	0.33	20
21	0.01	3.29	—	0.91	—	1.39	0.06	—	—	0.57	—	0.13	21
22	0.06	1.21	—	0.45	0.03	0.38	—	—	—	0.04	—	0.01	22
23	0.72	0.67	—	0.34	1.67	0.08	—	—	0.54	0.63	—	0.90	23
24	1.52	0.26	—	1.21	0.19	1.55	—	0.26	0.06	0.50	—	1.12	24
25	0.85	1.10	—	1.48	—	0.20	0.10	0.07	0.40	0.28	—	0.55	25
26	0.02	0.08	—	0.25	—	0.02	0.01	1.15	0.03	0.35	0.07	0.16	26
27	0.17	2.04	—	0.54	0.01	0.13	0.09	0.39	0.81	—	0.33	0.28	27
28	—	0.52	—	0.60	—	0.70	0.02	0.07	0.64	—	0.05	0.73	28
29	—	X	—	0.18	—	1.20	0.02	—	0.85	4.85	0.02	0.73	29
30	—	X	—	—	—	0.04	0.05	0.06	0.02	1.61	0.16	0.01	30
31	—	X	—	X	0.02	X	0.06	0.77	X	0.20	X	0.07	31
Total	9.50	22.77	6.61	9.07	6.53	7.86	1.97	7.69	6.15	10.24	15.67	21.75	TOTAL for year 125.81
No. of Rain Days	21	19	15	16	13	15	16	15	14	13	25	31	213

9,000, IX. '10.

Westmorland 29.IV.12

for loss by overflow on Oct 29 cf. monthly

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

3707

REGISTER OF RAINFALL IN 1911

Kept at Dungeon Ghyll
in the County of Westmorland 2
by Cordelia Marshall

Rain Gauge
Pattern Snowdon
Diameter of top five in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Coniston
Distance 5½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	3.03	—	0.47	—	0.06	0.10	0.06	—	1.57	0.65	1
2	0.11	—	0.06	—	0.85	—	0.04	0.21	—	—	0.39	1.61	2
3	—	—	1.49	—	2.36	—	0.02	0.03	—	0.05	2.03	0.78	3
4	—	—	0.02	—	0.06	—	—	1.91	—	—	0.85	1.91	4
5	0.55	—	0.19	—	—	—	—	1.36	—	—	0.40	0.47	5
6	0.42	—	0.18	0.02	—	—	—	0.83	—	—	1.02	1.33	6
7	1.02	—	0.03	—	0.04	—	—	—	—	—	1.60	0.02	7
8	0.34	0.01	0.22	—	—	—	—	—	—	—	0.81	1.61	8
9	0.03	—	0.01	—	—	—	—	—	—	—	0.02	0.82	9
10	2.77	0.31	0.81	—	—	—	—	—	0.07	—	0.01	1.74	10
11	0.31	—	0.05	—	—	—	—	0.01	0.02	—	0.02	0.22	11
12	0.02	0.12	0.16	—	0.03	—	—	—	0.76	—	0.33	0.03	12
13	0.04	1.27	—	—	0.79	—	—	—	—	—	0.59	0.11	13
14	0.16	2.65	0.09	—	0.01	—	—	—	—	—	1.98	0.85	14
15	0.07	1.69	0.13	0.19	—	—	—	—	—	—	1.65	0.45	15
16	0.17	2.44	0.14	0.19	—	0.58	0.06	—	—	—	0.65	0.82	16
17	0.14	0.24	—	0.02	—	1.17	0.12	—	—	—	0.94	0.44	17
18	—	4.19	—	0.58	—	0.28	0.02	—	—	0.01	0.11	1.33	18
19	—	0.19	—	0.90	—	0.11	0.01	—	1.75	0.56	0.06	1.54	19
20	—	0.49	—	1.21	—	0.03	1.23	0.47	0.14	0.59	0.01	0.33	20
21	0.01	3.29	—	0.91	—	1.39	0.06	—	—	0.57	—	0.13	21
22	0.06	1.21	—	0.45	0.03	0.38	—	—	—	0.04	—	0.01	22
23	0.72	0.67	—	0.34	1.67	0.08	—	—	0.54	0.63	—	0.90	23
24	1.52	0.26	—	1.21	0.19	1.55	—	0.26	0.06	0.50	—	1.12	24
25	0.85	1.10	—	1.48	—	0.20	0.10	0.07	0.40	0.28	—	0.55	25
26	0.02	0.08	—	0.25	—	0.02	0.01	1.15	0.03	0.35	0.07	0.16	26
27	0.17	2.04	—	0.54	0.01	0.13	0.09	0.39	0.81	—	0.33	0.28	27
28	—	0.52	—	0.60	—	0.70	0.02	0.07	0.64	—	0.05	0.73	28
29	—	X	—	0.18	—	1.20	0.02	—	0.85	4.85	0.02	0.73	29
30	—	X	—	—	—	0.04	0.05	0.06	0.02	1.61	0.16	0.01	30
31	—	X	—	X	0.02	X	0.06	0.77	X	0.20	X	0.07	31
Total	9.50	22.77	6.61	9.07	6.53	7.86	1.97	7.69	6.15	10.24	15.67	21.75	TOTAL for year 125.81
No. of Rain Days	~~21~~	19	~~15~~	~~16~~	~~13~~	~~15~~	~~16~~	~~15~~	~~14~~	13	~~25~~	~~31~~	213

459

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

3707

REGISTER OF RAINFALL IN 1912

Kept at Dungeon Ghyll
in the County of Westmorland 2
by Miss C. Marshall

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		1.43	.01	.91	.41	.33	.17	.08		.01	.39	1
2	.28	.04	1.53	.03	.92	.14	.15		.10			.03	2
3	.53		.05	.01	.01	.63		.58	2.52		.02	.89	3
4	.44		1.07	.68	.04	.18		1.12	1.14		2.47	.22	4
5	.40		.14	.23	.26	.04		.66	.31	.76		.04	5
6	.24	.44	.09	.03	.55	.03		.15				.03	6
7		1.48	.22	.20	.19	.03	.70	.19	.44		.85	.22	7
8	1.51	.69	.42	.19	.07			.06	.05		.42	.46	8
9	.43	.39	.30	.63	.01	.08	.01	.39			.73	.84	9
10	.45	.03	.01	.02	.11	.33	.77	.23			1.54	.72	10
11	.12		.04		.21	.01	.42	.23				.83	11
12	.58	.01	2.49			.51	.04	.01				1.65	12
13	.56		.25			.02		.01		1.30		3.81	13
14	.65		.37			.56		.03		.09	.05	.87	14
15	.71	.19	.02		.05	.49		.02		1.15		.55	15
16	3.12	.04	.95		.09	.07		.18		1.71	.07	.22	16
17	.07	.16	.25		.32	1.24		.70				.66	17
18	.06	.17	.05		.02	.91		.20		.92	.11	.88	18
19	.04	.07	.99			.20		.49		.30	.39	.48	19
20	.22		.19		1.02	.16	.02	.55		.98	.05	.33	20
21		.22	.92		.01	.28		.21		.22		.27	21
22	.01	1.38	.01		.09	.03		.72			.69	.05	22
23		.04	.12			.37	.35	.48			1.20	.24	23
24		.26	.73			.40	.99	.11		.12	.58	.46	24
25		.01	.80	.01		.97	.13	.31			1.40	.29	25
26		.41	.61			.06	.01	.01		2.05	.40	.50	26
27		.70	1.03			1.67	.92			.22	.12	1.05	27
28	.01	.44	.12			.38	1.49	1.58		1.17	.49	.05	28
29		.15	.75			.01	1.30	1.11	.44	.64		.61	29
30	.06	X	1.21	.08		.03	.20		.09	.22	.01	2.26	30
31		X	.17	X	.02	X	1.03	.72	X	.02	X	.40	31
Total	10.50	7.32	17.33	2.12	4.90	10.24	8.86	11.22	5.17	11.87	11.60	20.30	TOTAL for year 121.43
No. of Rain Days.	~~22~~	~~21~~	~~31~~	~~12~~	~~19~~	~~29~~	~~17~~	~~28~~	~~9~~	~~16~~	~~20~~	~~31~~	~~25~~

W. 8,000, X. '11.

82

471

FORM A.
BRITISH RAINFALL.
31 JAN 1914
3787

REGISTER OF RAINFALL IN 1913

Kept at Dungeon Ghyll [illegible]
in the County of Westmorland 2
by Miss C Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·21	·45	·01							·15	·08	1
2	·50	1·03	1·38	·21		·66					1·65	1·60	2
3	·84	2·86	·21		·42					·05	·19	1·88	3
4	·37	·25	·19			·11		·01			·40	·72	4
5	·41	·83	·05		·11	·05	·12				·14		5
6	·71	1·22	·85		·93	·97	·57				·02	·02	6
7	·76	2·25	·09		·29	·39	·05			·40	·01	·31	7
8	·02	·65	·48		·20	·58	·04	·36	·02	·01	·10	·40	8
9		·70	1·50	·20	·28	3·68	·02				·25	·30	9
10	·30	·37	1·89	·21	·01	·36				·35	·85	·04	10
11	1·64	·01	·01	·60		·13	·13	·02	·01	·14	·27	·77	11
12			·23	·06		·01	·02	·02	·73		·53	·26	12
13			1·62	·04	·07		·19		·68	·35	·81	·03	13
14	·30	·01	·24	·12	·01			·03	·10	1·57	·33	·05	14
15	·16		·74	1·90				·07			·98	·35	15
16	·01		·19	·22			·11				·21	·08	16
17	·13		·03	·53	·19	·11	·25				·61		17
18	·23		1·33	1·12	·05	·10	·02			·01	·39		18
19	·40		·12	·36	·47	·15				·43	1·65		19
20	·07		·13	·23	·50	·12		·19	·31	·20	1·54		20
21			·31		·33		·12	3·19		·33	·02		21
22	·95		·80		·42	·02		·49	·67				22
23	1·51		·43		·07	·85		1·15	1·41		·18	·17	23
24	1·23	·06		·26		·90		·03	·01		·32	·33	24
25		·07		·22					·69	·05	·44	2·75	25
26		·40		1·69		·06			·41	·18	·03	1·35	26
27		·02		·57	·03	·01			·01	·54	·02	·70	27
28	1·11		·70	·35	·21	·04				·31	·05	·05	28
29	·01	X	·24	1·05	·01			·15		1·08	·14	·02	29
30	2·18	X	·01	·01	·08			·02		·23	·12	·01	30
31	·19	X		X	·01	X			X	·24	X		31
Total	14·04	10·94	14·22	9·96	4·69	9·30	1·64	5·73	5·00	6·47	12·40	12·27	YEAR'S TOTAL 106·71
Rain Days.	~~24~~	~~16~~	~~26~~	~~21~~	~~21~~	~~20~~	~~12~~	~~13~~	~~12~~	~~18~~	~~29~~	~~23~~	~~235~~

W. 7,500, XI. 12

DL

2c lug.

452
3707

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Dungeon Ghyll

in the County of Westmorland 2

by Miss C. Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·73	·39	·02			·83	·01		·06		·80	1
2	·02	1·16	·19	·08	·01		·65	·36		·24	·52	·63	2
3	·54	·48	·24		1·12			·17		·02	·01	2·01	3
4	1·66	·02	·68	1·30	·60	·05	·03					2·50	4
5	·31	·01	1·40	·72	·57	·04	·27	·02			·49	·60	5
6		·09	·10	·22	·21	·26		·33			·27	·96	6
7	·18	·28	·31	·21	·44	·07	—	·29		·06	·56		7
8	1·29	·15	·10	·18	1·27	·27	·01	3·55	·36		1·68	·33	8
9	·47	·48	·01	·57	·01	·32		·01	·03		·46		9
10	·01	1·19	·07	·02	·11	·01			·35		·94		10
11		·37	·95	·02	·18	·03	·90	·04	·26		1·32	·20	11
12		1·37	·18	·06	·12		·04		·62		2·10	·04	12
13		·59	1·12	·53	·01		·13		·83	·06	1·05	·26	13
14		·78	·92				·07		·67		·63	·53	14
15		·09	1·22				·13		·35		·38	·01	15
16	·01	·10	·05				·53		1·51		—	·10	16
17	·02	1·30	·82			·07	·21		·35			3·30	17
18		1·49	1·40				·06		·05		·02	·17	18
19		·11	·24				·09		·15		·02	·05	19
20		1·67	·25		·20	·39						·11	20
21		·61	·02		·24			·02					21
22		1·18	·01	·16	·12	·19	·05	·55		·20			22
23	·01	·18	·13	·33	·13	·14	·10	·16					23
24	2·12	·01	·28	·18	·10	·04	·72	·12			·39		24
25	·50		·01		·06		·12	·70		1·43	1·60	2·02	25
26	·20	·37	·03		·01		·08	·01		·45	1·13	·55	26
27	·11	·18							·25	·42	1·31	·37	27
28	·48	·68	1·05		·02	·01		·09	·09	·24	1·72		28
29	1·45	X	·61		·02			·42		·02	2·82	·10	29
30	·61	X	·88	·02	—						·37	1·12	30
31	1·12	X	·09	X	·01	X	1·05		X	·17	X	·05	31
Total	11·11	15·67	13·75	4·62	5·56	1·89	6·07	6·85	5·87	3·37	19·79	16·81	YEAR'S TOTAL 111·36
Rain Days.	~~19~~	~~27~~	~~30~~	~~16~~	~~22~~	~~14~~	~~20~~	~~17~~	~~14~~	~~12~~	~~22~~	~~23~~	~~236~~

W.7,000, XI. 13

~~435~~

FORM A.
BRITISH RAINFALL.

370

REGISTER OF RAINFALL IN 1915

Kept at Dungeon Ghyll
in the County of Westmorland
by Miss E. Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·50	1·30	·08		·10		·25	·39	·06			·01	1
2	·22	1·64	·68	1·28		·32	·67	·51					2
3	·03	1·31	1·44	·61			·55	·08				·37	3
4	·08	·31	·63	·18	·10	·48			·01			·14	4
5	·45	1·40	1·06	·02	·07			·12				2·50	5
6	·32	·46	·01	·99		·60	1·60	·02	·17		·02	·65	6
7	·72	2·10		·63		·01	·86	·16			·02	·54	7
8	·31	1·02		·31				·02			2·20		8
9		·40		·04			·02	·32			1·09	1·28	9
10	1·91	·04	·06	·14			·04	·06		·08		1·26	10
11	·23	·02		·01	·85		·06	·02		·01	·03	·88	11
12	·49	·01		·11			·07			·51	·73	·01	12
13	·57	·01						·30	·09	·27		·30	13
14	1·19	·01		·02			·28	·06	·07			·38	14
15	2·32			·20			·05	·80	·06		·22	·92	15
16		2·90		·04	·03		·48	·18	·22		—	·04	16
17		·80	·04										17
18	·01	·81	·30	·05	·44		·59			·01			18
19	·24	·34	·14	3·05	·15		·55				·02		19
20	1·27	·03	·17	·02			1·50	·01				·57	20
21	·25	·14		·20			1·11					·07	21
22		·01	·21	·01		·17	·27			·06		1·22	22
23		·01	·29			·03	·07		·23	1·24		1·00	23
24		·02	·13				·11		·39	·15		1·26	24
25							·14		·38			·14	25
26		2·22				·01	·60					·87	26
27		·70				·50	·22			1·40	·06	·92	27
28		·80			·07	·87		·37				·02	28
29					·10	·46		·01	·07		1·04	·30	29
30	·57			·25		·67					·08	·28	30
31	·55		·01				·02	·80		·01		2·35	31
Total	13·23	18·81	5·25	8·16	1·91	4·12	10·11	4·23	1·75	3·74	5·51	18·28	YEAR'S TOTAL 95·10
Rain Days.	20	26	15	20	9	11	23	18	11	10	11	26	200

W. 8,000. X. 14.

81

3863 ~~303~~

FORM A.
BRITISH RAINFALL.

30 JAN

3707

REGISTER OF RAINFALL IN 1916

Kept at Dungeon Ghyll

in the County of Westmorland

by C. Marshall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2·15	·47	·01			·91	1·84	·06			·98		1
2	·39	·22	·01		·02	·31	·01		·45	·37	·20	·03	2
3	·22	1·52		·08	·04	·58	·21		1·55	·31	1·84	·01	3
4	·42	·12		·01	·12	1·01			·06	3·18	·58		4
5	·34	1·80	·01		·14	·31	·02			2·12	·94		5
6	2·24	·43	·01		·62	·26	·58			1·10	·98	·07	6
7	·09	·12			·78	·09	·48			1·29	·33	·26	7
8	·02	·19	·04	·05	·02	·10	·26			·28	1·41	·10	8
9	·08				·22	·18	·15			·19	·74	·23	9
10	·39	·36	·01	·59	·03	·01	·68			2·45	·67		10
11	·16	·21	·02	1·39	·02	·01	·52		·29	·43	·05	·03	11
12	1·04	1·68	·01	·53	·38	·02	·70	·75	·05	·85	·01		12
13		·48	·18	·16	·02			·42		1·88	·01	·03	13
14	·39	·66		·10	·91			·49	·12	1·05	·04		14
15	·32	1·49	·28	·14			·03	·36		·12		·20	15
16	·04	·58	·24	1·24	·02		·01	·03	·18	·04			16
17	·54	·29		1·90	·01		·14	·01	2·24	·44		·02	17
18	·32	1·14		·99			·02	·43	1·00	·32	·18	·47	18
19	1·35		·22	·09		·01		·03	·02		·06	·50	19
20	3·63		·01	·08				·02			·32	1·50	20
21	1·71			·03	·04		·24		·01		·06		21
22	·02			·31		·33			·04	·07	·20	·11	22
23	·37		·23	·45		·20		·02	·01	1·42	·99	·34	23
24	·38		·13	·56		·68		·57		·33	·63	·10	24
25	·11	·02	·59	·09	·28	·19		·56		·44	1·25	·22	25
26	1·36	·01	·40							·09	·02		26
27	·01	·02	·02		·11			·03	·13	·16	·26	·73	27
28	1·42									·97	·49	5·10	28
29	·52	·29	·15		·06		·02			·66	1·63	·70	29
30	·20	X	·12			·22	·09	·08		2·59	1·22	1·40	30
31		X		X	3·07	X		·75	X	·74	X	·30	31
Total	20·23	12·10	2·69	8·79	6·91	5·42	6·00	4·61	6·15	23·89	16·09	12·45	YEAR'S TOTAL 125·33
Rain Days.	29	21	20	19	20	18	18	16	14	27	27	22	251

W. 8,000. X. 15.

8L Exc 8L ~~3701~~ ~~377~~ 3707

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Dungeon Ghyll
in the County of Westmo~~r~~rland
by E. Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	–	·01			·06			1·35		·18	·57	1
2	1·98	·18		·07		·05			·20	·03			2
3	1·40	·03		·22		1·58			·14	1·30	·08		3
4			·19	·04						·15	·53	·23	4
5	·33		·37	·32					·03	·14	2·25	·30	5
6	·14		·01			·34				·66	1·15	1·58	6
7	1·19			·03		·17				·80	·04	·30	7
8	·56			·50		·02		·64		1·38	·79	·32	8
9	·02		·01	·28	·02			·23		·35	·89		9
10	·58		1·15	·36	·32			·51	·03	·12			10
11	·07	·05		·07	·22			·55	·05	1·23	·05		11
12			·14	·02	·52			·01	·07	·08		·10	12
13	·05			·92	·04	·11	·12		2·73	·03	·10	·72	13
14	·03			·37	·04		·03	1·03		·01		·33	14
15			·02	·31			·12	·21	1·30	·83		1·08	15
16	·02	·06	·16	·40				2·03	·31	·27		·08	16
17	·01	·23	·54	·50	·05		·18	2·01	·29	·82	·01		17
18			1·38		·30		1·72	·47	1·38			·65	18
19		·42	·62		·53			·08	·02		·52	1·15	19
·20		·59			·25	1·24		·39	1·13	·34	·80	·58	20
21		·03	·03		·27	·02		·23	1·42	·48	·01		21
22		·07						·19	·82	2·25	·03	·03	22
23		·15			·91	1·58	·07	2·17	·07	·42	·45	·08	23
24		·01				·01	·18	1·03	·12	2·10		·05	24
25		·23	·40				·01	1·50	1·40	·85	·03		25
26			·01			·08	·41	2·27	·85	·35	3·06		26
27		·02	·11	·07	·14		·69	·58		·29	·45		27
28		·02	1·05	·04				·25	·07	·02	·97		28
29			·16				·03	·25		1·28	1·24		29
30										·47	·72		30
31			·46		1·55		·01	·87		·01		·01	31
Total	6·72	2·09	6·82	4·52	5·16	5·26	3·57	17·50	13·78	17·06	14·35	8·16	YEAR'S TOTAL 104·99
Rain Days.	~~14~~	~~14~~	~~19~~	~~17~~	~~14~~	~~12~~	~~12~~	~~22~~	~~21~~	~~28~~	~~22~~	~~18~~	~~213~~

W. 8,000, VIII. 16

Bl

REGISTER OF RAINFALL IN 1918

33

BRITISH RAINFALL
FORM
3707
22.1.19

Kept at Dungeon Ghyll
in the County of Westmorland
by A Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31		·13	·04				1·24	·25	1·23	1·40	1
2		·13		·11					·30	3·20	·38	2·43	2
3	·04	·48			·49					3·58	·08	·14	3
4		·41			·13			·10	·03	1·64	1·77	·40	4
5	·04	·35		·58	·35			1·35		1·25	·08	·21	5
6		1·41		·83		·84				1·56		·07	6
7	·20	·51		·07	·02	·04	·48	·12	·77	·10	·84	·63	7
8	·89	·06	·15			·51	·30	·27	·75	·57	·89	·06	8
9	·51	·75	·07	·01			·08		·80	1·22	·38	·07	9
10	·12	2·42	·62	·07			·21		·55	1·25	2·14	·06	10
11	1·10	·37	·24		·18		·27	·05	·66	·01		1·31	11
12	·12	1·31		·06	·07	·11	·03		·40			·30	12
13	~~4~~			·07	·02	·12			·39	·64		·04	13
14	·96				·04	·66	·77	·28	·70	·35		·13	14
15		·10				·22	·83		3·60	·10		·43	15
16	·06	·22				·12	·18	·70	1·50	·06		·53	16
17	·70					·24	·90	·72	·33	·25		1·26	17
18	1·92	·01	·48			·03	·48	·15	·12			·60	18
19	·91	·29	·09	·21			·12	·58	·90	·08		·94	19
20	2·70	·34		·17	·12	·24	·40	·25	·78			·02	20
21	·82	4·47				·46	·06	·01	2·25	·02		·06	21
22	·42	·74			·57	·32	·60	·11	·99	·01		3·60	22
23	·79	·05			·05		·39		·22		·08	·19	23
24	1·10	·52				·01	·04	·80	1·01	·05	·16	·03	24
25	·28	·25			·38		·41	1·41	·94		·01		25
26	·06	1·05					·05	·07	·62	·30	·18	1·40	26
27	·12	·97	1·31			·05		·59	·96	·18	·12	1·93	27
28	·02	·25	·44					·01	·81	·45	·07	·84	28
29	·20	✕	·01					·11	·26	·02		·99	29
30		✕	·40					·12	·01	·27	·82	·20	30
31		✕	·30	✕		✕		·38	✕	·24	✕	·14	31
Total	14·08	17·77	4·11	2·31	2·46	3·97	6·60	8·18	21·89	17·65	9·23	20·44	YEAR'S TOTAL 128·66
Rain Days.	23	25	11	11	13	15	19	21	27	26	16	30	237

W. 8,000, IX. 17.

8L

3707

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Dungeon Ghyll
in the County of Westmorland
by E. Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2·63		·40		·36		·08	·09	2·62	·41		·77	1
2	·30		·45	·04	·17		·25		·05	·09		1·17	2
3	·33	·03		·03	·62	·14	·06					·57	3
4	·21	·04	·18		·27	·07	·04	·20	·26		·03	1·01	4
5	·07	·03		·01	·69				·19	·01		1·49	5
6	·06		·92	·03	·07				·08	·03		·61	6
7	·04		·41	·56	·05	·14					·24		7
8	·41		·27	·02	·04	·07		·01	·01		·03		8
9	3·19		·48	·11		·03					·03	·09	9
10	·54		2·60	·38	·16	·07					·01	2·70	10
11	·12		·23	·08	·05		·03		·32	·03	·01	·38	11
12			·05	·02	·03	·34	·12		·03	·10	·50	·03	12
13	1·11	·03	·01	·94		·01	·12	·30		·35		1·16	13
14	·45	·02		·59						·01	·03	·97	14
15	·67	·24		1·15				·01				1·03	15
16	·49			·08		·25					·39	·47	16
17	·11			·03			·03	1·33			3·03	·11	17
18			1·18			·20	·46	·17	·60		1·30	1·24	18
19	·19	·75	1·90	·01		1·61			·25		·48	·07	19
20	1·00	·23	·06			·23		·05	·28		·22	1·57	20
21	·05	·57	·01			·04	·02	·53	·55		·17	·87	21
22		·05				·96		·54	·95	·23	·19	·47	22
23	·01			·07		·34		·01		1·46	·74	·21	23
24	·46				·06			·04	2·09	·03	·64	·12	24
25	1·20	·03		1·04				1·90	1·40		·45		25
26	·26		2·55	·22		·02		·40	·30		·03	·81	26
27			·02	·16		·03		·01				·01	27
28				·09				1·19	·26	·02		1·74	28
29		×		·04				·50	1·62	·02		·10	29
30	·01	×	·26	·13		·20		·07	·02	·04	1·21	1·26	30
31		×	·13	×		×	1·17		×		×	·20	31
Total	13·91	2·02	12·11	5·83	2·57	4·75	2·38	7·35	11·88	2·83	9·73	21·23	YEAR'S TOTAL 96·59
Rain Days	~~24~~	~~11~~	~~19~~	~~23~~	~~12~~	~~18~~	~~11~~	~~18~~	~~19~~	~~14~~	~~20~~	~~28~~	~~[illegible]~~
Days with ·01 in.	22	6	16	16	11	14	8	14	16	7	13	26	169

W, 6,500, VII. 18. W W C

490 3400

3707

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dungeon Ghyll
in the County of Westmorland
by Miss C. Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·57	·23	·25	1·85		·77	·17	·09	·25		·63	1
2	·25	·10		·10			·18	·09	·36	·06		1·32	2
3		·33	·48	·01	·17		·01	·52	·35	1·89		·93	3
4			·04	·04	·30		·04	1·95	·01	1·13	·01		4
5		·03	·88		4·13		·03	·28	·06	1·05	·05	·01	5
6	·06		·68	·91	1·29					·06	·12		6
7	2·16	·22	·07	·12	·02		·61		·07		·21		7
8	·14	1·28		·14	·67			·58	·01		·21		8
9	·80	6·81	·01	·51			·28	·01	·39		·47		9
10	1·73	1·37	·75	·52			·40						10
11	1·02	·18	·38	·02	·55	·16	·04		·01		·21	·01	11
12	·76	1·70	1·73	·37	·35	·05	1·30		·16		1·50	·15	12
13	·74	·24	·75	1·00	·18	·32	·03				·36	·19	13
14	·20	·74	·20	·99		·68	1·00		1·41	·20	1·75		14
15	·24	·62	·14	·95			·05	·01	·02	·80	·05		15
16	·63		·58	·03	·19		·91	·18	1·13	·01	·75		16
17	·60		·89		·60	·04	·03	1·58	1·03				17
18	1·60	·25	·01	·06	3·51	·18	·19		·04				18
19	·08	·60		·60	·29	·15	·32	·06	·01		·03	·01	19
20	·35			·02		·04	·36		·18			1·31	20
21	·04			·25	·02		·05	·02		·02		·69	21
22	1·04			·77	·08	·14	1·27			·01			22
23	2·20		·45	·27			·13	·04				·40	23
24	·50	·04	1·06	·45		·18	·07	·01				·80	24
25	·53	·07	·71	·30		·17	·42		·02			·17	25
26	·43	·37	2·03	·66	·20		·01		·49		·27	·30	26
27	·28	·65	2·43	·06	·22	·96	·49				·37	·18	27
28	·15	·01	·82	·19	·01	·59	·13				·01	·53	28
29	·79	·42	·15		·06	·05	·80				·52	1·15	29
30	1·20	✕	·42	·09	·14	·35			·14	·05	·72	2·02	30
31	·21	✕	·52	✕	·10	✕	·12	·03	✕	·02	✕	·25	31
Total	18·87	16·60	16·41	9·68	14·93	4·06	10·04	5·53	5·97	5·55	7·61	11·05	Year's Total 126·30
Days with ·01 in. or more	~~28~~	~~21~~	~~26~~	~~27~~	~~22~~	~~15~~	~~28~~	~~15~~	~~20~~	~~13~~	~~18~~	~~19~~	~~251~~
	28	19	23	23	19	15	23	10	14	9	15	16	214

(4) Wt. 58 21 7500. 10 Gp.13 A.&E.W.

GRASMERE
MICHAELS FOLD
WESTMORLAND
1915

RE … 5 –

FORM A.
BRITISH RAINFALL.

4 - FEB 1916

Kept at Michael … 3°. 1' W

… a.m.

in the County of W … Windermere

… n Gauge 5 in.

by Miss Smit … ove Ground ft. 6½ in.

Sea Level ft.

IMPORTANT … d the result entered to the previous day. If an Observer pr… iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January o… ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.93	1.56	1 .	· ·	.11	· ·	.17	.41	.03	· ·	· ·	· ·	1
2	.02	1.19	×	.83	· ·	.20	.46	.84	· ·	.02	· ·	· ·	2
3	.12	.79	× 1.22	.35	· ·	· ·	.40	.57	· ·	· ·	· ·	.33	3
4	.03	.36	+	.13	.12	.39	· ·	· ·	· ·	· ·	· ·	.47	4
5	.50	1.30	× 76	.01	.09	· ·	· ·	.01	· ·	· ·	· ·	1.89	5
6	.39	.18	. 5	.61	· ·	.25	1.53	.12	· ·	· ·	.03	.61	6
7	.54	1.18	· ·	.51	· ·	· ·	1.04	.33	· ·	· ·	.02	.34	7
8	.51	.88	· ·	.12	· ·	· ·	· ·	.02	· ·	· ·	1.71	· ·	8
9	.02	.36	. 4	.03	· ·	· ·	· ·	.09	· ·	· ·	.63	.88	9
10	1.17	. 3	. 6	.09	· ·	· ·	· ·	.06	· ·	.08	· ·	1.06	10
11	.21	. 1	· ·	.06	.70	· ·	.07	· ·	· ·	.01	.14	.59	11
12	.44	· ·	· ·	.10	.01	· ·	.04	.04	· ·	.35	1.29	· ·	12
13	.15	. 5	· ·	· ·	· ·	· ·	· ·	.15	.07	.10	· ·	.27	13
14	1.07	· ·	· ·	.03	· ·	· ·	.10	.11	.08	· ·	· ·	.47	14
15	1.11	· ·	· ·	.09	· ·	· ·	· ·	.43	.04	· ·	· ·	.71	15
16	· ·	2.87	· ·	.02	.62	· ·	.16	.29	.11	· ·	· ·	.06	16
17	· ·	.65	.11	· ·	· ·	· ·	.14	· ·	· ·	· ·	· ·	· ·	17
18	.01	.71	· ·	· ·	· ·	· ·	.33	· ·	· ·	· ·	· ·	· ·	18
19	.14	.24	.23	2.02	.48	· ·	.61	· ·	· ·	· ·	· ·	· ·	19
20	.74	. 1	.30	.04	.18	· ·	.73	.02	· ·	· ·	· ·	.46	20
21	.21	.11	.09	.15	· ·	· ·	.58	· ·	· ·	· ·	· ·	.68	21
22	· ·	· ·	.19	· ·	· ·	.09	.26	· ·	· ·	.03	· ·	1.04	22
23	· ·	. 5	.17	· ·	· ·	.04	.02	· ·	.26	.65	· ·	.67	23
24	· ·	· ·	.12	· ·	· ·	· ·	.13	· ·	.65	.27	· ·	.85	24
25	· ·	· ·	· ·	· ·	· ·	· ·	.10	· ·	.17	· ·	· ·	.84	25
26	· ·	2.78	· ·	· ·	· ·	.02	.30	· ·	.03	· ·	· ·	.84	26
27	· ·	.45	· ·	· ·	· ·	.31	.22	· ·	· ·	.84	· ·	.70	27
28	· ·	.62	· ·	· ·	.06	.11	.04	.30	· ·	.26	· ·	· ·	28
29	· ·		· ·	· ·	.26	· ·	· ·	· ·	.04	· ·	1.22	.09	29
30	· ·	╳	· ·	.16	· ·	.50	· ·	· ·	· ·	· ·	.11	.48	30
31	.89	╳	· ·	╳	· ·	╳	03	.70	╳	· ·	╳	2.33	31
Total	9.20	16.38	4.34	5.35	2.03	1.91	7.46	4.49	1.48	2.52	5.15	16.06	YEAR'S TOTAL 76.37
Rain Days.	20	22	15	18	10	9	22	17	10	10	8	23	184

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

4-FEB 1916

R

Kept at Michae

in the County of Westmorland

by Miss Emily F. Paley

°1' W

a.m.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.93	1.56	1 .	. .	.11	. .	.17	.41	.03	. .	. .	. .	1
2	.02	1.19	x	.83	. .	.20	.46	.84	. .	.62	. .	. .	2
3	.12	.79	x 1.22	.35	. .	. .	.40	.57	. .	. .	. .	.33	3
4	.03	.36	x	.13	.12	.39	. .	. .	. .	. .	. .	.47	4
5	.50	1.30	x 76	.01	.09	. .	. .	.01	. .	. .	. .	1.89	5
6	.39	.18	.5	.61	. .	.25	1.53	.12	. .	. .	.03	.61	6
7	.54	1.18	. .	.51	. .	. .	1.04	.33	. .	. .	.02	.34	7
8	.51	.88	. .	.12	. .	. .	. .	.02	. .	. .	1.71	. .	8
9	.02	.36	.4	.03	. .	. .	. .	.09	. .	. .	.63	.88	9
10	1.17	.3	.6	.09	. .	. .	. .	.06	. .	.08	. .	1.06	10
11	.21	.1	. .	.06	.70	. .	.07	. .	. .	.01	.14	.59	11
12	.44	. .	. .	.10	.01	. .	.04	.04	. .	.35	1.29	. .	12
13	.15	.5	. .	. .	. .	. .	. .	.15	.07	.10	. .	.27	13
14	1.07	. .	. .	.03	. .	. .	.10	.11	.08	. .	. .	.47	14
15	1.11	. .	. .	.09	. .	. .	. .	.43	.04	. .	. .	.71	15
16	. .	2.87	. .	.02	.62	. .	.16	.29	.11	. .	. .	.06	16
17	. .	.65	.11	. .	. .	. .	.14	. .	. .	. .	. .	. .	17
18	.01	.71	. .	. .	. .	. .	.33	. .	. .	. .	. .	. .	18
19	.14	.24	.23	2.02	.48	. .	.61	. .	. .	. .	. .	. .	19
20	.74	.1	.30	.04	.18	. .	.73	.02	. .	. .	. .	.46	20
21	.21	.11	.09	.15	. .	. .	.58	. .	. .	. .	. .	.08	21
22	. .	. .	.19	. .	. .	.09	.26	. .	. .	.03	. .	1.04	22
23	. .	.5	.17	. .	. .	.04	.02	. .	.26	.61	. .	.67	23
24	. .	. .	.12	. .	. .	. .	.13	. .	.65	.27	. .	.85	24
25	. .	. .	. .	. .	. .	. .	.10	. .	.17	. .	. .	.84	25
26	. .	2.78	. .	. .	. .	.02	.30	. .	.03	. .	. .	.84	26
27	. .	.45	. .	. .	. .	.31	.22	. .	. .	.84	. .	.70	27
28	. .	.62	. .	. .	.06	.11	.04	.30	. .	.26	. .	. .	28
29	. .		. .	. .	.26	. .	. .	. .	.04	. .	1.22	.09	29
30	. .	X	. .	.16	. .	.50	. .	. .	. .	. .	.11	.48	30
31	.89	X	. .	X	. .	X	.03	.70	X	. .	X	2.33	31
Total	9.20	16.38	4.34	5.35	2.03	1.91	7.46	4.49	1.48	2.52	5.15	16.06	YEAR'S TOTAL 76.37
Rain Days.	20	22	15	18	10	9	22	17	10	10	8	23	184

W. 8,000. X. 15.

GRASMERE

THE WRAY.

1911 – 1920

REGI 1911

FORM A2. BRITISH RAINFALL. 4 - JAN 1912

owdon

Kept at The Wray -

of top 5 in.

top above Ground 1 ft. - in.

in the County of Westmor

„ „ Sea Level 221 ft.

n 9. A.m.

by Gertrude M. Sim

tation { Name Windermere
Distance 7¼ m. Direction S by E

IMPORTANT NOTE.— ., and the result entered to the previous day. If an Observe t universal rule, he is earnestly requested to add the reading ying year in the space provided for it at the end of this pa easurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	1·68	–	·38	–	·06	·19	·07	–	1·26	·62	1
2	·10	–	·05	–	1·05	–	·06	·36	–	·06	·41	1·43	2
3	–	–	·72	–	2·18	–	·03	·03	–	–	2·13	·57	3
4	–	–	·01	–	·06	–	·01	2·55	–	–	1·45	·74	4
5	·91	–	·15	–	–	–	–	1·29	–	–	·36	·30	5
6	·30	–	·06	·02	–	–	–	·65	–	–	·74	·92	6
7	·82	–	·03	–	·04	–	–	–	–	–	1·35	·02	7
8	·26	·01	·23	–	–	–	–	–	–	–	·74	1·42	8
9	·05	–	·01	·01	–	–	–	–	–	–	·02	1·01	9
10	1·91	·29	·76	–	–	–	–	–	·17	–	·01	1·90	10
11	·17	–	·03	–	–	–	–	–	·35	–	·05	·33	11
12	–	·07	·07	–	·01	–	–	–	·76	–	·30	·10	12
13	·05	·49	–	–	·66	–	–	–	–	–	·72	·09	13
14	·12	1·04	·07	–	·01	–	–	–	–	–	1·46	·64	14
15	·03	1·36	·09	·10	–	–	–	–	–	–	1·31	·31	15
16	·17	1·73	·11	·18	–	·52	·05	–	–	–	·44	1·25	16
17	·07	·14	–	·03	–	1·14	·12	·01	–	–	1·21	·36	17
18	–	2·84	–	·44	–	·34	·01	–	–	·01	·06	1·09	18
19	–	·11	–	·45	–	·21	·01	–	1·41	·80	·07	1·06	19
20	·02	·38	–	1·33	–	·02	1·07	·27	·13	·12	–	·46	20
21	·03	2·70	–	·75	–	1·15	·06	·08	–	·50	·01	·11	21
22	·05	1·11	–	·37	·01	·32	–	–	–	·05	–	·02	22
23	·49	·74	–	·17	·89	·08	–	–	1·17	·53	–	1·48	23
24	·65	·32	·02	1·01	·02	1·71	–	·18	·02	·47	–	·65	24
25	·39	·78	–	·96	–	·73	·05	·05	·39	·28	–	·47	25
26	·03	·08	–	·15	–	·01	·04	·75	·04	·41	·09	·19	26
27	·15	1·64	–	·37	–	·09	·18	·25	·65	–	·42	·25	27
28	·03	·37	–	·64	–	·41	–	·08	·47	–	·03	·66	28
29	–		–	·10	–	·73	·01	·06	·77	4·90	·01	·48	29
30	–		–	–	·01	·10	·11	–	·02	1·17	·32	·01	30
31	–		–		·01		·07	·42		·22		·06	31
Total	6·80	16·20	4·09	7·08	5·33	6·96	1·94	7·22	6·42	9·52	14·97	19·00	TOTAL for year 105·53
No. of Rain Days.	22	19	16	17	13	15	16	16	14	13	25	31	217

W. 8,000, X. '11.

105·53

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Wray - Grasmere

in the County of Westmorland 2

by Gertrude M. Simpson

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 221 ft.

Time of Observation 9. A.m.

Nearest Railway Station
Name Windermere
Distance 7¼ m. Direction S by E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	1·68	–	·38	–	·06	·19	·07	–	1·26	·62	1
2	·10	–	·05	–	1·05	–	·06	·36	–	·06	·41	1·43	2
3	–	–	·72	–	2·18	–	·03	·03	–	–	2·13	·57	3
4	–	–	·01	–	·06	–	·01	2·55	–	–	1·45	·74	4
5	·91	–	·15	–	–	–	–	1·29	–	–	·36	·30	5
6	·30	–	·06	·02	–	–	–	·65	–	–	·74	·92	6
7	·82	–	·03	–	·04	–	–	–	–	–	1·35	·02	7
8	·26	·01	·23	–	–	–	–	–	–	–	·74	1·42	8
9	·05	–	·01	·01	–	–	–	–	–	–	·02	1·01	9
10	1·91	·29	·76	–	–	–	–	–	·17	–	·01	1·90	10
11	·17	–	·03	–	–	–	–	–	·35	–	·05	·33	11
12	–	·07	·07	–	·01	–	–	–	·76	–	·30	·10	12
13	·05	·49	–	–	·66	–	–	–	–	–	·72	·09	13
14	·12	1·04	·07	–	·01	–	–	–	–	–	1·46	·64	14
15	·03	1·36	·09	·10	–	–	–	–	–	–	1·31	·31	15
16	·17	1·73	·11	·18	–	·52	·05	–	–	–	·44	1·25	16
17	·07	·14	–	·03	–	1·14	·12	·01	–	–	1·21	·36	17
18	–	2·84	–	·44	–	·34	·01	–	–	·01	·06	1·09	18
19	–	·11	–	·45	–	·21	·01	–	1·41	·80	·07	1·06	19
20	·02	·38	–	1·33	–	·02	1·07	·27	·13	·12	–	·46	20
21	·03	2·70	–	·75	–	1·15	·06	·08	–	·50	·01	·11	21
22	·05	1·11	–	·37	·01	·32	–	–	–	·05	–	·02	22
23	·49	·74	–	·17	·89	·08	–	–	1·17	·53	–	1·48	23
24	·65	·32	·02	1·01	·02	1·71		·18	·02	·47	–	·65	24
25	·39	·78	–	·96	–	·73	·05	·05	·39	·28	–	·47	25
26	·03	·08	–	·15	–	·01	·04	·75	·04	·41	·09	·19	26
27	·15	1·64	–	·37	–	·09	·18	·25	·65	–	·42	·25	27
28	·03	·37	–	·64	–	·41	–	·08	·47	–	·03	·66	28
29	–		–	·10	–	·73	·01	·06	·77	4·90	·01	·48	29
30	–		–	–	·01	·10	·11	–	·02	1·17	·32	·01	30
31	–		–		·01		·07	·42		·22		·06	31
Total	6·80	16·20	4·09	7·08	5·33	6·96	1·94	7·22	6·42	9·52	14·97	19·00	TOTAL for year 1055·3
No. of Rain Days.	22	19	16	17	13	15	16	16	14	13	25	31	217

W. 8,000, X. '11.

1055·3

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 JAN 1913

Kept at The Wray - Grasmere

in the County of Westmorland

by Gertrude M. Simpson

Lat. 54° 27′ 20″ Long. 3° 1′ 50″

Time of Observation 9. Am.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	1·25	–	·40	·23	·10	·07	·09	·01	–	·31	1
2	·16	–	1·70	·01	·61	·24	·17	–	·11	–	–	·07	2
3	·35	–	·06	–	–	·73	–	·31	1·98	–	·03	·71	3
4	·25	–	1·17	1·07	·04	·20	–	·70	·87	–	2·10	·17	4
5	·25	–	·05	·02	·28	·04	–	·37	·26	·69	·02	·08	5
6	·17	·49	·05	·02	·55	·02	–	·21	–	·01	·02	·04	6
7	–	·90	·24	·20	·16	·04	·63	·18	·24	·01	·65	·26	7
8	1·32	·80	·28	·31	·11	·02	–	·01	·02	–	·32	·53	8
9	·35	·20	·25	·46	–	·17	·14	·32	–	–	·46	1·00	9
10	·50	·07	·03	·04	·12	·55	·67	·23	–	·01	1·01	·70	10
11	·14	–	·01	–	·14	–	·50	·14	–	–	–	·78	11
12	·82	·02	1·02	–	–	·38	·02	–	–	–	–	1·18	12
13	·30	–	·23	–	–	·02	–	·07	–	1·29	·05	5·14	13
14	1·20	·01	·30	–	–	·50	–	·05	–	·05	–	·54	14
15	·62	·26	·01	–	·02	·31	–	·01	–	·63	–	·55	15
16	2·08	·06	1·13	–	·09	·04	–	·33	–	1·18	·05	·23	16
17	·04	·19	·29	–	·15	·90	–	·98	–	·01	·02	·61	17
18	·03	·19	·02	–	–	·70	–	·22	–	·57	·07	·71	18
19	·04	·14	·76	–	·01	·14	–	·50	–	·29	·29	·19	19
20	·18	–	·20	–	·89	·08	·03	·74	–	·73	·03	·26	20
21	·01	·31	·40	–	·01	·37	·01	·15	–	·14	–	·16	21
22	·01	1·69	·02	–	·18	·02	–	·63	–	–	·44	·10	22
23	–	·03	·10	–	·02	·31	·30	·41	–	–	·69	·26	23
24	–	·11	·69	–	·03	·51	·85	·06	–	·15	·82	·37	24
25	–	·06	·51	–	–	·71	·07	·31	–	–	1·30	·26	25
26	–	·63	·46	·30	–	·06	·05	·01	–	2·35	·85	·45	26
27	–	·46	·54	–	–	1·68	·68	–	–	·37	·07	1·20	27
28	–	·37	·05	–	–	·26	1·04	1·38	–	1·05	·54	·02	28
29	–	·13	·73	–	–	·01	1·35	·77	·34	·38	–	·55	29
30	·04		·81	·07	–	·05	·22	·01	·04	·29	–	1·60	30
31	–		·26		·01		·88	·55		·03		·55	31
Total	8·89	7·12	13·62	2·50	3·82	9·29	7·71	9·72	3·95	10·24	9·83	19·58	YEAR'S TOTAL 106·27
Rain Days.	22	21	31	10	19	29	18	28	9	21	21	31	260

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

18 JAN 1914

Kept at The Wray - Grasmere S4 PR
in the County of Westmorland 2
by Gertrude M. Simpson

Lat. 54° 27′ 20″ Long. 3° 1′ 80″
Time of Observation 9 A.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·11	·57	·01	-	-	-	-	-	-	·64	-	1
2	·50	·49	1·53	·16	-	·40	-	-	-	-	1·23	1·04	2
3	·75	2·34	·10	-	·47	-	-	-	-	·02	·10	2·31	3
4	·34	·27	·22	-	·02	·03	-	-	-	-	·52	·61	4
5	·29	·68	·08	-	·12	·23	·09	-	-	-	·09	-	5
6	1·37	1·05	·87	-	1·07	·64	·38	-	-	-	·02	·03	6
7	·85	2·63	·11	-	·22	·23	·03	-	-	·68	·01	·25	7
8	·01	·73	·24	-	·16	·30	·02	·29	·02	·01	·04	·29	8
9	-	·51	1·10	·19	·22	3·09	·05	-	-	-	·26	·19	9
10	·10	·33	1·30	·12	·04	·13	-	-	-	·27	·65	·02	10
11	·88	-	·02	·47	-	·09	·13	·03	-	·23	·35	·57	11
12	·03	-	·12	·03	-	·01	·04	·01	·60	·01	·53	·15	12
13	-	·02	1·14	·06	·03	-	·12	-	·45	·39	·41	·05	13
14	·18	·01	·22	·28	-	-	-	·02	·04	1·08	·42	·02	14
15	·29	-	·65	2·14	-	-	-	·05	-	·01	·83	·33	15
16	-	-	·15	·22	-	-	·08	-	-	-	·60	·03	16
17	·15	-	·01	·61	·09	·11	·16	-	-	-	·57	-	17
18	·25	-	1·20	·91	-	·08	·03	-	-	·02	·46	-	18
19	·31	-	·17	·28	·36	·04	-	-	·20	·40	1·42	-	19
20	·04	·	·15	·14	·25	·09	·10	·12	-	·14	1·32	-	20
21	-	-	·30	·01	·24	-	-	2·29	-	·44	-	-	21
22	·68	-	1·03	-	·39	·05	-	·36	·24	·01	-	-	22
23	·92	-	·32	-	·05	·95	-	·63	·66	-	·14	·05	23
24	1·15	·08	-	·21	-	·50	-	·03	·01	-	·36	·14	24
25	-	·05	-	·23	·02	-	-	-	·69	·03	·34	2·17	25
26	-	·31	-	1·53	-	·04	-	-	·40	·20	·03	1·23	26
27	-	·04	-	·55	·05	·03	-	-	-	·42	·01	·63	27
28	·76	-	·47	·42	·34	-	-	-	-	·15	·05	·03	28
29	·02		·23	1·03	·01	-	·01	·24	-	·94	·16	·02	29
30	1·93		·02	-	·40	-	-	-	-	·23	·09	-	30
31	·29		-		-		-	-		·32		-	31
Total	12·09	9·65	12·32	9·60	4·55	7·04	1·24	4·07	3·31	6·00	11·65	10·16	YEAR'S TOTAL 91·68
Rain Days.	23	16	26	21	20	19	13	11	10	21	28	21	229

W.7,000, XI. 13

Esc W9

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at The Wray - Grasmere
in the County of Westmorland 2
by Gertrude M. Simpson

Lat. 54° 27′ 20″ Long. 3° 1′ 80″
Time of Observation 9 AM
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·47	·29	·11	—	—	·68	·55	—	·02	—	·58	1
2	·02	·95	·13	·08	—	—	·61	·43	—	·10	·35	·43	2
3	·19	·44	·18	—	1·18	—	—	·16	—	—	·01	1·89	3
4	1·70	·01	·32	1·04	·46	·03	·01	—	—	—	—	2·12	4
5	·27	·01	·92	·62	·33	·02	·32	·01	—	—	·32	·62	5
6	·12	·12	·14	·18	·16	·10	—	·27	—	—	·24	1·14	6
7	—	·15	·22	·19	·29	·12	—	·35	—	·04	·25	·03	7
8	·85	·11	·14	·10	·80	·23	·02	2·90	·30	·05	·77	·27	8
9	·38	·48	·01	·72	·01	·47	—	—	·02	—	·92	—	9
10	·01	·93	·62	·04	·09	·06	—	·05	·12	—	·95	—	10
11	—	·24	·63	·02	·09	—	·89	—	·31	—	·98	·16	11
12	—	·97	·18	·05	·08	—	·03	—	·54	—	1·50	·06	12
13	—	·82	·70	·30	·02	—	·04	—	·80	·07	·85	·18	13
14	—	·90	·52	—	—	—	·01	—	·52	—	·32	·43	14
15	—	·08	·78	—	—	—	—	—	·33	—	·30	—	15
16	·01	·07	·06	—	—	—	·69	—	1·30	—	—	·09	16
17	·01	1·40	·63	—	—	·77	·21	—	·37	·01	—	3·38	17
18	—	·96	·70	—	—	—	·14	—	·01	·05	—	·11	18
19	—	·08	·18	—	—	—	·03	—	·13	—	·05	·06	19
20	—	·85	·28	—	·15	·36	—	—	—	—	—	·08	20
21	—	·54	·01	—	·11	·03	—	·04	—	·01	—	—	21
22	—	1·14	·02	·10	·13	·08	·01	·59	—	·08	—	—	22
23	—	·26	·18	·17	·06	·06	·08	·15	—	—	—	—	23
24	2·01	—	·30	·09	·06	·06	·58	·03	—	·01	·43	—	24
25	·33	·01	—	—	—	—	·20	·64	—	1·19	1·14	1·34	25
26	·10	·41	·01	—	—	—	·02	·01	—	·22	·93	·70	26
27	·09	·11	—	—	—	—	—	—	·07	·44	1·50	·31	27
28	·25	·44	·52	—	·04	—	—	·10	·03	·04	1·33	—	28
29	1·01	X	·63	—	·03	—	—	·37	—	·04	2·32	·07	29
30	·76	X	1·11	·02	—	—	—	·01	—	—	·50	·84	30
31	·95	X	·03	X	·01	X	1·05	—	X	·13	X	·04	31
Total	9·06	12·95	9·84	3·83	4·10	2·39	5·62	6.66	4·85	2·50	15·96	14·93	YEAR'S TOTAL 92·69
Rain Days.	18	27	29	16	19	13	19	17	14	16	21	23	232

W. 8,000. X. 14.

3938

FORM A.
BRITISH RAINFALL.

10. JAN. 1916

REGISTER OF RAINFALL IN 19~~1~~5

[illegible]

Kept at The Wray - Grasmere

in the County of Westmorland

by Gertrude M. Simpson

Lat. 54° 27' 20" Long. 3° 1' 80"

Time of Observation 9. a. m

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	1·56	·07	–	·12	·01	·18	·33	·01	–	–	–	1
2	·10	1·23	·39	·77	–	·22	·61	·25	–	·01	–	–	2
3	·03	·95	·91	·34	–	–	·43	·38	–	–	–	·28	3
4	·03	·39	·37	·19	·13	·44	–	–	–	–	–	·28	4
5	·46	1·31	·65	–	·08	–	–	·09	–	–	–	1·95	5
6	·32	·33	·02	·58	–	·34	1·55	·09	·10	–	·01	·74	6
7	·53	1·28	–	·53	–	–	·94	·18	–	–	·01	·42	7
8	·48	·78	–	·25	–	–	–	·21	–	–	1·95	–	8
9	–	·31	–	·02	–	–	·01	·02	–	–	·67	·95	9
10	1·25	·02	·05	·16	–	–	·02	·08	–	·07	–	1·08	10
11	·30	·02	·02	·02	·86	–	·07	·07	–	·01	·06	·62	11
12	·47	·02	–	·05	–	–	·05	–	–	·37	·91	–	12
13	·25	·05	–	–	–	–	–	·17	·15	·16	–	·15	13
14	1·09	·01	–	·02	–	–	·15	·40	·09	·01	–	·56	14
15	1·46	–	–	·10	–	–	·01	·31	·05	–	·23	·75	15
16	–	2·81	·01	·02	·02	–	·19	·22	·17	–	–	·07	16
17	–	·85	·03	–	·01	–	·05	–	–	–	–	–	17
18	–	·77	·31	·02	–	–	·41	–	–	·01	–	–	18
19	·11	·28	·13	2·34	·40	–	·58	–	–	–	–	–	19
20	·89	·03	·10	·06	·19	–	·86	·02	–	–	–	·43	20
21	·16	·17	–	·21	–	–	·71	–	–	–	–	·07	21
22	–	·01	·20	–	–	·10	·30	–	–	·02	–	1·23	22
23	·01	–	·22	·02	–	·04	·02	–	·34	·72	–	·63	23
24	–	–	·08	·01	–	–	·10	–	·51	·17	–	·88	24
25	–	·03	–	–	–	–	·11	–	·23	·01	–	·11	25
26	–	2·38	–	–	–	·01	·36	–	–	–	–	·69	26
27	–	·47	–	–	–	·29	·40	–	–	·85	·10	·76	27
28	–	·64	–	–	·06	·44	·03	·31	–	·16	–	·01	28
29	–		–	–	·11	–	–	–	·06	·01	·92	·39	29
30	·51	×	–	·16	–	·95	–	–		–	·11	·12	30
31	·46	×	·02	×	–	×	·04	·73	×	·01	×	2·54	31
Total	9·71	16·70	3·58	5·87	1·98	2·84	8·18	3·86	1·71	2·59	4·97	15·71	YEAR'S TOTAL 77·70
Rain Days.	20	25	17	20	10	10	25	17	10	15	10	24	203 ~~223~~

W. 8,000. X. 15.

3866

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Wray Grasmere

in the County of ~~C~~ Westmorland

by G. M. Simpson.

Lat. 54°27'20" Long. 3°1'80".

Time of Observation 9 a.m. Greenwich time

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2·45	·31	·03	—	—	·92	1·09	·03	·01	—	·73	—	1
2	·57	·33	·01	—	—	·17	·01	—	·27	·29	·24	04	2
3	·12	·84	—	·04	·04	·44	·10	—	1·45	·30	1·89	02	3
4	·37	·12	—	·02	·47	·88	·09	—	·05	2·08	·32	—	4
5	·29	1·70	—	—	·23	·40	·02	—	—	2·39	·50	—	5
6	1·55	·45	—	—	·51	·15	·49	—	—	·80	·79	06	6
7	·13	·16	—	—	·65	·14	·47	—	—	·86	·24	28	7
8	·03	·20	·03	·02	·01	·07	·05	—	—	·25	·94	04	8
9	·06	—	—	—	·28	·19	·13	—	—	·32	·48	33	9
10	·26	·30	—	·41	—	—	·31	—	—	2·32	·58	—	10
11	·14	·15	·04	·79	02	—	·29	—	·18	·16	·06	02	11
12	·66	1·41	·02	·30	36	·01	·44	·34	—	·69	·01	—	12
13	—	·32	10	·14	02	—	—	·68	—	1·83	·01	02	13
14	·23	·55	02	09	56	—	—	·26	·11	1·14	·05	—	14
15	·27	1·32	29	11	—	—	·03	·27	·03	·07	—	09	15
16	·07	·47	27	90	—	—	·09	·01	·06	·01	—	—	16
17	·80	·17	17	1.22	·01	—	·16	·04	1·32	·45	—	12	17
18	·26	·73	—	·43	—	—	·02	·55	·77	·18	·10	52	18
19	1·45	—	02	·06	—	—	—	·04	·02	—	·13	37	19
20	1·88	—	—	05	[illegible]	—	—	·20	—	—	·31	1·20	20
21	1·38	—	—	05	02	—	·27	—	·03	—	·12	02	21
22	·02	·02	22	07	—	·31	—	—	·01	·20	·16	11	22
23	·42	—	—	73	—	·21	—	·02	—	·74	1·63	18	23
24	·20	—	10	1·00	—	·54	—	·52	—	·22	70	18	24
25	·10	·03	59	06	·16	·16	—	·39	—	·31	1·25	20	25
26	1·05	·03	49	—	—	—	—	·03	—	·09	·08	—	26
27	—	·03	02	—	·02	—	—	·02	·13	·31	·15	19	27
28	1·11	·01	—	—	—	—	—	—	—	·50	·47	4·74	28
29	·35	·35	·11	—	·01	—	—	—	—	·55	1·57	·49	29
30	·41	X	·03	—	—	·07	·02	·13	—	2·40	·96	·75	30
31	—	X	—	X	2·33	X	—	·43	X	·40	X	·26	31
Total	16·63	10·0	2·56	6·49	5.70	4·66	4·08	3·96	4·44	19·86	14·47	10·23	YEAR'S TOTAL 103·08
Rain Days.	28	23	18	19	17	15	18	17	14	27	27	23	246

W. 8,000, VIII. 16

3704

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
2 JAN 1918

Kept at The Wray Grasmere
in the County of Westmorland
by E.H. for G. M. Simpson

Lat. 54'27'20 Long. 3'1'80
Time of Observation 9 a.m
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	—	01	—		04			87	-	20	33	1
2	1·37	07	01	—		04			11	02	02		2
3	·92	—	-	26		1·47			07	1·76	01		3
4	—	05	17	03		—			-	06	29	19	4
5	28	—	26	32		—			02	18	2·12	34	5
6	13	—	01	12		24			—	44	73	1·19	6
7	1·19	—		01		17			-	55	04	26	7
8	·40	—		40		02		53	20	1·15	57	23	8
9	—	—		30	01	—		21	01	34	52	02	9
10	·47	06	67	26	34	—		31	05	12	—	—	10
11	09		-	04	14	-		1·11	02	91	08	—	11
12	—		18	—	55	01		01	10	11	-	06	12
13	03			86	01	04	06	29	1·61	03	06	36	13
14	03			17	03	-	02	34	01	-	-	27	14
15	—			14	01	-	07	10	79	84	01	75	15
16	01	11	07	36	—	-	—	1·86	28	30	-	12	16
17	01	25	24	46	03	-	·15	1·37	34	83	01	—	17
18	—	04	60	05	35	-	1·22	55	1·10	—	~~25~~	50	18
19	—	34	58	—	33	-	—	06	12	—	25	77	19
20	—	59	02	[illegible]	15	1·24	—	43	1·30	39	50	38	20
21	—	05	02	~~31~~	20	01	—	18	84	26	01	—	21
22	—	03		—	—	—	-	40	(52)	1·73	03	—	22
23	—	14		[illegible]	79	1·18	08	1·41	07	18	50	03	23
24	—	01		—	—	—	17	57	09	2·15	75	01	24
25	—	16	33	—	-	—	—	1·18	1·19	47	06	—	25
26	—	03	-	[illegible]	-	·29	22	1·41	69	69	1·42	—	26
27	—	01	05	07	09	—	39	75	01	23	24	—	27
28	—	-	73	0·2	-	—	—	25	06	02	88	—	28
29	—		25	-	03	—	11	07	-	1·37	95	-	29
30	—	X	02	-	-	—	-	31	-	48	57	-	30
31	-	X	32	X	2·04	X	04	90	X	-	X	-	31
Total	5·06	1·94	4·54	3·81	5·10	4·75	2·53	14·30	10·47	15·01	10·82	5·81	YEAR'S TOTAL
Rain Days.	13	15	19	17	16	12	11	24	25	26	25	17	84·14

220

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
2.1.19

REGISTER OF RAINFALL IN 1918

Kept at The Wray. Grasmere
in the County of Westmorland
by Gertrude M. Simpson

Lat. 54° 27' 20" Long. 30° 1' 80"
Time of Observation 9. Am
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·35	-	·03	·04	-	-	-	1·07	·11	·97	1·00	1
2	-	·32	-	·08	-	-	-	-	·29	2·21	·35	1·68	2
3	·01	·40	-	-	·37	-	-	-	-	2·95	·06	·24	3
4	·01	·42	-	-	·13	-	-	·12	·01	1·25	1·58	·34	4
5	·03	·42	-	·37	·29	-	-	1·25	-	1·60	·21	·32	5
6	·14	·98	-	·59	·01	·52	-	-	-	1·32	-	·15	6
7	-	·39	-	·05	·02	-	·43	·01	·53	·19	·31	·96	7
8	·30	·11	·15	-	-	·12	·15	·30	·56	·57	43	·13	8
9	·67	·76	·02	·01	-	·42	·07	-	·61	1·03	42	·13	9
10	·27	3·45	·53	-	-	-	·15	-	1·23	·73	1·91	·08	10
11	·64	·29	·29	·03	16	-	·11	·06	·55	·01	-	1·15	11
12	·02	1·45	-	·04	·15	·01	·06	-	·31	-	-	·21	12
13	-	·01	-	·05	·01	·07	-	-	·33	·56	-	·07	13
14	·95	-	-	-	·07	·60	·81	·18	·29	·15	-	·05	14
15	-	·05	-	-	·06	·11	·70	-	3·28	·06	-	·46	15
16	·11	·19	-	-	-	·06	·24	·37	1·09	·02	-	·43	16
17	·53	-	-	-	-	·30	·63	·45	·21	·27	-	·78	17
18	1·34	·04	·29	-	-	-	·54	·01	·11	·01	-	·43	18
19	·93	·24	·09	·12	·17	·03	·11	·47	·96	·08	-	·84	19
20	2·37	·46	-	·12	·01	·20	·89	·06	·73	-	-	-	20
21	·95	3·75	-	-	-	·32	·09	-	2·24	-	·01	·02	21
22	·37	·33	-	-	·49	·36	1·09	·08	·81	·01	-	2·02	22
23	·96	·21	-	-	·10	-	·48	-	·11	-	·11	·12	23
24	·58	·31	-	-	-	-	·04	·93	·85	·03	·15	·02	24
25	·30	·17	-	-	·37	-	·29	1·41	·60	-	·03	-	25
26	·09	·80	·01	-	-	-	·20	·20	·55	·24	·19	1·39	26
27	·22	·55	1·08	-	-	·03	·01	·66	·59	·16	·09	·93	27
28	·06	·16	·41	-	-	-	-	·08	·54	·24	·05	·62	28
29	·22	-	·01	-	-	-	-	·03	·09	·01	-	·80	29
30	·01	×	·39	-	-	-	-	·10	-	·22	·55	·24	30
31	-	×	·23	×	-	×	-	·18	×	·19	×	·11	31
Total	12·08	16·41	3·50	1·49	2·45	3·15	7·09	6·95	18·54	14·22	7·42	15·72	YEAR'S TOTAL 109.02
Rain Days.	25	26	12	11	16	14	20	20	26	26	17	29	242

W, 6,500, VII. 18. W W C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Wray - Grasmere
in the County of Westmorland
by Gertrude M. Simpson

Lat 54° 27' 20" Long 3° 1' 80"
Time of Observation 9 A.M.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2·54	-	·33	-	·20	-	·15	·06	2·98	·51	·03	·64	1
2	·58	-	·31	·04	·14	-	·24	-	·04	·07	·01	·92	2
3	·17	·02	-	·02	·40	·09	·14	-	·01	-	-	·46	3
4	·18	·08	·16	-	·36	·05	·13	·20	·28	-	·03	·78	4
5	·03	-	-	·01	·74	-	-	·02	·62	·01	-	·85	5
6	·02	-	·65	·06	·06	-	-	-	·04	·04	-	·37	6
7	·06	-	·33	·38	·08	·10	-	-	-	-	·20	-	7
8	·33	-	·19	·03	-	·74	-	·01	-	-	·05	-	8
9	1·90	-	·41	·06	·14	·02	-	-	-	·	·06	·12	9
10	·30	-	2·51	·36	·16	·07	-	-	-	·01	·01	2·18	10
11	·14	-	·25	·13	·07	·06	·02	-	-	·04	·03	·32	11
12	-	-	·10	·21	-	·44	·12	-	·11	·02	·50	·02	12
13	1.15	·	-	·63	-	-	·04	·25	·05	·23	-	·81	13
14	·51	·05	-	·49	-	-	-	-	-	·01	-	·48	14
15	·94	·20	-	·73	-	-	-	-	-	-	-	·97	15
16	·38	·02	-	·02	·01	·14	-	-	-	-	·27	·28	16
17	·06	-	-	·01	-	-	·05	1·18	-	-	2·42	·10	17
18	-	-	·79	-	-	·06	·50	·19	-	-	1·00	1·08	18
19	·13	·63	1·38	-	-	1·13	-	-	·42	-	·40	·07	19
20	·97	·26	·02	-	-	·09	-	·07	·10	-	·16	·68	20
21	·08	·39	-	-	-	-	·02	·41	·40	·	·12	·72	21
22	-	·06	-	·04	-	·64	-	·27	·65	·20	·09	·34	22
23	·02	-	-	-	-	·25	-	-	·01	1·44	·63	·23	23
24	·26	-	-	·02	·05	-	-	·02	1·48	·13	·55	·07	24
25	·69	·01	-	·55	-	-	-	1·94	1.13	-	·13	-	25
26	·16	-	1·56	·12	-	·03	-	·23	·43	-	·04	1·24	26
27	·10	-	-	·11	-	·02	-	-	-	-	·01	·05	27
28	·01	-	-	·06	-	·01	-	·70	·21	·04	-	1·40	28
29	·01	·	-	·05	-	-	-	·18	1·07	·02	-	·09	29
30	-	×	·25	·10	-	·13	-	·06	·01	·10	1·07	·93	30
31	-	×	·08	×	-	×	·69	·02	×	·02	×	·08	31
Total	11·72 ✓	1.72 ✓	9·32 ✓	4·23 ✓	2·41 ✓	4·07 ✓	2·10	5.81	10·04 ✓	2.89 ✓	7.81	16·28 ✓	Year's Total 78·40 ✓
Days with ·01 in. or more	26 ✓	10 ✓	16 ✓	23 ✓	12 ✓	18 ✓	11 ✓	17 ✓	19 ✓	16 ✓	22 ✓	28 ✓	218 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3403

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at The Wray · Grasmere

in the County of ~~Grasmere~~ Westmorland

by G. M. Simpson

Lat. 54° 27' 20" Long. 3° 1' 50"

Time of Observation 9 · A. M.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·30	·33	·16	1·24	-	·58	·19	02	·13	·02	33	1
2	·02	·09	·01	·05	·58	-	·16	·08	·47	·13	-	1·75	2
3	·17	·21	·20	·13	·14	-	·01	·41	·24	1·12	-	·91	3
4	-	-	·03	·05	·13	-	·07	2·56	·01	·91	·01	-	4
5	-	·03	·88	-	2·47	-	·06	·21	·05	·73	·04	·01	5
6	·02	-	·69	·82	1·10	-	-	-	-	·08	·15	-	6
7	1·98	·15	·08	·18	·01	-	·20	-	·04	-	·12	-	7
8	·38	·41	-	·14	·39	-	·61	·64	·02	-	·12	·01	8
9	·47	5·12	·01	·45	·01	-	·25	·04	·25	-	·18	·05	9
10	1·40	1·41	·42	·61	-	-	·41	-	·01	-	-	·06	10
11	·80	·15	·16	·01	·44	·15	·04	-	·01	-	·12	·01	11
12	·65	1·28	1·21	·20	·46	·04	·82	-	·10	-	1·61	·20	12
13	·62	·27	·35	·94	·08	·31	·10	-	-	-	·39	·17	13
14	·24	·63	·14	1·09	-	·67	·94	-	1·22	·25	1·94	-	14
15	·26	·55	·12	·64	-	-	·04	-	·04	·53	·05	-	15
16	·44	·07	·37	·09	·13	-	·57	·28	·95	-	·61	-	16
17	·50	·01	·66	·03	·63	-	·19	1·24	1·54	·02	·01	-	17
18	1·34	·04	·01	·11	2·34	·13	·08	·01	·06	-	-	-	18
19	·05	·57	-	·28	·31	·27	·26	·09	-	-	·04	·01	19
20	·25	-	-	·04	-	·14	·18	-	·18	-	-	1·75	20
21	·03	-	-	·05	·04	-	·07	·03	-	-	-	·39	21
22	·85	-	-	·60	·08	·10	·79	-	-	·02	-	-	22
23	1·28	-	·20	·11	-	-	·34	·04	-	-	-	·32	23
24	·60	·04	·79	·21	-	·08	·08	·01	-	-	-	·77	24
25	·05	·06	·50	·24	-	[illegible]	·23	-	·06	-	-	·26	25
26	·50	·24	1·14	·48	·88	·10	·08	-	·32	-	·29	·08	26
27	·23	·01	2·02	·04	·26	·84	·32	-	-	-	·35	·27	27
28	·16	·42	·74	·29	·01	·48	·15	-	-	-	·03	·43	28
29	·53	·94	·14	-	·14	·06	·55	-	-	·04	·56	1·01	29
30	·72		·29	·05	·13	·16	-	-	·16	-	·43	·86	30
31	·50		·42		·05		·19	·03		·01		·74	31
TOTAL	15·11	13.00	11·91	8.09	12·05	3·53	8·37	5·86	5·75	3·97	7·07	10·39	YEAR'S TOTAL 105·10
Days with ·01 in. or more	29	23	26	28	24	14	29	15	20	12	20	22	262
Days with ·04 in. or more	26	20	16	26	21	14	28	11	15	9	16	18	220

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GREAT STRICKLAND
GREENCROFT

WESTMORLAND

1911 - 1917

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Gre
5 in.
…ove Ground 2 ft. in.
in the County o
Sea Level 648 ft.
9 a.m
by Mrs
Name Clifton & Lowther
Distance 2¼ m. Direction N.W.

IMPORTA… …nd the result entered to the previous day. … …niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·26		·06		·06	·24			1·38	·13	1
2	·12		·01		·17		·05	·06		·12	·08	·36	2
3	·01		·20		·91			·03		·02	·79	·19	3
4	·01		·15		·05			·72			·74	·35	4
5	·29		·10	·02	·02			·81			·26	·12	5
6	·10		·06					·08			·19	·97	6
7	·03				·02						·53	·01	7
8	·05		·24								·28	·43	8
9			·01								·01	·53	9
10	·23	·04	·25						·22		·03	1·12	10
11	·24	·01							·70		·06		11
12	·03	·02	·13		·02				·90		·25	·32	12
13		·02	·01		·70				·03		·10	·24	13
14	·03	·01	·05		·62						·09	·34	14
15		·20	·06	·04							·30	·11	15
16		·10	·11	·05		·19	·10				·32	·22	16
17	·01	·02	·03			·96	·01				·58	·42	17
18		·99		·19		·12				·02	·09	·79	18
19	·01	·11		·40		·17			·77	·33	·08	·28	19
20	·01	·08		·18			·10	·43	·18	·02		·80	20
21		·65		·05		·29	·06	·15		·18	·01	·07	21
22	·15	·77		·08		·25				·08			22
23	·03	·61		·05		1·18			·24	·13		·45	23
24	·29	·03		·04		1·22		·02	·02	·25		·40	24
25	·05	·38	·03	·18		·10			·19	·06		·16	25
26		·01		·10	·31			·03	·03	·49	·10	·15	26
27	·03	·33		·12	1·15	·01	·04	·12	·36		·16	·03	27
28		·16	·01	·22		·02		·09	·12	·03	·01	·33	28
29				·60				·11	·30	1·20		·15	29
30	·01				·01	·09	·08		·03	1·00	·07	·01	30
31	·01				·20		·02			·16			31
Total	1·74	4·55	1·71	2·32	4·24	4·60	·52	2·89	4·09	4·09	6·51	9·48	TOTAL for year 46·74
No. of Rain Days.	21	20	17	15	13	12	4	13	14	15	24	28	201

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Greencroft, Great Strickland

in the County of Westmorland 1

by Mrs. Whiteside

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 648 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Clifton & Lowther
Distance 2¼ m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·26		·06		·06	·24			1·38	·13	1
2	·12		·01		·17		·05	·06		·12	·08	·36	2
3	·01		·20		·91			·03		·02	·79	·19	3
4	·01		·15		·05			·72			·74	·35	4
5	·29		·10	·02	·02			·81			·26	·12	5
6	·10		·06					·08			·19	·97	6
7	·03				·02						·53	·01	7
8	·05		·24								·28	·43	8
9			·01								·01	·53	9
10	·23	·04	·25						·22		·03	1·12	10
11	·24	·01							·70		·06		11
12	·03	·02	·13		·02				·90		·25	·32	12
13		·02	·01		·70				·03		·10	·24	13
14	·03	·01	·05		·62						·09	·34	14
15		·20	·06	·04							·30	·11	15
16		·10	·11	·05		·19	·10				·32	·22	16
17	·01	·02	·03			·96	·01				·58	·42	17
18		·99		·19		·12				·02	·09	·79	18
19	·01	·11		·40		·17			·77	·33	·08	·28	19
20	·01	·08		·18			·10	·43	·18	·02		·80	20
21		·65		·05		·29	·08	·15		·18	·01	·07	21
22	·15	·77		·08		·25				·08			22
23	·03	·61		·05		1·18			·24	·13		·45	23
24	·29	·03		·04		1·22		·02	·02	·25		·40	24
25	·05	·38	·03	·18		·10			·19	·06		·16	25
26		·01		·10	·31			·03	·03	·49	·10	·15	26
27	·03	·33		·12	1·15	·01	·04	·12	·36		·16	·03	27
28		·16	·01	·22		·02		·09	·12	·03	·01	·33	28
29				·60				·11	·30	1·20		·15	29
30	·01				·01	·09	·08		·03	1·00	·07	·01	30
31	·01				·20		·02			·16			31
Total	1·74	4·55	1·71	2·32	4·24	4·60	·52	2·89	4·09	4·09	6·51	9·48	TOTAL for year 46·74
No. of Rain Days.	21	20	17	15	13	12	4	13	14	15	24	28	201

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
8 - JAN 19[illegible]

REGISTER OF ~~Ext A~~ RAINFALL IN 1912

Kept at Greencroft, Great Strickland
in the County of Westmorland
by Mrs. Whiteside

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Clifton & Lowther (1½ m.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. .... in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·47	·01	·10	·36	·14	·11	·19	·01		·19	1
2	·03		·59		·25	·57	·12	·	·12				2
3	·21		·02		·	1·11		·53	·50			·05	3
4	·31		·63	·30	·05	·16		·54	·17		·24	·07	4
5	·07		·03		·10	·10		·04	·06	·06	·01	·03	5
6	·10	·22			·02	·14		·17					6
7		·42	·10	·05	·04	·01	·05	·13	·33		·28	·03	7
8	·47	·35	·13	·10			·01	·05	·30		·29	·11	8
9	·15	·10	·20	·27		·23	·01	·08			·16	·13	9
10	·15		·02		·08	·06	·14	·07			·30	·09	10
11	·					·02	·19	·23				·31	11
12	·22	·06	·09			·21		·08				·44	12
13	·06					·01		·02		·27	·19	·90	13
14	·21	·04	·03			·14			·01			·16	14
15	·48		·03		·28	·20				·21		·50	15
16	1·23		·08					·02		·16		·05	16
17	·01	·18	·28		·05	·44		·54			·09	·29	17
18		·19				·05				·08		·19	18
19		·28	·33		·02	·02		·66		·18	·11	·04	19
20	·12		·16		·51	·06	·06	·22		·52		·14	20
21	·06	·04	·10				·07	·01			·06	·12	21
22	·05	·26			·11			·31				·04	22
23			·06			·15	·19	·29		·06	·06	·15	23
24	·05		·03		·06	·07	·09	·04		·11	·38	·38	24
25	·03	·04	·03		·	·23	1·00	·15			·54	·11	25
26		·29	·27			·01				·87	1·01	·18	26
27		·08	·17		·04	·40	·76	·01		·26	·03	·67	27
28		·27	·05			·06	·23	·30	·04	·58	·12	·02	28
29		·10	·22				·43	·20	·17	·29		·26	29
30			·28		·01	·36	·07		·03	·04		·12	30
31					·02		·85	·55		·01		·10	31
Total	4·01	2·92	4·40	·73	1·74	5·17	4·41	5·35	1·92	3·71	3·87	5·87	YEAR'S TOTAL 44·10
Rain Days.	19	16	25	5	16	25	~~16~~ 17	25	11	16	16	29	~~219~~ 220

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

4 JAN 1914

REGISTER OF RAINFALL IN 1913

Eng 1913

Kept at Greencroft, Great Strickland
in the County of Westmorland
by Mrs. Ellen Whiteside

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Clifton & Lowther
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·22								·20		1
2	·27	·15	·58			·12					·48	·15	2
3	·47	·26	·11		·33							1·31	3
4	·33	·09	·12				·07				·10	·45	4
5	·62	·23	·04			·13							5
6	·16	·68	·65		·38	·08	·32	·02			·05		6
7	·04	·97	·01		·09	·17	·12			·91			7
8		·17			·10	·04		·17	·05	·15	·08	·03	8
9		·03	·08	·08	·08	·36	·03				·07	·03	9
10			·21	·06	·06	·02	·06				·44		10
11	·02		·05	·10		·18	·01			·25	·26	·01	11
12					·02				·98		·23		12
13			·22	·12			·03		·25	·10	·12		13
14		·04	·70	·21	·03		·12			·17	·10	·05	14
15	·04		·66	·85							·31	·12	15
16			·06	·24			·02	·03			·14		16
17	·02			·33		·06	·03				·07		17
18	·08		·76	·38		·04	·07				·18		18
19	·19		·13	·15	·05				·02	·18	·20		19
20	·12		·22		·03	·03		·01		·56	·43		20
21			·46		·10		·02	·37	·02	·18			21
22	·08		·88		·05			·18	·03				22
23	·17		·07			·32		·20	·07		·06	·06	23
24	·32			·09		·28		·04			·10	·02	24
25		·12		·19					·28			·37	25
26		·05	·01	1·05		·05			·46	·13	·06	·69	26
27			·20	·63	·11	·05				·49		·37	27
28	·17			·49								·03	28
29			·26	·88				·26		·52	·08		29
30	·70				·11					·07			30
31	·20		·04							·05			31
Total	4·00	2·86	6·74	5·85	1·54	1·93	·90	1·28	2·16	3·76	3·76	3·69	YEAR'S TOTAL 38·47
Rain Days.	18	12	24	16	14	15	12	9	9	13	21	14	177

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Greencroft, Great Strickland
in the County of Westmorland
by Mrs. Whiteside

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Clifton & Lowther 2½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. ...... in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·45	·11	·01	-	-	·04	·11				·55	1
2	-	·19	·02	·05	-	-	·24	·36		·06	·35	·51	2
3	·06	·14	·11	-	·23	-	-	·07			·03	1·24	3
4	·39	-	·11	·10	·23	·06	-	-			·33	1·25	4
5	-	-	·17	·35	·15	·28	·03	-			·01	·15	5
6	-	-	-	·21	·09	-		·04			·01	·45	6
7	·03	·29	·07	·05	·20	·07		·03			·01	·14	7
8	·23	·05	·07	-	·26	·31		·80	·05		·03	·32	8
9	·38	·26	·01	·76	-	·38			·05		·23	-	9
10		·36	-	·11	·03	-			·02		·36	-	10
11		·14	·17	·02	+	·02	·19		·26		·34	·10	11
12		·85	·11	-	·02		·26		·20		·45	-	12
13		·23	·35	·03					·06	·10	·19	·15	13
14		·76	·12						·17		·18	·38	14
15		·21	·27						·22		·15	·01	15
16		-	·03				1·72		·90		-	·14	16
17		·50	·33			·60	·21		·18		-	1·30	17
18		·50	·30				-		·04		·01	·13	18
19		·04	·25				·06		·01		-	·01	19
20		·42	·20				-			·01	-	·01	20
21		·25	-			·15	-			·04	·26	·01	21
22		·53	-	·04	·30	·12	·	·06		·07	-	·01	22
23		·26	·14	·06	·16	·04	-	·03		-	-	·01	23
24	·26	·01	·50	·06	·22		·27	·04		-	·22	·01	24
25	·43	·01	·01		-		-	·33		·45	·15	·37	25
26	-	-	·02		-		·01	·02		·17	·34	·48	26
27	-	·02	-		-		-	-		·10	·56	·25	27
28	·17	·28	·12		·06		-	·11		·01	·38	-	28
29	·18		·17		·02		-	·33		·05	1·25	·01	29
30	·16	✗	·34		-		-	·01		-	·63	·93	30
31	·60	✗	-	✗	·07	✗	·48	-	✗	·07	✗	-	31
Total	2·89	6·75	4·10	1·85	2·04	2·03	3·51	2·34	2·16	1·13	6·27	8·92	YEAR'S TOTAL 43·99
Rain Days.	11	23	25	13	14	10	11	14	12	11	23	26	193

W. 8,000. X. 14.

15-V-16

card fr auth 12.V.16

3909

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 JAN 1916

Kept at Greencroft, Great Strickland

in the County of Westmorland

by Mrs. Whiteside

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Clifton & Lowther 2½ m. away

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·63			·29		·15	·19	·34		·01		1
2	·17	·68	·22	·38			·04	·93			·01	·01	2
3	·12	·50	·03	·15			·17	·51	·01		·01	·37	3
4	·16	·21	·05	·16	·08	·17		·08			·01	·03	4
5	·15	·45	·15		·08			·02			·01	·81	5
6	·13	·17	·03	·42			·90				·03	·36	6
7	·46	·97	·01	·34			·28	·14				·01	7
8	·25	·74	·01	·07			·12	·02			·65	·01	8
9	·10	·14	·01							·05	·29	·32	9
10	·30		·04					·04		·07		·60	10
11	·08	·06		·03	·60		·07				·01	·21	11
12	·20	·04		·05			·05	·02		·10	·04	·01	12
13	·04	·06							·01			·14	13
14	·24		·01	·06			·05	·05			·01	·14	14
15	·57			·04	·01			1·40			·04	·34	15
16		·77	·03	·03			·35	·04			·01		16
17		·54	·02									·08	17
18		·31	·04							·10		·01	18
19	·01	·05	·09	·22			·17					·	19
20	·14		·05		·19		·11				·01	·75	20
21	·15	·08		·10			·03				·01	·05	21
22			·11				·18					·37	22
23		·08	·10	·04			·37		·03	·14		·37	23
24			·06	·24		·01	·02		·83		·01	·23	24
25		·01					·07				·01	·04	25
26		·96				·02	·15				·01	·47	26
27		·33	·01						·01	·37	·01	·30	27
28		·12			·21	·15		·46		·03	·01	·01	28
29					·11						·33	·07	29
30		✕		·09		·94					·01	·16	30
31		✕		✕		✕	·04	·45	✕		✕	1·24	31
Total	3·59	7·90	1·07	2·42	1·57	1·29	3·32	4·35 4·35	1·23	·86	1·54	7·51	YEAR'S TOTAL 35·65 36·65
Rain Days.	18	22	19	16	8	5	19	14	6	7	22	28	184

W. 8,000. X. 15.

Exd [illegible] 3836

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 7 MAY 1917

Kept at Greencroft, Great Strickland

in the County of Westmorland

by Mrs. Whiteside

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Clifton & Lowther

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·38	·04	·02	·01		·38	·92		·03		·35	·01	1
2	·21	·15		·01		·14	·01		·24	·17	·02	·06	2
3	·05	·47		·08		·05	·32		·89	·22	·61	·01	3
4	·38	·06			·80	·13	·06		·28	·55	·31	·01	4
5	·05	·68			·30	·15	·01			·76	·66	·01	5
6	·41	·24	·03		·42	·07	·07			·55	·28		6
7	·01	·09		·01	·17	·32	1·59			·34	·13	·28	7
8	·03	·03		·03	·02	·07				·06	·27	·01	8
9	·03				·28	·03	·01			·11	·24	·04	9
10	·07	·16	·04	·08	·01	·07	·11			·75	·01	·07	10
11	·03	·22	·01	·33		·24	·10		·04	·06	·01	·11	11
12	·06	·41		·11	·20	·01	·37	·07		·12		·04	12
13	·01	·22	·22	·06	·01			·24		·48		·06	13
14		·28	·01	·12	·16			·05	·06	·70		·01	14
15	·11	·45	·15	·04			·11	·06	·02	·01		·01	15
16	·01	·30	·50	·34			·03	·13		·01		·01	16
17	·12	·05		·50			·01	·15	·26	·20		·01	17
18	·37	·36		·41			·05	·13	·16	·16	·12	·10	18
19	·78	·01	·35	·17			·06	·02	·01	·01	·06	·03	19
20	·31	·01	·03	·10			·01		·02	·01	·04	·55	20
21	·21	·01					1·26	·01		·01	·01		21
22	·02			·06		·01				·15	·02	·02	22
23	·39		·30	·21					·01	·37	·60	·09	23
24	·02		·03	·40		1·48		·25		·15	·37	·01	24
25	·05	·03	·42			·13	·04	·50		·21	·59	·01	25
26	·18	·01	·20				·14			·02		·19	26
27	·01	·07	·04							·24	·02	·01	27
28	·32	·03			·08					·29	·05	·87	28
29	·04	·12	·02							·41	·25	·17	29
30	10	×			·06	·08	·06		·01	1·16	·26	·20	30
31		×		×	·13	×			×	·27	×	·10	31
Total	5·66	4·50	2·37	3·07	2·64	3·36	5·34	1·61	2·03	8·55	5·28	3·10	YEAR'S TOTAL 47·51
Rain Days.	28	25	~~10~~ 16	19	~~12~~ 13	16	21	11	13	30	23	29	~~237~~ 244

W. 8,000, VIII. 16

3676

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Greencroft, Great Strickland

in the County of Westmorland

by Mrs. Whiteside

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Clifton & Lowther. L. & N. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06			·58					·34		·13	·23	1
2	·44	·05		·08		·09		·01		·04	·01		2
3	·04			·10		·22			·03	·38	·02	·13	3
4	·01	·03		·02						·06	·01	·03	4
5	·19		·06						·08	·09	·71	·01	5
6	·03		·01			·25				·27	·51	·04	6
7	·59		·01	·10		·13				·23	·01	·16	7
8		·01		·21				·44		·38	·20	·02	8
9	·22			·14	·01			·45		·13	·28	·08	9
10	·19		·45	·14	·27			·17		·10			10
11	·06	·01		·03	·17			·12		·27		·02	11
12			·15	·10	·59	·11				·09		·03	12
13	·02			·05	·05	·04		·14	·33	·05	·04	·17	13
14				·27	·03			·16		·01	·01	·20	14
15	·15			·16			·03	·09	·11	·11		·19	15
16				·17				·59	·02	·05	·02	·04	16
17		·20		·27			·07	·90	·23	·13			17
18		·12	·15	·10	·06		·27	·11	·43	·01		·02	18
19	·01	·15	·21		·50		·02	·01	·11			·04	19
20	·03	·23			·03	1·47		·26	·95	·04	·19	·26	20
21		·07	·04		·12	·01		·03	·02	·07			21
22		·01				·04		·16	·01	·43	·01		22
23		·06			·21	·14	·06	·69	·01	·25	·15		23
24						·01		·10		·83	·42		24
25		·07	·06		·01	·13		·11	·02	·09	·17		25
26						·01	·02	·93	·38	·28			26
27			·02		·24		·38	·53		·20	·06		27
28	·01	·01	·28			·01	·01	·40	·01	·06	·10	·04	28
29	·03		·07				·18	·03		1·10	·10		29
30		X								·22	·27		30
31		X	·50	X	·37	X		·25	X		X		31
Total	2·08	1·02	2·01	2·57	2·66	2·66	1·04	6·68	3·08	5·97	3·42	1·71	YEAR'S TOTAL 34·85
Rain Days.	16	13	13	16	14	14	9	23	16	28	21	18	201

HAWES. WATER
MEASAND
~~SANDHILL~~

WESTMORLAND

1918–19

Copy

FORM A.
BRITISH RAINFALL.

26 6 19

Kept at Measan

in the County of W

by G. H. T

uge 5 in.

round 1 ft. – in.

Sea Level 831 ft.

IMPORTANT … he result entered to the previous day. If … sal rule, he is earnestly requested to add th… in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.88	.23	1
2										}	.38	.85	2
3											.03	.03	3
4											1.64	.38	4
5											.08	.42	5
6										7.65	.	.10	6
7										.34	.60	.19	7
8										.50	.79	.07	8
9										.27	.54	.11	9
10										.62	1.00	.01	10
11										.02	.01	.15	11
12										.	.	.08	12
13										.24	.	.07	13
14										.09	.	.01	14
15										.07	.	.69	15
16										.01	.	.42	16
17										.02	.	.71	17
18										.01	.	.48	18
19										.22	.	.28	19
20										.01	.	.01	20
21										.02	.	.	21
22										.	.	1.66	22
23										.	.06	.05	23
24										.03	.05	.03	24
25										.	.04	.01	25
26										.	.05	.47	26
27										.04	.19	.59	27
28										.14	.03	.47	28
29										.	.	.89	29
30		×								.17	.03	.09	30
31		×		×		×			×	.06	×	.06	31
Total										10.53	6.40	9.61	YEAR'S TOTAL
Rain Days											17	30	

W. 6,500. VII. 18. W W C

Copy X

REGISTER

FORM A.
BRITISH RAINFALL.

26 6. 19

Kept at Measand Sandhill

in the County of Westmorland

by G. H. Hill & Sons

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 831 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.88	.23	1
2											.38	.85	2
3											.03	.03	3
4											1.64	.38	4
5											.08	.42	5
6										7.65	.	.10	6
7										.34	.60	.19	7
8										.50	.79	.07	8
9										.27	.54	.11	9
10										.62	1.00	.01	10
11										.02	.01	.15	11
12										-	.	.08	12
13										.24	.	.07	13
14										.09	.	.01	14
15										.07	.	.69	15
16										.01	.	.42	16
17										.02	.	.71	17
18										.01	.	.48	18
19										.22	.	.28	19
20										.01	.	.01	20
21										.02	.	.	21
22										.	.	1.66	22
23										.	.06	.05	23
24										.03	.05	.03	24
25										.	.04	.01	25
26										.	.05	.47	26
27										.04	.19	.59	27
28										.14	.03	.47	28
29										.	.	.89	29
30		X								.17	.03	.09	30
31		X		X		X			X	.06	X	.06	31
Total										10.53	6.40	9.61	YEAR'S TOTAL
Rain Days.											17	30	

W. 6,500. VII. 18. w w c

Copy for Tables

3676

REGISTE 19

FORM A. BRITISH RAINFALL.

31 JAN 2

HAWES WATER
MEASAND

Kept at Measand Sa ong.

9 am

in the County of Westmorl ion Shap

f Rain Gauge 5 in.

by G. H. Hill & Sons ge above Ground 1 ft. – in.

m T K „ Sea Level 831 ft.

IMPORTANT NOTE.—I and the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading a g year in the space provided for it at the end of this para asurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.30	.	.44										1
2	.29	.	.30										2
3	.17	.											3
4	.13	.09	.25										4
5	.07	.	.22										5
6	.11	.	.18										6
7	.09	.	.25										7
8	.38	.	.02										8
9	2.04	.	23										9
10	.28	.	1.15										10
11	.03	.	.74										11
12	.	.	.04										12
13	.64	.	.04										13
14	.45	.	.01										14
15	1.05	.21											15
16	.50	.01											16
17	.02	.											17
18	.01	.	.47										18
19	.03	.31	.94										19
20	.50	.24	.22										20
21	.05	.36	.03										21
22	.	.09	.01										22
23	.01	.	.02										23
24	.01	.											24
25	.35	.											25
26	.03	.01	1.09										26
27	ⓘ 27	.07											27
28	.01	.											28
29	.03												29
30	.	✕	.08										30
31	.04	✕	.20	✕		✕			✕		✕		31
Total	8.89 ✓	1.39	6.93										YEAR'S TOTAL
Rain Days.	28	9	22										

W. 6,500, VII. 18. W W C

Copy for Tables

3676

FORM A.
BRITISH RAINFALL.

31 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Measand Sandhill 4

in the County of Westmorland

by G. H. Hill & Sons

Mr T Ritchie

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 831 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.30	.	.44										1
2	.29	.	.30										2
3	.17	.											3
4	.13	.09	.25										4
5	.07	.	.22										5
6	.11	.	.18										6
7	.09	.	.25										7
8	.38	.	.02										8
9	2.04	.	23										9
10	.28	.	1.15										10
11	.03	.	.74										11
12	.	.	.04										12
13	.64	.	.04										13
14	.45	.	.01										14
15	1.05	.21											15
16	.50	.01											16
17	.02	.											17
18	.01	.	.47										18
19	.03	.31	.94										19
20	.50	.24	.22										20
21	.05	.36	.03										21
22	.	.09	.01										22
23	.01	.	.02										23
24	.01	.											24
25	.35	.											25
26	.03	.01	1.09										26
27	27	.07											27
28	.01	.											28
29	.03												29
30	.	X	.08										30
31	.04	X	.20	X		X			X		X		31
Total	8.89 ✓	1.39	6.93										YEAR'S TOTAL
Rain Days.	28	9	22										

W. 6,500. VII. 18. w w c

Copy
Smaller

RE

HAWES WATER —

WESTMORLAND

NADDLE HSE

1918-19

FORM A.
BRITISH RAINFALL.

26 6 19

Kept at Naddle

in the County of Wes

by G. H. Hel

e 5 in.

und 1 ft. — in.

Level 830 ft.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										(1.00)	.94	.20	1
2									re-estimated	~~(1.70)~~	.57	.84	2
3											.02	.03	3
4											1.94	.25	4
5											.08	.23	5
6											.	.09	6
7											.88	.15	7
8											.52	.04	8
9											.53	.09	9
10										10.57	1.81	.	10
11										.12	.	.14	11
12										.	.	.09	12
13										.20	.	.03	13
14										.09	.	.01	14
15										.08	.	.66	15
16										.01	.	.30	16
17										.17	.	.69	17
18										.	.	.38	18
19										.22	.	.31	19
20										.	.	.	20
21										.06	.	.03	21
22										.	.	.95	22
23										.	.04	.26	23
24										.01	.02	.	24
25										.	.02	.	25
26										.	.04	.39	26
27										.03	.09	.39	27
28										.18	.04	.50	28
29										.	.	.69	29
30		X								.15	.03	.17	30
31		X		X		X			X	.12	X	.03	31
Total										~~(13.71)~~	7.57	7.94	YEAR'S TOTAL
Rain Days.										(13.01)	16	27	

W. 6,500. VII. 18. W W C

3675.

HAWES WATER

NADDLE HOUSE

1919 – 30.

Copy for Table

FORM A.
BRITISH RAINFALL.

19

…ng.

Kept at Naddl

9 am

…n Shap

in the County of W

Rain Gauge 5 in.

by G. H. H

above Ground 1 ft. — in.

,, Sea Level 830 ft.

IMPORTANT … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add the … of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

10.20 – 24

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.97	.	.35										1
2	.18	.	.32										2
3	.13	.											3
4	.06	.09	.25										4
5	.03	.											5
6	.04	.	.24										6
7	.06	.	.15										7
8	.26	.	.02										8
9	1.61	.	.28										9
10	.29	.	1.06										10
11	.05	.	.35										11
12	.	.	.03										12
13	.52	.											13
14	.28	.											14
15	.90	.20											15
16	.36	.											16
17	.	.											17
18	.	.	.36										18
19	.03	.26	.99										19
20	.38	.22	.05										20
21	.03	.31											21
22		.06											22
23	.	.											23
24	.	.											24
25	.29	.											25
26	.	.	.85										26
27	.	.06											27
28	.	.											28
29	.13												29
30	.	X	.04										30
31	.	X	.15	X		X			X		X		31
Total	6.60	1.20	5.49										YEAR'S TOTAL
Rain Days.	20	7	16										

Copy from Table

19

FORM A.
BRITISH RAINFALL.

[illegible]

Kept at Haddle House

in the County of Westmorland

by G. H. Hull & Son

Mrs Greenhow

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 830 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.97	.	.35										1
2	.18	.	.32										2
3	.13	.											3
4	.06	.09	.25										4
5	.03	.											5
6	.04	.	.24										6
7	.06	.	.15										7
8	.26	.	.02										8
9	1.61	.	28										9
10	.29	.	1.06										10
11	.05	.	.35										11
12	.	.	.03										12
13	.52	.											13
14	.28	.											14
15	.90	.20											15
16	.36	.											16
17	.	.											17
18	.	.	.36										18
19	.03	.26	.99										19
20	.38	.22	.05										20
21	.03	.31											21
22	.	.06											22
23	.	.											23
24	.	.											24
25	.29	.											25
26	.	.	.85										26
27	.	.06											27
28	.	.											28
29	.13												29
30	.	✕	.04										30
31	.	✕	.15	✕		✕			✕		✕		31
Total	6.60	1.20	5.49										YEAR'S TOTAL
Rain Days.	20	7	16										

W. 6,500. VII. 18. W W C

HELTONDALE
~~KIDMOOR~~
WESTMORLAND

1918-1919.

Copy

R

FORM A.
BRITISH RAINFALL.

26.6.19

Kept at Heltond

in the County of We

by G. H. H

Gauge 5 in.-

Ground 1 ft. - in.

Sea Level 988 ft.

IMPORTANT N … the result entered to the previous day. If an … conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3											1.29		3
4												59	4
5													5
6											1.31		6
7													7
8									g. upset	(8.00) ~~5.95~~		.20	8
9													9
10											2.15		10
11										.75		.08	11
12													12
13										.04			13
14													14
15												.74	15
16										.09			16
17													17
18												1.41	18
19													19
20										.38			20
21													21
22												1.03	22
23										.01			23
24											.22		24
25												05	25
26													26
27										.03	.09		27
28													28
29												1.75	29
30		X									.07		30
31		X		X		X			X	.23	X	.16	31
Total										~~7.48~~ (9.53)	5.13	6.01	YEAR'S TOTAL
Rain Days													

W, 6,500. VII. 18. w w c

~~Copy~~ ~~Smaller~~

R

FORM A. BRITISH RAINFALL.

26 6 19

Kept at Heltond

in the County of Westmorland

by G. H Hill & Son

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in. -

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 988 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3											1.29		3
4												.59	4
5													5
6											1.31		6
7													7
8									g. upset	(8.00) ~~5.95~~		.20	8
9													9
10											2.15		10
11										.75		.08	11
12													12
13										.04			13
14													14
15												.74	15
16										.09			16
17													17
18												1.41	18
19													19
20										.38			20
21													21
22												1.03	22
23										.01			23
24											.22		24
25												05	25
26													26
27										.03	.09		27
28													28
29												1.75	29
30		X									.07		30
31		X		X		X			X	.23	X	.16	31
Total										~~7.48~~ (9.53)	5.13	6.01	YEAR'S TOTAL
Rain Days													

Copy made

RE D

3684

HELTONDALE

KIDMORE

1919 - ~~20~~

1920-24

FORM A.
BRITISH RAINFALL.

Kept at Heltonda

in the County of W

by G. H.

Clifton

in Gauge 5 in.

ove Ground 1 ft. – in.

Sea Level 988 ft.

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			.49										2
3													3
4													4
5	1.21	.12	.18										5
6													6
7													7
8	.41												8
9		–	.72										9
10													10
11													11
12	1.54	–	.68										12
13													13
14													14
15	1.17	.15											15
16			.03										16
17													17
18													18
19	.36	.32	1.38										19
20													20
21													21
22	.31												22
23		.59	.05										23
24													24
25													25
26	.35		.51										26
27													27
28		.12											28
29													29
30		╳											30
31	.03	╳	.16	╳		╳			╳		╳		31
Total	5.38 ✓	1.30	4.20										YEAR'S TOTAL
Rain Days.													

W. 6,500. VII. 18. w w c

Copy made

REGISTER

Kept at Heltondale Kidmore

in the County of Westmorland

by G. H. Hill & Sons

Ms H Metcalfe

Lat. .... Long. ....

Time of Observation 9 am summertime 10 am

Nearest Railway Station Clifton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 988 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			·49										2
3													3
4													4
5	1·21	·12	·18										5
6													6
7													7
8	·41												8
9		–	·72										9
10													10
11													11
12	1·54	–	·68										12
13													13
14													14
15	1·17	·15											15
16			·03										16
17													17
18													18
19	·36	·32	1·38										19
20													20
21													21
22	·31												22
23		·59	·05										23
24													24
25													25
26	·35		·51										26
27													27
28		·12											28
29													29
30													30
31	·03		·16										31
Total	5·38 ✓	1·30	4·20										YEAR'S TOTAL
Rain Days.													

HEVERSHAM.
LEASGILL

WESTMORLAND

1911 - 1920

FORM A.
BRITISH RAINFALL.
24 JAN 1912

RI

Kept at [illegible]

in the County of [illegible]

by [illegible]

in.

d ft. 8 in.

vel 130 ft.

NOTE.—Rain should be mea … tions for the measurement of rain and particulars as to the … t post-free on application to Dr. H. R. MILL, 62, Camden …

Date.	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.		in.	in.	
1					·08		·03	·55			·47	·09	1
2	·06		·34		·28			·02		·06	·08	·14	2
3			·02		·94			·01			·88	·29	3
4			·16		·01			·65			·82	·28	4
5	·40		·10					·52		·03	·15	·09	5
6	·03		·08	·02				·98			·38	·27	6
7	·28		·04	·01	·02						·30	·01	7
8	·08		·02								·33	·58	8
9	·04		·37								·01	·61	9
10	·84	·16	·33									·64	10
11	·04		·05						·45		·02	·13	11
12			·02						·10		·27	·01	12
13		·10							·83		·37	·28	13
14	·07	·68			·33						·76	·13	14
15	·02	·68	·01	·03								·17	15
16	·05	·40	·01	·16		·26	·03				·86	·32	16
17	·01	·01			·03	·65					·30	·11	17
18		·60		·08		·08	·01			·05	·52	·30	18
19		·02		·06				·02	·64	·68	·01	·33	19
20	·01	·18		·52			·23	·31		·02		·35	20
21	·01	1·08		·19		·33	·03	·08		·15		·05	21
22		·27		·07		·13				·09		·01	22
23	·09	·32		·05	·28	·21	·02		·44	·31		·37	23
24	·03	·20		·54		·41		·08	·14	·33		·19	24
25	·15	·38		·46		·04			·48	·61		·21	25
26	·02	·07		·15		·01		·45		·67	·03	·16	26
27		1·44		·19		·02		·58	·37	·01	·07	·19	27
28	·02	·14		·68		·30			·12		·01	·45	28
29				·15		·17	·06	·08	·75	1·90	·01	·31	29
30					·03	03	·15			·54	·04	·01	30
31							·01			·17		·07	31
Total	2·25	6·73	1·55	3·36	2·00 2·00	2·64	·57	4·33	4·32	5·62	6·69	7·15	TOTAL for year 47·21
No. of Rain Days	19	17	13	16	9	13	9	13	10	15	22	31	47·28

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

R [redacted]

FORM A.
BRITISH RAINFALL.
24 JAN 1912

Kept at [illegible]

in the County of [illegible] 3

by [illegible]

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " Sea Level 130 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·08		·03	·55			·47	·09	1
2	·06		·34		·28			·02		·06	·08	·14	2
3			·02		·94			·01			·88	·29	3
4			·16		·01			·65			·82	·28	4
5	·40		·10					·52		·03	·15	·09	5
6	·03		·08	·02				·98			·38	·27	6
7	·28		·04	·01	·02						·30	·01	7
8	·08		·02								·33	·68	8
9	·04		·37								·01	·61	9
10	·84	·16	·33									·64	10
11	·04		·05						·45		·02	·13	11
12			·02						·10		·27	·01	12
13		·10							·83		·37	·28	13
14	·07	·68			·33						·76	·13	14
15	·02	·68	·01	·03								·17	15
16	·05	·40	·01	·16		·26	·03				·86	·32	16
17	·01	·01			·03	·65					·30	·11	17
18		·60		·08		·08	·01			·05	·52	·30	18
19		·02		·06				·02	·64	·68	·01	·33	19
20	·01	·18		·52			·23	·31		·02		·35	20
21	·01	1·08		·19		·33	·03	·08		·15		·05	21
22		·27		·07		·13				·09		·01	22
23	·09	·32		·05	·28	·21	·02		·44	·31		·37	23
24	·03	·20		·54		·41		·08	·14	·33		·19	24
25	·15	·38		·46		·04			·48	·61		·21	25
26	·02	·07		·15		·01		·45		·67	·03	·16	26
27		1·44		·19		·02		·58	·37	·01	·07	·19	27
28	·02	·14		·68		·30			·12		·01	·45	28
29				·15		·17	·06	·08	·75	1·90	·01	·31	29
30					·03	·03	·15			·54	·04	·01	30
31							·01			·17		·07	31
Total	2·25	6·73	1·55	3·36	2·00 2·00	2·64	·57	4·33	4·32	5·62	6·69	7·15	TOTAL for year 47·21
No. of Rain Days	19	17	13	16	9	13	9	13	10	15	22	31	47·28

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

187

Cnd for ante 20·III·13

No 7 b

REGISTER OF RAINFALL IN 1912

21 JAN 1913

FORM A.
BRITISH RAINFALL.

Kept at Lensgill

in the County of Westmorland 3

by J. A. Myles

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Heversham - 7 m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01		·30		·07	·18	·06	·11	·13			·09	1
2	·04		·71	·05	·14	·17	·12	·02	·05			·32	2
3	·32		·01	·03		·70		·22	·70		·02	·38	3
4	·28		·45	·65	·03	·08		·83	·11		1·89	·08	4
5	·08		·01	·02	·19	·06		·14	·04	·15	·01	·03	5
6		·26	·04		·12			·02		·01		·01	6
7	·10	·53	·03	·03	·15		·16	·05	·14		·28	·02	7
8	·45	·22	·06	·03	·08	·02			·04		·37	·02	8
9	·12	·11	·41	·20	·01	·29		·16			·20	·38	9
10	·09	·01	·03	·02	·07	·73	·43	·02			·47	·12	10
11	·05		·01		·03	·06	·22	·05				·25	11
12	·27	·02	·70			·29	·03					·17	12
13	·05		·17			·05		·03		·77	·01	·55	13
14	·30		·23			·08		·01		·03		·32	14
15	·19	·33	·02		·04	·26		·01		·10		·09	15
16	·85	·01	·39		·02	·02		·15		·27	·03	·02	16
17	·01	·27	·34		·04	·93		·46			·02	·57	17
18	·02	·12	·06			·16				·40	·07	·41	18
19	·08	·07	·45			·05		·34		·17	·14	·01	19
20	·16	·5	·05		·91	·03	·05	·09		·32	·02	·22	20
21	·09	·59	·21		·01	·03	·12	·12		·14		·04	21
22	·01	·01	·01		·13	·01		·43			·26	·01	22
23		·11	·19			·05	·26	·14			·73	·25	23
24	·01	·01	·22		·04	·22	·24	·07		·02	·06		24
25		·33	·10			·61	·03	·16			·55		25
26		·08	·16			·07	·16	·01		1·70	·22		26
27		·13	·30			1·06	·29			·29	·01	·46	27
28		·03				·07	1·15	·68		·71	·33	·43	28
29			·19			·08	·60	·17	·23	·22		·22	29
30			·32	·01	·02	·04	·24	·01	·01	·02		·33	30
31			·21		·08		1·04	·60				·22	31
Total	3·58	3·29	6·46	1·04	2·18	6·40	5·20	5·10	1·45	5·32	5·69	6·02 6·82	YEAR'S TOTAL 61·73 61·93
Rain Days.	22	20	30	9	19	28	17	27	9	16	20	28	~~[illegible]~~ 245

W. 7,500, XI. 12

copy sum. stats. 14·IV·14

REGISTER OF RAINFALL IN 1913.

BRITISH RAINFALL FORM A.
21 JAN 1914

Kept at Leasgill

in the County of Westmorland

3

by J. S. [illegible]

Lat. .... Long. ....
Nearest Railway Station Heversham
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 8 in.
" " " Sea Level 130. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·01	·14	·01							·05		1
2	·13	·25	·75	·05							·28	·37	2
3	·07	·06	·10	·01	·53	·26					·01	·49	3
4	·32	·19	·06		·02	·01	·02				·30	·49	4
5	·48	·10	·03		·01	·20	·03				·01	·01	5
6	·17	·41	·33		·63	·32	·18				·03	·02	6
7	·03	·49	·02			·28	·01			·71	·01	·04	7
8		·29	·08			·02	·02	·10		·09	·05	·11	8
9		·38	·33	·06	·19	·77		·46		·01	·15	·10	9
10	·02	·47	·44	·10	·12	·01			·01	·11	·25	·01	10
11	·20	·01		·31	·06	·05	·12			·04	·37	·19	11
12	·02		·01	·02			·02	·01	·35		·19	·05	12
13			·59	·04					·15	·38	·26	·01	13
14	·04	·01	·11	·07	·02				(·02) ·02	·66	·13	·02	14
15	·03		·24	·83				·09	·01		·36	·08	15
16			·04	·07			·01				·30	·03	16
17	·02			·17		·10	·06				·55		17
18	·18		·56	·27	·04	·07	·02			·01	·23		18
19	·04		·03	·12	·20	·02				·20	·52		19
20	·01		·01	·10	·02	·03		·01		·31	1·06		20
21			·07		·04		·10	·75		·22	·01		21
22	·37		·55		·20		·01	·46	·06	·04			22
23	·59		·01		·09	·23		·12	·34		·11	·03	23
24	·45	·11		·11		·79		·01			·08		24
25		·01		·14					·83	·03	·06	·06	25
26		·03	·01	·66		·01			1·05	·05	·02	·42	26
27		·01		·54		·01			·01	·30	·02	·52	27
28	·30		·05	·37						·02		·10	28
29	·01		·07	·52	·06	·01		·19		·23	·06		29
30	·54			·01	·02					·05			30
31	·20		·04		·12					·01			31
Total	4·25	2·83	4·67	4·58	2·37	3·19	·60	2·20	2·83	3·47	5·47	3·15	TOTAL for year 39·61
No. of Rain Days.	23	16	25	22	17	18	12	10	10	19	27	20	219

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

9c. mg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Leasgill

in the County of Westmorland 3

by J. A. Ayles

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Heversham 7.d. 1½ miles.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·09	·11	·01			·19	·17			·01	·10	1
2	·02	·21	·03		·02		·40	·24		·10	·16	·14	2
3	·15	·07	·06		·52		·02	·02				1·30	3
4	·43	·01	·14	·30	·10		·01	·04			·08	·46	4
5	·03		·59	·23	·03	·07	·26	·01			·16	·08	5
6			·06	·15	·08	·05	·01	·12			·12	·09	6
7	·12		·26	·07	·25	·03		·23		·02	·09	·02	7
8	1·02	·02	·08	·01	·20	·11	·02	1·84	·37	·02	·26	·30	8
9	·57	·37		·19	·01	·26		·01	·05		·20	·01	9
10	·01	·18			·03	·01	·01		·17		·77		10
11		·19	·53	·01	·04		·42		·06		·38	·06	11
12		·23	·11		·02		·06		·22		·34	·02	12
13		·23	·35	·02	·03		·01		·16	·10	·34	·09	13
14		·21	·16						·04		·19	·20	14
15		·04	·47						·30		·12		15
16	·01	·03	·02				1·02		2·08			·03	16
17		·78	·10				·16		·21			1·43	17
18	·01	·36	·05				·05		·04	·02	·01	·04	18
19		·03	·12				·02		·08		·01	·12	19
20		·37	·04		·07				·01			·13	20
21		·15			·03	·03	·21	·01		·05		·01	21
22		·87		·04	·52	·11	·01	·28		·01			22
23		·19	·25	·09	·17	·02	·03	·05					23
24	·85		·25	·03	·08	·04	·16	·06		·02	·31		24
25	·06		·02				·03	·32		·80	·25	·72	25
26	·02	·07					·01	·03		·31	·33	·24	26
27	·05	·03							·02	·59	·66	·15	27
28	·07	·29	·32		·04	·02		·08		·02	·60	·01	28
29	·47		·24		·06			·26		·01	·76	·02	29
30	·06		·89	·01	·02			·03			·53	·33	30
31	·62		·02				·55			·12		·08	31
Total	4·57	6·02	5·27	1·24	2·32	·75	3·66	3·80	3·81	2·19	6·68	6·18	YEAR'S TOTAL 45·49
Rain Days.	18	23	25	13	20	11	22	18	14	14	23	26	227

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3941

FORM A.
BRITISH RAINFALL.

11 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Leasgill LEASGILL

in the County of Westmorland

by T. A. Argles T.A. ARGLES

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Heversham, Furness Ry. 1½ m. S.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·76			·05		·07	·28			·01	·12	1
2	·05	·68	·52	·41		·05	·39	·34					2
3	·10	·14	·48	·42			·50	·35				·32	3
4	·02	·37	·10	·10	·15	·17		·01				·25	4
5	·50	·25	·33		·01	·04		·02				1·18	5
6	·54	·09		·24		·04	·71		·02		·02	·33	6
7	·35	·66		·08			·62					·11	7
8	·20	·29		·16				·78			1·37		8
9		·08		·03				·01			·17	1·26	9
10	·62		·06	·10				·08	~~·06~~	·06		·30	10
11	·04				·58		·20	·11			·03	·14	11
12	·29	·10		·04			·04	·01	~~·15~~	·15	·24		12
13	·16	·03					·01	·42	~~·03~~	·03		·13	13
14	·41			·05			·06	·55	·04			·10	14
15	·91			·04			·03	·20	·10			·37	15
16		·54		·02	·04		·16	·16	·02			·02	16
17	·01	·26			·02		·05						17
18		·38	·03	·01			·07						18
19	·02	·08	·05	·32	·11		·18			·01			19
20	·27		·02		·04		·10	·02				·23	20
21	·03	·07	·05	·11			·18						21
22			·01				·13					·24	22
23		·02	·12	·04			·31		·12	·07		·35	23
24			·14				·02		·39	·02		·38	24
25			·04				·29		·02			·13	25
26		·95					·43			·63		·45	26
27		·14					·20			·20		·13	27
28		·17	·02			·09	·01	·34				·01	28
29				·34	·02	·04	·61				·42	·08	29
30	·25	X					·05				·15	·01	30
31	·25	X		X		X	·05	·52	X		X	·60	31
Total	5·45	6·06	1·97	2·51	1·02	·43	4·81	4·20	·71	1·17	2·41	7·24	YEAR'S TOTAL 37·98
Rain Days.	20	20	14	17	9	6	26	17	7	8	8	24	176

W. 8,000. X. 15.

[illegible] 1870

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
18. JAN 1917

Kept at Leasgill

in the County of Westmorland

by J. A. [illegible]

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Heversham F.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60	·08	·01			·20	·66	·03			·39		1
2	·17	·09				·14	·01			·26	·03	·06	2
3	·03	·04		·06		·11	·13		·07	·30	·20		3
4	·12	·34			·44	·24	·01		1·00	·50	·18		4
5	·21	·66			·12	·12	·02			1·06	·47		5
6	·41	·18			·40	·02	·23			·25	·27	·03	6
7	·05	·14	·04		·38	·02	·82			·40	·21	·26	7
8	·01	·03	·02		·01	·03	·04			·13	·15	·01	8
9	·02				·35		·02			·02	·16	·17	9
10	·11	·24		·19	·01	·10	·09			·55	·19		10
11	·05		·01	·63	·02		·24		·09	·10	·01	·02	11
12	·11	·42	·02	·05	·37	·02	·29	·06		·09			12
13		·24	·05	·07	·01		·01	·49		·82	·01	·04	13
14	·03	·20	·01	·10	·42			·43	·02	·33			14
15	·04	·58	·08	·08			·02	·46		·05			15
16	·08	·11	·60	·46			·24	·01	·02				16
17	·36	·24	·01	·43			·05		·98	·18			17
18	·02	·46		·02			·01	·32	·11	·13	·08		18
19	·62		·15	·17				·05	·01	·01	·17		19
20	·69		·07	·04			·02	·01			·22	·72	20
21	·43		·01	·05	·06		·45		·04		·03		21
22		·01		·08		·19				·05	·06	·02	22
23	·14		·14	·08		·05		·04		·42	·31	·18	23
24	·03		·09	·05		·45		·27		·14	·04	·08	24
25			·10	·01	·09	·07		·30		·07	·35	·03	25
26	·19					·01		·01		·05	·03		26
27		·02			·02	·04			·11	·13	·01	·03	27
28	·47	·02								·19	·19	1·73	28
29	·14	·06	·01			·03				·40	·54	·38	29
30	·15	X					·01			·80	·21	·27	30
31	·01	X		X	·89	X		·32	X	·34	X	·18	31
Total	5·29	4·16	1·42	2·57	3·59	1·87	3·37	2·80	2·45	7·77	4·51	4·21	YEAR'S TOTAL 44·01
Rain Days.	27	20	17	17	15	17	20	14	10	27	25	17	226

W. 8,000, VIII. 16

3706

Ex. Dh

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

17. JAN 18

Kept at [illegible]

in the County of Westmorland

by [illegible]

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Heversham 7-R. 1¼ mile S.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01	·03		·21			·36		·19	·11	1
2	·70								·29		·03		2
3	·12					·07		·01	·01		·20		3
4				·02		·64				·79	·07	·09	4
5	·28		·08	·12		·13				·14	1·26	·21	5
6	·09			·10						·02	·52	·26	6
7	·70			·01						·60	·05	·24	7
8	·07			·09		·28		·80		·31	·14	·14	8
9	·34			·08		·04		·60	·06		·34	·02	9
10	·04		·77	·20	·03			·26		·02	·01		10
11					·39			·85		·02	·04	·01	11
12			·06		·10			·01		·75		·64	12
13				·17	·64			·48		·29		·27	13
14	·02			·09	·12	·08		·14	1·08	·02	·14	·10	14
15				·19	·05			·06			·01	·29	15
16		·02	·03	·35					·40	·03		·02	16
17		·22	·13	·22				1·17	·20	·31	·01	·03	17
18		·06	·12	·02	·01		·04	2·07	·19	·26	·02	·05	18
19		·28	·17		·05		1·05	·17	·48		·02	·21	19
20		·58			·35	·01		·02	·02	·03	·14	·13	20
21		·07	·02		·13	1·01		1·00	·21	·12			21
22		·01	·02		·13			·25	·13		·03		22
23		·08						·17	·07	·80	·04	·01	23
24					·29	·39	·01	·58	·07	·08	·23		24
25		·05	·02			·07	·13	·16	·01	1·04	·03		25
26		·01			·04	·07		·19	·30	·14	·78		26
27			·08			·03	·08	·67		·14	·12		27
28		·01	·34		·26	·11	·55	·57		·10	·03		28
29			·10					·08		·05	·04		29
30		☒	·04		·01		·14	·01		·70	·26		30
31		☒	·28	☒	·21	☒		·01	☒	·26	☒		31
Total	2·39	1·39	2·27	1·69	2·81	3·14	2·00	10·53	3·88	7·02	4·75	2·31	YEAR'S TOTAL 43·98
Rain Days.	10	11	16	14	16	14	7	24	16	24	26	18	196

W. 8,000, IX. 17.

38

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
7. 1. 19

Kept at LEASGILL

in the County of Westmorland

by J. A. Angles

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Heversham 7. 1. 19

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·33	·01	·09					·58	·04	·30	·86	1
2		·04		·45					·20	·89	·14	·90	2
3		·09		·01	·39					·85	·02	·04	3
4		·08			·10			·09	·14	·41	·25	·08	4
5		·06	·01	·25	·23		·01	·96		·78	·07	·12	5
6	·03	1·13		·33	·01	·84		·03	·08	·38		·02	6
7		·12		·03			·16	·22	·25	·11	·21	·08	7
8		·03	·12	·02			·07	·02	·30	·29	·14	·01	8
9	·67	·60				·33	·03		·79	·52	·07	·03	9
10	·07	·54	·23	·04			·10		·32	·38	·58	·04	10
11	·27	·14	·08	·01	·12		·45	·01	·34	·01		·34	11
12		·35	·01	·02	·03		·01		·10			·19	12
13		·01		·02	·10	·02			·39	·74		·03	13
14	·75	·01			·02	·19	·24	·08	·38	·09		·10	14
15						·06	·40		2·08	·01		·73	15
16	·01	·05				·26	·62	·14	·72			·12	16
17	·70				·01	·05	1·31	·23	·08	·29		·35	17
18	·88		·32			·02	·07		·08	·03		·30	18
19	·45	·20	·14	·01			·20	·37	·22	·07			19
20	·86	·45	·01	·13	·16	·07	·83	·02	·29	·01		·65	20
21	·22	·56				·04	·01		1·39			·02	21
22	·13	·01			·55	·10	·50	·03	·53			1·14	22
23	·32	·01			·18	·01	·71		·04		·02	·08	23
24	·42	·08					·01	·18	·43	·01	·09	·02	24
25	·04	·02					·26	·94	·30		·01	·01	25
26	·01	·09			·32		·01	·03	·66	·07	·23	·28	26
27		·12	·64			·04		·75	·34	·15	·13	·55	27
28		·03	·19					·03	·34	·02	·07	·58	28
29			·01					·02	·05		·01	·44	29
30		X	·15					·03		·03	·32	·08	30
31		X	·28	X		X		·17	X	·06	X	·04	31
Total	5·83	6·15	2·20	1·41	2·22	2·03	6·00	4·35	11·42	6·24	2·66	8·23	YEAR'S TOTAL 57·74
Rain Days.	16	25	14	13	13	13	20	20	27	24	17	30	232

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3517

12 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Leasgill

in the County of Westmorland

by J. H. Agles

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Heversham 7. d.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·10		·03		·26		·09		1·47	·38		·22	1
2	·40		·30		·10		·07	·05		·01		·24	2
3	·34	·06			·34	·12	·04		·08		·02	·10	3
4	·08	·11	·20		·16		·07	·32	·04	~~[illegible]~~	·03	·24	4
5	·08			·03	·38			·01	·02	·03	·01		5
6	·02		·69		·08				·06	·01		·11	6
7	·04		·12	·16	·01	·07					·04		7
8	·18		·08	·03	·04			·05	·02				8
9	·46		·22	·03		·02			·01				9
10	·08		1·12	·09	·26	·02						·26	10
11	·03		·22				·12		·73	·09		·12	11
12			·01	·15	·04	·37			·03	·05			12
13	·74			·27				·07		·17		·23	13
14	·28	·03		·12			·08					·25	14
15	·67	·08		·10								·64	15
16	·12	·02	·01	·01		·05					·20	·07	16
17	·03			·07		·01		1·13	·02		·96	·02	17
18			·54					·40	·16		·29	·37	18
19	·05	·74	·82			·89	·25	·05	·02		·26	·07	19
20	·40	·31				·07		·01	·03		·10	·43	20
21	·03	·19	·01			·02		·09	·17		·09	·36	21
22		·20				·28		·12	·18	·07	·34	·34	22
23	·17			·04		·08				1·18	·12	·13	23
24	·35			·08	·08			·01	·38	·06	·02	·24	24
25	·22				·01	·07		1·18	·36		·07	·01	25
26	·06		·70	·05		·04		·12	·11			·72	26
27				·08				·01				·05	27
28				·03				·67	·19			·68	28
29				·01				·14	·29	·02	·26	·13	29
30				·04		·06		·05		·03		·72	30
31	·01						·41					~~·01~~	31
TOTAL	5·94	1·74	5·07	1·39	1·76	2·17	1·13	4·48	4·37	2·10	2·81 ~~2·74~~	6·65	YEAR'S TOTAL 39·61
Days with ·01 in. or more	24	9	15	18	12	15	8	18	20	12	~~16~~ 15	25 ~~26~~	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W RR cnd 3405

6 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at [illegible] ([illegible])

in the County of [illegible]

by [illegible]

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station [illegible] 7 m

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·05	·18	·21	·43	~~·32~~	·32	·02	·05	·02		·20	1
2		·01	·01	·02	·05	~~·49~~	·49		·47	·04		·67	2
3		·10	·39	·04	·14	~~·05~~	·05	·20	·41	·16		·23	3
4		·11	·09	·04	·04		·31	·99	·01	·48		·03	4
5		·02	·31	·02	2·05		·09	·07	·03	·33	·01		5
6	·03		·20	·37	·71		·02			·02	·03		6
7	(·32)	·01	·05	·11	·03		·51		·02		·04		7
8	·06	·09		·17	·21		·22	·14	·04		·38		8
9	·25	1·02	·02	·39	·01		·10	·02	·04		·06	·05	9
10	·87	·23	·13	·53			·19					·05	10
11	·22	·09	·03	·01	·46	·05	·03						11
12	·32	·37	·45	·15	·14	·05	·24		·07		·27	·08	12
13	·19	·13	·14	·22	·05	·09	·02				·22	·06	13
14	·16	·32	·03	·33		·27	·34		·45	·19	·72	·04	14
15	·07	·17	·01	·95			·01			·18	·14		15
16	·06	·01	·16	·19	·19		·38		·48		·16		16
17	·08		·09	·01	·23		·05	1·04	·27		[illegible]		17
18	·60	·01		·03	·46	·18		·01					18
19	·04	·40		·05	·02	·30	·23						19
20	·19	·01		·11			·09		·47			·27	20
21	·01						·14					·14	21
22	·48			·64			·65						22
23	·17		·18	·16	·02		·24					·12	23
24	·09		1·18	·16		·06	·07					·46	24
25		·07	·13	·10		·05	·50		·03			·12	25
26	·08	·06	·61	·27			·01		·13		·06		26
27	·05		·36		·24	·58	·22				·08	·10	27
28	·06	·09	·25	·37	·65	·19	·22				·02	·32	28
29	·12	·44	·95			·09	·56				·24	·57	29
30	·57	✕	·08		·05	·02	·01		·13		·72	·79	30
31	·21	✕	·12	✕	·04	✕	·45		✕	·02	✕	·15	31
Total	5·43	3·89	5·28	5·65	6·22	1·93	6·36	2·49	3·10	1·47	2·56	4·45	Year's Total 48·93
Days with ·01 in. or more	26	22	25	26	21	12	30	8	16	9	16	19	230

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

24 16 20 21 17 11 24 5 12 6 12 18 18

HEVERSHAM.

PLUMTREE HALL

1911 – 1920.

3712

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

✓

RE IN 1911

Kept at Plumtree

in the County of West

by T. Carrick W

ern Snowdon

neter of top 5 in.

ght of top above Ground – ft. 9 in.

" " Sea Level 115 ft.

ervation 9 a.m.

way Station { Name Heversham Furness Railway
Distance 1030 yds Direction South

IMPORTANT NOT 9 a.m., and the result entered to the previous day. If an Obs almost universal rule, he is earnestly requested to add the read following year in the space provided for it at the end of this e measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	✓	23	✓	07	✓	08	62	✓	✓	47	·09	1
2	·07	✓	02	✓	28	✓	✓	02	✓	11	07	·15	2
3	✓	✓	15	✓	1·07	✓	✓	01	✓	✓	1·00	32	3
4	✓	·01	12	04	✓	✓	01	70	✓	✓	·91	29	4
5	·29	✓	11	01	✓	✓	✓	53	✓	03	·13	10	5
6	1·04	✓	03	02	✓	✓	✓	1·02	✓	✓	·35	29	6
7	·20	✓	04	✓	03	✓	✓	✓	✓	✓	·32	03	7
8	·04	✓	38	✓	✓	✓	✓	✓	✓	✓	·27	66	8
9	·05	✓	✓	✓	✓	✓	✓	✓	37	✓	·01	64	9
10	·70	·17	33	✓	✓	✓	✓	✓	07	✓	✓	71	10
11	·02	✓	02	✓	✓	✓	✓	✓	87	✓	03	06	11
12	✓	✓	05	✓	01	✓	✓	✓	✓	✓	34	✓	12
13	·02	·12	✓	✓	02	✓	✓	✓	✓	✓	50	30	13
14	·06	·60	✓	✓	36	✓	✓	✓	✓	✓	72	13	14
15	✓	·61	02	03	✓	✓	✓	✓	✓	✓	91	18	15
16	·04	·30	02	16	✓	28	05	✓	✓	✓	24	29	16
17	✓	·02	✓	✓	04	73	01	✓	✓	✓	58	06	17
18	✓	·31	✓	07	✓	06	03	✓	✓	06	01	45	18
19	✓	·01	✓	07	✓	✓	✓	·02	71	74	✓	48	19
20	·01	·12	✓	56	✓	✓	22	42	02	03	✓	24	20
21	·02	·86	✓	20	✓	39	05	07	✓	17	✓	05	21
22	·08	·13	✓	08	✓	12	✓	✓	✓	11	✓	✓	22
23	·04	·28	✓	05	32	20	✓	✓	41	33	✓	33	23
24	·12	·14	✓	54	02	52	✓	11	19	36	✓	19	24
25	·02	·51	✓	62	✓	04	✓	✓	50	67	✓	22	25
26	✓	·05	✓	16	✓	✓	03	48	✓	76	06	18	26
27	·02	1·25	✓	17	✓	03	~~06~~	62	38	✓	10	20	27
28	✓	·09	✓	71	✓	34	06	✓	12	✓	01	44	28
29	✓	✗	✓	18	✓	22	~~18~~	01	81	1·97	01	34	29
30	✓		✓	02	01	09	18	✓	✓	56	04	01	30
31	✓		✓	✗	✓	✗	01	✓	✗	15	✗	09	31
Total	2·84	5·58	1·52	3·69	2·23	3·02	0·73	4·63	4·45	6·05	7·08	7·52	TOTAL for year 49·34
No. of Rain Days.	18	18	13	18	11	12	11	13	11	14	22	29	190

W. 8,000, X. '11.

✓

5712

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Plumtree Hall, Heversham

in the County of Westmorland 3

by T. Carrick Watson

RAIN GAUGE	Pattern	Snowdon
	Diameter of top	5 in.
	Height of top above Ground	— ft. 89 in.
	,, ,, ,, Sea Level	115 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Heversham Furness Railway; Distance 1030 yds, Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	✓	23	✓	07	✓	08	62	✓	✓	47	·09	1
2	·07	✓	02	✓	28	✓	✓	02	✓	11	07	·15	2
3	✓	✓	15	✓	1·07	✓	✓	01	✓	✓	1·00	32	3
4	✓	·01	12	04	✓	✓	01	70	✓	✓	·91	29	4
5	·29	✓	11	01	✓	✓	✓	53	✓	03	·13	10	5
6	1·04	✓	03	02	✓	✓	✓	1·02	✓	✓	·35	29	6
7	·20	✓	04	✓	03	✓	✓	✓	✓	✓	·32	03	7
8	·04	✓	38	✓	✓	✓	✓	✓	✓	✓	·27	66	8
9	·05	✓	✓	✓	✓	✓	✓	✓	37	✓	·01	64	9
10	·70	·17	33	✓	✓	✓	✓	✓	07	✓	✓	71	10
11	·02	✓	02	✓	✓	✓	✓	✓	87	✓	03	06	11
12	✓	✓	05	✓	01	✓	✓	✓	✓	✓	34	✓	12
13	·02	·12	✓	✓	02	✓	✓	✓	✓	✓	50	30	13
14	·06	·60	✓	✓	36	✓	✓	✓	✓	✓	72	13	14
15	✓	·61	02	03	✓	✓	✓	✓	✓	✓	91	18	15
16	·04	·30	02	16	✓	28	05	✓	✓	✓	24	29	16
17	✓	·02	✓	✓	04	73	01	✓	✓	✓	58	06	17
18	✓	·31	✓	07	✓	06	03	✓	✓	06	01	45	18
19	✓	·01	✓	07	✓	✓	✓	·02	71	74	✓	48	19
20	·01	·12	✓	56	✓	✓	22	42	02	03	✓	24	20
21	·02	·86	✓	20	✓	39	05	07	✓	17	✓	05	21
22	·08	·13	✓	08	✓	12	✓	✓	✓	11	✓	✓	22
23	·04	·28	✓	05	32	20	✓	✓	41	33	✓	33	23
24	·12	·14	✓	54	02	52	✓	11	19	36	✓	19	24
25	·02	·51	✓	62	✓	04	✓	✓	50	67	✓	22	25
26	✓	·05	✓	16	✓	✓	03	48	✓	76	06	18	26
27	·02	1·25	✓	17	✓	03	~~06~~	62	28	✓	10	20	27
28	✓	·09	✓	71	✓	34	06	✓	12	✓	01	44	28
29	✓	X	✓	18	✓	22	~~18~~	01	81	1·97	01	34	29
30	✓		✓	02	01	09	18	✓	✓	56	04	01	30
31	✓		✓	X	✓	X	01	✓	X	15	X	09	31
Total	2·84	5·58	1·52	3·69	2·23	3·02	0·73	4·63	4·45	6·05	7·08	7·52	TOTAL for year 49.34
No. of Rain Days.	18	18	13	18	11	12	11	13	11	14	22	29	190

W. 8,000, X. '11.

3712

FORM A. BRITISH RAINFALL.

3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Plumtree Hall. Heversham

in the County of Westmorland 3

by T. Carrick Watson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Heversham, Furness Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	✓	41	✓	06	20	04	06	15	✓	✓	27	1
2	06	✓	78	06	16	19	13	01	06	✓	✓	✓	2
3	36	✓	01	✓	✓	69	✓	23	77	✓	02	38	3
4	31	✓	50	60	03	11	✓	76	11	✓	2·02	08	4
5	10	✓	02	02	17	07	✓	16	04	18	✓	03	5
6	11	38	03	✓	12	01	✓	02	✓	01	02	✓	6
7	✓	38	03	703	15	✓	21	06	17	✓	28	02	7
8	44	24	·10	04	10	✓	✓	✓	·06	✓	39	03	8
9	09	11	38	19	✓	37	✓	20	✓	✓	22	40	9
10	08	02	04	02	07	63	49	02	✓	✓	53	13	10
11	03	✓	02	✓	08	03	23	03	✓	✓	✓	27	11
12	28	03	75	✓	✓	27	03	✓	✓	✓	✓	17	12
13	07	✓	17	✓	✓	03	✓	04	✓	·81	01	62	13
14	28	✓	28	✓	✓	16	✓	02	✓	02	✓	36	14
15	21	35	02	✓	06	27	✓	02	✓	12	✓	08	15
16	1·04	02	40	✓	01	02	✓	17	✓	30	03	✓	16
17	·02	30	36	✓	06	93	✓	48	✓	✓	03	63	17
18	03	12	08	✓	✓	19	✓	01	✓	46	08	37	18
19	08	07	45	✓	✓	05	✓	39	✓	24	14	01	19
20	16	✓	05	✓	1·11	02	03	08	✓	30	01	24	20
21	02	08	25	✓	·01	13	13	12	✓	16	✓	06	21
22	03	54	01	✓	15	✓	✓	46	✓	✓	29	03	22
23	✓	02	25	✓	✓	08	27	26	✓	✓	78	19	23
24	02	12	20	✓	04	24	29	07	✓	✓	06	13	24
25	✓	02	11	✓	✓	66	·06	18	✓	03	52	11	25
26	✓	35	17	✓	✓	08	13	01	✓	1·84	28	31	26
27	✓	09	32	✓	✓	1·09	35	✓	✓	33	02	43	27
28	✓	13	01	✓	✓	08	1·24	63	✓	69	48	02	28
29	✓	03	17	✓	✓	08	68	20	·25	24	✓	23	29
30	1·03	✗	30	✓	02	05	37	✓	✓	01	✓	34	30
31	✓	✗	25	✗	09	✗	1·08	63	✗	✓	—	26	31
Total	4·86	3·40	6·92	0·96	2·49	6·73	5·76	5·32	1·61	5·74	6·21	6·20	YEAR'S TOTAL 56·20 ✓
Rain Days.	23	20	31	7	18	27	17	27	8	16	20	28	242 ✓

W. 7,500, XI. 12

3712

FORM A.
BRITISH RAINFALL
3- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Plumtree Hall, Heversham

in the County of Westmorland 3

by Ths. Carrick Watson

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Heversham. F.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	·01	·12	·01	✓	✓	✓	✓	✓	✓	·07	✓	1
2	·13	27	79	06	✓	·27	✓	✓	✓	✓	30	·42	2
3	07	07	14	✓	56	✓	✓	✓	✓	✓	02	51	3
4	34	20	08	✓	02	01	04	✓	✓	✓	30	43	4
5	56	14	04	✓	02	27	05	✓	✓	✓	01	10	5
6	20	47	33	✓	66	33	19	✓	✓	✓	05	07	6
7	03	49	04	✓	09	30	02	✓	·01	·76	01	13	7
8	✓	29	07	✓	07	03	02	·14	✓	10	06	13	8
9	✓	41	38	06	12	85	✓	36	01	✓	·17	11	9
10	✓	59	47	13	08	✓	✓	✓	✓	14	24	✓	10
11	17	01	✓	35	✓	04	11	✓	39	04	38	20	11
12	02	02	01	02	03	01	02	✓	16	✓	19	08	12
13	✓	✓	64	04	✓	✓	01	08	03	36	28	✓	13
14	05	02	16	08	✓	✓	✓	✓	01	71	11	03	14
15	04	✓	27	85	✓	✓	✓	04	✓	✓	38	12	15
16	✓	✓	06	04	✓	✓	02	✓	✓	✓	32	03	16
17	02	✓	✓	19	05	08	08	✓	✓	✓	55	✓	17
18	20	✓	57	32	02	08	02	✓	✓	✓	24	✓	18
19	04	✓	✓	12	22	04	✓	✓	✓	21	54	✓	19
20	✓	✓	02	13	04	03	✓	01	✓	38	1·13	✓	20
21	✓	✓	08	✓	05	✓	13	77	✓	26	✓	✓	21
22	40	✓	57	✓	22	✓	✓	56	08	03	✓	06	22
23	53	✓	02	✓	11	28	✓	14	36	✓	14	08	23
24	56	10	✓	12	✓	72	✓	✓	✓	✓	08	✓	24
25	✓	✓	✓	·13 87	✓	✓	✓	✓	82	05	11	39	25
26	✓	05	01	·74 56	✓	02	✓	✓	1·10	05	02	57	26
27	✓	01	✓	40	01	✓	✓	✓	✓	32	03	✓	27
28	36	✓	05	56	05	✓	✓	✓	✓	03	✓	03	28
29	✓	—	08	✓	03	✓	✓	21	—	23	07	✓	29
30	54	—	02	✓	23	✓	✓	✓	✓	06	✓	✓	30
31	17	—	03	✗	✓	✗	✓	✓	✗	✓	✗	✓	31
Total	4·43	3·15	5·05	4·91	2·68	3·36	0·71	2·31	2·97	3·73	5·80	3·49	YEAR'S TOTAL 42·59
Rain Days.	19	16	25	19	20	16	12	9	10	16	26	18	206

W.7,000, XI. 13

Esc. W.G.

3712

FORM A.
BRITISH RAINFALL.
4 JAN 19

REGISTER OF RAINFALL IN 1914

Kept at Heversham Plumtree Hall

in the County of Westmorland 3

by J. Carrick Watson

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Heversham Furness Railway

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 115 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·11	·13	✓	✓	✓	·18	·21	✓	✓	✓	·13	1
2	·02	22	03	✓	·01	✓	44	27	✓	0·12	·16	15	2
3	14	08	08	✓	52	✓	02	✓	✓	✓	02	1·32	3
4	43	✓	12	·45	12	✓	✓	01	✓	✓	06	45	4
5	05	✓	56	17	05	·09	28	✓	✓	✓	17	10	5
6	✓	✓	07	15	10	06	✓	16	✓	✓	12	08	6
7	13	✓	25	08	25	04	✓	24	✓	✓	10	02	7
8	1·04	01	08	01	19	12	04	2·01	0·39	03	27	22	8
9	57	37	✓	17	✓	31	✓	✓	06	✓	24	02	9
10	✓	19	✓	✓	03	✓	✓	✓	22	✓	18	✓	10
11	✓	20	57	✓	03	✓	44	✓	07	✓	55	09	11
12	✓	36	10	✓	01	✓	07	✓	27	✓	40	03	12
13	✓	20	40	04	02	✓	02	✓	19	12	33	10	13
14	✓	21	17	✓	✓	✓	✓	✓	06	✓	08	24	14
15	✓	04	52	✓	✓	✓	✓	✓	30	✓	30	01	15
16	01	01	03	✓	✓	✓	1·12	✓	1·95	✓	✓	03	16
17	✓	76	16	✓	✓	✓	20	✓	45	01	✓	1·90	17
18	✓	36	06	✓	✓	✓	06	✓	05	✓	✓	05	18
19	✓	03	13	✓	✓	✓	02	✓	10	✓	02	14	19
20	✓	38	05	✓	10	✓	✓	✓	✓	✓	✓	18	20
21	✓	18	✓	✓	02	02	15	✓	✓	06	✓	01	21
22	✓	91	03	04	60	14	01	27	✓	01	✓	✓	22
23	✓	18	27	08	13	✓	04	05	✓	✓	✓	✓	23
24	90	✓	28	04	12	06	19	06	✓	03	35	✓	24
25	08	✓	✓	✓	✓	✓	04	35	✓	83	26	·67	25
26	05	07	✓	✓	✓	✓	✓	01	✓	26	37	23	26
27	06	03	✓	✓	✓	02	✓	✓	03	58	71	18	27
28	08	27	32	✓	04	✓	✓	08	✓	02	63	✓	28
29	44	✕	29	✓	08	✓	✓	30	✓	01	82	02	29
30	06	✕	85	✓	✓	✓	✓	04	✓	✓	35	33	30
31	67	✕	02	✕	✓	✕	56	✓	✕	13	✕	08	31
Total	4·81	5·17	5 57	1 23	2·42	0·86	3·88	4·06	4·14	2·21	6·49	6·78	YEAR'S TOTAL 47·62
Rain Days.	17	22	25	10	18	9	18	14	13	13	22	26	207

W. 8,000. X. 14.

3940
3712

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Plumtree Hall, Heversham
in the County of Westmorland
by T. Carrick Watson

Lat. Long.
Time of Observation 9·0 am.
Nearest Railway Station Heversham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·46	0·65	·03	✓	·07	✓	·06	0·33	·02	✓	✓	·01	1
2	✓	·71	56	0·47	✓	·06	47	50	✓	✓	✓	01	2
3	·17	15	·48	44	✓	✓	52	56	✓	✓	✓	34	3
4	✓	39	12	06	16	·22	01	02	✓	✓	✓	25	4
5	·54	21	34	✓	✓	03	✓	02	✓	✓	✓	1·18	5
6	·60	13	✓	27	✓	04	76	03	03	✓	·02	41	6
7	35	69	✓	08	✓	✓	66	34	✓	✓	1·38	12	7
8	23	29	✓	16	✓	✓	✓	49	✓	✓	19	✓	8
9	✓	09	✓	03	✓	✓	✓	03	✓	✓	✓	69	9
10	·62	01	06	11	✓	✓	✓	09	✓	·06	✓	46	10
11	·05	✓	✓	✓	·72	✓	17	11	✓	✓	02	18	11
12	·32	11	✓	03	✓	✓	03	01	✓	19	27	✓	12
13	·26	04	✓	✓	✓	✓	✓	72	✓	03	✓	13	13
14	43	✓	✓	06	✓	✓	08	44	04	01	✓	10	14
15	·95	✓	02	07	✓	✓	02	20	11	✓	18	40	15
16	✓	52	08	✓	06	✓	12	17	02	✓	✓	02	16
17	✓	25	10	✓	02	✓	05	01	✓	✓	✓	✓	17
18	✓	45	04	01	✓	✓	07	✓	✓	✓	✓	✓	18
19	02	06	✓	32	13	✓	21	✓	✓	02	✓	✓	19
20	38	02	✓	✓	04	✓	13	01	✓	✓	✓	25	20
21	04	10	✓	12	✓	✓	18	✓	✓	✓	✓	10	21
22	✓	✓	·12	✓	✓	02	11	✓	✓	01	✓	·17	22
23	✓	✓	14	05	✓	01	61	✓	12	08	✓	38	23
24	✓	✓	08	01	✓	✓	02	✓	41	02	✓	39	24
25	✓	✓	✓	✓	✓	✓	32	✓	01	✓	✓	13	25
26	✓	1·04	✓	✓	✓	06	50	✓	✓	✓	✓	51	26
27	✓	06	✓	✓	✓	06	17	✓	✓	72	08	14	27
28	✓	19	✓	✓	✓	02	05	035	✓	21	✓	02	28
29	✓	X	✓	✓	04	✓	01	✓	✓	✓	41	11	29
30	·20	X	✓	39	✓	16	03	✓	✓	✓	04	02	30
31	·34	X	✓	X	✓	X	03	46	X	01	X	58	31
Total	5·96	6·16	2·17	2·68	1·24	0·68	5·39	4·89	0·76	1·36	2·59	7·10	YEAR'S TOTAL 40·98
Rain Days.	17	21	13	17	8	10	26	20	8	11	9	26	186

W. 8,000. X. 15.

Entd KW

3869
3712

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Plumtree Hall, Heversham
in the County of Westmorland
by J. Carrick Watson

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Heversham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·60	·09	✓	✓	✓	0.26	0·74	.03	✓	✓	0·32	✓	1
2	·19	12	✓	✓	✓	18	01	✓	32	0·26	09	06	2
3	·04	05	·01	·07	✓	12	02	✓	81	24	23	01	3
4	·12	34	✓	✓	0·51	31	–	✓	02	59	19	✓	4
5	·22	63	✓	✓	14	16	02	✓	✓	1·10	56	✓	5
6	·48	21	05	✓	42	01	26	✓	✓	34	28	04	6
7	·05	13	01	✓	43	04	81	✓	✓	46	26	29	7
8	✓	02	02	✓	✓	04	09	✓	✓	16	17	01	8
9	·05	✓	✓	✓	44	12	02	✓	✓	03	17	23	9
10	·13	24	✓	19	✓	06	07	✓	✓	58	21	✓	10
11	·06	22	✓	67	04	✓	37	✓	11	18	03	03	11
12	·14	26	01	04	39	✓	44	07	✓	11	02	✓	12
13	✓	31	06	07	✓	✓	01	55	✓	86	01	05	13
14	·05	20	02	09	46	✓	✓	43	03	35	✓	✓	14
15	·06	68	07	09	✓	✓	01	88	02	12	✓	✓	15
16	·10	17	57	49	✓	✓	23	01	02	✓	✓	✓	16
17	·39	26	✓	42	✓	✓	06	✓	1·03	19	✓	34	17
18	·02	51	✓	03	✓	✓	02	34	18	18	05	16	18
19	·63	✓	19	20	✓	✓	✓	05	01	✓	18	06	19
20	·76	✓	08	05	✓	✓	02	01	✓	✓	26	21	20
21	49	✓	01	06	09	✓	97	✓	03	✓	05	01	21
22	✓	01	✓	03	✓	0·21	✓	✓	✓	07	07	*	22
23	·16	✓	16	08	✓	06	✓	01	✓	39	32	01	23
24	·03	✓	06	07	✓	41	✓	24	✓	14	04	24	24
25	·01	02	12	✓	11	07	✓	36	✓	09	42	09	25
26	23	✓	21	✓	✓	✓	✓	✓	✓	07	04	✓	26
27	·01	02	01	✓	03	03	✓	✓	12	15	02	04	27
28	·52	02	02	✓	✓	✓	✓	✓	✓	25	20	1·78	28
29	16	07	02	✓	·	05	✓	✓	·	41	58	39	29
30	17	✕	✓	✓	✓	03	01	✓	✓	88	23	30	30
31	✓	✕	✓	✕	99	✕	✓	34	✕	38	✕	21	31
Total	5·87	4·58	1·70	2·65	4·05	2·16	4·18	3·32	2·70	8·58	5·00	4·56	YEAR'S TOTAL 49·35
Rain Days.	27	22	19	16	12	17	19	13	12	26	26	21 ~~or~~ ~~22~~	230 ~~or~~ ~~231~~

W. 8,000, VIII. 16

117

*Note. 1 day missed probably the 22nd but not certain - total rain will be correct -

Ex 81

3705

3712

FORM A.
BRITISH RAINFALL.

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Plumtree Hall, Milnthorpe

in the County of Westmorland

by T. Carrick Watson

Lat. ……… Long. ———

Time of Observation 9 am

Nearest Railway Station Heversham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	✓	0.02	✓	✓	0.09	✓	✓	0.28	✓	0.26	0.11	1
2	.71	✓	.02	✓	✓	✓	✓	✓	✓	.01	.04	✓	2
3	.17	0.12	✓	.04	✓	.66	✓	✓	✓	.76	.26	✓	3
4	✓	✓	✓	.02	✓	✓	✓	✓	✓	.11	.08	.07	4
5	.30	✓	.04	.15	✓	✓	✓	✓	01	.06	1.26	.28	5
6	✓	✓	✓	.11	✓	.16	✓	✓	✓	.63	.48	.31	6
7	.87	✓	✓	✓	✓	.32	✓	✓	✓	.35	.05	.24	7
8	.08	✓	✓	.08	✓	.04	✓	0.81	.08	.80	.17	.15	8
9	✓	✓	✓	.09	.02	✓	✓	.59	✓	.06	.39	✓	9
10	.37	✓	.84	.15	.37	✓	✓	.28	✓	.02	✓	✓	10
11	.02	.01	✓	✓	.09	✓	✓	1.21	✓	.76	.04	✓	11
12	✓	✓	.06	✓	.65	✓	✓	✓	✓	.34	✓	.05	12
13	✓	✓	✓	.18	.09	.11	✓	.51	1.19	.03	.15	.28	13
14	.02	✓	✓	.15	.05	✓	✓	.15	✓	✓	✓	.22	14
15	.01	✓	✓	.20	✓	✓	✓	.02	.42	.04	✓	.32	15
16	✓	.07	.04	.39	✓	✓	✓	1.14	.21	.33	.01	✓	16
17	.01	.20	.16	.21	.02	✓	.05	2.04	.37	.28	.02	✓	17
18	✓	.07	.19	.01	.04	✓	1.06	.13	.61	✓	.02	.08	18
19	✓	.22	.18	✓	.39	✓	✓	✓	.03	✓	.03	.28	19
20	✓	.47	.02	✓	.14	1.06	✓	.97	.18	.03	.15	.15	20
21	✓	.07	✓	✓	.15	✓	✓	.26	.16	.14	✓	✓	21
22	✓	✓	✓	✓	.30	✓	✓	.18	.10	.91	.04	✓	22
23	✓	.11	.01	✓	✓	.48	.01	.53	.06	.06	.06	.02	23
24	✓	.01	✓	✓	.04	.08	.18	.19	.01	1.01	.20	✓	24
25	✓	.06	.03	✓	✓	.13	.04	.21	.31	.22	.04	✓	25
26	✓	.01	✓	✓	.25	.03	.04	.66	39	.13	.81	✓	26
27	✓	✓	.08	✓	✓	.13	.50	.60	✓	.16	.14	✓	27
28	✓	✓	.38	✓	✓	✓	✓	.10	✓	.02	.04	✓	28
29	✓	X	.12	✓	✓	✓	15	.03	✓	.63	.05	✓	29
30	✓	X	.04	✓	✓	✓	✓	.02	✓	.36	.27	✓	30
31	✓	X	.27	X	.26	X	✓	.45	X	✓	X	✓	31
Total	2.59	1.42	2.50	1.78	2.86	3.29	2.03	11.08	4.41	8.25	5.06	2.56	YEAR'S TOTAL 47.83
Rain Days.	11	12	17	13	15	12	8	22	16	26	25	14	191

W. 8,000, IX. 17.

37

3712

FORM A.
BRITISH RAINFALL

22 . 1 . 19

REGISTER OF RAINFALL IN 1918.

Kept at Plumtree Hall
Heversham
in the County of Westmorland.
by M. Constance Watson.

Lat. .... Long. ——
Time of Observation 9 A.M.
Nearest Railway Station Heversham
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.35	.01	.02	—	—	—	—	.58	.05	.20	.99	1
2	—	.05	—	.48	.43	—	—	—	.20	.94	.18	.74	2
3	—	.08	—	—	.12	—	—	—	—	.90	.04	.04	3
4	—	.12	—	—	.29	—	—	.10	.17	.42	.25	.06	4
5	.02	.07	—	.29	—	—	—	.99	.01	.83	.17	.10	5
6	—	1.21	—	.37	—	.83	—	.03	.09	.43	.01	.02	6
7	—	.14	—	.05	—	—	.18	.24	.27	.10	.18	.07	7
8	.43	.04	.15	—	—	—	.12	.04	.45	.31	.12	.01	8
9	.18	.64	.01	.03	—	.38	.04	—	.81	.53	.13	.05	9
10	.06	.59	.36	.06	.13	—	.13	—	.27	.47	.63	.03	10
11	.28	.14	.10	—	.04	—	.37	.02	.39	—	—	.35	11
12	—	.37	—	—	.12	—	—	—	.13	—	—	.21	12
13	—	.01	—	.04	.03	.02	—	—	.39	.77	—	.03	13
14	.74	—	—	.03	.01	.20	.22	.11	.43	.10	—	.17	14
15	—	—	—	—	—	.07	.43	—	2.17	.02	—	.67	15
16	.18	.06	—	—	—	.27	.56	.16	.77	—	—	.17	16
17	.50	—	.37	—	.01	.07	1.38	.21	.08	.31	—	.34	17
18	.87	—	.15	—	—	.03	.06	—	.09	.04	—	.26	18
19	.41	.22	.01	—	—	—	.21	.39	.23	.06	—	.58	19
20	.87	.45	—	.01	.17	.09	.87	.02	.29	—	—	.02	20
21	.24	.59	—	.15	—	.06	.02	—	1.45	—	—	—	21
22	.13	.01	—	—	.49	.13	.53	.03	.52	—	—	1.05	22
23	.33	—	—	—	.19	—	.72	—	.04	—	.06	.08	23
24	.45	.10	—	—	—	.02	.02	.20	.46	.01	.09	.02	24
25	.05	.02	—	—	.32	—	.26	.96	.29	—	—	—	25
26	.03	.12	—	—	.01	—	.01	.04	.74	.09	.27	.23	26
27	—	.13	.77	—	—	.05	—	.70	.36	.12	.14	.57	27
28	—	.04	.21	—	—	—	—	.03	.35	.02	.07	.56	28
29	—	X	.05	—	—	—	—	.02	.06	—	.01	.44	29
30	—	X	.12	—	—	—	—	.04	—	.02	.27	.09	30
31	—	X	.37	X	—	X	—	.22	X	.06	X	.04	31
Total	5.77	5.55	2.68	1.53	2.36	2.22	6.13	4.50	12.09	6.60	2.82	7.99	YEAR'S TOTAL 60.29
Rain Days.	17	23	13	11	14	13	18	20	28	22	17	29	225

3516
3712

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Plumtree Hall, Milnthorpe
in the County of Westmorland.
by M. C. Watson. (Miss)

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Heversham (Sunnies)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 8 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·04	–	–	–	·30	–	·10	.	1·54	·44	–	·21	1
2	·37	–	.	.	·06	.	·08	.	·11	.	.	·26	2
3	·36	·07	·28	·03	·37	·11	·04	·34	·01	.	–	·11	3
4	·11	·09	·41	.	·19	·01	·09	.	·04	.	·03	·18	4
5	·08	·01	.	.	·38	.	.	.	·02	·03	.	·39	5
6	·04	.	·53	.	·10	.	.	.	·07	·02	.	·13	6
7	·05	.	·08	·20	.	·08	.	·07	.	.	·05	.	7
8	·18	.	·07	·03	·04	.	.	.	·01	.	.	.	8
9	·53	.	·28	·02	.	·02	.	.	·01	.	·02	.	9
10	·09	.	·16	·15	·27	.	·13	.	.	·01	·01	·37	10
11	·03	.	·27	.	·13	.	·02	.	·51	·09	.	·14	11
12	–	.	·02	·14	·03	·31	·10	.	·03	·07	·23	.	12
13	·74	.	.	·34	.	·02	.	·08	.	·30	.	·24	13
14	·30	·03	.	·13	.	.	.	·03	.	.	.	·28	14
15	·66	·09	.	·12	.	.	.	.	.	.	.	·64	15
16	·13	·02	·01	·01	.	·04	.	.	.	.	·27	·06	16
17	·03	.	.	·08	.	·02	.	1·06	·02	.	·73	·02	17
18	–	.	·49	·01	.	.	·27	·45	·19	.	·29	·44	18
19	·07	·73	·73	.	.	·97	.	·05	·02	.	·24	·08	19
20	·47	·33	.	.	.	·09	.	·02	·04	.	·13	·47	20
21	·03	·20	.	.	.	·06	.	·15	·18	.	·10	·39	21
22	–	·24	.	.	.	·34	.	·10	·22	·06	·08	·36	22
23	·02	·01	.	·03	.	·10	.	.	.	1·20	·10	·09	23
24	·18	.	.	·10	·08	·02	.	.	·45	·10	·48	·25	24
25	·38	·01	.	·49	·03	·07	.	1·23	·37	.	·02	.	25
26	·24	.	·75	·05	.	·05	.	·13	·12	.	·01	·74	26
27	·05	.	·02	·12	.	.	.	.	.	.	.	·02	27
28	·01	·02	.	·04	.	.	.	·72	·23	·01	.	·54	28
29	.		.	.	.	.	.	·14	·34	·04	.	·17	29
30	·03		·03	·06	.	·08	·44	·06	·01	·03	·27	·72	30
31	·01		·08		.		·06	·01		.		·01	31
TOTAL	6·23	1·85	4·21	2·15	1·98	2·39	1·33	4·64	4·54	2·40	3·06	7·31	YEAR'S TOTAL 42·09
Days with ·01 in. or more	27	13	16	19	12	17	10	16	22	13	17	26	208

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·54 in on Sept 1

3404
3712

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Plumbie Hall
in the County of Westmorland.
by M. C. Watson (Miss)

Lat. Long.
Time of Observation
Nearest Railway Station Heversham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground . ft 8 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.06	.20	.15	.47	-	.36	.02	.04	.02	.	-	1
2	.06	.01	-	.02	.05	-	.35	.02	.49	.10	-	.90	2
3	-	.23	.42	.05	.14	-	.06	.25	.45	.17	-	.38	3
4	-	-	.03	.05	.02	-	.35	.98	.01	.49	.01	.02	4
5	-	.02	.32	.02	2.17	-	.12	.11	.03	.35	.02	.02	5
6	.01	-	.23	.39	.75	-	.02	-	.	.01	.01	.	6
7	.39	.11	.07	.11	.02	-	.61	-	.01	-	.07	-	7
8	.05	.12	-	.19	.23	-	.24	.15	.04	-	.49	.06	8
9	.27	.26	.03	.37	.02	-	.17	.01	.05	-	.07	.04	9
10	.84	.28	.15	.53	-	-	.23	-	.	-	-	-	10
11	.31	.08	.04	.02	.48	.05	.03	.	.	-	-	.12	11
12	.33	.43	.48	.17	.15	.08	.32	-	.06	-	.31	.20	12
13	.20	.17	.14	.24	.07	.10	.02	-	-	-	.22	-	13
14	.19	.32	.04	.34	-	.28	.34	-	.44	.17	.77	-	14
15	.10	.20	.02	.94	-	-	.	-	-	.20	.22	-	15
16	.06	.02	.18	.16	.22	-	.45	-	.48	.	.14	.	16
17	.09	-	.16	-	.25	-	.21	1.02	.26	.	.01	.	17
18	.67	.02	-	.04	.54	.17	-	.01	-	.	-	.	18
19	.06	.49	-	.05	.02	.33	.32	-	-	.	-	.	19
20	.23	.01	-	.13	-	-	.09	-	.47	-	-	.26	20
21	.02	-	-	.01	.	-	.15	-	.01	-	-	.13	21
22	.49	.01	.	.68	.02	.02	.75	-	-	.	-	-	22
23	.19	-	.19	.20	.	.	.23	-	-	.	-	.15	23
24	.12	-	1.21	.15	-	.06	.09	-	-	.	.	.47	24
25	.01	.10	.14	.09	-	.08	.55	-	.03	.	-	.12	25
26	.10	.07	.66	.32	-	-	.01	-	.17	.	.06	.03	26
27	.06	-	.40	.02	.26	.60	.23	-	-	.	.08	.12	27
28	.07	.22	.31	.34	.02	.22	.36	.	-	.	.02	.36	28
29	.13	.52	.06	.	.70	.06	.60	-	-	.	.25	.58	29
30	.53	✕	.07	.	.05	.02	.01	.	.15	.	-	.82	30
31	.20	✕	.13	✕	.06	✕	.08	-	✕	.02	✕	.17	31
Total	5.81	3.75	5.68	5.78	6.71	2.07	7.35	2.57	3.19	1.53	2.75	4.95	Year's Total 52.14
Days with ·01 in. or more	28	22	24	27	22	13	29	9	17	9	16	19	235
Days with ·04 in. or more	24	16	21	22	16	11	24	5	12	6	11	16	184

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KENDAL —

CROSTHWAITE

VICARAGE

WESTMORLAND

1911- 1920

✓

R

ll

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Crosth

in the County of W

by Rev J

5 in.

ove Ground 1 ft. in.

„ Sea Level 200 ft.

9 a.m.

Name Kendal

Distance 6 Direction E

IMPORTANT NO ... nd the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the re ... year in the space provided for it at the end of t ... arement of rain, the selection and pla ... British Rainfall Organization are given ... n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·61		·10		·05	·26			·73	·12	1
2	·01		·02		·37		·03	·03		·03	·20	·24	2
3			·25		1·32			·08			·88	·27	3
4			·02		·04			1·30 ~~·03~~			1·05	·41	4
5	·52		·16					·66 ~~·02~~		·02	·07	·11	5
6	·04		·01	·03				76 ~~1·27~~			·40	·46	6
7	·35		·05		·06			·64			·70	·02	7
8	·11		·34					·76			·34	·65	8
9	·03										·01	·95	9
10	·72	·14	·27						~~·84~~		·02	·76	10
11	·05		·03						89 ~~·05~~		·09	·13	11
12	·01	·08	·02		·05				·70		·23	·04	12
13		·20			·09						·62	·15	13
14	·08	·69			·02					·02	·74	·19	14
15	·02	·77	·01	·01							·76	·20	15
16	·09	·62	·04	·20	·02	·37				·01	·38	·41	16
17	·02	·04				1·02	·01				·57	·19	17
18	·01	·90		·14		·17	·05			·04	·01	·39	18
19		·03		·14					·74	·95	·01	·66	19
20	·02	·21		·65				·10	·05	·03		·57	20
21		1·29		·22		·53		·01		·21		·08	21
22	·04	·21		·07		·19	·02			·05			22
23	·06	·35		·04	·45	·20			·59	·24		·52	23
24	·22	·19	·02	·70	·01	·32		·10	·04	·44		·34	24
25	·06	·53		·32		·06			·53	·26		·34	25
26		·13		·19	·05			·43	·04	·64		·15	26
27	·06	1·29	·01	·21	·04	·04	·06	·35	·60		·10	·25	27
28		·14		·71		·28			·21		·02	·48	28
29		X		·11	·02	·27	·05	·01	·73	2·24	·01	·29	29
30		X		·01	·04	·01				·62	·10	·01	30
31		X		X		X		·01	X	·16	X	·09	31
Total	2·52	7 ~~6~~·81	1·86	3·75	2·68	3·46	·27	4·10	5·12	5·96	8·04	9·44	TOTAL for year 54·01
No. of Rain Days.	20	18	15	16	15	12	7	15	12	16	23	30	199

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Crosthwaite Vicarage
in the County of Westmorland 3
by Rev T Hulis

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 200 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Kendal
Distance 6 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·61		·10		·05	·26			·73	·12	1
2	·01		·02		·37		·03	·03		·03	·20	·24	2
3			·25		1·32			·08			·88	·27	3
4			·02		·04			1.30 ~~·03~~			1·05	·41	4
5	·52		·16					·66 ~~·02~~		·02	·07	·11	5
6	·04		·01	·03				76 ~~1·27~~			·40	·46	6
7	·35		·05		·06			~~·64~~			·70	·02	7
8	·11		·34					~~·76~~			·34	·65	8
9	·03										·01	·95	9
10	·72	·14	·27			—			~~·84~~		·02	·76	10
11	·05		·03						·89 ~~·05~~		·09	·13	11
12	·01	·08	·02		·05				·70		·23	·04	12
13		·20			·09						·62	·15	13
14	·08	·69			·02					·02	·74	·19	14
15	·02	·77	·01	·01							·76	·20	15
16	·09	·62	·04	·20	·02	·37				·01	·38	·41	16
17	·02	·04				1·02	·01			—	·57	·19	17
18	·01	·90		·14		·17	·05			·04	·01	·39	18
19	—	·03		·14					·74	·95	·01	·66	19
20	·02	·21		·65				·10	·05	·03		·57	20
21	—	1·29		·22		·53		·01		·21		·08	21
22	·04	·21		·07		·19	·02			·05			22
23	·06	·35		·04	·45	·20			·59	·24		·52	23
24	·22	·19	·02	·70	·01	·32		·10	·04	·44		·34	24
25	·06	·53		·32		·06			·53	·26		·34	25
26		·13		·19	·05			·43	·04	·64		·15	26
27	·06	1·29	·01	·21	·04	·04	·06	·35	·60		·10	·25	27
28		·14		·71		·28	—		·21		·02	·48	28
29		X		·11	·02	·27	·05	·01	·73	2·24	·01	·29	29
30		X		·01	·04	·01				·62	·10	·01	30
31		X		X		X		·01	X	·16	X	·09	31
Total	2·52	7 ~~6~~·81	1·86	3·75	2·68	3·46	·27	4·10	5·12	5·96	8·04	9·44	TOTAL for year 54·01
No. of Rain Days.	20	18	15	16	15	12	7	15	12	16	23	30	199

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7- JAN 1913

Kept at Crosthwaite Vicarage

in the County of Westmorland 3

by Rev T Hulis

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Kendal
Distance 6 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.52		.08	.24	.03	.06	.18			.34	1
2	.08	.06	.93	.03	.16	.19	.05		.07				2
3	.46		.03	.04		.57		.33	.98		.02	.50	3
4	.32		.74	1.08	.04	.10		.75	.22		1.76	.11	4
5	.16		.03	.13	.27	.08		.16	.09	.34		.05	5
6	.15	.40	.05	.02	.24			.07			.02	.05	6
7		.59	.25	.10	.11		.69	.11	.20		.35	.02	7
8	.80	.44	.17	.02	.06	.04			.02		.36	.11	8
9	.38	.26	.40	.22	.10	.76		.25			.28	.46	9
10	.14	.01	.10	.01		.44	.45	.02			.47	.32	10
11	.05		.01			.06	.14	.29				.24	11
12	.41		.75			.13	.02					.14	12
13	.07	.02	.11			.11		.07		.85		.82	13
14	.55		.27			.19		.06		.01		.30	14
15	.22	.29			.03	.43		.01		.16		.11	15
16	.50	.01	.57		.05	.02		.19		.47	.03		16
17	.02	.27	.35		.06	.87		.89			.05	.38	17
18	.02	.15	.02			.22		.01		.54	.08	.44	18
19	.10	.12	.46		~~1.15~~	.05		.37		.20	.15	.04	19
20	.16		.05		1.15	.04	.05	.30		.75	.01	.22	20
21	.01	.10	.20		.02	.07	.06	.31		.18		.26	21
22		.61			.17	.03		.51			.28	.05	22
23	.01	.01	.14			.07	.27	.25			.68	35 .38	23
24		.13	.35		.15	.40	.44	.03		.18	.06	.16	24
25		.01	.14			.34	.07	.12			.54	.11	25
26		.42	.22			.04	.10			1.70	.17	.21	26
27		.17	.38			1.07	.92			.40	.04	.54	27
28		.20	.09			.13	.33	.76		1.00	.46	.01	28
29		.04	.25			.10	.48	.40	.28	.41		.19	29
30	.05	X	.43	.02	.06	.03	.33	.01	.01	.05		.42	30
31	.03	X	.18	X	.09	X	1.30	.51	X		X	.22	31
Total	4.71	4.31	8.19	1.67	2.84	6.82	5.73	6.84	2.05	7.24	5.81	7.11	TOTAL for year 63.32
No. of Rain Days.	23	21	29	10	17	28	17	26	9	15	19	29	243

W. 8,000, X. '11.

W D2

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
22 JAN 1914

Kept at Crosthwaite Vicarage
in the County of Westmorland 3
by Rev T Hulis

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·05	·32								·19	·44	1
2	·25	·17	·83	·14		·35					·43	·76	2
3	·21	·22	·12		·58					·02	·04	·55	3
4	·45	·15	·07			·02					·50		4
5	·47	·19	·02		·05	·19	·03			·04			5
6	·39	·45	·35		·65	·52	·35				·02	·02	6
7	·05	·74	·06		·05	·24	·03			·75	·02	·12	7
8		·34	·13		·13	·07	·02	·10	·02	·11	·17	·10	8
9		·28	·36	·05	·22	1·23		·14			·35	·05	9
10		·42	·55	·15	·06		·01			·15	·22	·03	10
11	·10	·01	·03	·39		·07	·17			·09	·36	·30	11
12	·02	·01	·54	·02	·03		·03	·01	·61		·43	·06	12
13		·01	·10	·03			·01	·07	·22	·35	·33	·01	13
14	·03	·01	·49	·14					·02	·80	·05	·03	14
15	·02		·07	1·25				·04	·02		·46	·02	15
16				·20			·05				·42		16
17	·04		·01	·25	·03	·31	·07				·56		17
18	·15		·65	·43		·09	·07			·01	·31		18
19	·07		·03	·11	·25	·03				·22	·64		19
20			·03	·15	·09	·07	·01	·04	·22	·36	1·00		20
21			·14		·09		·17	·95		·23			21
22	·39		·64		·25	·02		·57	·13	·02	·01		22
23	·50		·05			·45		·20	·51		·14	·05	23
24	·50	·07		·25	·05	·50					·24	·12	24
25		·01		·26		·01			·95	·07	·15	·51	25
26		·07	·01	·94		·05			·70	·16	·04	·70	26
27	·01			·61	·04					·37	·06	·15	27
28	·34		·14	·50						·04	·01		28
29		X	·20	·64	·05	·02		·19		·43	·09		29
30	·73	X	·04		·25					·05			30
31	·17	X	·06	X	·01	X			X	·03	X		31
Total	5·03	3·20	6·12	6·54	3·00	4·24	1·05	2·31	3·40	4·36	7·24	4·05	YEAR'S TOTAL 50·57
Rain Days.	21	17	27	19	18	18	13	10	10	20	27	18	218

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Crosthwaite Vicarage
in the County of Westmorland 3
by Rev T Hulis

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·31	·15				·80	·35				·18	1
2	·05	·28	·03	·02			·26	·38		(·15)	·19	·20	2
3	·17	·20	·10		·70		·01	·02				1·24 ~~1·61~~	3
4	·46		·25	·54	·14			·03			·05	·37	4
5	·07		·80	·28	·05	·04	·29	·04			·26	·13	5
6		·07	·04	·33	·09	·15		·21			·04 ~~·30~~	·25	6
7	·15	·01	·30	·10	·15	·03		·28		·02	·12	·10	7
8	·91	·02	·10	·02		·12		2·80	·07 ~~·49~~	·01	·18	·39	8
9	·60	·38		·17		·45			·42		·34		9
10	·01	·30							·18		·56		10
11		·26	·25	·02			·75		·19		·44	·05	11
12		·46	·11		·03		·05		·27		·57	·01	12
13		·30	·57	·08	·05		·02		·10	·12	·53	·22	13
14		·40	·33						·24		·12	·44	14
15		·06	·44						·26		·25	·01	15
16	·05	·02	·03				·90		2·12			·06	16
17		·98	·22				·08		·20	·03		2·09 ~~2·66~~	17
18		·58	·13				·09					·03	18
19		·05	·07				·02		·08		·03	·18	19
20		·70	·13		·05	·06						·03	20
21		·19	·01		·01	·01	·79	·03		·03			21
22		·95	·02	·04	·60	·23		·37		·04			22
23		·30	·23	·08	·18	·10	·01	·11			·41		23
24	1·13		·35	·07		·03	·26	·06			·44		24
25	·07						·05	·51		1·05	·45	1·12	25
26	·02	·22						·02		·22	·53	·32	26
27	·06	·10							·05	·33		·18	27
28	·10	·47	·55		·03					·02	·70		28
29	·70		·33		·06			·27		·02	·68		29
30	·17		·94								1·15	·46	30
31	·60						·71			(·18)		·06	31
Total	5·32	7·61	6·48	1·75	2·14	1·22	5·09	5·48	4·15	2·22✓	7·98 7·98	8·12	YEAR'S TOTAL 52·59 57·59
Rain Days.	17	24	25	12	13	10	16	15	11	13	20	21 ~~19~~	197

W. 8,000. X. 14.

[illegible] 3942

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
13 JAN 1916

Kept at Crosthwaite Vicarage
in the County of Westmorland
by Rev T Heelis

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.52	0.86	0.03		0.05		0.05	0.29					1
2	0.04	0.88	0.59	0.52		0.10	0.50	0.12					2
3	0.18	0.10	0.40	0.38		0.01	0.54	0.17				0.42	3
4	0.01	0.34	0.14		0.12	0.20	--					0.28	4
5	0.38	0.50	0.33		0.01		--	0.07				1.47	5
6	0.42	0.15		0.40		0.12	1.30	0.04	0.07			0.49	6
7	0.40	0.90		0.13	0.09		0.74	0.15				0.16	7
8	0.22	0.41		0.08			--	0.14			1.30		8
9	--	0.12		0.02			0.01	0.02		0.02	0.19	0.80	9
10	0.88		0.03	0.11			0.03	0.02		0.14		0.67	10
11	0.07			0.01	0.58		0.26	0.05			0.03	0.17	11
12	0.43	0.01		0.03			0.01	0.06			0.35		12
13	0.16							0.02		0.06		0.31	13
14	0.35			0.04			0.13	0.55	0.06			0.19	14
15	0.98			0.03			0.01	0.33	0.06		0.25	0.65	15
16		1.05		0.03	0.03		0.21	0.19	0.04			0.01	16
17		0.60	0.02		0.02		0.07						17
18		0.41	0.20	0.01			0.10						18
19	0.03	0.09	0.10	0.82	0.22		0.10			0.01			19
20	0.24	0.02	0.03		0.06		0.32	0.01				0.19	20
21	0.05	0.13		0.01			0.36					0.09	21
22			0.15			0.04	0.12					0.32	22
23			0.14				0.47		0.12	0.39		0.43	23
24			0.03						0.42	0.01		0.61	24
25		0.03					0.30		0.87			0.19	25
26		1.40				0.03	0.37		0.01			0.85	26
27		0.12				0.05	0.16			0.75	0.06	0.28	27
28		0.34			0.02	1.34		0.38		0.07			28
29		X			0.08	0.04					0.87	0.05	29
30	0.50	X		0.27		0.07					0.11	0.08	30
31	0.35	X	0.01	X		X	0.01	0.74	X		X	0.77	31
Total	6.21	8.46	2.20	2.89	1.25	2.00	6.16	3.35	1.65	1.45	3.16	9.48	YEAR'S TOTAL 48.26
Rain Days.	19	20	14	16	11	10	23	18	8	8	8	23	178

W. 8,000. X. 15.

3871

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Crosthwaite Vicarage

in the County of Westmorland

by Rev T. Heelis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.68	0.15				0.30	0.89	0.06			0.43		1
2	0.25	0.11				0.60			0.31	0.39	0.07	0.05	2
3	0.05	0.11		0.05		0.18			0.91	0.33	0.34		3
4	0.16	0.39			0.68	0.54	0.04		0.02	0.75	0.33		4
5	0.33	0.92			0.26	0.22	0.01			1.31	0.47		5
6	0.57	0.27	0.01		0.50	0.11	0.22			0.58	0.44	0.06	6
7	0.03	0.06			0.68	0.03	0.90			0.58	0.22	0.21	7
8		0.20				0.01	0.01			0.04	0.24		8
9	0.04				0.36	0.08	0.09				0.17	0.19	9
10	0.30	0.32		0.18			0.09			0.80	0.29		10
11	0.10	0.04		0.88	0.02		0.06		0.10	0.10	0.02	0.01	11
12	0.20	0.49	0.01	0.03	0.37		0.70	0.09		0.07	0.01		12
13		0.22	0.15	0.06	0.01			0.49		0.90		0.03	13
14	0.08	0.28		0.11	0.44			0.07	0.02	0.59	0.01		14
15	0.09	0.73	0.11	0.08			0.01	0.52		0.13			15
16	0.14	0.24	0.45	0.65				0.21	0.05	0.01			16
17	0.44	0.26		0.52			0.13	0.10	0.96	0.25		0.12	17
18	0.10	0.58		0.06			0.12	0.30	0.23	0.17	0.06	0.12	18
19	0.95		0.19	0.22				0.06	0.01		0.13	0.33	19
20	0.85		0.03	0.05							0.09	0.25	20
21	0.60			0.18	0.05		0.24		0.02		0.14		21
22				0.07		0.27	0.75			0.10	0.04	0.07	22
23	0.18		0.60 (Snow)	0.17		0.18		0.02		0.51	0.57	0.14	23
24	0.05		0.02	0.17		1.13		0.34		0.16	0.22	0.04	24
25			0.21		0.11	0.08		0.41		0.07	0.71	0.09	25
26	0.27		0.17						0.02	0.02	0.03		26
27		0.03	0.01			0.02			0.13	0.11	0.04	0.03	27
28	0.90	0.02								0.14	0.23	2.35	28
29	0.18	0.11				0.01				0.47	0.98	0.22	29
30	0.18	X				0.06				1.10	0.47	0.42	30
31	0.01	X		X	1.02	X		0.21	X	0.31	X	0.20	31
Total	7.73 7.76	5.53	1.96	3.47	4.50	3.62	4.26	2.88	2.78	9.98	6.75	4.93	YEAR'S TOTAL 58.59
Rain Days.	26	20	12	16	12	16	15	13	12	26	26	19	213

W. 8,000, VIII. 16

3707

FORM A.
BRITISH RAINFALL.

9. JAN 1918

[illegible] and monthly

REGISTER OF RAINFALL IN 1917

Kept at Crosthwaite Vicarage

in the County of Westmorland

by Rev T Hulis

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05		0.02			0.04			0.50			0.15	1
2	1.00								0.01		0.06		2
3	0.18	0.05		0.07		0.75				0.80	0.04		3
4		0.01								0.03	0.14	0.18	4
5	0.32		0.04	0.12					0.01		1.48	0.16	5
6	0.13			0.09		0.23				0.64	0.58	0.31	6
7	0.80					0.15				0.36	0.05	0.34	7
8	0.15			0.15		0.01		0.83	0.08	1.00	0.34	0.17	8
9				0.15				0.35		0.08	0.35		9
10	0.25		1.01	0.16	0.38			0.40		0.03			10
11	0.03	0.04			0.12			0.43		0.89	0.06		11
12			0.06		0.70					0.21		0.04	12
13				0.17		0.05		0.20	1.01			0.30	13
14				0.20	0.06			0.38			0.14	0.20	14
15				0.51				0.15	0.58	0.15		0.45	15
16		0.09	0.05	0.01				1.54	0.18	0.67		0.02	16
17		0.26	0.12	0.24				1.92	0.21	0.23			17
18	0.01	0.05	0.23		0.06		1.82	0.20	0.64		0.01		18
19	0.01	0.28	0.17		0.36			0.03	0.02		0.04	0.75	19
20		0.67			0.13	1.23		1.07	0.24	0.09	0.21	0.09	20
21		0.06			0.17			0.26	0.20	0.18			21
22								0.45	0.08	0.97	0.14	0.01	22
23		0.08			0.50	0.43		0.61	0.10	0.15		0.01	23
24						0.02	0.10	0.28	0.08	1.00	0.31		24
25		0.06	0.05		0.03			0.43	0.37	0.26	0.02		25
26						0.08	0.07	0.70	0.54	0.02	1.00		26
27			0.02		0.16		0.26	0.61		0.24	0.28		27
28			0.39					0.03		0.01	0.07		28
29		X	0.11		0.02		0.27	0.05		1.12	0.06		29
30		X	0.10							0.50	0.24		30
31		X	0.35	X	0.46	X		0.51	X		X		31
Total	2.93	1.65	2.72	1.87	3.15	2.99	2.52	11.43 ~~11.53~~	4.85	9.63	5.62	3.18	YEAR'S TOTAL 52.54 ~~52.64~~
Rain Days.	11	11	14	11	13	10	5	22	17	23	21	15	173 168

W. 8,000, IX. 17.

39

FORM A.
BRITISH RAINFALL.

8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Crosthwaite Vicarage
in the County of Westmorland
by Rev T Heelis

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.37	0.01	0.04					0.53	0.03	0.40	0.96	1
2		0.07		0.18					0.30	1.20	0.16	1.42	2
3		0.18			0.56					1.48	0.02	0.07	3
4		0.12			0.17			0.10	0.16	0.73	0.48	0.26	4
5		0.13		0.21	0.27			0.94		0.83		0.11	5
6	0.06	0.91		0.38		0.65			0.05	0.36			6
7		0.16		0.04	0.01		0.37	0.20	0.31	0.15	0.25	0.28	7
8	0.55	0.02	0.14				0.20	0.04	0.22	0.26	0.11	0.02	8
9	0.30	0.73		0.10		0.47	0.04		0.89	0.70	0.12	0.06	9
10	0.19	0.62	0.48	0.01			0.08		0.27	0.57	0.75	0.03	10
11	0.40	0.13	0.07		0.13		0.22		0.33			0.44	11
12		0.70		0.15	0.08				0.19			0.25	12
13					0.10				0.17	0.62		0.03	13
14	0.92				0.07	0.34	0.35	0.09	0.40	0.03		0.06	14
15	0.06	0.01				0.06	0.60		2.90	0.01		0.66	15
16		0.05				0.18	0.60	0.20	1.00			0.17	16
17	0.70					0.45	1.00		0.14	0.12		0.65	17
18	1.16		0.25			0.02	0.04		0.09	0.02		0.10	18
19	0.49	0.22	0.13				0.12	0.40	0.33	0.08		0.95	19
20	1.11	0.41		0.22	0.09	0.07	0.73		0.52				20
21	0.52	0.94				0.07	0.06		2.00	0.03		0.02	21
22	0.18	0.04			0.49	0.12	0.45	0.04	0.98			1.08	22
23	0.42				0.26	0.02	0.58		0.06		0.08	0.08	23
24	0.67	0.07						0.49	0.29		0.08	0.05	24
25	0.10	0.06			0.29		0.91	0.96	0.47		0.02		25
26	0.02	0.16					0.01	0.07	0.57	0.08		0.52	26
27		0.07	0.65			0.03		0.64	0.25	0.15	0.30	0.74	27
28		0.20	0.15			0.01		0.07	0.30	0.03	0.07	0.53	28
29	0.01	X							0.09			0.56	29
30		X	0.25								0.34	0.10	30
31		X	0.20	X		X		0.08	X	0.12	X		31
Total	7.86	6.37	2.33	1.33	2.52	2.49	6.36	4.32	13.81	7.60	3.18	10.20	YEAR'S TOTAL 68.37
Rain Days.	18	23	10	9	12	13	17	14	27	21	14	27	205
	16	21	9	8	12	9	16	14	27	15	12	23	182

W. 8,000, IX. 17.

3578

9 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Crosthwaite Vicarage

in the County of Westmorland

by Rev T Heelis

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Kendal

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·34		·07		·25			·05	1·70	·40		·22	1
2	·37		·31		·05		·03		·02	·01	·01	·50	2
3	·29	·04		·01	·30	·11	·06				·01	·28	3
4	·05	·09	·24		·30		·11	·28	·05		·05	·50	4
5	·02	·03			·34				·10	·03		·03	5
6	·01		·63		·06				·08			·15	6
7	·06		·14	·17		·15					·12		7
8	·19		·13	·03	·03			·03			·05		8
9	·80		·26	·02		·03					·01	·61	9
10	·26		1·15	·16	·15	·02	·07					·12	10
11	·04		·24				·02		·19	·09			11
12				·37	·04	·13				·03	·60		12
13	·88			·62			·05	·08		·15		·37	13
14	·42			·19								·29	14
15	·76	·16		·28								1·14	15
16	·13	·02				·03					·09	·38	16
17	·09			·04				·88			·72		17
18			·47				·33	·30	·14		·24	·55	18
19	·06	·59	·57			1·14		·01			·40	·06	19
20	·53	·30				·01					·16	·39	20
21	·05	·34						·16	·32		·12	·41	21
22		·10				·24		·20	·30	·08	·07	·38	22
23				·02		·11					·11	·25	23
24	·16			·06	·10				·41	·03	·32	·12	24
25	·51			·49		·01		1·16	·38		·06		25
26	·08		·91	·06		·03		·18	·04		·01	·98	26
27	·08	·02		·10								·05	27
28				·01				·78	·18		·02	·86	28
29		X						·15	·48	·02		·05	29
30		X	·08	·05		·03		·08		·03	·55	·95	30
31		X	·03	X		X	·70		X		X		31
TOTAL	7.18	1.69	5.23	2.68	1.62	2.04	1.37	4.34	4.39	·87	3.72	9.64	YEAR'S TOTAL 44·77
Days with ·01 in. or more	23	10	14	17	10	13	8	14	14	10	20	24	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2+ 12 3406

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Crosthwaite Vicarage

in the County of Westmorland

by Rev T. Heelis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.08	.14	.08	.75		.56	.02	.10	.04		.32	1
2				.05	.13		.20		.55	.01		1.05	2
3	.03	.23	.41	.04	.09		.11	.20	.40	.50		.16	3
4			.02	.03	.12		.23	1.55		.72			4
5			.38		1.75		.10	.10	.01	.29	.02	.01	5
6	.05		.40	.58	.77		.02				.02		6
7	.55	.16	.10	.05			.48				.04		7
8	.07	.27	.01	.16	.26		.31	.35	.02		.32		8
9	.69	1.40	.03	.22			.25	.03	.06		.06	.05	9
10	.95	.33	.17	.52			.27					.02	10
11	.35	.10	.01	.02	.60	.05	.01				.09	.05	11
12	.37	.70	.67	.22	.17	.04	.32		.14		.47	.04	12
13	.28	.11	.20	.36	.07	.15	.04				.14	.19	13
14	.15	.55	.05	.54		.34	.65		.58	.19	1.03		14
15	.10	.28		.98						.27	.14		15
16	.17	.03	.36	.05	.12		.75		.67		.29		16
17	.15		.22		.27		.10	.76	.52				17
18	.60	.02	.01	.09	.72	.26			.07				18
19	.08	.58		.12	.02	.21	.20						19
20	.24			.12			.07		.44			.57	20
21	.03			.06			.14					.31	21
22	.64			.55	.03		.72	.01					22
23	.50		.22	.06			.20					.24	23
24	.14	.07	1.14	.30			.05					.41	24
25		.07	.17	.10		.18	.46		.04			.02	25
26	.15	.06	.84	.30					.27		.13	.08	26
27	.06		.64		.31	.77	.20				.13	.08	27
28	.04	.25	.43	.40		.23	.22				.04	.46	28
29	.21	.52	.08		.54	.03	.55				.48	.90	29
30	.58		.12		.06	.11			.11		.22	1.05	30
31	.21		.20		.05		.12					.25	31
TOTAL	7.48	5.75	7.02	6.00	6.83	2.37	7.33	3.02	3.98	2.02	3.62	6.26	YEAR'S TOTAL 61.68
Days with ·01 in. or more	27	19	25	25	19	11	27	8	15	7	16	20	219
Days with ·04 in. or more	25	16	20	23	17	10	25	5	13	6	14	17	190

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KENDAL

HOLMCROFT.

1911 – 1920

REGIS 1911

FORM A2.
BRITISH RAINFALL

1 JAN 1912

Kept at Holmcroft ~~moved~~ moved 3/4 m

in the County of Westmo

by Robert Rhode

Négretti & Zambra

of top 5 in.

top above Ground 1 ft. 3 in.

,, ,, Sea Level 176+200 ft. see form B

n S.A.M.

ation Name Kendal
Distance 200yds Direction N.W

IMPORTANT NOTE.—Rai , and the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at ing year in the space provided for it at the end of this parag instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·49		·09		·03	·33		—	·68	·07	1
2	·04		·02		·31		·05	·03		·05	·20	·17	2
3			·31		1·26						1·02	·30	3
4			·01		·04		·01	·70			1·00	·17	4
5	·38		·21					·82		·04	·09	·14	5
6	·08		·04	·03				·85			·38	·28	6
7	·36		·03		·04			[illegible]			·72		7
8	·15		·45					[illegible]			·40	·64	8
9	·01										·02	·77	9
10	·94		·55								·01	·57	10
11	·02	·18	·03						1·06		·05	·17	11
12 *	·06	·02	·01						·74		·19	·02	12
13	—	·07			·13				·01		·45	·24	13
14	·04	·79			·11						1·10	·13	14
15	·01	·89	·01	·02							·79	·18	15
16	·10	·54		·24	·01	·29	·02				·32	·38	16
17	·03	·03				·57	·06				·72	·22	17
18	·01	1·06	·02	·14		·35	·03			·03	—	·36	18
19	—	·02		·09		·01	·01		·63	·47	·02	·16	19
20	·01	·20		·66			·32	·08	·13	·03	—	·55	20
21	·01	1·50		·24		·50	·05	·08	·24	·15		·09	21
22	·10	·30		·15		·16	·01			·06			22
23	·07	·64		·03	·38	·12			·79	·24		·42	23
24	·15	·20	·01	·79	·01	·34		·07	·17	·35		·27	24
25	·07	·47		·65		·03			·42	30	—	·37	25
26		·07		·23		·02		·48	·01	·71	·07	·73	26
27	·05	1·69		·19	·07	·03	·13	·40	·62		·17	·14	27
28	·01	·13		·74		·24			·33		·01	·42	28
29		X		·22		·20	·04		·60	2·31		·36	29
30		X		·01	·01	·01	·24			·93	·10	—	30
31		X		X		X	·01		X	·11	X	·07	31
Total	2·70	8·80	2·19	4·43	2·46	2·87	1·01	3·84	5·75	5·78	8·45	7·73	TOTAL for year 56·01
No. of Rain Days.	22	18	14	16	12	14	14	10	13	14	22	28	~~197~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
11 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Holmcroft. Kendal
moved 3/4 mi. N.NE 21. VII·11
in the County of Westmorland 3
by Robert Rhodes

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 176+200 ft. see form B
Time of Observation 8 a.m.
Nearest Railway Station
Name Kendal
Distance 200yds Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·49		·09		·03	·33		—	·68	·07	1
2	·04		·02		·31		·05	·03		·05	·20	·17	2
3			·31		1·26						1·02	·30	3
4			·01		·04		·01	·70			1·00	·17	4
5	·38		·21					·82		·04	·09	·14	5
6	·08		·04	·03				·85			·38	·28	6
7	·36		·03		·04			[illegible]			·72		7
8	·15		·45					[illegible]			·40	·64	8
9	·01										·02	·77	9
10	·94		·55								·01	·57	10
11	·02	·18	·03						1·06		·05	·11	11
12 *	·06	·02	·01						·74		·19	·02	12
13	—	·07			·13				·01		·45	·24	13
14	·04	·79			·11						1·10	·13	14
15	·01	·89	·01	·02							·79	·18	15
16	·10	·54		·24	·01	·29	·02				·32	·38	16
17	·03	·03				·57	·06				·72	·22	17
18	·01	1·06	·02	·14		·35	·03			·03	—	·36	18
19	—	·02		·09		·01	·01		·63	·47	·02	·16	19
20	·01	·20		·66			·32	·08	·13	·03	—	·55	20
21	·01	1·50		·24		·50	·05	·08	·24	·15		·09	21
22	·10	·30		·15		·16	·01			·06			22
23	·07	·64		·03	·38	·12			·79	·24		·42	23
24	·15	·20	·01	·79	·01	·34		·07	·17	·35		·27	24
25	·07	·47		·65		·03			·42	30	—	·37	25
26	—	·07		·23		·02		·48	·01	·71	·07	·73	26
27	·05	1·69		·19	·07	·03	·13	·40	·62		·11	·14	27
28	·01	·13		·74		·24			·33		·01	·42	28
29		X		·22		·20	·04		·60	2·31		·36	29
30		X		·01	·01	·01	·24			·93	·10	—	30
31		X		X		X	·01		X	·11	X	·07	31
Total	2·70	8·80	2·19	4·43	2·46	2·87	1·01	3·84	5·75	5·78	8·45	7·73	TOTAL for year 56·01
No. of Rain Days.	22	18	14	16	12	14	14	10	13	14	22	28	197

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Holmcroft Kendal
in the County of West'd. 3
by Robert Rhodes.

RAIN GAUGE { Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 170. ft. 3717
Time of Observation 8 A.M.
Nearest Railway Station { Name Kendal
Distance 300 yds Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·44		·10	·20	·18.	·03	·12			·27	1
2	·09		·88		·14	·25.	·04	—				·02	2
3	·32		·02	·02		·88.		·35	·99		·01	·42	3
4	·33		·47	·60	·02	·13		·85	·22		1·59.	·18	4
5	·12		·04	·03	·22	·04		·17	·06	·15.	·01	·01	5
6	·08	·49			·28			·04		·01	·02	·07	6
7		·40	·18	·10	·16		·26.	·70	·12		·39	·07	7
8	·59	·25	·13	·04	·06	·05.		·02	·02		·38	·04	8
9	·27	·06	·47	·25		·22		·35	·01.		·24	·41	9
10	·14	·05			·06	·23.	·54.	·04	·01		·49	·38	10
11	·08	·01	·01		·02	·05.	·30	·10				·48	11
12	·30		·57	·02		·22	·03	·01				·25	12
13	·40		·21			·03		·05		·93.	·02	·98	13
14	·48		·37			·26		·02		·02		·27	14
15	·08	·20	·03		·12	·32		·01		·19		·07	15
16	·45	·01	·45		·02	·04		·17		·37	·03	·04	16
17	·01	·28	·59		·03	·81		·71		·01	·04	·57	17
18	·01	·07	·02			·37.		—		·64	·06	·34	18
19	·02	·10	·52			·04		·30		·23	·20	·05	19
20	·12		·03		·60	·06	·04.	·32		·69	·03	·31	20
21		·03	·23		·02	·04	·11	·16.		·11	·01	·07	21
22	·02	·65			·16	·02		·48			·23	·01	22
23			·10		—	·06	·26.	·32			·74	·29	23
24		·09	·22		·02	·14	·18	·02		·01	·17	·08	24
25			·20			·57	·13	·08			·39	·07	25
26		·52	·25			·04	—	—		1·49	·58	·25	26
27		·16	·28		—	1·24	·50			·40		·54	27
28		·13				·11	·47	·52	·01	·98	·45	·01	28
29		·01	·14				·70.	·40	·16.	·34		·22	29
30	·02.	X	·33		·02	·01	·23	—	·01	·02.		·56	30
31		X	·31.	X	·02	X	1·30.	·60	X		X	·39	31
Total	3.95	3.51	7.49	1.06	2.07	6·43	5.27	6.22	1·73	6.59	6·08	7·66	TOTAL for year 58·06
No. of Rain Days.	21.	18.	27.	7.	18.	27.	16.	26	11	17.	21	31	240.

W. 8,000, X. '11.

8L

R

KENDAL

HOLMCROFT

WESTMORLAND

1913

472

31 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Holmcro

in the County of Wes

in.

by R. Rhodes

ve Ground ....ft. ....in.

Sea Level ....ft.

IMPORTANT the result entered to the previous day. If a versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02												1
2	·25												2
3	·23												3
4	·47												4
5	·44												5
6	·27												6
7	·03												7
8													8
9													9
10													10
11	·03												11
12													12
13													13
14	·02												14
15	·01												15
16													16
17	·07												17
18	·15												18
19	·04												19
20	·01												20
21													21
22	·24												22
23	·42												23
24	·53												24
25													25
26													26
27													27
28	·50												28
29													29
30	·58												30
31	·23												31
Total	4·54												YEAR'S TOTAL
Rain Days.	20												

W. 7,500, XI. ·12

Dl

R

47²

31 JAN 1914

FORM A. BRITISH RAINFALL.

Kept at Holmcroft, Kendall [illegible]

in the County of Westmorland

by R. Rhodes

No II Gauge

~~Lat.~~ Long.

~~Time of Observation~~

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02												1
2	·25												2
3	·23												3
4	·47												4
5	·44												5
6	·27												6
7	·03												7
8													8
9													9
10													10
11	·03												11
12													12
13													13
14	·02												14
15	·01												15
16													16
17	·07												17
18	·15												18
19	·04												19
20	·01												20
21													21
22	·24												22
23	·42												23
24	·53												24
25													25
26													26
27													27
28	·50												28
29													29
30	·58												30
31	·23												31
Total	4·54												YEAR'S TOTAL
Rain Days.	20												

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 19/3

Est D.S

FORM A2.
BRITISH RAINFALL
13 JAN 1914
11

Kept at Holmcroft Kendal

in the County of Westd. 3

by R. Rhodes

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 176 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Kendal.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	·38	·01							·08		1
2	·25	·29	·82	·13		·36					·22	·33	2
3	·23	·15	·11	·01	·59	·02					·07	·57	3
4	·47	·19	·09		—		·01		·01		·37	·55	4
5	·44	·14	·01		·02	·41	·02			·01	·01		5
6	·27	·45	·26		·54	·36	·13				·02	·02	6
7	·03	·58	·02		·06	·28	·01			·85	·01	·12	7
8		·33	·07		·15	·04		·06	·01	·15	·04	·11	8
9		·21	·45	·06	·09	1·07		·35			·17	·11	9
10		·38	·56	·08	·03	·03					·28	·01	10
11	·03			·41	—	·05	·16			·20	·32	·23	11
12				·01	·02	·01	·07	·01	·54	·01	·41	·04	12
13			·54	·06		·01	·05	·02	·16	·33	·28	·01	13
14	·02	·02	·12	·10					·04	·76	·12	·02	14
15	·01		·41	·55				·06		·01	·43	·16	15
16			·09	·22	—		·02				·39	·02	16
17	·07		·03	·28	·01	·15	·10				·31		17
18	·15		·42	·46	·01	·08	·05			·01	·62		18
19	·04		·06	·11	·15	·03				·30	·83		19
20	·01		·02	·05	·07	·04		·02	·11	·33	1·09		20
21			·15	·01	·07		·11	·92		·23	·01		21
22	·24		·67		·24			·56	·08	·06			22
23	·42		·03		·05	·40		·26	·23	·03	·17	·05	23
24	·53	·08		·16	—	·61		·02			·08	·11	24
25		·01	·01	·36		·01			·75	·05	·09	·42	25
26		·07	·01	·86		·04			·93	·13	·02	·80	26
27		·02		·56	·02	·01				·32	·02	·39	27
28	·51		·12	·52	·08					·02		·01	28
29		X	·10	·64	·03			·28		·39	·11		29
30	·58	X	·07	·01	·10					·09		·01	30
31	·25	X	·05	X		X			X	·01	X		31
Total	4.57	2.95	5.67	5·66	2·33	4.01	·73	2.56	2·86	4.29	6.57	4·03	TOTAL for year 40·23
No. of Rain Days.	20	15	27	23	19	20	11	11	10	21	27	21	~~230~~ 225

W. 8,000, X. '11.

3717

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Holmcroft Kendal

in the County of Westd 3

by Robert Rhodes

Lat. Long.
Time of Observation 8.30 A.M
Nearest Railway Station Kendal
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	~~Aug.~~ aug	~~Sept.~~ Sept.	Oct.	Nov.	Dec.	*Date.*
1		·26	·23				·14	·26				·24	1
2	·01	·25	·08	·02	·01		·29	·30		·12	·15	·11	2
3	·21	·22	·11		·70		·01	·02			·05	1·43	3
4	·51	·01	·15	·34	·16	·01					·02	·42	4
5	·17		·54	·18	·06	·05	·16	·01			·30	·19	5
6			·01	·20	·06	·06	·01	·12			·05	·19	6
7	·10	·01	·22	·12	·22	·03					·11	·13	7
8	·75	·05	·11	·02	·17	·31		2·72	·04	·02	·34	·32	8
9	·54	·45	·01	·33	·02	·61		·01	·25		·35	·01	9
10	·01	·17	·01	·01	·01				·08		·64		10
11		·23	·47		·14		·30		·20		·33	·11	11
12		·22	·10		·01		·11		·28		·45	·04	12
13		·21	·37	·08	·02		·01		·24	·19	·42	·14	13
14		·39	·22						·06	·01	·14	·43	14
15		·03	·42						·38		·36	·01	15
16		·03	·03				1·01		1·86			·06	16
17	·01	·62	·25			·64	·13		·59	·01		2·06	17
18		·57	·10				·08			·01	·01	·02	18
19		·06	·27						·04		·02	·14	19
20	·01	·63	·24		·08					·01		·02	20
21	·01	·28	·02		·02	·03	·72			·01			21
22		·55		·04	·56	·12		·38		·05		·07	22
23		·28	·26	·05	·17	·02	·05	·13		·01			23
24	1·05		·19	·04	·04	·06	·12	·10			·45		24
25	·07		·01				·06	·43		·89	·43	·73	25
26	·04	·23					·01	·02	·01	·24	·44	·34	26
27	·06	·07							·02	·24	·41	·15	27
28	·08	·43	·19		·06			·09		·12	·50	·01	28
29	·89	X	·12		·06			·30		·04	·86		29
30	·26	X	·92					·01		·01	·32	·53	30
31	·65	X	·01	X	·01	X	·80		X	·13	X	·02	31
Total	543	6·25	5·66	1·43	2·58	1·94	4·01	4·90	4·05	2·11	7·15	7·92	YEAR'S TOTAL 53·43
Rain Days.	19	24	28	12	20.	11.	17.	15	13.	14.	23	26	225✓

W.7,000, XI. 13

codly C. 12.v.16

3944
371

FORM A.
BRITISH RAINFALL.
18. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Holmcroft. Kendal
in the County of Westmorland.
by Robert Rhodes.

Lat. Long.
Time of Observation 8·30
Nearest Railway Station Kendal
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·99	·03		·08		·04	·29	·20				1
2	·01	·80	·41	·47		·10	·39	·05					2
3	·10	·10	·51	·34		·02	·58	·11				·36	3
4		·41	·10	~~·09~~	·12	·21	—					·27	4
5	·30	·33	·36	·02	·01	·01		·03				·95	5
6	·51	·13	·06	·25		·09	1·23	·03	·07		·01	·52	6
7	·46	·61	·01	·13	(·05)		·54	·14				·30	7
8	·30	·36		·10			·04	·20			1·24		8
9		·11		·10			—	·01			·18	·64	9
10	·90		·07	·10				·30		·03	·01	·61	10
11	·08			·01	·52		·04	·11		·01	·06	·10	11
12	·29	·08		·03	·01		·24	·01		·16	·41		12
13	·26						·04	·17		·06		·23	13
14	·30			·05			·12	·36	·05			·31	14
15	·86			·04			·01	·77	·08		·21	·59	15
16	·01	·96		·05	·02		·22	·10	·03			·01	16
17		·31	·04		·02		·58	·03					17
18		·39	·12	·01			·08				·01		18
19	·04	·07	·09	·72	·22		·26						19
20	·28			·01	·03		·17	·01				·34	20
21	·10	·06	·08	·09			·27					·06	21
22	·01		·11				·31			—		·23	22
23		·02	·16	·05		·01	·66		·26	·20		·40	23
24			·03	·02			·11		·61	·05		·45	24
25							·42		·91	·01		·16	25
26		1·03	·01			·04	·38		·04			·73	26
27		·33	·02			·24	·13			·42	·05	·12	27
28		·40			·02	·24	·01	·34		·07		·02	28
29					·02	·07					·84	·04	29
30	·40			·27		·03					·10	·02	30
31	·21		·02				·07	·68		·01		·70	31
Total	5·87	7·49	2·23	2·86	1·12	1·06	6·94	3·74	2·25	1·02	3·12	8·16	YEAR'S TOTAL 45·86
Rain Days.	20	19	18	20	12	11	25	19	9	10	11	24	198

W. 8,000. X. 14.

✓ cndly c WCJE 3873 3717

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

Kept at Holmcroft. Kendal
in the County of Westmorland
by Robert Rhodes

Lat. Long.
Time of Observation 8.30
Nearest Railway Station Kendal
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·10				·55	·76	·09			·46	·02	1
2	·18	·09				·24	·01		·25	·24	·05	·06	2
3	·03	·04		·09	·01	·15	·02		·72	·37	·19		3
4	·08	·37		·02	·48	·33	·03		·08	·90	·22		4
5	·28	·92			·25	·13	—			1·33	·38		5
6	·38	·36	·07		·43	·05	·42			·68	·28		6
7	·03	·11	·02		·52	·05 ·07	·56			·73	·20	·23	7
8	—	·16	·02		·10	·01	·01			·05	·34	·01	8
9	·08				·33	·09	·04			·05	·32		9
10	·27	·21		·20	·01		·13			·85	·32		10
11	·08	·18	·01	·82	·03		·21		·11	·16	·23		11
12	·15	·39	·62	·04	·36		·62	·05		·08	·03		12
13		·18	·07	·06				·52	·01	·97	·01		13
14	·06	·34	·01	·08	·45			·27	·01	·69	—		14
15	·06	·81	·03	·08				·85		·09			15
16	·04	·34	·75	·53			·21	·33	·03	—			16
17	·44	·15	·01	·40			·02		·90	·24		·36	17
18	·15	·60		·08			·03	·38	·20	·23	·05	·09	18
19	·72		·65	·11			[illegible]	·03	·01	·01	·02	·22	19
20	·89		·05	·05			·02	·01			·21	·20	20
21	·50		·01		·05		·97		·01		·10	·03	21
22	—			·20		·30			·03	·05	·04	·01	22
23	·20		·65	·10		·01		·03		·60	·38	·12	23
24	·08		·03	·05		·77		·36		·05	·10	·08	24
25	·02	·03	·21		10 ·01	·12		·48		·18	·44	·09	25
26	·27	·01	·15			·01				·02			26
27	—	·05	·01		·02	·07			·16	·19	·01		27
28	·83	·04								·19	·18	2·30	28
29	·18	·15	·03			·01				·32	·84	·29	29
30	·24	✕			·02	·05	·03			·99	·32	·42	30
31		✕		✕	1·27	✕		·33	✕	·33	✕	·15	31
Total	6·74 ✓	5·63 ✓	2·30 ✓	2·91 ✓	4·43 ✓	3·01 ✓	4·09 ✓	3·73 ✓	2·52 ✓	10·59 ✓	5·72 ✓	4·68 ✓	YEAR'S TOTAL 56·35 ✓
Rain Days.	26 ✓	22	19 ✓	16	16	18 ✓	17 ✓	13 ✓	13 ✓	28 9 ✓	25 ✓	17	220 9

W. 8,000. X. 14.

Exc Jf

~~3709~~ 3717

FORM A.
BRITISH RAINFALL.

10 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Kendal

in the County of Westmorland

by Robert Rhodes.

Lat. Long.

Time of Observation 8·30

Nearest Railway Station Kendal

Diameter of Funnel of Rain Gauge 5· in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 176. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01			·31		·02	·48		·16	·24	1
2	·84					·02		·01	·10		·05		2
3	·15	·05	·	·09		·57			·01	·63	·03		3
4	~~·22~~	·02				·01			—	·08	·05	·03	4
5	·22		·02	·20					·03	·05	1·35	·25	5
6	·08			·10		·20			—	·62	·54	·35	6
7	·65			·01		·25				·30	·03	·28	7
8	·07			s ·16		·06		·82	·09	·78	·28	·25	8
9				s ·14	·01	·02		·65		·16	·36		9
10	·32		·55	s ·25	·38			·25	·01	·02	·03		10
11	·04	·01			·15			·81		·86	·07		11
12			·07		·66			·01	·01	·20	·01	·04	12
13				·14	·09	·10		·38	·85		·14	·18	13
14				·24	·06		—	·50	·01	·02		·09	14
15	·04			·10			·02	·02	·50	·10	·01	·44	15
16		·05	·07	·40				·95	·20	·51		·05	16
17	·01	·25	·18	·30	·01		·04	1·93	·23	·30	—	·05	17
18		·04	·12	·05	·04		1·45	·20	·48	·02	·02	·14	18
19	·01	·34	·16		·28	—	·01	·09	·02		·07	·21	19
20		·67	·06		·11	·93		1·25	·22	·06	·12		20
21		·11			·14	·02		·28	·12	·15			21
22		·02	·01		·01			·10	·11	·73	·03		22
23		·09			·34	·48		·77	·09	·25	·04	·03	23
24		·02				·03	·06	·47	·11	·75	·35	·01	24
25		·07	·10		·02		·05	·37	·25	·23			25
26		·02				·07	·07	1·30	·43	·10	·53		26
27			·09		·23	·08	·40	·37	·01	·15	·12		27
28			·45				·01	·27			·21		28
29		×	·10		·24		·38	·01		·74	·10		29
30		×	·04				·01	·01		·61	·10		30
31		×	·24	×	·21	×		·32	×	·01	×		31
Total	2·48	1·76	2·27	2·18	2·98	3·15	2·50	12·16	4·36	8·43	4·80	2·64	YEAR'S TOTAL 49·71
Rain Days.	12	14	16	13	17	15	11	26	22	26	25	16	213

W. 8,000. X. 15.

82 written 15.v.19

4

3717

BRITISH RAINFALL FORM A.
22.1.19

REGISTER OF RAINFALL IN 1918

Kept at Kendal
in the County of Westmorland
by R. Rhodes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1		.25		.01	.01				.37	.05	.16	1.03	1	
2		.08		.46					.22	.91	.20	1.21	2	
3		.09		.09	.47				.01	.90	.02	.06	3	
4	.01	.17	.04		.22			.08	.16	.49	.31	.07	4	
5		.06	.01	.28	.18			.90		.75	.04	.10	5	
6		.86		.37	.02	.72		.02	.09	.19		.02	6	
7	.06	.12		.04	.01	.01	.36	.25	.28	.18	.15	.22	7	
8	.03		.17	.02		.03	.18	.03	.18	.23	.07		8	
9	.42	.68	.03			.37	.05		.81	.50	.19	.10	9	
10	.12	.48	.32	.02			.04		.12	.36	.39		10	
11	.49	.16	.12		.17		.34		.42	.01	.01	.33	11	
12		.44		.02	.06		.01		.19			.35	12	
13		.02		.01	.06	.05			.20	.48		.05	13	
14	1.08				.05	.30	.18	.09	.30	.08		.18	14	
15		.01				.20	.53	.01	2.14	.02		.54	15	
16						.42	.73	.16	.99			.16	16	
17	.36	.05				.25	.93	.23	.11	.18		.48	17	
18	1.41		.25			.03	.31	.03	.10	.02		.30	18	
19	.52	.18	.10	.02		.01	.18	.24	.23	.07		.62	19	
20	.86	.51		.17	.14	.08	.73	.01	.40				20	
21	.36	.14				.17	.01		1.20	.04		.03	21	
22	.25	.08			.22	.21	.50	(.22)	.37			1.00	22	
23	.42	.02			.21		.75		.16		.11	.03	23	
24	.54	.04			.01	.01	.01	.22	.19	.01	.06	.03	24	
25	.05	.05			.30		.64	1.04	.14		.02		25	
26	.02	.15			.02		.02	.04	.76	.09	.11	.29	26	
27		.20	.61			.04		.68	.27	.13	.11	.61	27	
28		.07	.23			.03		.05	.34	.03	.07	.47	28	
29		X						.01	.07	.01		.46	29	
30		X	.12					.01		.05	.27	.10	30	
31		X	.10	X		X		.07	X	.08	X	.02	31	YEAR'S TOTAL
Total	7.00	4.91	2.10	1.51	2.15	2.93	6.50	4.19	10.82	5.86	2.29	8.86		59.12
Rain Days.	17	24	12	12	16	17	19	21	28	25	17	27		235

W. 8,000, IX. 17.

Dl

~~W 81~~ (and) for auth obs agrees

3520
~~326~~
3717

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Kendal
in the County of Westmorland
by R. Rhodes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.90		.06		.23		.13	.05	1.52	.38		.22	1
2	.27		.38		.06		.08	.01	.08			.59	2
3	.44	.07		.01	.33	.16	.05		.01			.40	3
4	.14	.08	.30		.18	.01	.17	.38	.08		.04	.25	4
5	.02			.02	.24		.01	.01	.08			.50	5
6	.01		.39		.28				.05	.03		.21	6
7	.02		.26	.20	.01	.13			.01		.06		7
8	.17		.12	.06	.01	.02		.04			.01		8
9	.52		.17	.02		.04			.01				9
10	.09		1.15	.11	.05	.03				.02		.52	10
11	.09		.28	.02	.08	.01	.09		.30	.06		.16	11
12			.05	.46	.04	.16	.02		.02	.02	.38		12
13	.75			.34		.03	.04	.13	.01	.11		.28	13
14	.39	.02		.18				.04		.02		.16	14
15	.68	.08		.19								.67	15
16	.16	.02	.01	.04		.12					.15	.17	16
17	.04			.03	.03	.01		.78	.06		.86	.05	17
18			.37				.48	.34	.02		.19	.57	18
19	.04	.70	.38			.86	.01	.20			.52	.05	19
20	.32	.30				.05			.19		.12	.59	20
21	.07	.30				.05		.03	.26		.10	.40	21
22		.06	.01			.26		.27	.02	.05	.17	.32	22
23	.02			.04		.21			.36	1.32	.32	.17	23
24	.10			.10	.11	.05		.01	.30	.13	.15	.15	24
25	.34	.01		.58		.06		1.10	.05		.02		25
26	.07		.50	.06		.06		.19				.68	26
27	.17		.03	.10									27
28				.12				.68	.15	.02		.60	28
29	.02	X	.02	.02				.06	.34	.02		.07	29
30		X	.02	.23		.02		.27		.04		.99	30
31		X	.07	X		X	.82	.01	X		X		31
Total	5.84	1.64	4.57	2.93	~~1.45~~ 1.65	2.34	1.90	4.60	3.92	2.22	3.09	8.77	YEAR'S TOTAL 43.47 ~~43.27~~
Rain Days.	25	10	19	21	13	20	11	19	21	13	~~15~~ 14	24	210

W. 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1920

3717

FORM A. BRITISH RAINFALL.

5 JAN 1921

Kept at Kendal

in the County of Westmorland

by Robert Rhodes

Lat. Long.

Time of Observation 8·30

Nearest Railway Station Kendal

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·07	·18	·06	·48		·40	·02	·08			·20	1
2		·07		·04	·09		·10		·49	·12		·90	2
3	·03	·19	·35	·04	·26		·01	·21	·43	·20		·29	3
4			·06	·05			·15	1·59		·38		·02	4
5			·34		1·74		·04	·10	·01	·28			5
6			·50	·35	·73		·04			·02	·02		6
7	·64	·15	·09	·20			·11				·05		7
8	·11	·10		·14	·33		·57	·24			·30		8
9	·28	1·88	·04	·49			·22				·09	·06	9
10	1·30	·58	·18	·75			·35	·01				·06	10
11	·35	·09			·41	·10	·07				·10	·09	11
12	·40	·58	·62	·14	·15		·17		·13		·48	·07	12
13	·33	·09	·23	·59	·10	·21	·11		·03		·24	·17 ← Snow	13
14	·12	·48	·06	·44		·40	·47		·43	·30	1·10		14
15	·12	·23	·01	·99						·15	·12		15
16	·21	·03	·33	·25	·12		·50	·01	·60		·21		16
17	·24		·27		·26		·05	1·17	·45		·01		17
18	·60	·01	·02	·05	·86	·19		·01					18
19	·04	·40		·07	·06	·21	·14		·11				19
20	·14			·03	·01	·04	·11		·52			·47	20
21	—				·05		·13		·01			·30	21
22	·75			·35		·02	·40						22
23	·36		·17	·12			·43					·12	23
24	·10		1·43	·19		·01	·02					·43	24
25		·06	·11	·20		·16	·49	·01	·06			·08	25
26	·10	·15	·66	·13	·37		·04		·25		·17		26
27	·07		·39	·03	·01	·59	·18				·15	·15	27
28	·25	·30	·29	·28	·57	·23	·26				·05	·35	28
29	·24	·64	·05		·06	·05	·54		·10		·38	·68	29
30	·39	X	·03		·09	·04					·09	·42	30
31	·38	X	·03	X		X	·09		X		X	·38	31
Total	7·39	6·04	6·44	5·98	6·69	2·25	6·13	3·37	3.70	1·46	3.56	5·24	YEAR'S TOTAL 38·24
Rain Days	25	19	24	~~22~~ 24	20	13	28	10	15	7	16	19	[illegible]
7·04 24		16	20	22	18	11	26	5	12	6	14	18	192

W. 8,000, IX. 17.

KENDAL
HYLANDS
WESTMORLAND
1919 - 20

Sent 5.1.21

FORM A.
BRITISH RAINFALL

5 JAN 1921

Hylands RE

Kept at [illegible] 30 a.m.

Kendal

in the County of [illegible] Gauge 5" in.

by Herbert [illegible] Ground 1 ft. 6 in.

Sea Level 375 ft.

IMPORTANT N[illegible] the result entered to the previous day. If an [illegible] ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·00		·06		·20		·07	·06	1·84	·45		·18	1
2	·32		·38		·07		·06		·07			·46	2
3	·46	·06			·36	·15	·05					·32	3
4	·11	·19	·31		·22	·01	·15	·37	·05			·22	4
5					·33				·03	·04		·49	5
6	·02		·38		·18				·08	·01		·20	6
7	·03		·32	·21	·01	·13					·12		7
8	·37		·21	·06	·01	·02				·01			8
9	·62		·19	·03		·04							9
10	·10		1·28	·12	·07	·03						·56	10
11	·10		·30		·03	·01	·11		·35	·08		·13	11
12			·05	·45		·16	·01			·04	·65 s		12
13	·80			·35		·03	·05	·08		·13		·26	13
14	·44	·01		·20								·18	14
15	·75	·10		·16							·25 s	·70	15
16	·27			·07 s		·12					1·04	·25	16
17	·07							1·14	·03		·22	·04	17
18			·37				·40	·33	·24		·39	·47	18
19	·05	·73	·50			1·25		·01	·02		·15	·11	19
20	·34	·30				·05			·01			·58	20
21	·08	·25				·02		·33	·22		·09	·35	21
22						·33		·03	·37	·06	·13	·35	22
23	·02			·02		·18				1·30	·24	·24	23
24	·10			·10	·13	·02			·50	·06	·29	·13	24
25	·43	·06		·64		·02		1·30	·37		·15		25
26	·12		·72			·05		·28	·07		·02	·70	26
27	·04			·20 s								·05	27
28						·02		·70	·15			·60	28
29								·07	·30	·02	·40	·11	29
30		X	·04	·07		·03		·28				·90	30
31		X	·07	X		X	·83		X		X		31
Total	6·64	1·70	5·18	2·68	1·61	2·67	1·73	4·98	4·70	2·20	4·14	8·58	YEAR'S TOTAL 46·81
Rain Days.	23	8	15	14	11	20	9	13	17	11	14	25	180
Wet days	20	7	15	12	8	10	8	11	13	8	12	15	15

W, 6,500. VII. 18. w w c

Sent 5.1.21

Hylands RE

Kept at [illegible] Kendal

in the County of Westmorland

by Herbert W. Baron

Lat.

Time of Observation 8 30 a.m.

Nearest Railway Station Kendal

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 375 ft.

FORM A. BRITISH RAINFALL.

5 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·00		·06		·20		·07	·06	1·84	·45		·18	1
2	·32		·38		·07		·06		·07			·46	2
3	·46	·06			·36	·15	·05					·32	3
4	·11	·19	·31		·22	·01	·15	·37	·05			·22	4
5					·33				·03	·04		·49	5
6	·02		·38		·18				·08	·01		·20	6
7	·03		·32	·21	·01	·13					·12		7
8	·37		·21	·06	·01	·02				·01			8
9	·62		·19	·03		·04							9
10	·10		1·28	·12	·07	·03						·56	10
11	·10		·30		·03	·01	·11		·35	·08		·13	11
12			·05	·45		·16	·01			·04	·65 s		12
13	·80			·35		·03	·05	·08		·13		·26	13
14	·44	·01		·20								·18	14
15	·75	·10		·16							·25 s	·70	15
16	·27			·07 s		·12					1·04	·25	16
17	·07							1·14	·03		·22	·04	17
18			·37				·40	·33	·24		·39	·47	18
19	·05	·73	·50			1·25		·01	·02		·15	·11	19
20	·34	·30				·05			·01			·58	20
21	·08	·25				·02		·33	·22		·09	·35	21
22						·33		·03	·37	·06	·13	·35	22
23	·02			·02		·18				1·30	·24	·24	23
24	·10			·10	·13	·02			·50	·06	·29	·13	24
25	·43	·06		·64		·02		1·30	·37		·15		25
26	·12		·72			·05		·28	·07		·02	·70	26
27	·04			·20 s								·05	27
28						·02		·70	·15			·60	28
29								·07	·30	·02	·40	·11	29
30		X	·04	·07		·03		·28				·90	30
31		X	·07	X		X	·83		X		X		31
Total	6·64	1·70	5·18	2·68	1·61	2·67	1·73	4·98	4·70	2·20	4·14	8·58	YEAR'S TOTAL 46·81
Rain Days.	23	8	15	14	11	20	9	13	17	11	14	25	180
Wet days	20	7	15	12	8	10	8	11	13	8	13	15	150

W. 6,500. VII. 18. W W G

~~Wtw~~ end 3409

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

4 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Hylands Kendal
in the County of Westmorland
by Herbert W Baron

Lat. 54·3 N Long. 3 W.
Time of Observation 8·30 am.
Nearest Railway Station Kendal
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6" in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·02	·24	·08	·45		·04	·01	·04	·12		·24	1
2		·06		·04	·10		·45	·03	·62			·84	2
3			·56	·09	·21		·28	·26	·45	·42		·20	3
4		·14	·07		·10			1·60		·45			4
5			·45	·37	1·80		·20	·17	·02	·30			5
6			·39	·20	·75		·05	·01			·05		6
7	·50	·15	·10	·20	·01		·06	·33			·06		7
8	·05	·22		·12	·28		·26				·30		8
9	·45	1·75	·07	·60			·52		·06				9
10	1·30	·41	·32	·03			·23						10
11	·26	·04		·12	·56		·33		·15		·20		11
12	·45	·66	·50	·47	·10	·22	·06				·49	·02	12
13	·23	·09	·19	·44	·10	·26	·26	·02			·22	·36 S	13
14	·15	·27	·03	1·07		·55	·11		·47		1·03		S = Snow 14
15	·10	·21		·18			·48			·32	·75		15
16	·24	·02	·31		·13				·50	·25	·20		16
17	·35		·20	·07	·27		·50	1·26	·45				17
18	·50	·02		·06	·93	·46	·06	·03	·15				18
19	·20	·20		·05	·10	·28							19
20	·13					·01	·21		·47				20
21							·18		·03			·46	21
22	·76			·43		·05	·15					·30	22
23	·41		·20	·05			·57					·10	23
24	·10		1·47	·24		·06	·34					·45	24
25		·09	·12	·25		·12	·05		·06				25
26	·01	·76	·69	·19			·57		·30			·25	26
27	·11		·37	·01		·67	·30				·17		27
28	·05	(·35)	·32	·35	·32		·20					·42	28
29	·14	·72	·05		·54	·25	·33				·22	·75	29
30	·53		·07		·07	·08	·56				·42	·55	30
31	·36		·13		·10		·03					·47	31
Total	7·47	5·58	6·85	5·71	6·92	3·01	7·32	3·72	3·77	1·86	3·61	5·41	Year's Total 61·22
Days with ·01 in. or more	24	19	22	24	19	12	28	10	14	6	12	14	204
4·04	23	16	21	22	18	11	27	5	12	6	12	13	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made ✓

REGIS

FORM A. BRITISH RAINFALL.

2 JAN 1913

KENDAL
LOW SLACK
WESTMORLAND
1912-13, '15 — 1920

Kept at "Low Slack"
Queens Road-

in the County of Westm

ndal

in.

by A. W. Wilson

ound 1 ft. in.

a Level abt. 350 ft. ft.

IMPORTANT NOT … e result entered to the previous day. If an Ob … al rule, he is earnestly requested to add the reading at 9 a.m. on 1st … in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	–	·52	–	·10	·18	·12	·01	·12	–	–	·26	1
2	·14	·05	·88	·02	·15	·28	·02	–	·09	–	–	–	2
3	·37	–	·62	–	–	·78	–	·35	·90	–	·01	·42	3
4	·34	–	·54	·79	·02	·12	–	·81	·30	–	1·72	·24	4
5	·13	–	·03	·05	·25	·05	–	·16	·07	·19	–	·03	5
6	·07	·43	–	–	·27	–	–	·03	–		·02	·02	6
7	–	·43	·28	·07	·15	–	·30	·06	·13		·40	·06	7
8	·66	·34	·11	·12	·05	·03	–	·05	·03		·35	·12	8
9	·20	·15	·40	·25	–	·20	–	·31	–		·22	·43	9
10	·13	·02	–	–	·08	·24	–	·01	–		·51	·42	10
11	·09	–	–	–	·01	·01	·65	·12	–		–	·45	11
12	·36	–	·70	–	–	·24	·30	·01	–		–	·31	12
13	·04	–	·31	–	–	·03	·02	·05	–	·94	·02	·93	13
14	·53	–	·35	–	–	·23	–	·01	–	·01	–	·26	14
15	·14	·24	–	–	·11	·35	–	–	–	·24	–	·08	15
16	·43	–	·64	–	·03	·06	–	·24	–	·23	·03	–	16
17	·01	·24	·39	–	·03	·85	–	·86	–	·01	·06	·53	17
18	·02	·14	–	–	–	·28	–	–	–	·65	·06	·40	18
19	·02	·09	·55	–	–	·05	–	·25	–	·24	·22	·03	19
20	·14	–	·02	–	·56	·08	·02	·31	–	·63	·02	·38	20
21	·01	·04	·14	–	·01	·03	·06	·18	–	·10	·01	·06	21
22	·01	·76	–	–	·11	·01	–	·52	–	–	·30	·05	22
23	–	–	·10	–	–	·03	·25	·27	–	·03	·84	·30	23
24	·01	·11	·28	–	·01	·23	·15	·02	–	–	·13	·11	24
25	·01	·01	·19	–	–	·54	·02	·11	–	–	·55	·01	25
26	–	·54	·23	–	–	·03	·15	–	–	1·51	·43	·22	26
27	–	·14	·29	–	–	1·23	·36	–	–	·46	melted snow ·01	·61	27
28	–	·14	–	–	–	·07	·45	·56	–	1·00	·44	·22	28
29	–	·02	·14	–	–	·01	·54	·35	·16	·33	–	~~·36~~	29
30	·08		·33	·01	·01	–	·20	–	–	·02	–	·56	30
31	–		·33		·03		1·25	·55		–		30	31
Total	3·96	3.89 3·89	7·77	1·31	1·98	6·24	4·86	6·20	1·80	6·59	6·35	7·81	YEAR'S TOTAL 58·76
Rain Days.	24	18	24	7	18	27	17	25	8	16	21	28	58.76 233

W. 7,500, XI. 12 ✓

S. made ✓

FORM A.
BRITISH RAINFALL.

2 JAN 1913

REGIS

Kept at "Low Slack" - Kendal: Queens Road -
in the County of Westmorland. on the East slope of Kendal Fell
by A. W. Wilson

3

Time of Observation 9 am
Nearest Railway Station Kendal
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level abt 350 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·52	–	·10	·18	·12	·01	·12	–	–	·26	1
2	·14	·05	·88	·02	·15	·28	·02	–	·09	–	–	–	2
3	·37	–	·62	–	–	·78	–	·35	·90	–	·01	·42	3
4	·34	–	·54	·79	·02	·12	–	·81	·30	–	1·72	·24	4
5	·13	–	·03	·05	·25	·05	–	·16	·07	·19	–	·03	5
6	·07	·43	–	–	·27	–	–	·03	–		·02	·02	6
7	–	·43	·28	·07	·15	–	·30	·06	·13		·40	·06	7
8	·66	·34	·11	·12	·05	·03	–	·05	·03		·35	·12	8
9	·20	·15	·40	·25	–	·20	–	·31	–		·22	·43	9
10	·13	·02	–	–	·08	·24	–	·01	–		·51	·42	10
11	·09	–	–	–	·01	·01	·65	·12	–		–	·45	11
12	·36	–	·70	–	–	·24	·30	·01	–		–	·31	12
13	·04	–	·31	–	–	·03	·02	·05	–	·94	·02	·93	13
14	·53	–	·35	–	–	·23	–	·01	–	·01	–	·26	14
15	·14	·24	–	–	·11	·35	–	—	–	·24	–	·08	15
16	·43	–	·64	–	·03	·06	–	·24	–	·23	·03	—	16
17	·01	·24	·39	–	·03	·85	–	·86	–	·01	·06	·53	17
18	·02	·14	–	–	–	·28	–	–	–	·65	·06	·40	18
19	·02	·09	·55	–	–	·05	–	·25	–	·24	·22	·03	19
20	·14	–	·02	–	·56	·08	·02	·31	–	·63	·02	·38	20
21	·01	·04	·14	–	·01	·03	·06	·18	–	·10	·01	·06	21
22	·01	·76	–	–	·11	·01	–	·52	–	–	·30	·05	22
23	–	–	·10	–	–	·03	·25	·27	–	·03	·84	·30	23
24	·01	·11	·28	–	·01	·23	·13	·02	–	–	·13	·11	24
25	·01	·01	·19	–	–	·54	·02	·11	–	–	·55	·01	25
26	–	·54	·23	–	–	·03	·15	–	–	1·51	·43	·22	26
27	–	·14	·29	–	–	1·23	·36	–	–	·46	melted snow ·01	·61	27
28	–	·14	–	–	–	·07	·45	·56	–	1·00	·44	22	28
29	–	·02	·14	–	–	·01	·54	·35	·16	·33	–	~~36~~	29
30	·08		·33	·01	·01	–	·20	–	–	·02	–	·56	30
31	–		·33		·03		1·25	·55		–		30	31
Total	3·96	3·89 3·89	7·77	1·31	1·98	6·24	4·86	6·20	1·80	6·59	6·35	7·81	YEAR'S TOTAL 58·76
Rain Days.	24	18	24	7	18	27	17	25	8	16	21	28	58·76 233

W. 7,500, XI. 12

✓

S made

Cod for with 14.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Low Slack. Kendal W 338

in the County of Westmorland 3

by A.W.Wilson

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Kendal

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·30	·17	-	-	-	-	-	-	-	·14	-	1
2	·27	·27	1·00	·06	-	·32	-	-	-	-	·31	·40	2
3	·15	·25	·10	-	·56	-	-	-	-	-	·07	·74	3
4	·42	·24	·09	-	-	-	-	-	-	-	·41	·15	4
5	·54	·16	·01	-	-	·52	·01	-	-	-	-	-	5
6	·35	·44	·37	-	·54	·46	·21	-	-	-	·01	·15	6
7	·05	·72	·01	-	·04	·26	-	-	-	·94	-	·14	7
8	-	·57	·04	-	·15	·06	-	·03	·01	·15	·04	·15	8
9	-	·23	·51	·07	·15	1·14	-	·40	-	-	·23	·10	9
10	-	·34	·60	·06	·01	·03	-	-	-	·01	·29	·01	10
11	·01	-	-	·40	-	·05	·16	-	-	·20	·32	·25	11
12	-	-	·02	-	·01	-	·04	·01	·55	-	·42	·05	12
13	-	·01	·63	·05	-	-	·02	·03	·14	·45	·25	-	13
14	·01	·01	·04	·10	-	-	-	-	·03	·70	·12	·03	14
15	·03	-	·47	·96	-	-	-	·06	-	-	·45	·15	15
16	-	-	·04	·20	-	-	·02	-	-	-	·30	·01	16
17	·03	-	-	·25	-	·27	·09	-	-	-	·74	-	17
18	·07	-	·52	·49	·06	·10	-	-	-	-	·16	-	18
19	·03	-	·04	·10	·18	·03	-	-	-	-	·87	-	19
20	-	-	·02	·04	·09	·05	-	·01	·08	·72	1·01	-	20
21	-	-	·16	-	·04	-	·08	1·00	-	·34	-	-	21
22	·33	-	·55	-	·26	-	-	·53	·09	·01	-	-	22
23	·52	-	·03	-	·06	·45	-	·29	·28	·01	·15	·05	23
24	·50	·07	-	·13	-	·71	-	·01	-	-	·09	·10	24
25	-	-	-	·42	-	-	-	-	·78	·05	·11	·49	25
26	-		·01	·84	-	·03	-	-	·85	·13	·02	·86	26
27	-	·08	-	·61	·01	·01	-	-	-	·31	·01	·11	27
28	·45	-	·14	·53	·08	-	-	-	-	·01	·01	Snow	28
29	-	-	·08	54	·02	-	-	·27	-	·52	·14	Snow	29
30	·65		·09	-	·10	-	-	-	-	·04	-	Snow	30
31	-		·05		-		-	-		·01		·43	31
Total	4·43	3·69	5·79	5·85	2·36	4·49	0·63	2·64	2·81	4·60	6·76 6·67	4·37	YEAR'S TOTAL 48·33
Rain Days.	18	14	26	18	17	16	8	11	9	17	25	20	199

W.7,000, XI. 13

48·33

12.V.16 3946

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

Kept at Low Slack - Kendal.
in the County of Westmorland.
by A.W. Wilson.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Kendal - 1 Mile -
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 abt. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·37	1·02	·24	–	·03	–	·02	·40	–	–	–	–	1
2	–	·80	·46	·51	–	·10	·40	·05	–	–	–	01	2
3	·11	·11	·46	·35	–	–	·54	·10	–	–	–	26	3
4	·01	·41	·11	–	·12	·20	–	·01	–	–	–	27	4
5	·32	·42	·43	·01	–	–	–	·02	–	–	–	1·05	5
6	·53	·10	–	·30	–	·08	1·47	·03	·06	–	·01	44	6
7	·47	·67	–	·10	·12	–	·21	·14	–	–	–	25	7
8	·30	·39	–	·07	–	–	·01	·16	–	–	1·28	–	8
9	·01	·05	–	–	–	–	–	·01	–	–	·15	66	9
10	·87	–	·06	·09	–	–	–	·27	–	·02	–	70	10
11	·10	·01	–	·01	·52	–	·04	·07	–	–	·02	12	11
12	·32	·01	–	·04	–	–	·22	·24	–	·13	·36	–	12
13	·30	·03	–	–	–	–	·01	?	–	·06	–	23	13
14	·32	–	–	·05	–	–	·09	·23	·05	–	–	32	14
15	·72	–	–	·07	–	–	–	·85	·08	–	–	60	15
16	–	1·32	–	–	·02	–	·23	·11	·03	–		01	16
17	–	·30	–	–	·04	–	·08	·01	–	–		–	17
18	–	·40	·15	–	–	–	·08	–	–	–	melted snow ·13	–	18
19	·05	·05	·10	·73	·20	–	·24	–	–	–	–	–	19
20	·34	·02	·03	–	·02	–	·20	–	–	–	–	33	20
21	·03	·08	–	·08	–	–	·26	–	–	–	–	06	21
22	–	–	·11	–	–	–	·30	–	–	·01	–	25	22
23	–	–	·15	·03	–	–	·70	–	·27	·20	·01	44	23
24	–	–	·01	–	–	–	–	–	·55	·06	–	50	24
25	–	·08	–	–	–	–	·43	–	·94	–	–	25	25
26	–	1·08	–	–	–	·01	·39	–	·02	–	–	56	26
27	–		–	–	–	·20	·16	–	–	·45	–	15	27
28	–	melted snow plus rain ·50	–	–	·01	·25	–	·23	–	·08	–	–	28
29	–	X	–	–	–	·05	–	–	–	–	·90	06	29
30	–	X	–	·32	–	·05	–	–	–	–	·07	01	30
31	melted snow ·73	X	–	X	–	X	·07	·68	X	·01	X	73	31
Total	5·90	7·85	2·31	2·76	1·08	0·94	6·15	3·61	2·00	1·02	2·93	8·25	YEAR'S TOTAL 44·80 44·80
Rain Days.	18	22	12	15	9	8	22	18	8	9	9	24	174

W. 8,000. X. 15.

S. made

cnd by mm scale CJE

3873

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Low Slack - KENDAL

in the County of Westmorland

by Anthony Wm. Wilson -

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station KENDAL

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·62	0·13	0·01	–	–	0·53	0·76	0·08	–	–	0·42	–	1
2	·23	·03	–	–	–	·25	–	–	0·25	0·43	·12	0·05	2
3	·04	·05	–	0·06	–	–	·04	–	·76	·33	·54		3
4	·17	·36	–	–	·50	·23	·03	–	·03	·67	·34		4
5	·31	·91	–	–	·19	·12	–	–	–	1·47	·39		5
6	·48	·31	·05	–	·52	·50	·25	–	–	·51	·26	·03	6
7	·02	·04	·01	–	·68	·20	·70	–	–	·73	·23	·22	7
8	–	·02	·01	–	(·01)	–	–	–	–	·04	·35	–	8
9	·08	·02	–	–	·30	–	·04	–	–	·06	·30	·15	9
10	·30	·26	–	·17	–	·40	·14	–	–	·77	·31	–	10
11	·07	·12	–	·78	·02	–	·31	–	·11	·17	·02	·01	11
12	23	·47	·01	·03	40	–	·44	·04	–	·08	·01	–	12
13	–	·23	·05	·08	–	–	–	·32	–	·93	·01	·03	13
14	·06	·17	–	·08	·47	–	–	·61	–	·66	–	–	14
15	·06	·95	·03	·08	–	–	·02	·50	·01	·10	–	–	15
16	·07	·24	·55	·66	–	–	·25	–	·02	–	–	–	16
17	·48	·27	–	·38	–	–	·01	–	·87	·24	–	–	17
18	·19	·58	–	·07	–	–	·01	–	·23	·22	·02	–	18
19	·87	–	·12	·13	–	–	–	·21	–	–	–	–	19
20	·89	–	·02	–	–	–	·01	·29	–	–	·21	Melted Snow ·70	20
21	·59	–	–	–	–	–	·41	–	·03	–	·05	–	21
22	–	–	–	·05	·02	·11	–	–	–	·06	·04	·03	22
23	·25	–	Melted snow ·72	·13	–	·20	–	·08	–	·60	·53	·16	23
24	·11	–	·02	·10	–	·60	–	·29	–	·06	·29	·04	24
25	·02	–	·25	–	–	–	–	·44	–	·11	·41	·04	25
26	·32	·01	·27	–	·04	·10	–	·01	·01	–	·03	–	26
27	–	·02	·02	–	–	·09	–	–	·17	·24	·04	·07	27
28	·97	·02	·01	–	–	–	–	–	–	·11	·04	2·15	28
29	·19	·10	–	–	–	·01	–	–	–	·45	1·10	·14	29
30	·21	X	–	–	–	·04	·02	–	–	1·00	·38	·44	30
31	–	X	–	X	·16	X	–	·30	X	·36	X	·17	31
Total	7·83 ✓	5·31 ✓	2·15 ✓	2·80 ✓	3·31	3·38 ✓	3·44	3·08 ✓	2·49 ✓	10·40 ✓	6·44 ✓	4·43 ✓	YEAR'S TOTAL 55·06
Rain Days.	26 ✓	22	16 ✓	14 ✓	12 ✓	14 ✓	16 ✓	12 ✓	11 ✓	25 ✓	25 ✓	16	204 ✓

W. 8,000, VIII. 16

Small

3711

FORM A.
BRITISH RAINFALL

10 JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Low Slack. Kendal

in the County of Westmorland

by A. W. Wilson

Lat. Long.

Time of Observation 9am

Nearest Railway Station Kendal

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·09	—	—	0·01	—	0·21	—	—	0·17	—	0·05	0·12	1
2	1·01	—	—	·07	—	—	—	—	·10	—	·02	—	2
3	·14	—	—	·01	—	·75	—	—	·01	·76	·02	—	3
4	—	—	—	—	—	—	—	—	—	·02	·30	·20	4
5	·23	—	·02	·17	—	·14	—	—	·02	·05	1·44	·35	5
6	·08	—	—	·12	—	?	—	—	—	·51	·57	·27	6
7	·64	—	—	—	—	·26	—	—	—	·30	·05	Melt. Snow	7
8	·06	—	—	·16	—	·02	—	·80	·10	·95	·32		8
9	—	—	—	Melted	·06	—	—	·52	—	·03	·32		9
10	·23	—	·64	Snow	·30	—	—	·23	—	·01	—		10
11	·20	—	—	·34	·12	—	—	1·10	—	·72	·06	·10	11
12	—	—	·06	—	·51	—	—	—	·01	·23	—	·03	12
13	—	—	—	·18	—	·06	—	·38	·98	·01	·16	·28	13
14	·02	—	—	·17	·04	—	·01	·22	—	—	—	·12	14
15	—	—	—	—	—	—	—	·01	·61	·08	—	·39	15
16	—	·02	·05	·67	—	—	·07	1·50	·21	·52	·01	—	16
17	·01	·23	·13	·24	—	—	1·47	1·61	·25	·21	—	—	17
18	—	·04	·23	·03	·04	—	—	·13	·46	·01	·01	·20	18
19	—	·31	·16	—	·24	—	—	·07	·01	—	·07	·34	19
20	—	·69	·02	—	·13	·95	—	1·27	·26	·07	·15	·25	20
21	—	·06	—	—	·13	—	—	·05	·23	·22	—	—	21
22	—	·21	—	—	—	—	—	·54	·11	·95	·01	—	22
23	—	·24	—	—	·33	·57	—	·42	·04	·25	·20	·20	23
24	—	—	—	—	—	—	·07	·40	·12	·92	·27	—	24
25	—	·07	·10	—	·01	—	—	·33	·31	·21	·03	—	25
26	—	—	—	—	—	·06	·07	·95	·50	·24	·75	—	26
27	—	—	·09	—	·16	·05	·35	·38	—	·09	·23	—	27
28	—	·02	·36	—	—	—	—	·25	—	·01	·29	—	28
29	—	X	·10	—	·05	—	·15	·02	—	—	·10	—	29
30	—	X	·03	—	—	—	—	·01	—	·50	·30	—	30
31	—	X	·21	X	·34	X	—	·70	X	1·00	X	—	31
Total	2·71	1·69	2·20	2·17	2·46	3·01	2·19	11·89	4·50	8·87	5·73	2·85	YEAR'S TOTAL 50·27
Rain Days.	11	10	14	12	14	10	7	23	19	26	24	13	183

W. 8,000, IX. 17.

See note [illegible] Corr. by own stats.

43

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Low Slack. Kendal-
in the County of Westmorland
by A. W. Wilson

Lat. Long. –
Time of Observation 9 am
Nearest Railway Station Kendal
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	–						⊖	⊖					
1	–	0·28	0·02	0·02	0·01	–	–	–	0·44	0·04	0·27	1·02	1
2	–	·08	–	·48	–	–	–	–	·24	1·26	·23	1·27	2
3	–	·17	–	–	·47	–	–	–	–	1·15	–	·05	3
4	0·01	·08	–	–	·22	–	–	·06	·15	·67	·38	·33	4
5	–	·10	–	·26	·18	–	–	·83	–	·97	·03	·01	5
6	–	1·00	–	·42	·02	·73	·37	–	·10	·25	–	–	6
7	–	·12	–	·05	·01	·20	·15	·25	(·32) ~~·32~~	·17	·16	·30	7
8	Melted snow	·07	·15	–	–	·24	·08	·02	·18	·25	·20	?	8
9	·60	·55	–	–	–	·24	·03	–	·87	·57	·20	·10	9
10	·15	·70	·45	·01	–	–	·45	–	·21	·47	·80	·10	10
11	·45	·14	·15	–	·26	–	–	–	·27	–	–	·36	11
12	–	·50	–	–	·05	–	–	–	·13	–	–	·15	12
13	–	·01	–	·02	·11	·02	·20	–	·21	·56	–	·03	13
14	melted snow	–	–	–	·05	·32	·52	·13	·34	·08	–	·17	14
15		–	–	–	–	·12	·60	–	2·22	·03	–	·55	15
16		·04	–	–	–	·72	1·22	·13	·85	–	–	·14	16
17	2·00	–	–	–	–	·24	·26	·24	·12	·27	–	·45	17
18		–	·29	–	–	–	·12	·02	·10	·03	–	·23	18
19	1·00	·21	·10	–	–	–	·62	·31	·30	·04	–	·59	19
20	1·03	·47	–	·15	·13	·12	·02	–	·36	–	–	·01	20
21	·36	·75	–	–	–	·25	·55	–	1·63	·01	–	·01	21
22		·04	–	–	·42	·02	·54	·05	·45	–	–	·95	22
23	·60	–	–	–	·16	–	·01	–	·08	–	·16	–	23
24	·73	·07	–	–	–	–	·52	·31	·32	·01	·04	·10	24
25	·04	·02	–	–	·30	–	–	1·08	·27	–	–	–	25
26	·01	·25	–	–	–	–	–	·05	·66	·10	·16	·46	26
27	–	·28	·81	–	–	·05	–	·67	·29	·20	·11	·65	27
28	–	·06	·19	–	–	·01	–	·02	·32	·05	·05	·59	28
29	·01	–	·03	–	–	–	–	·01	·08	–	–	–	29
30	·01	✕	·10	–	–	–	–	·01	–	·08	·32	·45	30
31	–	✕	·10	✕	–	✕	–	·05	✕	·08	✕	·71	31
Total	7·00	5·99	2·39	1·41	2·39	3·28	6·26	4·24	11·44	7·34	3·11	9·18	YEAR'S TOTAL 64·03
Rain Days.	20	23	11	8	14	14	17	18	27	23	14	26	215

The red figures were supplied by my friend & neighbour G. F. Braithwaite in my absence – from his own gauge –

W. 6,500, VII. 18. w w c

B made W. 18/6 cord by new stats 3522

15 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at LOW SLACK . KENDAL
in the County of Westmorland
by A.W.WILSON

Lat. Long.
Time of Observation 9 am
Nearest Railway Station KENDAL
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·03	-	·05	·02	·30	-	·05	·05	1·80	·42	-	·18	1
2	·61	-	·36	·03	·03	-	·05	-	-	-	-	·30	2
3	·08	-	-	-	·23	·13	·20	·03	-	-	-	·25	3
4	·10	·14	-	-	·16	-	-	·10	·08	-	·03	(·65)	4
5	-	-	·97	·01	·40	-	-	-	·04	·03	-	·33	5
6	-	-	-	-	·15	-	-	-	·05	-	-	·14	6
7	·01	-	·06	·23	-	·16	-	-	-	-	·04	-	7
8	·16	-	·11	·03	-	-	-	-	-	-	-	-	8
9	·60	-	1·13	-	-	-	-	-	-	-	-	-	9
10	·23	-	·27	·23	·05	·06	-	-	-	-	-	·66	10
11	·03	-	·20	-	·06	-	·09	-	·28	·09	-	·12	11
12	-	-	·02	-	·03	·16	-	-	-	·02	× -	-	12
13	·87	-	-	·52	-	-	·02	·16	-	·08	-	·27	13
14	·37	-	-	·05	-	-	-	-	-	-	-	·28	14
15	·73	·05	-	·20	-	-	-	-	-	-	-	·55	15
16	·22	-	-	-	-	·11	-	-	-	-	× ·67 melted snow	·25	16
17	·04	-	·12	VO	-	-	-	1·00	·01	-	·68	-	17
18	-	-	·19	-	-	·02	·42	·33	·23	-	·30	·53	18
19	·03	·75	·29	-	-	1·20	-	-	-	-	·34	·05	19
20	·36	·20	-	-	-	·04	·02	-	-	-	·04	·65	20
21	·07	·24	-	-	-	-	-	·21	·21	-	·07	·42	21
22	-	·03	-	-	-	·45	-	·15	·33	·12	·11	·32	22
23	-	-	-	·03	-	·14	-	-	-	1·20	·26	·19	23
24	·15	-	-	·07	·10	·01	-	-	× -	·01	·21	·09	24
25	·37	-	-	·58	-	-	-	1·35	× -	-	·11	-	25
26	-	-	·73	·08	-	·04	-	·24	× -	-	·01	·77	26
27	-	-	-	·16	-	-	-	-	1·00	-	-	·02	27
28	-	-	-	·03	-	·01	-	·70	-	-	-	?	28
29	·21	-	-	-	-	-	-	·17	·35	·06	-	·74	29
30	-	×	·06	·03	-	-	-	·16	-	·02	·45	·88	30
31	-	×	-	×	-	×	·92	-	×	-	×	-	31
TOTAL	6·27	1·41	4·56	2·40	1·51	2·53	1·77	4·65	4·48	2·05	3·32	8·64	YEAR'S TOTAL 43·59
Days with ·01 in. or more	20	6	14	17	10	13	8	13	(13)	10	(15)	24	(165)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Kendal

in the County of Westmorland

by A W Wilson

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·15										1
2	·50	·07	-	·03									2
3	·01		·44	·02									3
4	-	·21	·03	·03									4
5	-	·01	·63	·04									5
6	-		·23	·57									6
7	·81	·14	·03	-									7
8	·05	·26	-	·03									8
9	·78	1·80	·04										9
10	·82	·27	-										10
11	·31	·07	·35										11
12	·42	·65	·43										12
13	·25	·06	·21										13
14	·15	·49	·02										14
15	·15	·21	-										15
16	·27	·02	·45										16
17	·50	-	·21		0 ·36								17
18	·31	·30	·02		·65								18
19	·06	·08	-		·01								19
20	·16	-	-		-								20
21	·04	-	-		-								21
22	·73	-	-		-								22
23	·40	-			-								23
24	·09	·07	1·50		-								24
25	·01	-	·15		-								25
26	·06	·15	·71		·66								26
27	·05	-	·44		·33								27
28	·03	·35	·32		·01								28
29	·18	·70	·07		1·01								29
30	·63		·01		·11								30
31	·16		·02		·24								31
TOTAL	7·93	5·91	6·46	~~5·26~~	~~6·02~~								YEAR'S TOTAL
Days with ·01 in. or more	~~28~~	~~20~~	~~22~~										
Days with ·04 in. or more	First five months KENDAL RECORD.												

The total of this Column kindly supplied By G. F. Braithwaite of Kendal

Total of Column pr. G. F. Braithwaite of Kendal

0 x Begins Bentham.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20 Gp.132. A.&E.W.

3722

FORM A.
BRITISH RAINFALL.

1914

REGIS

3722 —

KENDAL — POTTER FELL

N/A
1917
1921
1923-1927

~~1913~~ ~~1930~~

1913, 19-20 782609

Kept at Potter Fe

in the County of West

by James Peak

...m Each day except Sunday

...side ... N.W

in.

...ound 3 ft. about 4 in.

...a Level 780-800 ft.

IMPORTANT NOTE ... result entered to the previous day. If an Obse... al rule, he is earnestly requested to add the readi... n the space provided for it at the end of this paragraph. ... t of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·59			·11							·04	·34	1
2	·08												2
3	·23	·41	1·18	·14		·3					·41	·64	3
4	·65	·68	·46								·12	·64	4
5		·13	·14		·44	·04					·44	·19	5
6	1·3	·44			·04	·63							6
7	·51	·66	·48		·54	·53	·28						7
8	·14	1·26	·16		·15		·03			·64		·88	8
9					·04	·33		·13		·21		·24	9
10		·85	1·21	·13	·28	1·52	·05				·18	·18	10
11		·62	·43			·11		·64		·03	·49		11
12		·04	·05	·24		·26	·15				·13	·45	12
13	·14		·04		·18				·61	·44	1·12	·14	13
14			·76	·46			·18	·03			·24		14
15	·1	·03	·14	·24					·51	1·19	·31	·11	15
16	·04			1·3								·04	16
17			·48	·14			·04				1·21	·29	17
18	·05		·08	·53		·31	·3				·14		18
19			·4	·64	·15	·09	·08				1·11		19
20	·32		·18		·14	·15				·28	1·42		20
21	·06			·28	·2	·13				·61	1·33		21
22			·36	·05	·28		·13	1·22	·14	·35	·14		22
23	·32				·42			·53	·42	·11			23
24	·62		·91		·11	·54			·44	·12	·16	·72	24
25	·93	·05		·36		·82		·33			·33		25
26		·03		·28					·83		·35		26
27		·31	·03			·08			·48	·32			27
28		·04		1·94		·04				·43	·09		28
29	·61		·24	·68	·4							1·89	29
30				·54	·1			·22		·43			30
31	·82		·26		·18					·24			31
Total	~~4·60~~ 7·01	5·91	·11 ~~8·95~~ 9·06	~~8·18~~ 8·07	3·74	5·94	1·24	3·13	4·06	·04 ~~5·43~~ 5·47	·37 10·48 10·81	~~6·24~~ 5·90	YEAR'S TOTAL ~~70·99~~ 70·40
Rain Days.	18	14	20	16	16	16	9	4	4	15	20	13	~~142~~ 171

W.7,000, XI. 13

3722

BRITISH RAINFALL FORM A.

REGIS

Kept at Potter Fell

in the County of Westmorland 3

by James Cropper & Co

Lat. .... Long. ....

Time of Observation 6.30. a.m Each day except Sunday

1914

Nearest Railway Station Burneside L. & N. W.

Diameter of Rain Gauge ? in.

Height of top of Gauge above Ground ? ft. about 4. in.

" " " " Sea Level 780-800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·59			·11							·04	·34	1
2	·08												2
3	·23	·71	1·18	·14		·3					·41	·64	3
4	·65	·68	·46								·12	·64	4
5		·13	·14		·47	·04					·47	·19	5
6	1·3	·47			·07	·63							6
7	·51	·66	·48		·57	·53	·28						7
8	·17	1·26	·16		·15		·03			·67		·88	8
9					·07	·33		·13		·21		·27	9
10		·85	1·21	·13	·28	1·52	·05				·18	·18	10
11		·62	·43			·11		·67		·03	·49		11
12		·04	·05	·27		·26	·15				·13	·45	12
13	·17		·07		·18				·61	·44	1·12	·14	13
14			·76	·46			·18	·03			·27		14
15	·1	·03	·14	·24					·51	1·19	·31	·11	15
16	·07			1·3								·07	16
17			·78	·17			·07				1·21	·29	17
18	·05		·08	·53		·31	·3				·17		18
19			·7	·67	·15	·09	·08				1·11		19
20	·32		·18		·14	·15				·28	1·42		20
21	·06			·28	·2	·13				·61	1·33		21
22			·36	·05	·28		·13	1·22	·17	·35	·17		22
23	·32				·42			·53	·72	·11			23
24	·62		·91		·11	·57			·44	·12	·16	·72	24
25	·93	·05		·36		·82		·33			·33		25
26		·03		·28					·83		·35		26
27		·31	·03			·08			·78	·32			27
28		·04		1·97		·04				·43	·09		28
29	·61		·24	·68	·4							1·89	29
30				·54	·1			·22		·43			30
31	·82		·26		·18					·24			31
			·11							·04	·37		YEAR'S TOTAL
Total	~~4·60~~ 7·01	5·91	~~8·95~~ 9·06	~~8·18~~ 8·07	3·77	5·94	1·27	3·13	4·06	~~5·43~~ 5·47	~~10·48~~ 10·81	~~6·24~~ 5·90	~~70·99~~ 70·40
Rain Days.	18	14	20	16	16	16	9	7	7	15	20	13	~~142~~ 171

W.7,000, XI. 13

~~W~~ RL

3524

3722

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 19......

Kept at Potter Fell

in the County of Westmorland

by James Cropper & Co. Ltd

Lat............ Long............

Time of Observation generally 6.30 to 7. a.m.

Nearest Railway Station Burneside

Diameter of Funnel of Rain Gauge............in.

Height of top of Gauge above Ground.........ft.........in.

" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	·06	-	-	1.85	-	-	-	·80	1
2	2.25	-	-	-	·38	-	·25	-	2.20	·47	-	·29	2
3	·53	-	·42	-	·07	-	·10	-	·25	-	·05	·78	3
4	·28	-	-	·11	-	·03	·21	-	-	-	·24	·50	4
5	-	-	-	-	·64	-	·36	·78	·04	-	·06	·48	5
6	·48	-	-	-	·33	-	-	-	·14	-	-	·98	6
7	-	-	·71	-	·44	-	-	-	-	·30	-	-	7
8	-	-	·50	·35	-	-	-	-	·11	-	·16	·35	8
9	·06	-	-	·13	-	-	-	-	-	-	-	-	9
10	1.30	-	·30	-	-	-	-	-	-	-	·14	-	10
11	·12	-	1.95	·27	-	·34	-	-	-	-	-	1.32	11
12	-	-	·95	·07	·18	-	-	-	·06	-	-	·28	12
13	·12	-	·09	-	-	·47	-	-	·06	·09	-	-	13
14	1.35	-	-	1.10	-	-	·06	(·35)	-	·18	-	-	14
15	·73	-	-	(·33)	-	-	-	·04	-	-	-	·80	15
16	·93	-	-	·60	-	-	-	·03	-	-	-	1.48	16
17	·63	·10	-	-	-	·22	-	-	-	-	·43	·34	17
18	·14	-	-	-	-	-	-	2.53	-	-	1.36	·13	18
19	-	-	·25	-	-	-	-	·14	·40	-	·46	·95	19
20	·08	·50	·13	-	-	1.45	-	·28	·03	-	·35	-	20
21	·78	·55	-	-	-	-	·57	-	·42	-	·14	-	21
22	·20	·33	-	-	-	-	-	-	·65	-	·13	3.05	22
23	-	-	-	-	-	·48	-	·90	-	·70	-	·45	23
24	-	·06	-	-	-	·22	-	-	1.16	1.88	·94	·25	24
25	·15	-	-	·16	-	-	-	·04	·75	·10	·60	-	25
26	-	-	-	·88	·10	-	-	1.47	·54	-	·29	-	26
27	·65	-	1·23	-	-	·05	-	·25	-	-	·03	-	27
28	-	-	·04	·28	-	-	-	-	·23	-	-	-	28
29	-	-	-	·12	-	-	-	1.02	-	·06	-	1.83	29
30	-		-	-	-	-	-	·60	·80	·20	-	·06	30
31	-		·05	66	-		-	-		·09		·97	31
TOTAL	10.65	1.54	6.62	4·43 ~~4.37~~	·2·18 ~~2.24~~	3.26	1.85 3·40 ~~1.55~~	8·83 ~~10.68~~	7.88	4.03	6·88 ~~5.38~~	15.29 ~~16.09~~	YEAR'S TOTAL ~~71.03~~ 74.29
Days with ·01 in. or more	18	5	12	12	8	8	6	14	16	~~11~~ 10	15	20	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~WD~~ corrected for WD [illegible]

3412
3722

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Potter Fells
in the County of Westmorland
by C. Cropper

Lat. .... Long. ....
Time of Observation about 8. a. m.
Nearest Railway Station Burneside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 750-760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·50 ed.)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	--	1.55	.09	--	.20	.20	--	--	.17	--	.23	1
2	--	.88	.34		--	--	.75		.30	.04	--	.28	2
3	--	.12	--		.65	--	.08		.80	--	--	1.63	3
4	--	--	.44		.40	--	--	.42	.58	.57	--	.64	4
5	.06	.06	.13		--	--	.40	1.95	--	.53	--	--	5
6	--	--	.63		2.78	--	.07	.18	.08	.66	--	.04	6
7	--	--	--	.48	1.38	--	.07	--	--	.08	--	--	7
8	1.35	--	.78	.35	.05	--	.09	--	--	--	.14	--	8
9	.14	.35	--	.20	--	--	.85	.65	--	--	--	--	9
10	.38	2.97	.06	.36	.38	--	.30	.03	.19	--	.15	.05	10
11	--	.64	.36	--	--	--	--	.04	--	--	--	.04	11
12	2.86	.26	--	.70	.62	.06	.68	--	--	--	.27	--	12
13	.37	.17	1.08	.24	.35	--	.28	--	.22	--	1.05	.23	13
14	.35	.34	--	.65	.10	.34	.30	--	--	--	--	--	14
15	.26	--	.55	.58	--	.33	.95	--	.90	.45	1.96	--	15
16	.20	1.05	.12	1.42	--	--	.06	--	--	.26	.20	--	16
17	.54	.09	.53	.36	.16	--	1.22	.05	.92	--	.28	--	17
18	--	--	.54	--	.35	--	--	1.48	.73	--	--	--	18
19	1.45	--	.03	.15	1.57	.25	.37	.03	--	--	--	--	19
20	.08	.54	--	.16	.07	--	.33	--	.10	--	--	.03	20
21	.35	--	--	.11	--	.42	.27	--	.73	--	--	1.06	21
22	--	--	--	.03	--	--	.18	--	--	--	--	.29	22
23	1.52	--	.10	.57	--	.04	.37	--	--	--	--	.4	23
24	.68	--	.30	.16	Whit mon.	--	.75	--	--	--	--		24
25	--	--	1.55	--	--	--	--	--	--	--	--		25
26	.15	.11	.27	.63	--	.28	.77	--	--	--	--		26
27	.17	.24	.92	.37	--	--	.04	--	.73	--	.32		27
28	.06	.03	--	.04	.47	.95	.14	--	--	--	--	1.32	28
29	.05	--	--	.39	--	.48	.50	--	--	--	.95	.34	29
30	.94	✕	.05	--	--	.08	.87	--	--	--	.63	1.27	30
31	.44	✕	.04	✕	.88	✕	--	--	✕	--	✕	.53	31
		1.55	.09		.20	.20			.17		.23	.50	YEAR'S TOTAL
TOTAL	~~12.43~~ 12.40	~~7.85~~ 9.40	~~10.37~~ 8.91	~~8.04~~ 7.95	~~10.21~~ 10.41	3.43	~~10.89~~ 10.69	4.83	~~6.28~~ 6.45	~~2.76~~ 2.59	~~5.95~~ 6.08	~~8.38~~ 8.165	~~91.42~~ 91.89
Days with ·01 in. or more	22	15	21	21	15	11	26	9	12	8	10	16	186
Days with ·04 in. or more	21	15	20	20	15	11	26	8	12	8	10	15	181

Easter holidays

August holidays

Xmas holidays

P. T. O.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

The total rain fall is accurate, but it is not taken on Sunday, so Mondays rain fall takes in what fell on Sunday.

Charles Cooper.

POSTAGE REVENUE
ONE PENNY 1 1

PM

Carle Salter.

62, Camden Sq,

N. W. 1.

TELEGRAPH: BURNESIDE, KENDAL.
TELEPHONE: 85 D, KENDAL.
STATION: BURNESIDE, L. & N. W. RY.

ELLERGREEN,
KENDAL.

Rainfall on Potter Fell.

We keep this rain gauge solely as a guide to what is coming into our reservoirs up there and it is not worth while to alter our method. We will not send it again.

Charles Cropper

KENDAL

VICARAGE TERRACE

WESTMORLAND

1911 - 15

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept ~~at~~ Vicarag … 2° 45' W.
… Kendal
in the County of W … 9·0 a.m.
… n.
by G. F. B … und — ft. 6 in.
… Level 160 ft.

NOTE.—Full instructions res … Organization are given in
"Rules for Rainfa … re, London, N.W.

Date.	JAN.	FEB.	M					AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	—	0·41	—	0·09	0·20	0·11	0·02	0·14	—	—	0·27	1
2	0·09	0·08	0·80	0·03	0·12	0·27	0·04	—	0·05	—	—	—	2
3	0·35	—	0·03	—	—	0·75	—	0·39	0·89	—	0·01	0·45	3
4	0·35	—	0·55	0·71	0·03	0·11	—	0·71	0·20	—	1·61	0·15	4
5	0·13	—	0·04	0·04	0·19	0·07	—	0·14	0·08	0·16	—	0·04	5
6	0·08	0·41	—	—	0·23	—	—	0·03	—	—	0·02	—	6
7	—	0·44	0·24	0·05	0·16	—	0·25	0·08	0·12	—	0·39	0·06	7
8	0·62	0·22	0·12	0·09	0·06	0·04	—	·	0·03	—	0·33	0·04	8
9	0·23	0·09	0·45	0·23	—	0·18	—	0·36	—	—	0·20	0·43	9
10	0·12	0·02	—	0·01	0·08	0·32	0·54	0·01	—	—	0·51	0·34	10
11	0·08	—	0·01	—	0·01	0·02	0·28	0·18	—	—	—	0·39	11
12	0·28	—	0·63	—	—	0·24	0·02	—	—	—	—	0·27	12
13	0·04	—	0·22	—	—	0·09	—	0·04	—	0·83	0·02	0·90	13
14	0·48	—	0·37	—	—	0·22	—	0·02	—	0·03	—	0·27	14
15	0·11	0·25	0·03	—	0·08	0·35	—	—	—	0·17	—	0·10	15
16	0·45	—	0·46	—	0·03	0·04	—	0·18	—	0·33	0·03	0·02	16
17	0·02	0·27	0·52	—	0·04	0·91	—	0·67	—	—	0·04	0·52	17
18	0·07	0·10	—	—	—	0·20	—	—	—	0·65	0·07	0·40	18
19	0·02	0·10	0·54	—	—	0·06	—	0·24	—	0·17	0·28	0·03	19
20	0·13	—	0·04	—	0·62	0·05	0·02	0·24	—	0·59	0·03	0·32	20
21	—	0·05	0·23	—	—	0·05	0·07	0·15	—	0·10	0·01	0·05	21
22	0·01	0·65	—	—	0·14	0·01	—	0·39	—	—	0·28	—	22
23	—	—	0·13	—	—	0·04	0·26	0·39	—	—	0·74	0·29	23
24	0·01	0·10	0·24	—	0·02	0·18	0·15	0·02	—	0·02	0·17	0·09	24
25	—	—	0·17	—	—	0·48	0·04	0·10	—	—	0·57	0·10	25
26	—	0·42	0·19	—	—	0·04	0·13	—	—	1·60	0·35	0·21	26
27	—	0·12	0·28	—	—	1·09	0·30	—	—	0·37	0·01	0·53	27
28	—	0·12	—	—	—	0·06	0·46	0·54	—	0·99	0·44	—	28
29	—	0·01	0·16	—	—	—	0·57	0·35	0·17	0·33	—	0·22	29
30	0·07		0·43	—	0·20	—	0·21	—	—	0·01	—	0·47	30
31	—		0·27		0·04		1·22	0·53		—		0·38	31
Totals	3·69	3·45	7·56	1·16	2·14	6·07	4·67	5·78	1·68	6·35	6·11	7·34	
Total from Jan. 1		7·14	14·70	15·86	18·00	24·07	28·74	34·52	36·20	42·55	48·66	56·00	✓
	22	17	26	4	17	26	17	23	8	15	21	27	226

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Vicarage Terrace, Kendal
in the County of Westmorland 3
by G. F. Braithwaite

Lat. 54 [illegible] Long. 2° 45' W.
Nearest Railway Station Kendal
RAIN GAUGE. Time of Observation 9.0 a.m.
Diameter 8 in.
Height of top above Ground — ft. 6 in.
" " Sea Level 160 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	—	0·41	—	0·09	0·20	0·11	0·02	0·14	—	—	0·27	1
2	0·09	0·08	0·80	0·03	0·12	0·27	0·04	—	0·05	—	—	—	2
3	0·35	—	0·03	—	—	0·75	—	0·39	0·89	—	0·01	0·45	3
4	0·35	—	0·55	0·71	0·03	0·11	—	0·71	0·20	—	1·61	0·15	4
5	0·13	—	0·04	0·04	0·19	0·07	—	0·14	0·08	0·16	—	0·04	5
6	0·08	0·41	—	—	0·23	—	—	0·03	—	—	0·02	—	6
7	—	0·44	0·24	0·05	0·16	—	0·25	0·08	0·12	—	0·39	0·06	7
8	0·62	0·22	0·12	0·09	0·06	0·04	—	·	0·03	—	0·33	0·04	8
9	0·23	0·09	0·45	0·23	—	0·18	—	0·36	—	—	0·20	0·43	9
10	0·12	0·02	—	0·01	0·08	0·32	0·54	0·01	—	—	0·51	0·34	10
11	0·08	—	0·01	—	0·01	0·02	0·28	0·18	—	—	—	0·39	11
12	0·28	—	0·63	—	—	0·24	0·02	—	—	—	—	0·27	12
13	0·04	—	0·22	—	—	0·09	—	0·04	—	0·83	0·02	0·90	13
14	0·48	—	0·37	—	—	0·22	—	0·02	—	0·03	—	0·27	14
15	0·11	0·25	0·03	—	0·08	0·35	—	—	—	0·17	—	0·10	15
16	0·45	—	0·46	—	0·03	0·04	—	0·18	—	0·33	0·03	0·02	16
17	0·02	0·27	0·52	—	0·04	0·91	—	0·67	—	—	0·04	0·52	17
18	0·07	0·10	—	—	—	0·20	—	—	—	0·65	0·07	0·40	18
19	0·02	0·10	0·54	—	—	0·06	—	0·24	—	0·17	0·28	0·03	19
20	0·13	—	0·04	—	0·62	0·05	0·02	0·24	—	0·59	0·03	0·32	20
21	—	0·05	0·23	—	—	0·05	0·07	0·15	—	0·10	0·01	0·05	21
22	0·01	0·65	—	—	0·14	0·01	—	0·39	—	—	0·28	—	22
23	—	—	0·13	—	—	0·04	0·26	0·39	—	—	0·74	0·29	23
24	0·01	0·10	0·24	—	0·02	0·18	0·15	0·02	—	0·02	0·17	0·09	24
25	—	—	0·17	—	—	0·48	0·04	0·10	—	—	0·57	0·10	25
26	—	0·42	0·19	—	—	0·04	0·13	—	—	1·60	0·35	0·21	26
27	—	0·12	0·28	—	—	1·09	0·30	—	—	0·37	0·01	0·53	27
28	—	0·12	—	—	—	0·06	0·46	0·54	—	0·99	0·44	—	28
29	—	0·01	0·16	—	—	—	0·57	0·35	0·17	0·33	—	0·22	29
30	0·07		0·43	—	0·20	—	0·21	—	—	0·01	—	0·47	30
31	—		0·27		0·04		1·22	0·53		—		0·38	31
Totals	3·69	3·45	7·56	1·16	2·14	6·07	4·67	5·78	1·68	6·35	6·11	7·34	
Total from Jan. 1		7·14	14·70	15·86	18·00	24·07	28·74	34·52	36·20	42·55	48·66	56·00	✓
	22	17	26	4	19	26	17	23	8	15	21	27	226

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Est NE

Kept at Vicarage Terrace, Kendal

in the County of Westmorland 3

by Mr. G. F. Braithwaite

Lat. 54° 19′ N Long. 2° 45′ W

Time of Observation 9 a.m.

Nearest Railway Station Kendal

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·02	0·19	—	—	—	—	—	—	—	0·08	—	1
2	0·24	0·26	0·82	0·07	—	0·32	—	—	—	—	0·27	0·29	2
3	0·12	0·17	0·09	—	0·55	—	—	—	—	—	0·03	0·61	3
4	0·43	0·15	0·07	—	—	0·01	0·02	—	—	—	0·41	0·49	4
5	0·53	0·13	0·01	—	—	0·51	0·02	—	—	0·01	—	—	5
6	0·31	0·34	0·31	—	0·59	0·40	0·14	—	—	—	0·01	0·01	6
7	0·02	0·65	0·01	—	0·06	0·30	0·01	—	—	0·93	0·01	0·11	7
8	—	0·31	0·07	—	0·19	0·06	—	—	0·01	0·16	0·03	0·12	8
9	—	0·27	0·39	0·06	0·09	1·02	—	0·48	—	—	0·14	0·11	9
10	—	0·34	0·52	0·06	0·01	0·03	—	—	—	0·04	0·37	0·03	10
11	0·04	—	—	0·37	—	0·04	0·17	—	—	0·13	0·24	0·25	11
12	—	—	0·01	—	0·02	—	0·05	—	0·51	—	0·47	0·06	12
13	—	—	0·59	0·09	—	—	0·05	—	0·14	0·36	0·24	—	13
14	0·04	0·03	0·11	0·08	—	—	—	—	0·04	0·67	0·14	0·02	14
15	0·05	—	0·42	0·77	—	—	—	0·09	—	—	0·38	0·17	15
16	—	—	0·06	0·29	—	—	0·02	—	—	—	0·40	0·02	16
17	0·04	—	0·03	0·21	0·05	0·26	0·09	—	—	—	0·48	—	17
18	0·16	—	0·47	0·47	0·01	—	0·02	—	—	0·01	0·46	—	18
19	0·03	—	0·04	0·12	0·19	0·03	—	—	—	0·29	0·73	—	19
20	—	—	—	0·04	0·04	0·03	—	0·09	0·10	0·37	1·02	—	20
21	—	—	0·13	—	0·04	—	0·11	0·96	—	0·27	0·01	—	21
22	0·29	—	0·58	—	0·24	—	—	0·56	0·08	0·02	—	—	22
23	0·48	—	0·02	—	0·06	0·39	—	—	0·25	0·02	0·14	0·04	23
24	0·49	0·08	—	0·15	—	0·70	—	0·35	—	—	0·10	0·11	24
25	—	—	—	0·36	—	—	—	—	0·74	0·04	0·10	0·45	25
26	—	0·07	—	0·83	—	0·05	—	—	0·93	0·11	0·01	0·80	26
27	—	0·01	—	0·55	0·02	0·01	—	—	—	0·33	0·03	0·35	27
28	0·39	—	0·11	0·46	0·07	—	—	—	—	0·01	—	0·02	28
29	—		0·06	0·63	0·01	—	—	0·25	—	0·49	0·11	—	29
30	0·60		0·03	—	0·07	—	—	—	—	0·09	0·01	—	30
31	0·24		0·03		—		—	—		0·01		—	31
Total	4·50	2·83	5·17	5·61	2·29	4·16	0·70	2·78	2·80	4·36	6·42	4·06	YEAR'S TOTAL 45·68
Rain Days.	18	14	25	18	18	16	11	7	9	20	27	19	202

W. 7,500, XI. 12

Exc. wg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-2 FEB 1915

Kept at Vicarage Terrace Kendal
in the County of Westmorland 3
by G. J. Braithwaite

Lat. 54°19′N Long. 2°45′W.
Time of Observation 9 A.M.
Nearest Railway Station Kendal
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·21	0·24	—	—	—	0·09	0·23	—	0·02	—	0·21	1
2	—	0·27	0·04	0·02	—	—	0·37	0·29	—	0·10	0·17	0·10	2
3	0·19	0·20	0·11	—	0·66	—	—	0·02	—	—	0·03	1·32	3
4	0·46	—	0·19	0·42	0·12	—	—	—	—	—	—	0·49	4
5	0·14	—	0·58	0·23	0·03	0·05	0·14	0·01	—	—	0·30	0·17	5
6	—	0·01	0·04	0·25	0·05	0·02	—	0·24	—	—	0·05	0·23	6
7	0·14	—	0·24	0·16	0·23	0·02	—	0·06	—	0·01	0·09	0·08	7
8	0·79	0·04	0·12	0·02	0·17	0·27	—	2·64	0·09	0·01	0·29	0·30	8
9	0·60	0·40	—	0·43	—	0·53	—	—	0·16	—	0·34	0·01	9
10	0·01	0·22	—	—	—	—	—	—	0·08	—	0·60	—	10
11	—	0·24	0·47	0·01	0·18	—	0·37	—	0·25	—	0·39	0·09	11
12	—	0·45	0·04	—	—	—	0·07	—	0·33	—	0·43	0·06	12
13	—	0·22	0·44	0·08	0·02	—	—	—	0·21	0·17	0·45	0·15	13
14	—	0·35	0·21	—	—	—	—	—	0·08	—	0·21	0·34	14
15	—	0·05	0·38	—	—	—	—	—	0·54	—	0·19	—	15
16	—	0·01	0·04	—	—	—	0·95	—	2·17	—	—	0·04	16
17	0·01	0·73	0·18	—	—	0·35	0·12	—	0·19	0·01	—	2·04	17
18	—	0·50	0·10	—	—	—	0·08	—	0·03	0·02	0·01	0·04	18
19	—	0·05	0·29	—	—	—	—	—	0·05	—	0·01	0·16	19
20	—	0·58	0·18	—	0·09	—	—	—	—	—	—	0·03	20
21	—	0·22	—	—	0·02	0·03	1·48	—	—	—	—	—	21
22	—	0·64	0·03	0·04	0·54	0·11	—	0·39	—	0·06	—	—	22
23	—	0·29	0·25	0·05	0·21	0·01	0·01	0·10	—	—	—	—	23
24	0·97	—	0·17	0·03	—	0·04	0·15	0·10	—	—	0·36	—	24
25	0·05	—	0·01	—	—	—	0·07	0·40	—	0·82	0·30	0·93	25
26	0·03	0·20	0·02	—	—	—	—	0·02	—	0·26	0·47	0·30	26
27	0·06	0·10	—	—	—	—	—	—	0·03	0·28	0·48	—	27
28	0·08	0·44	0·21	—	0·04	—	—	0·07	—	0·09	0·50	—	28
29	0·81	✕	0·18	—	0·06	—	—	0·27	—	0·02	0·87	—	29
30	0·20	✕	0·96	—	—	—	—	0·02	—	—	0·32	0·54	30
31	0·68	✕	—	✕	0·01	✕	0·74	—	✕	0·15	✕	0·04	31
Total	5·22	6·42	5·72	1·74	2·43	1·43	4·64	4·86	4·21	2·02	6·86	7·67	YEAR'S TOTAL 53·22
Rain Days.	16	23	26	12	15	10	13	15	13	14	22	22	201

W. 8,000. X. 14.

E+D F.W.

3943

FORM A.
BRITISH RAINFALL.

12 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Vicarage Terrace Kendal

in the County of Westmorland

by G. F. Braithwaite

Lat. 54°19'N Long. 2°45' W.

Time of Observation 9 a.m.

Nearest Railway Station Kendal

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·39	0·74	0·01	—	0·07	—	0·02	0·44	—	—	—	—	1
2	—	0·79	0·44	0·49	—	0·07	0·39	0·12	—	—	—	—	2
3	0·13	0·09	0·45	0·34	—	—	0·57	0·08	—	—	0·01	0·33	3
4	0·02	0·39	0·10	—	0·13	0·19	—	—	—	—	—	0·31	4
5	0·27	0·41	0·39	0·02	—	0·01	~~1·20~~	0·01	—	—	—	1·01	5
6	0·54	0·09	0·01	0·25	—	0·07	1·20	0·03	0·07	—	—	0·50	6
7	0·44	0·71	—	0·12	0·13	—	0·46	0·11	—	—	—	0·35	7
8	0·34	0·34	—	0·07	—	—	—	0·18	—	—	1·25	—	8
9	—	0·09	—	0·03	—	—	—	0·01	—	—	0·16	0·72	9
10	0·87	—	0·10	0·09	—	—	—	0·25	—	0·03	—	0·56	10
11	0·11	0·02	—	—	0·55	—	0·06	0·04	—	—	0·05	0·21	11
12	0·30	~~0·05~~	—	0·06	—	—	0·28	—	—	0·13	0·46	—	12
13	0·21	0·05	—	—	—	—	0·03	0·17	—	0·04	—	0·20	13
14	0·36	—	—	0·05	—	—	0·09	0·32	0·05	—	—	0·21	14
15	0·79	—	—	0·05	—	—	—	0·78	0·07	—	0·22	0·52	15
16	—	1·16	—	0·02	0·03	—	0·22	0·14	0·02	—	—	0·04	16
17	—	0·29	0·04	—	0·07	—	0·08	0·02	—	—	—	—	17
18	—	0·42	0·07	—	—	—	0·06	—	—	—	—	—	18
19	0·04	0·06	0·10	0·67	0·18	—	0·29	—	—	—	—	—	19
20	0·31	0·02	0·04	—	0·04	—	0·27	0·01	—	—	—	0·37	20
21	0·05	0·15	—	0·13	—	—	0·27	—	—	—	—	0·06	21
22	—	0·01	0·12	—	—	—	0·24	—	—	—	—	0·21	22
23	—	—	0·14	0·04	—	—	0·58	—	0·25	0·14	—	0·40	23
24	—	—	0·03	0·01	—	—	0·18	—	0·51	0·03	—	0·47	24
25	—	—	—	—	—	—	0·36	—	0·54	—	—	0·17	25
26	—	1·10	—	—	—	0·01	0·42	—	0·03	—	—	0·58	26
27	—	0·28	—	—	—	0·15	0·11	—	—	0·45	0·06	0·14	27
28	—	0·35	—	—	0·01	0·21	0·02	0·32	—	0·07	—	0·02	28
29	—	X	—	—	0·01	0·13	—	—	—	—	0·81	0·06	29
30	0·38	X	—	0·28	—	0·04	—	—	—	—	0·09	0·01	30
31	0·42	X	0·03	X	—	X	0·05	0·60	X	0·01	X	0·59	31
Total	5·97	7·56	2·07	2·72	1·22	0·88	6·25	3·63	1·54	0·90	3·11	8·04	YEAR'S TOTAL 43·89
Rain Days.	18	21	15	17	10	9	23	18	8	8	9	24	180

W. 8,000. X. 15.

Rain entered to previous day.

3716 KENDAL.
VICARAGE TERRACE
~~SOUTHFIELD.~~
1916 – 20.

R)

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Sout
in the County of We
by G. F. Bra

Long. 2° 45' W.
ation Kendal
on 9 a.m.
in.
e Ground ft. 6 in.
Sea Level 150 ft.

NOTE.—Full instructions resp ainfall Organization are given in
"Rules for Rainfal n Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.				OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·60	0·15	0·02	—	—	0·38	0·69	0·09	0·01	—	0·41	0·01	1
2	0·19	0·07	—	—	—	0·26	—	—	0·26	0·35	0·10	0·06	2
3	0·03	0·04	—	0·09	0·01	0·14	0·01	—	0·74	0·23	0·23	—	3
4	0·20	0·34	—	—	0·46	0·35	0·01	—	0·05	0·81	0·21	—	4
5	0·30	0·82	—	—	0·19	0·17	0·01	—	—	1·31	0·43	—	5
6	0·43	0·34	0·05	—	0·50	0·04	0·24	—	—	0·41	0·25	0·04	6
7	0·06	0·11	—	—	0·65	0·05	0·65	—	—	0·68	0·19	0·22	7
8	—	0·17	0·02	—	0·06	0·04	0·02	—	—	0·04	0·27	0·01	8
9	0·05	0·01	—	—	0·35	0·02	0·03	—	—	0·09	0·32	0·16	9
10	0·19	0·40	—	0·18	0·01	0·05	0·16	—	—	0·67	0·29	—	10
11	0·18	—	—	0·73	0·02	—	0·20	—	0·10	0·15	0·03	—	11
12	0·14	0·56	0·01	0·04	0·34	—	0·51	0·03	—	0·09	0·02	—	12
13	—	0·25	0·05	0·08	—	—	0·01	0·41	—	0·93	0·01	0·03	13
14	0·05	0·24	—	0·09	0·46	—	—	0·29	0·01	0·61	—	0·01	14
15	0·09	0·85	0·03	0·08	—	—	0·03	0·90	—	0·10	—	—	15
16	0·05	0·36	0·62	0·52	—	—	0·28	0·24	0·03	0·01	—	—	16
17	0·43	0·20	—	0·36	—	—	0·01	—	0·80	0·21	—	0·21	17
18	0·09	0·64	—	0·06	—	—	0·02	0·32	0·20	0·22	0·05	0·16	18
19	0·74	—	0·12	0·16	—	—	—	0·02	0·01	—	—	0·08	19
20	0·79	—	0·03	0·05	—	—	0·02	0·01	—	—	0·11	0·32	20
21	0·51	—	—	—	0·05	—	0·51	—	0·04	—	0·12	0·01	21
22	—	—	—	0·04	—	0·28	0·01	—	—	0·07	0·04	0·02	22
23	0·21	—	0·59	0·08	—	0·01	—	0·02	—	0·50	0·38	0·15	23
24	0·09	—	0·03	0·10	—	1·21	—	0·32	—	0·10	0·16	0·05	24
25	—	—	0·12	—	0·07	0·11	~~0·09~~	0·25	—	0·15	0·44	0·08	25
26	0·28	—	0·23	—	—	—	—	0·03	—	0·02	0·05	—	26
27	—	0·05	—	—	0·02	0·07	—	—	0·26	0·16	0·03	0·09	27
28	0·84	0·02	0·03	—	—	—	—	—	—	0·12	0·19	2·15	28
29	0·19	0·10	—	—	0·02	0·02	—	—	—	0·35	0·96	0·22	29
30	0·19	☒	—	—	—	0·03	0·02	—	—	0·97	0·34	0·40	30
31	—	☒	—	☒	1·11	☒	—	0·27	—	0·28	☒	0·18	31
Totals	6·92	5·72	1·95	2·66	4·32	3·23	3·44	3·40	2·41	9·63	5·63	4·68	
Total from Jan. 1		12·64	14·59	17·25	21·57	24·80	28·24	31·64	34·05	43·68	49·31	53·99	

25 20 14 15 14 20 14 12 24 22

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL

Kept at Southfield, Kendal
in the County of Westmorland
by G. F. Braithwaite

Lat. 54° 19' N Long. 2° 45' W
Nearest Railway Station Kendal

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground ft. 6 in.
" " Sea Level 150 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.60	0.15	0.02	—	—	0.38	0.69	0.09	0.01	—	0.41	0.01	1
2	0.19	0.07	—	—	—	0.26	—	—	0.26	0.35	0.10	0.06	2
3	0.03	0.04	—	0.09	0.01	0.14	0.01	—	0.74	0.23	0.23	—	3
4	0.20	0.34	—	—	0.46	0.35	0.01	—	0.05	0.81	0.21	—	4
5	0.30	0.82	—	—	0.19	0.17	0.01	—	—	1.31	0.43	—	5
6	0.43	0.34	0.05	—	0.50	0.04	0.24	—	—	0.41	0.25	0.04	6
7	0.06	0.11	—	—	0.65	0.05	0.65	—	—	0.68	0.19	0.22	7
8	—	0.17	0.02	—	0.06	0.04	0.02	—	—	0.04	0.27	0.01	8
9	0.05	0.01	—	—	0.35	0.02	0.03	—	—	0.09	0.32	0.16	9
10	0.19	0.40	—	0.18	0.01	0.05	0.16	—	—	0.67	0.29	—	10
11	0.18	—	—	0.73	0.02	—	0.20	—	0.10	0.15	0.03	—	11
12	0.14	0.56	0.01	0.04	0.34	—	0.51	0.03	—	0.09	0.02	—	12
13	—	0.25	0.05	0.08	—	—	0.01	0.41	—	0.93	0.01	0.03	13
14	0.05	0.24	—	0.09	0.46	—	—	0.29	0.01	0.61	—	0.01	14
15	0.09	0.85	0.03	0.08	—	—	0.03	0.90	—	0.10	—	—	15
16	0.05	0.36	0.62	0.52	—	—	0.28	0.24	0.03	0.01	—	—	16
17	0.43	0.20	—	0.36	—	—	0.01	—	0.80	0.21	—	0.21	17
18	0.09	0.64	—	0.06	—	—	0.02	0.32	0.20	0.22	0.05	0.16	18
19	0.74	—	0.12	0.16	—	—	—	0.02	0.01	—	—	0.08	19
20	0.79	—	0.03	0.05	—	—	0.02	0.01	—	—	0.11	0.32	20
21	0.51	—	—	—	0.05	—	0.51	—	0.04	—	0.12	0.01	21
22	—	—	—	0.04	—	0.28	0.01	—	—	0.07	0.04	0.02	22
23	0.21	—	0.59	0.08	—	0.01	—	0.02	—	0.50	0.38	0.15	23
24	0.09	—	0.03	0.10	—	1.21	—	0.32	—	0.10	0.16	0.05	24
25	—	—	0.12	—	0.07	0.11	~~0.09~~	0.45	—	0.15	0.44	0.10	25
26	0.28	—	0.23	—	—	—	—	0.03	—	0.02	0.05	—	26
27	—	0.05	—	—	0.02	0.07	—	—	0.26	0.16	0.03	0.09	27
28	0.84	0.02	0.03	—	—	—	—	—	—	0.12	0.19	2.15	28
29	0.19	0.10	—	—	0.02	0.02	—	—	—	0.35	0.96	0.22	29
30	0.19		—	—	—	0.03	0.02	—	—	0.97	0.34	0.40	30
31	—		—		1.11		—	0.27	—	0.28		0.18	31
Totals	6.92	5.72	1.95	2.66	4.32	3.23	3.44	3.40	2.41	9.63	5.63	4.68	
Total from Jan. 1		12.64	14.59	17.25	21.57	24.80	28.24	31.64	34.05	43.68	49.31	53.99	

K/5000/10/03. 25 20 14 15 EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. 20 14 24 25 22 21 Price, on extra tough paper, 3d.

3708

√

~~[illegible]~~ end of month

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4 FEB 1918

Kept at Southfield
in the County of Westmorland
by Mr. G. F. Braithwaite

Lat. 54° 19' N Long. 2° 45' W
Time of Observation 9 a.m.
Nearest Railway Station Kendal
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	—	—	—	—	0·24	—	0·01	0·34	—	0·19	0·23	1
2	0·90	—	—	0·02	—	0·02	—	—	0·09	— 12	0·01	—	2
3	0·14	0·07	—	0·07	—	0·69	—	—	0·01	0·79	0·02	—	3
4	—	—	—	—	—	—	—	—	—	0·07	0·12	0·07	4
5	0·22	0·05	0·03	0·20	—	—	—	—	0·04	0·05	1·45	0·29	5
6	0·10	—	—	0·10	—	0·15	—	—	—	0·49	0·59	0·34	6
7	0·60	—	—	—	—	0·26	—	—	—	0·32	0·06	0·26	7
8	0·07	—	—	0·14	—	0·04	—	0·80	0·09	0·91	0·28	0·24	8
9	—	—	—	0·20	0·02	—	—	0·56	—	0·08	0·33	—	9
10	0·27	—	0·60	0·24	0·35	—	—	0·24	—	0·03	—	—	10
11	0·13	—	—	—	0·14	—	—	0·80	—	0·70	0·06	—	11
12	—	0·02	0·05	—	0·53	—	—	0·01	—	0·19	—	0·06	12
13	—	—	—	0·20	0·06	0·09	0·01	0·41	0·95	0·03	0·15	0·28	13
14	0·01	—	—	0·19	0·04	—	—	0·33	—	—	—	0·16	14
15	0·04	—	—	0·21	—	—	—	0·07	0·59	0·06	0·01	0·41	15
16	—	—	0·06	0·45	—	—	—	1·10	0·20	0·53	—	—	16
17	—	0·22	0·18	0·23	—	—	0·06	1·76	0·18	0·28	—	0·09	17
18	—	0·07	0·18	0·03	0·03	—	1·45	0·18	0·49	0·01	0·01	0·13	18
19	0·02	0·46	0·18	—	0·25	—	—	0·03	0·01	—	0·05	0·38	19
20	—	0·67	0·02	—	0·14	0·90	—	1·27	0·29	0·06	0·16	0·22	20
21	—	0·08	—	—	0·12	—	—	0·23	0·17	0·16	—	—	21
22	—	—	—	—	—	—	—	0·20	0·11	0·96	0·03	—	22
23	—	0·08	—	—	0·32	0·45	—	0·76	0·07	0·26	0·11	0·04	23
24	—	—	—	—	—	0·04	0·04	0·35	0·08	0·88	0·35	—	24
25	—	0·07	0·08	—	0·01	—	0·02	0·24	0·23	0·21	—	—	25
26	—	—	—	—	—	0·29	0·07	1·02	0·41	0·22	0·82	—	26
27	—	—	0·12	—	0·18	0·10	0·44	0·41	0·01	0·09	0·22	—	27
28	—	—	0·40	—	—	—	—	0·23	—	0·01	0·24	—	28
29	—	X	0·11	—	0·10	—	0·17	0·02	—	0·85	0·10	—	29
30	—	X	0·04	—	—	—	—	0·01	—	0·53	0·16	—	30
31	—	X	0·32	X	0·28	X	—	0·36	X	—	X	—	31
Total	2·57	1·79	2·37	2·28	2·57	3·27	2·26	11·40	4·36	8·77	5·52	3·20	YEAR'S TOTAL 50·36
Rain Days.	12	10	14	13	15	12	8	25	19	26	23	15	50·39

W. 8,000, IX. 17.

Rain Days 192

40

FORM A.
BRITISH RAINFALL.

31 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Southfield, Kendal
in the County of Westmorland
by Mr. G. F. Braithwaite

Lat. 54° 19' N Long. 2° 45' W
Time of Observation 9 a.m.
Nearest Railway Station Kendal
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 3 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	-	0.27											
1	—	0.08	0.02	0.03	—	—	—	—	0.38	0.04	0.25	0.97	1
2	—	0.11	—	0.46	—	—	—	—	0.25	1.26	0.22	1.12	2
3	—	0.13	—	—	0.63	—	—	—	—	1.15	0.01	0.05	3
4	—	0.07	—	—	0.09	—	—	0.08	0.13	0.67	0.29	0.15	4
5	0.09	0.90	—	0.27	0.15	—	—	0.87	—	0.97	0.02	0.10	5
6	—	0.16	—	0.38	—	0.67	—	0.01	0.07	0.25	—	0.01	6
7	—	0.06	—	0.09	—	—	0.34	0.23	0.24	0.17	0.11 ~~[illegible]~~	0.18	7
8	0.41	~~0.65~~	0.15	—	—	—	0.16	0.05	0.18	0.25	0.10 ~~[illegible]~~	—	8
9	0.19		—	—	—	0.35	0.07	—	0.87	0.57	0.10	0.12	9
10	0.18	0.59	0.39	0.01	—	—	0.04	—	0.24	0.47	0.68	0.02	10
11	0.39	0.14	0.12	—	0.15	—	0.31	—	0.27	—	~~[illegible]~~	0.32	11
12	—	0.45	0.01	0.05	0.04	—	—	—	0.13	—	—	0.22	12
13	—	0.03	—	0.01	0.10	0.03	—	—	0.21	0.56	—	0.04	13
14	1.27	—	—	—	0.04	0.24	0.17	0.09	0.34	0.08	—	0.11	14
15	—	—	—	—	—	0.16	0.50	—	2.22	0.03	—	0.64	15
16	0.08	0.05	—	—	—	0.66	0.75	0.15	0.85	—	—	0.19	16
17	0.07	—	—	—	—	0.16	0.91	0.20	0.12	0.27	—	0.42	17
18	1.73	—	0.27	—	—	0.02	0.32	—	0.10	0.01	—	0.33	18
19	0.47	0.20	0.10	0.02	—	—	0.15	0.26	0.30	0.06	—	0.62	19
20	0.95	0.50	—	0.13	0.13	0.08	0.73	—	0.36	—	—	0.06	20
21	0.33	0.75	—	—	—	0.13	—	—	1.63	0.02	—	—	21
22	0.15	0.05	—	—	0.34	0.18	0.46	0.02	0.45	—	—	0.92	22
23	0.48	—	—	—	0.20	—	0.60	—	0.08	—	0.12	0.09	23
24	0.67	0.08	—	—	—	—	0.02	0.32	0.32	—	0.06	0.06	24
25	—	0.01	—	—	0.32	—	0.59	0.78	0.27	—	0.01	—	25
26	0.07	0.13	—	—	—	—	—	0.03	0.66	0.07	0.17	0.37	26
27	—	0.20	0.71	—	—	0.04	—	0.65	0.29	0.17	0.10	0.61	27
28	—	0.09	0.19	—	—	—	—	0.04	0.32	0.03	0.05	0.47	28
29	—	✗	—	—	—	—	—	—	0.08	—	0.01	0.46	29
30	—	✗	0.10	—	—	—	—	0.01	—	0.05	0.23	0.05	30
31	—	✗	0.11	✗	—	✗	—	0.06	✗	0.06	✗	0.02	31
Total	7.53	5.70	2.17	1.45	2.19	2.72	6.12	3.85	11.36	7.21	2.53	8.72	YEAR'S TOTAL 61.55
Rain Days.	16	23	11	10	11	12	16	17	27	22	17	28	210

E+Rl 3519

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Southfield, Kendal
in the County of Westmorland
by George Foster Braithwaite

Lat. 54° 19' N Long. 2° 45' W
Time of Observation 9 a.m.
Nearest Railway Station Kendal
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 3 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·96	—	0·04	—	0·25	—	0·10	0·04	1·49	0·38	—	0·20	1
2	0·30	—	0·41	—	0·04	—	0·07	—	0·05	—	—	0·43	2
3	0·48	0·05	—	—	0·31	0·13	0·02	—	—	—	—	0·25	3
4	0·09	0·08	0·27	—	0·17	—	0·14	0·30	0·05	—	0·03	0·61	4
5	0·01	—	—	—	0·34	—	—	—	0·05	0·03	—	0·05	5
6	0·02	—	0·45	—	0·20	—	—	—	0·05	0·01	—	0·21	6
7	0·03	—	0·26	0·18	—	0·12	—	—	—	—	0·04	—	7
8	0·15	—	0·09	0·07	0·01	—	—	0·04	—	—	—	—	8
9	0·55	—	0·30	0·02	—	0·04	—	—	—	—	—	—	9
10	0·13	—	1·05	0·10	0·06	0·02	—	—	—	—	—	0·52	10
11	0·03	—	0·24	0·01	0·10	—	0·09	—	0·42	0·09	—	0·11	11
12	—	—	0·01	0·45	0·03	0·15	—	—	—	0·01	0·58	—	12
13	0·73	—	0·02	0·37	—	0·01	0·02	0·16	—	0·11	—	0·22	13
14	0·38	0·01	—	0·11	—	—	—	—	—	—	—	0·17	14
15	0·68	0·66	—	0·17	—	—	—	—	—	—	—	0·53	15
16	0·17	0·01	—	0·03	—	0·11	—	—	—	—	0·09	0·25	16
17	0·04	—	—	0·04	0·01	—	—	0·90	0·03	—	0·70	0·03	17
18	—	—	0·33	—	—	—	0·38	0·33	0·15	—	0·21	0·49	18
19	0·11	0·65	0·42	—	—	0·99	—	0·01	—	—	0·40	0·02	19
20	0·32	0·27	—	—	—	0·06	—	—	—	—	0·10	0·48	20
21	0·06	0·22	—	—	—	—	—	0·10	0·21	—	0·08	0·46	21
22	—	0·04	—	—	—	0·29	—	0·23	0·34	0·06	0·07	0·38	22
23	—	—	—	0·04	—	0·17	—	—	—	1·16	0·17	0·19	23
24	0·12	—	—	0·09	0·10	0·01	—	—	0·43	0·06	0·32	0·06	24
25	0·38	—	—	0·55	—	0·02	—	1·16	0·39	[illegible]	0·15	—	25
26	0·06	—	0·74	0·04	—	0·04	—	0·12	0·04	—	0·02	0·66	26
27	0·18	0·01	0·02	0·14	—	—	—	—	—	—	—	0·06	27
28	—	—	—	0·03	—	—	—	0·67	0·15	—	—	0·59	28
29	—	—	—	—	—	—	—	0·05	0·34	0·03	—	0·08	29
30	—		0·07	0·04	—	0·02	—	0·24	—	0·07	0·40	0·80	30
31	—		0·04		—		0·60	—		—			31
Total	5·98	1·40	4·70	2·48	1·62	2·18	1·42	4·35	4·19	1·95	3·36	7·85	Year's Total 41·48
Days with ·01 in. or more	23	10	17	18	12	15	8	14	15	11	15	~~23~~ 25	~~181~~ 183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3407

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Southfield, Kendal
in the County of Westmorland
by G. F. Braithwaite.

Lat. 54·19N Long 2·45W
Time of Observation 9 a.m.
Nearest Railway Station Kendal
Diameter of Funnel of Rain Gauge 8 ins
Height of top of Gauge above Ground 3 ft. 3 ins
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	0·06	0·19	0·09	0·40	—	0·36	0·03	0·04	0·01	—	0·24	1
2	—	—	—	0·04	0·11	—	0·27	—	0·47	0·14	—	0·72	2
3	0·02	0·16	0·30	0·03	0·21	—	—	0·20	0·39	0·23	—	0·17	3
4	—	—	0·04	0·04	0·01	—	0·18	1·35	—	0·43	—	0·03	4
5	—	—	0·30	—	1·61	—	0·08	0·17	0·01	0·21	0·01	—	5
6	0·01	—	0·42	0·34	0·67	—	0·02	—	—	—	0·03	—	6
7	0·64	0·13	0·10	0·10	0·02	—	0·55	—	—	—	0·03	—	7
8	0·06	0·11	—	0·14	0·23	—	0·22	0·17	0·01	—	0·24	—	8
9	0·30	1·48	0·03	0·45	—	—	0·51	0·02	0·06	—	0·06	0·07	9
10	1·23	0·37	0·14	0·65	—	—	0·24	—	—	—	—	0·05	10
11	0·46	0·10	0·02	—	0·46	0·11	0·05	—	—	—	0·08	—	11
12	0·36	0·55	0·51	0·10	0·11	—	0·22	—	0·12	—	0·36	0·14	12
13	0·32	0·06	0·17	0·45	0·05	0·17	0·02	—	—	—	0·18	0·25	13
14	0·14	0·39	0·02	0·35	—	0·50	0·43	—	0·41	0·33	0·88	—	14
15	0·08	0·20	0·01	0·39	—	—	0·01	—	—	0·18	0·18	—	15
16	0·20	0·01	0·25	0·15	0·16	—	0·47	0·02	0·50	—	0·36	—	16
17	0·22	—	0·17	—	0·24	—	0·02	1·11	0·48	—	—	—	17
18	0·55	0·01	0·02	0·04	0·71	0·39	—	—	0·14	—	—	—	18
19	0·04	0·49	—	0·06	0·03	0·26	0·15	—	—	—	—	—	19
20	0·14	—	—	0·05	—	—	0·10	—	0·38	—	—	0·44	20
21	0·01	—	—	—	—	—	0·12	—	0·01	—	—	0·24	21
22	0·62	—	—	0·36	0·03	0·01	0·53	—	—	—	—	—	22
23	0·28	—	0·16	0·13	—	—	0·26	—	—	—	—	0·07	23
24	0·07	—	1·29	0·15	—	0·05	0·03	—	—	—	—	0·36	24
25	—	0·07	0·14	0·20	—	0·08	0·50	—	0·03	—	—	0·10	25
26	0·08	0·12	0·60	0·14	—	—	0·22	—	0·21	—	0·16	0·12	26
27	0·04	—	0·29	0·02	0·32	0·59	0·22	—	—	—	0·13	0·01	27
28	0·06	0·25	0·30	0·28	—	0·20	0·21	—	—	—	0·05	0·33	28
29	0·14	0·53	0·07	—	0·53	0·02	0·45	—	—	—	0·29	0·60	29
30	0·63	✕	0·04	0·01	0·04	0·05	—	—	0·11	—	0·14	0·52	30
31	0·20	✕	0·09	✕	0·08	✕	0·06	0·06	✕	—	✕	0·29	31
TOTAL	6·99	5·09	5·67	5·26	6·02	2·43	6·50	3·13	3·37	1·53	3·18	4·75	YEAR'S TOTAL 53·92
Days with ·01 in. or more	27	18	25	25	20	12	28	9	16	7	16	19	222
Days with ·04 in. or more	24	16	20	22	15 6	10	23	6	12	6	13	17	184

3526

KENTMERE

WESTMORLAND

1919-20

Form A. 1. **METEORO** **ANIZATION.**

R **9.**

·51 W.

Kept at Longh

9 a.m.

Staveley Westmorland

in the County of W

Gauge 5 in.

Ground ft. 12 in.

by

Sea Level 500 ft.

IMPORTANT NOTE red to the previous day.

If an Observer prefers not requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·92		·29		·40				2·50	·42		·78	1
2	·40		·28									·46	2
3	·30	·40					·84					·74	3
4	·09	·90	·23		·14		·30	·30	·40		·11	·32	4
5	·01	·10		·10					·01			·87	5
6					1·19					·10		·36	6
7	·07		·60								·35		7
8	·30		·30	·50	·05	·50					·15		8
9	1·25		·13	·15								1·53	9
10	·32		1·29	·45									10
11	·07		·35								·36		11
12			·50	·05	·04	·60			·10			·35	12
13			·13							·16		·10	13
14	1·55	·01		1·48									14
15	·53	·20										·40	15
16	·84	·02				·07	·23	1·19			1·35	1·00	16
17	·32			·10					25			·20	17
18	·07						·67					·15	18
19	·09	·57	2·20			1·24			·10		·40		19
20	·85	·23							·40			·68	20
21	·21	·43						·27				·95	21
22		·80				·65		·30	·38				22
23										1·68	·64	1·00	23
24	·19										·85	·80	24
25	·54					·10		1·65	1·10		·52		25
26	·09							·05	·85	27			26
27	·05			·40				·70			·16	·20	27
28			1·12									1·02	28
29								05	·40	·35		·04	29
30	·03	✕							·66			1·04	30
31		✕		✕		✕	·85		✕		✕		31
Total	10·09	3·66	7·42	~~3·13~~ 3.23	1·82	3·26	2·89	4·51	7·15	2·98	4·89	12·99	Year's Total 64·89 ~~64·79~~
Days with ·01 in. or more	23	10	19?	8	5	6	5	8	14?	7?	10	23	138

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3526

Form A. 1. METEORO ANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Longhouses, Kentmere

in the County of Westmorland

by [illegible]

Lat. 54·26 N Long. 2·51 W.

Time of Observation 10 a.m.

Nearest Railway Station Staveley Westmorland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·92		·29		·40				2·50	·42		·78	1
2	·40		·28									·46	2
3	·30	·40					·84					·74	3
4	·09	·90	·23		·14		·30	·30	·40		·11	·32	4
5	·01	·10		·10					·01			·87	5
6					1·19					·10		·36	6
7	·07		·60								·35		7
8	·30		·30	·50	·05	·50					·15		8
9	1·25		·13	·15								1·53	9
10	·32		1·29	·45									10
11	·07		·35								·36		11
12			·50	·05	·04	·60			·70			·35	12
13			·13							·16		·10	13
14	1·55	·01		1·48									14
15	·53	·20										·40	15
16	·84	·02				·07	·23	1·19			1·35	1·00	16
17	·32			·10					·25			·20	17
18	·07						·67					·15	18
19	·09	·57	2·20			1·24			·10		·40		19
20	·85	·23							·40			·68	20
21	·21	·48						·27				·95	21
22		·88				·65		·30	·38				22
23										1·68	·64	1·00	23
24	·19								1·10		·85	·80	24
25	·54					·10		1·65			·52		25
26	·09							·05	·85	27			26
27	·05			·40				·70			·16	·20	27
28			1·12									1·02	28
29								05	·40	·35		·04	29
30	·03								·66			1·04	30
31							·85						31
TOTAL	10·09	3·66	7·42	~~3·13~~ 3.23	1·82	3·26	2·89	4·51	7·15	2·98	4·89	12·99	YEAR'S TOTAL 64·89 ~~64·79~~
Days with ·01 in. or more	23	10	19?	8	5	6	5	8	14?	7?	10	23?	~~138~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W M L~~ ord

3414

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Nags Howe, Kentmere
in the County of Westmorland
by Gladys M. Barker

Lat. 54·26 N Long. 2·52 W
Time of Observation 9 a.m.
Nearest Railway Station Staveley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·30	·25	·15	1·10	·01	·64	·10	·26	·04	—	·35	1
2	—	·21		·07	·13	—	·19	·11		·13	—	1·59	2
3	·20	·25	·25	·12	·13	—	·27	·10	·54	1·20	—	·31	3
4	—		·06	·02	·02	—	·26	2·15	—	·45	—	·02	4
5	—	·68	·50		1·15	—	·09	·18	·16	·31	·01	—	5
6	—	—	·50	·78	1·20	—	·02	—	·44	—	·06	—	6
7	1·55	·17	—		·02	—	·27	—		—	·10	—	7
8	·05	·18	—	·24	·30	—	·79	·36		—	·34	—	8
9	·43	3·21	·03	·32	—	—		·10	·11	—	·16	·68	9
10	1·63	·68	·19	·46	—	—		·02	·01	—	—	·02	10
11	·43	·06	·10	·01	·22	·07	·50	—	—	—	—	·05	11
12	—	·94	·57	·36	·50	—		—	·20	—	1·02	·23	12
13	·50	·43	·51	·86	·04	·27	·14	—	—	—	·32	·15	13
14	·17	·80	·16	·72	—	·25	·83	—	·58	—	2·11	—	14
15	·12	·22	·04	1·13	—	—	·02	·01	·06	·89	·12	—	15
16	·78	·06	·40	·09	—	—	·74	·23	·72	—	·28	—	16
17	·78	—	·27	—	·45	·21	·40	1·08	·69	—	·01	—	17
18	·87	·02	·01	·02	1·45	·28	·43	·02	·07	—	—	—	18
19	·08	·57	—	·18	·15	—	·31	·07	—	—	·01	—	19
20	·21	—	—	·21	—	·17	·10	—	·37	—	—	1·07	20
21	·04	—	—	·02	·01	—	·14	·02	·01	—	—	·41	21
22	1·20	—	—	·46	·19	·06	·50	—	—	—	—	—	22
23	·91	—	·20	·16	—	—	·32	—	—	·23	—	·37	23
24	·14	·04	1·11	·10	—	·13	·13	(·02)	·02	—	—	·54	24
25	—	·07	·16	·16	—	·10	·39	—	·09	—	—	·09	25
26	·29	·16	1·09	·39	23	—	·06	—	·21	—	·25	·10	26
27	·14	—	·86	·07	·35	·96	·37	—	—	—	·30	·13	27
28	·13	27	·57	·35	·03	·37	·17	—	·01	—	·10	·53	28
29	·57	·50	·03	·01	·38	·12	·47	—	—	—	·71	·92	29
30	·67	×	·13	—	·16	·07	—	—	·10	—	·25	·69	30
31	·40	×	·14	×	·15	×	·30	·01	×	—	×	·48	31
TOTAL	12·29	9·22	8·13	7·46	8·36	3·07	8·85	4·57	4·64	3·25	6·15	8·13	YEAR'S TOTAL 84·12
Days with ·01 in. or more	24	21	24	27	22	14	30	16	22	7	17	20	244
Days with ·04 in. or more	24	20	21	22	18	13	28	10	18	7	14	18	213

(44,283). 10/19. (52,638). Wt.10,0004-359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KIRBY LONSDALE
CASTERTON
"NORWOOD"
WESTMORLAND
1911-17

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

R

Kept at Norwood, C
in the County of Wes
by Rob. A. C

1 ft. – in.
el 305 ft.
Kirkby Lonsdale
¼ m. Direction SSE

IMPORTANT NO
esult entered to the
previous day. If an C
rule, he is earnestly
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·58	—	·03	—	·06	·17	—	—	·54	·10	1
2	·13	—	·03	—	·16	—	·07	·02	—	·08	·33	·13	2
3	·01	—	·58	—	·72	—	—	·47	·01	·01	1·03	·26	3
4	—	—	·09	·07^{5}	·02	—	·03	·87	—	—	·60	·23	4
5	·12	—	·12	·01	—	—	—	·66	—	·01	·06	·18	5
6	·05	—	·02	·03	—	—	—	·89	—	—	·38	·23	6
7	·29	—	·03	·01	—	—	—	—	—	—	·28	·01	7
8	·18	—	·47	—	—	—	—	—	—	—	·27	·50	8
9	·02	—	—	—	—	—	—	—	—	—	—	·37	9
10	·54	·19	·10	—	—	—	—	—	·05	—	—	·72	10
11	·15	—	·05	—	—	—	—	—	·15	—	·11	·10	11
12	·05^{5}	—	·06	—	·03	—	—	—	1·07	—	·55	—	12
13	—	·09	—	—	·14	·02	—	—	—	—	·34	·42	13
14	·04	·62	·03	—	·60	—	—	—	—	—	·44	·21	14
15	·01	·67	·03	·06	—	—	—	—	—	—	1·18	·17	15
16	·05	·56	·03	·10	—	·04	·04	—	—	—	·11	·19	16
17	·02	·03	—	—	·02	·62	·02	—	—	—	·41	·06	17
18	—	·66	·02	·06	—	·31	·01	—	·01	·06	·02	·21	18
19	—	·02	—	·21	—	·30	—	·04	·25	·26	·04	·14	19
20	·01	·10	—	·48	—	—	·11	·11	·12	·01	—	·52	20
21	·01	1·29	—	·29	—	·15	·11	·16	·05	·15	—	·07	21
22	·20	·13	—	·09	—	·18	—	—	—	·19	·01	—	22
23	·03	·53	—	·06	·91	·27	·02	—	·48	·64	—	·17	23
24	·22	·21	—	·77	·01	·90	—	·14	·09	·25	—	·26	24
25	·05	·51	—	·96	—	·05	—	—	·61	·42	—	·28	25
26	—	·05	—	·20	·04	·01	—	·61	—	·82	·23	·27	26
27	·02	1·06	·03	·15	—	·09	·02	·57	·38	—	·03	·14	27
28	—	·24	—	·65	—	·44	—	—	·29	—	·01	·59	28
29	—		—	·31	—	·52	·02	·02	·94	2·02	·01	·49	29
30	—		—	·01	—	·03	·03	—	·02	·55	·01	·01	30
31	—		—		—		—	·02		·14		·11	31
Total	2·20	6·96	2·27	4·52	2·68	3·93	·54	4·75	4·52	5·61	6·99	7·14	TOTAL for year 52·11
No. of Rain Days	21	17	16	19	11	15	12	14	15	15	23	29	207

9,000, IX. '10.

R

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Norwood, Casterton Kirkby Lonsdale

in the County of Westmorland 4

by Robt. A. Clarke

RAIN GAUGE: Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 305 ft.

Time of Observation 9 AM

Nearest Railway Station: Name Kirkby Lonsdale
Distance 1¼ m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·58	—	·03	—	·06	·17	—	—	·54	·10	1
2	·13	—	·03	—	·16	—	·07	·02	—	·08	·33	·13	2
3	·01	—	·58	—	·72	—	—	·47	·01	·01	1·03	·26	3
4	—	—	·09	·07^{5}	·02	—	·03	·87	—	—	·60	·23	4
5	·12	—	·12	·01	—	—	—	·66	—	·01	·06	·18	5
6	·05	—	·02	·03	—	—	—	·89	—	—	·38	·23	6
7	·29	—	·03	·01	—	—	—	—	—	—	·28	·01	7
8	·18	—	·47	—	—	—	—	—	—	—	·27	·50	8
9	·02	—	—	—	—	—	—	—	—	—	—	·37	9
10	·54	·19	·10	—	—	—	—	—	·05	—	—	·72	10
11	·15	—	·05	—	—	—	—	—	·15	—	·11	·10	11
12	·05^{5}	—	·06	—	·03	—	—	—	1·07	—	·55	—	12
13	—	·09	—	—	·14	·02	—	—	—	—	·34	·42	13
14	·04	·62	·03	—	·60	—	—	—	—	—	·44	·21	14
15	·01	·67	·03	·06	—	—	—	—	—	—	1·18	·17	15
16	·05	·56	·03	·10	—	·04	·04	—	—	—	·11	·19	16
17	·02	·03	—	—	·02	·62	·02	—	—	—	·41	·06	17
18	—	·66	·02	·06	—	·31	·01	—	·01	·06	·02	·21	18
19	—	·02	—	·21	—	·30	—	·04	·25	·26	·04	·14	19
20	·01	·10	—	·48	—	—	·11	·11	·12	·01	—	·52	20
21	·01	1·29	—	·29	—	·15	·11	·16	·05	·15	—	·07	21
22	·20	·13	—	·09	—	·18	—	—	—	·19	·01	—	22
23	·03	·53	—	·06	·91	·27	·02	—	·48	·64	—	·17	23
24	·22	·21	—	·77	·01	·90	—	·14	·09	·25	—	·26	24
25	·05	·51	—	·96	—	·05	—	—	·61	·42	—	·28	25
26	—	·05	—	·20	·04	·01	—	·61	—	182	·23	·27	26
27	·02	1·06	·03	·15	—	·09	·02	·57	·38	—	·03	·14	27
28	—	·24	—	·65	—	·44	—	—	·29	—	·01	·59	28
29	—		—	·31	—	·52	·02	·02	·94	2·02	·01	·49	29
30	—		—	·01	—	·03	·03	—	·02	·53	·01	·01	30
31	—		—		—		—	·02		·14		·11	31
Total	2·20	6·96	2·27	4·52	2·68	3·93	·54	4·75	4·52	5·61	699	7·14	TOTAL for year 52·11
No. of Rain Days	21	17	16	19	11	15	12	14	15	15	23	29	207

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at "Norwood" Casterton
Kirkby Lonsdale
in the County of Westmorland 4
by Robt. A. Clarke

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 305 ft.

Time of Observation 9 A.M

Nearest Railway Station { Name Kirkby Lonsdale
Distance 1¼ m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·14	—	·09	·07	·30	·11	·21	—	—	5.R ·19	1
2	·11	·05 S	·61	·06	·25	·14	·07	—	·05	·02	—	·02	2
3	·29	—	·05	—	—	·96	—	·12	1·10	—	—	·42	3
4	·52	—	·56	·67	·02	·22	—	1·08	·19	—	1·80	·01	4
5	·13	—	·04	·02	·20	·05	—	·30	·06	·03	—	—	5
6	·16	·35	·01	—	·05	·03	—	·07	—	—	·02	·01	6
7	—	·11	·06	·05	·20	—	·12	·23	·16	—	·34	·03	7
8	·30	·16	·07	·16	·06	·04	—	—	·04	—	·41	·02	8
9	·14	·14	·42	·28	—	·05	—	·32	—	—	·25	·18	9
10	·05	·08	—	·02	·05	·24	·05	·01	—	—	·51	·05	10
11	·03	—	·01	—	·14	·01	·28	·15	—	·01	·01	·51	11
12	·24	·01	·36	—	—	·63	·01	—	—	—	—	·20	12
13	·06	—	·09	—	—	·20	—	·03	·01	·51	·08	·88	13
14	·22	—	·27	—	—	·25	—	·03	—	·01	—	·55	14
15	·15	·24	·03	—	·36	·48	—	·04	—	·20	—	·08	15
16	·32	·01	·35	—	·03	·06	—	·14	·01	·37	·09	·06	16
17	·01	·25	·32	—	·06	1·11	—	·59	—	—	·03	·47	17
18	—	·02	·07	—	—	·37	—	·01	—	·81	·08	·25	18
19	·02	·09	·48	—	—	·08	—	·21	—	·23	·17	·01	19
20	·10	—	·05	—	1·14	·10	·01	·08	—	·53	·02	·04	20
21	·01	·02	·26	—	·02	·02	·02	·17	—	·06	·01	·03	21
22	·02	·32	—	—	·24	—	—	·52	—	—	·45	·01	22
23	—	—	·14	—	—	·08	·38	·37	—	·01	·86	·06	23
24	·03	·04	·16	—	·10	·07	·26	·01	—	·12	·11	·15	24
25	—	·02	·17	—	—	·75	·01	·10	—	—	·38	·09	25
26	5 ·01	·31	·24	—	~~·01~~	·10	·20	·04	—	1·88	·43	·33	26
27	—	·11	·53	—	·01 ~~·01~~	1·24	·38	—	—	·20	·03	·35	27
28	—	·08	·01	—	—	·36	1·38	·61	·01	·32	5.19 ·41	·01	28
29	—	·01	·13	—	—	·01	·82	·27	·22	·43	—	·19	29
30	·02		·44	—	·01	—	·19	—	·01	·02	—	·30	30
31	—		·40		·05		1·09	·52		—		·33	31
Total	2·96	2·42	6·47	1·26	3·08	7·72	5·57	6·13	2·07	5·76	6·49	5·83	TOTAL for year 55·76
No. of Rain Days.	23	20	29	7	19	27	17	26	12	18	21	30	249

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

JAN 2 1914

Kept at "Norwood" Casterton Kirkby Lonsdale [illegible]
in the County of Westmorland 4
by Robt. A. Clarke

Lat 54·12 N Long. 2° 34' W.
Time of Observation 9 A.M
Nearest Railway Station Kirkby Lonsdale
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·02	·03	·12	—	—	—	—	·01	—	·05	—	1
2	·02	·40	·65	·16	—	·23	—	—	—	—	·15	·41	2
3	·03	·12	·36	—	·64	—	—	—	—	—	·03	·46	3
4	·24	·15	·19	—	·02	·02	·01	—	·01	—	·17	·58	4
5	·54	·14	·03	—	—	·08	·04	·01	—	·02	·01	—	5
6	·10	·32	·29	—	·74	·25	·42	—	—	—	·04	·02	6
7	·01	·35	·02	—	·14	·29	·03	—	—	·50	·01	·09	7
8	—	·15	·07	—	·21	·06	—	·09	·02	·08	·01	·15	8
9	—	·39	·48	·04	·06	1·21	·01	·30	—	—	·03	·15	9
10	·03 s	·59	·69	·13	·03	·02	·01	—	—	·02	·20	·01	10
11	·10 s	—	·01	·26	·03	·09	·08	—	—	·12	·25	·22	11
12	·01 s	—	·02	—	·01	·01	·03	·01	·59	—	·31	·07	12
13	—	·01	·77	·02	—	—	·04	·15	·16	·22	·40	—	13
14	·10	·01	·37	·15	—	—	·01	—	—	·50	·13	·11	14
15	·04	—	·23	·64	—	—	—	·13	·02	—	·32	·21	15
16	—	—	·21	·02	—	—	·11	—	—	—	·38	·02	16
17	·02	—	·01	·26	·08	·15	·18	—	—	—	·37	—	17
18	·11	—	·38	·31	·02	·08	·03	—	—	—	·40	—	18
19	·10	—	·05	·21	·20	·17	—	—	·01	·16	·64	—	19
20	·01	—	·02	·29	·02	—	—	·02	—	·23	1·09	—	20
21	—	—	·13	—	·17	—	·10	1·04	·01	·06	—	—	21
22	·35	—	·45	—	·27	—	—	·81	·07	—	—	—	22
23	·68	—	·02	—	·12	·29	—	·24	·21	·01	·17	·02	23
24	·68	·04	—	·18	—	·42	—	—	—	—	·06	·11	24
25	—	—	—	·08	·01	—	—	—	·71	·01	·08	·59	25
26	—	·03	·02	·72	—	·02	—	—	1·77	·07	·02	·67	26
27	—	·01	—	·42	—	·02	—	—	—	·18	·04	·08	27
28	·32	—	·23	·29	·02	—	—	—	—	·02	—	·05 s	28
29	·01		·07	·60	·03	—	—	·39	—	·49	·19	·01 s	29
30	·57		·02	—	—	—	—	—	—	·12	·01	—	30
31	·07		·10		·06		—	—		·01		—	31
Total	4·24	2·73	5·92	4·90	2·88	3·41	1·10	3·19	3·59	2·82	5·56	4·01	YEAR'S TOTAL 44·35
Rain Days.	23	15	28	19	20	17	14	11	12	18	27	20	224

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at "Norwood", Casterton, Kirkby Lonsdale
in the County of Westmorland
by Robt. A. Clarke

4

Lat. 54-12 N Long. 2-34 W.
Time of Observation 9 A.M.
Nearest Railway Station Kirkby Lonsdale
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	·09	—	—	·08	·38	·14	—	·01	—	·18	1
2	·01	·12	·01	·06	·01	·01	·33	·41	—	·12	·21	·23	2
3	·24	·07	·15	—	·66	—	·02	·01	—	—	·02	·91	3
4	·61	—	·25	·25	·21	·02	—	—	—	—	·04	·41	4
5	·06	—	·62	·14	·10	·31	·17	—	—	·01	·19	·08	5
6	—	—	·10	·13	·12	·02	—	·39	—	—	·20	·03	6
7	·16	·01	·26	·04	·28	·11	—	·13	—	—	·10	·16	7
8	1·16	·03	·08	·04	·34	·12	·25	1·13	·03	·02	·70	·17	8
9	·59	·19	·01	·24	—	·46	—	—	1·61	—	·69	·02	9
10	·01	·11	—	·01	·02	·01	—	—	·21	—	·31	—	10
11	—	·08	·38	—	·01	—	·57	—	·17	—	·67	·16	11
12	—	·37	·11	—	·03	—	·17	—	·45	—	·67	·13	12
13	—	·10	·22	·13	—	—	·01	—	·19	·02	·43	·08	13
14	—	·41	·16	—	—	—	—	—	·32	—	·18	·26	14
15	—	·01	·51	—	—	—	—	—	·59	—	·19	—	15
16	·03	·04	·02	—	—	—	1·56	—	1·33	—	—	·03	16
17	·02	·35	·16	—	—	—	·14	—	·41	—	—	1·34	17
18	·01	·48	·18	—	—	—	·12	—	·01	·01	·01	·23	18
19	—	·03	·16	—	—	—	—	—	·06	—	·03	·11	19
20	—	·25	·09	—	·10	·03	—	·14	—	·01	—	·20	20
21	—	·24	—	—	·05	·04	·53	·01	—	—	·01	—	21
22	—	·47	·02	·06	·63	·08	·01	·27	—	·01	—	—	22
23	·01	·11	·31	·14	·17	·05	·04	·05	—	—	—	·01	23
24	·87	—	·18	·10	·08	·13	·14	·18	—	—	·34	—	24
25	·11	—	·01	—	—	—	·08	·42	—	·89	·16	·38	25
26	·02	·06	—	—	—	—	·01	·01	—	·35	·38	·28	26
27	·06	·01	—	—	—	·02	—	—	·01	·74	·45	·45	27
28	·11	·20	·03	—	·10	·02	—	·05	·01	·02	·61	·03	28
29	·38		·18	—	·16	·01	—	·34	—	·05	·55	·03	29
30	·11		·95	—	·01	—	—	·23	—	·01	·28	·06	30
31	·66		·03		·04		·47	—		·06		—	31
Total	5·23	3·76	5·27	1·31	3·12	1·52	5·00	3·91	5·40	2·33	7·42	5·97	YEAR'S TOTAL 50·24
Rain Days.	20	23	27	12	19	17	18	16	14	15	24	25	230

W.7,000, XI. 13

Endhill

3951

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.
3 - JAN 1916

Kept at "Norwood" Casterton Kirkby Lonsdale
in the County of Westmorland
by Robt. A. Clarke

Lat. 54°-12′ Long. 2°-34′ W
Time of Observation 9 A.M
Nearest Railway Station Kby Lonsdale 1/4 mile
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·68	·51	·01	—	·25	—	·02	·22	·04	—	·01	·02	1
2	—	·73	·35	·32	—	·04	·66	·33	—	—	—	—	2
3	·20	·05	·62	·44	—	·01	·53	·14	·01	—	·01	·38	3
4	·02	·43	·08	—	·11	·20	—	—	—	—	—	·33	4
5	·33	·22	·46	—	—	·06	—	·08	—	—	·01	·71	5
6	·94	·17	·01	·35	—	—	·68	·03	·02	·01	·01	·45	6
7	·50	·68	—	·13	—	—	·82	·24	—	—	—	·16	7
8	·34	·36	—	·13	—	—	·02	·22	—	—	1·36	—	8
9	·03	·08	—	·02	—	—	—	·02	—	·01	·22	·55	5·2 9
10	·74	—	·17	·07	—	—	·01	·29	—	·03	—	·38	10
11	·10	·02	—	—	·64	—	·07	·07	—	—	·02	·31	5·h 11
12	·28	·01	—	·10	·01	—	·25	·06	—	·14	·63	—	12
13	·29	·22	·01	·03	—	—	·02	·65	—	·05	—	·07	13
14	·42	—	—	·16	·01	—	·08	·07	·01	·01	—	·08	14
15	1·43	—	—	·05	—	—	·01	·18	·14	—	·15^{s}	·25	15
16	—	·50	—	·03	·02	—	·08	·43	·02	—	—	—	16
17	—	·21	·01	—	—	—	·02	—	—	—	—	—	17
18	—	·26	·10^{s}	—	—	—	·04	—	—	·04	—	—	18
19	·05	·06	·13	·69	·06	—	·54	·04	—	·01	—	—	19
20	·55	·07	·04	·01	·09	—	·22	·02	—	—	—	·34	20
21	·04	·10	—	·11	—	—	·21	—	—	—	—	·07	21
22	—	—	·06	—	—	—	·11	—	—	·01	—	·22	22
23	—	·01	·10	·32	—	·01	·37	—	·07	·05	—	·56	23
24	—	—	·02	·01	—	—	·02	—	·46	·01	—	·46	24
25	—	—	—	—	—	—	·19	—	·02	—	—	·13	25
26	—	·46	—	—	—	·08	·25	—	·01	—	—	·43	26
27	—	·20	—	—	—	·27	·11	—	—	·72	·04^{s}	·15	27
28	—	·24	·01^{s}	—	·04	·01	·02	·35	—	·15	—	·03	28
29	—	×	—	—	·01	·10	—	—	·01	—	·15	·18	29
30	·20	×	—	·34	—	—	—	—	·01	—	·02	·01	30
31	·32	×	—	×	—	×	·06	·51	×	·01	×	·33	31
Total	7·46	5·60	2·18	3·01	1·24	·78	5·41	3·95	·82	1·25	2·63	6·60	YEAR'S TOTAL 40·93
Rain Days.	19	22	16	18	10	9	26	19	12	14	12	24	201

W. 8,000. X. 14.

3880

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at "Norwood" Carleton
Kirkby Lonsdale
in the County of Westmorland
by Robt. A. Clarke

Lat. 54-12 N Long. 2-34 W
Time of Observation 9 AM Greenwich time
Nearest Railway Station Kirkby Lonsdale
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·03	·03	—	—	·37	·67	·13	—	—	·25	—	1
2	·09	·10	·01	—	—	·42	—	—	—	·14	·05	·04	2
3	·02	·03	·01	·10	—	·04	—	—	·76	·15	·29	—	3
4	·16	·09	—	·01	·48	·44	·01	—	·02	·63	·10	—	4
5	·22	·81	—	—	·15	·28	—	—	—	1·60	·49	—	5
6	·68	·51	·09^{s}	—	·13	·01	·28	—	—	·79	·10	·03	6
7	·03	·18	·03^{s}	—	·26	·13	·37	—	—	·61	·12	·30	7
8	—	·06	·06^{s}	·01	—	·05	·02	—	—	·07	·26	·02	8
9	·06	—	·01^{s}	—	·42	·02	·13	—	—	·02	·18	·24	9
10	·32	·14	—	·38	·01	·37	·17	—	—	·91	·26	—	10
11	·07	·29	·02	·69	·03	·21	·57	—	·37	·17	·05	·04	11
12	·18	·37	·08	·13	·49	·21	·52	·01	—	·19	·05	·02	12
13	—	·13	·02	·10	·01	—	—	·36	·01	·94	·02	·05^{s}	13
14	·07	·24	·03	·09	·63	—	—	1·30	·04	·44	—	·02	14
15	·04	·61	·06	·08	—	—	·06	·96	·02	·16	—	—	15
16	·05	·13	·53	·76	—	—	·20	·02	·04	—	—	—	16
17	·41	·25	—	·54	—	—	·02	—	1·23	·17	—	·03	17
18	·03	·42	—	·04	—	—	·04	·11	·25	·24	·08	·06^{s}	18
19	·45	—	·13	·12	—	·02	—	·02	·02	—	·01	·15^{s}	19
20	·68	—	·26	·04	—	—	·02	·13	—	—	·12	·16	20
21	·51	—	—	·05	·09	—	·24	—	·02	—	·04	·01	21
22	—	·02	·01	·08	·01	·18	—	—	—	·08	·18	·01	22
23	·17	·01	·29^{s}	·04	—	·01	—	—	—	·06	·17	·26	23
24	·09	·01	·05	·02	—	·55	—	·28	—	·10	·03	·05	24
25	·01	·08^{s}	·23	—	·09	·05	—	·79	—	·04	·31	·08	25
26	·35	·03	·35	—	·01	—	—	—	—	·03	·04	—	26
27	—	·03	·02^{s}	—	·03	·02	—	—	·07	·43	·01	·02	27
28	·42	·04	·01^{s}	—	—	·06	—	·53	—	·34	·14	1·83	28
29	·19	·22	·02	—	·01	·07	—	—	—	·33	·36	·43	29
30	·20	X	·01	—	—	·23	·06	—	—	·91	·02	·41	30
31	—	X	—	X	1·26	X	—	·66	X	·42	X	·29	31
Total	6·11	4·83	2·36	3·28	4·11	3·34	3·38	5·30	2·85	9·97	3·73	4·55	YEAR'S TOTAL 53·81
Rain Days.	26	25	24	18	17	21	16	13	12	26	26	23	247

W. 8,000. X. 15.

W.D. [illegible]

3716

FORM A.
BRITISH RAINFALL.
2 JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Norwood, Casterton, Kby Lonsdale
in the County of Westmoreland.
by Chas. E. Clarke

Lat. 54° 12'N. Long. 2° 34' W
Time of Observation 9 A.M.
Nearest Railway Station Kirkby Lonsdale
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	·01	·02^{s}	—	·20	—	·03	·28	—	·16	·14	1
2	·82	·01^{s}	—	·04^{s}	—	·02	—	—	—	·06	—	—	2
3	·29	·19^{s}	—	·03^{s}	—	·74	—	—	·01	·59	·08	—	3
4	—	·03^{s}	·02^{s}	—	—	—	—	—	—	·06	·76	·01^{s}	4
5	·30	—	·03^{s}	·24^{s}	—	—	—	—	·01	·02	·83	·29	5
6	·11	—	—	·16	—	·17	—	—	—	·39	·21	·69	6
7	·74	—	·02^{s}	·10	—	·24	—	—	—	·27	·05	·20	7
8	·26	—	—	·15	—	·08	—	·73	·12	·53	·34	·22	8
9	—	—	—	·12^{s}	·01	—	—	·91	—	·18	·60	—	9
10	·47	—	·85	·09^{s}	·26	—	—	·18	—	—	·03	—	10
11	·05	·03^{s}	—	·02	·06	—	—	·79	—	·41	·15	—	11
12	—	—	·09	—	·43	—	—	·02	·05	·23	—	·06	12
13	·01^{s}	—	—	·32	·26	·07	—	·24	1·66	·03	—	·41	13
14	·06^{s}	—	—	·33	·03	—	—	·25	—	—	—	·21	14
15	·01^{s}	—	—	·17	—	—	·04	·01	·57	·08	·04	—	15
16	·01^{s}	·01	·04	·26	—	—	—	·68	·37	·30	—	·25	16
17	·01	·24	·40	·22	·02	—	·14	1·37	·11	—	—	·25^{s}	17
18	·01	·16	·26	·03	·02	—	·81	·28	·51	—	·08	·06^{s}	18
19	·01	·21	·26	·01	·14	·05	—	·01	—	—	—	·01	19
20	·01^{s}	·48	·03	—	·15	·46	—	·42	·40	—	·20	·15	20
21	·01^{s}	·10	·02	—	·06	·01	—	·26	·29	·13	—	·12	21
22	—	—	—	—	—	—	—	·23	·15	1·03	·04	—	22
23	—	·12	—	—	·16	1·05	—	·43	·06	·07	·11	·02	23
24	—	—	—	—	—	·07	·07	·78	·01	1·09	·24	—	24
25	—	·10	·06	—	·01	—	—	·15	·26	·43^{s}	·02	—	25
26	—	—	·01^{s}	—	—	—	·03	·76	·32	·11^{s}	·84	—	26
27	·01^{s}	—	·10	—	·27	·18	·69	·36	—	·14	·04	—	27
28	—	·04	·43	—	—	—	·01	·09	—	·01	·08	—	28
29	—	✕	·03	—	—	—	·17	·07	—	·32	·15	·01	29
30	·01	✕	·05	—	—	—	—	·03	—	·13	·24		30
31	—	✕	·35^{s}	✕	·30	✕	—	·57	✕	—	✕	·01	31
Total	3·32	1·72	3·07	2·31	2·18	~~2·35~~	1·96	9·65	5·12	6·61	5·29	3·11	YEAR'S TOTAL 46·69
Rain Days.	20	13	19	17	15	13	8	25	17	23	22	18	210
			3·06			3·34							47·67

W. 8,000, IX. 17.

KIRBY LONSDALE
CASTERTON
CLERGY DAUGHTERS SCH
WESTMORLAND
1911 — 20

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

R

Kept at Clergy Daug — Rain gauge

1 ft. 1 in.

in the County of West

el 320 ft.

by Mr. Willi

Kirkby Lonsdale

1¼ Direction SE

IMPORTANT NO sult entered to the previous day. If an O rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·5	–	·02	–	·07	·17	–	–	·55	·01	1
2	·13	–	·03	–	·17		·14	–	–	·09	·34	·11	2
3	–	–	·42	snow gutted	·6	–	–	·41	–	–	·85	·26	3
4	–	–	·11	–	–	–	·03	·88	–	·01	·60	·22	4
5	·12	–	·12	–	–	–	–	·66	–	·01	·05	·15	5
6	·04	–	·02	–	–	–	–	·98	–	·01	·47	·22	6
7	·31	–	·01	–	–	–	–	–	–	–	·25	·01	7
8	·13	–	·45	–	–	–	–	–	–	–	·28	·5	8
9	–	–	–	–	–	–	–	–	–	–	–	·42	9
10	·67	–	·1	–	–	–	–	–	+·05	–	–	·52	10
11	·11	–	·01	–	–	–	–	–	–	–	·09	·22	11
12	·07	–	·08	–	–	–	–	–	1·19	–	·50	·02	12
13	–	·05	–	–	·65	–	–	–	–	–	·37	·43	13
14	–	·61	–	–	–	–	–	–	–	–	·50	·2	14
15	–	·7	·01	·07	–	–	–	–	–	–	1·15	·16	15
16	·06	·5	·01	·10	–	–	–	–	–	–	·10	·26	16
17	–	·02	–	–	–	·05	–	–	–	–	·46	·17	17
18	–	·65	–	·06	–	·45	–	–	·35	·01	·02	·23	18
19	–	·1	–	·18	–	·46	–	·07	– ·05	·26	·06	·64	19
20	–	·12	–	·48	–	·2	·12.	·10	·08	·02	–	–	20
21	–	1·3	–	·31	–	·15	·15	·11	–	·13	–	·07	21
22	·2	·2	–	·09	–	·18	–	–	–	·20	–	–	22
23	·02	·65	–	·05	·8	·2	·01	–	·64	·64	–	·18	23
24	·24	·2	–	·71	·02	·9	–	·17	·03	·24	–	·26	24
25	·05	·5	–	·81	–	·06	–	–	+·60	·46	–	·29	25
26	–	·05	–	·19	·04	–	–	·68	·	·75	·21	·26	26
27	·02	1·05	–	·16	–	–	–	·59	·36	–	·06	·13	27
28	·02	–	–	·69	–	·45	–	–	·28	–	·01	·54	28
29	–		–	·29	–	·45	–	–	·8	1·45	·01	·44	29
30	–		–	–	–	·05	·02	–	·1	·54	·01	–	30
31	–		–				–	·03		·2		·13	31
~~Total~~	2·19	6·70	1·87	4·19+	2·30	3·60	·54	4·85	4·49	5·02	6·94	7·05	TOTAL year 49·74+
No. of Rain Days.	15	15	13	14+1	7	12	7	12.	12.	16	22	28	173+

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

R

Kept at Clergy Daughters' School Casterton

in the County of Westmoreland. 4

by M. Williams

RAIN GAUGE Pattern Snowdon Rain gauge
Diameter of top 5¼ in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 320 ft.

Time of Observation 8·30 a.m

Nearest Railway Station Name Kirkby Lonsdale
Distance 1¾ Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·5	–	·02	–	·07	·17	–	–	·55	·01	1
2	·13	–	·03	–	·17	–	·14	–	–	·09	·34	·11	2
3	–	–	·42	Snow melted	·6	–	–	·41	–	–	·85	·26	3
4	–	–	·11	–	–	–	·03	·88	–	·01	·60	·22	4
5	·12	–	·12	–	–	–	–	·66	–	·01	·05	·15	5
6	·04	–	·02	–	–	–	–	·98	–	·01	·47	·22	6
7	·31	–	·01	–	–	–	–	–	–	–	·25	·01	7
8	·13	–	·45	–	–	–	–	–	–	–	·28	·5	8
9	–	–	–	–	–	–	–	–	–	–	–	·42	9
10	·67	–	·1	–	–	–	–	–	+·05	–	–	·52	10
11	·11	–	·01	–	–	–	–	–	–	–	·09	·22	11
12	·07	–	·08	–	–	–	–	–	1·19	–	·50	·02	12
13	–	·05	–	–	·65	–	–	–	–	–	·37	·43	13
14	–	·61	–	–	–	–	–	–	–	–	·50	·2	14
15	–	·7	·01	·07	–	–	–	–	–	–	1·15	·16	15
16	·06	·5	·01	·10	–	–	–	–	–	–	·10	·26	16
17	–	·02	–	–	–	·05	–	–	–	–	·46	·17	17
18	–	·65	–	·06	–	·45	–	–	·35	·01	·02	·23	18
19	–	·1	–	·18	–	·46	–	·07	·05	·26	·06	·64	19
20	–	·12	–	·48	–	·2	·12	·10	·08	·02	–	–	20
21	–	1·3	–	·31	–	·15	·15	·11	–	·13	–	·07	21
22	·2	·2	–	·09	–	·18	–	–	–	·20	–	–	22
23	·02	·65	–	·05	·8	·2	·01	–	·64	·64	–	·18	23
24	·24	·2	–	·71	·02	·9	–	·17	·03	·24	–	·26	24
25	·05	·5	–	·81	–	·06	–	–	+·60	·46	–	·29	25
26	–	·05	–	·19	·04	–	–	·68	·	·75	·21	·26	26
27	·02	1·05	–	·16	–	–	–	·59	·36	–	·06	·13	27
28	·02	–	–	·69	–	·45	–	–	·24	–	·01	·54	28
29	–		–	·29	–	·45	–	–	·8	1·45	·01	·44	29
30	–		–	–	–	·05	·02	–	·1	·54	·01	–	30
31	–		–				–	·03		·2		·13	31
~~Total~~	2·19	6·70	1·87	4·19+	2·30	3·60	·54	4·85	4·49	5·02	6·94	7·05	TOTAL year 49·74
No. of Rain Days.	15	15	13	14+1	7	12	7	12.	12.	16	22	28	173

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL.
28 JAN 1913

✓

REGISTER OF RAINFALL IN 1912.

Kept at the Clergy Daughters' School Casterton

in the County of Westmoreland 4

by Mrs Williams

Lat. 54·20 Long. 2°. 30'.

Time of Observation 8·30 am

Nearest Railway Station Kirkby Lonsdale

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·15	—	·06	·10	·26	·14	·21	·01	—	·19	1
2	·07	·10	·65	·05	·25	·11	·07	—	·10	-	-	·42	2
3	·28	-	·06	—	—	·95	—	·17	·84	-	—	·02	3
4	·46	-	·60	·52	·03	·25	—	·96	·18	—	1·80	·01	4
5	·10	-	·06	·07	·23	·05	—	·37	·05	·03	—	-	5
6	·14	·35	·02	-	·06	·04	—	·10	—	—	·03	-	6
7	—	·10	·06	·07	·17	—	·12	·22	·15	-	·31	·01	7
8	·35	·16	·01	·10	·08	·02	—	—	·02	-	·47	·01	8
9	·12	·11	·46	·23	—	·05	—	·25	—	-	·23	·40	9
10	·06	·10	—	·03	·05	·25	·05	—	-	-	·47	·06	10
11	·05	·02	—	—	·19	—	·28	·26	—	—	-	·41	11
12	·25	-	·34	—	-	·88	·01	—	—	·02	-	·16	12
13	·06	-	·09	—	-	·35	—	·02	—	·50	·08	·73	13
14	·28	-	·28	—	-	·25	—	·03	—	·01	—	·55	14
15	·12	·27	·06	—	·33	·68	—	·02	—	·26	—	·08	15
16	·31	—	·44	—	·03	·08	—	·18	—	·40	·08	·04	16
17	·01	·22	·45	—	·07	·86	—	·72	—	—	·01	·48	17
18	—	·08	·05	-	—	·45	—	·02	—	·72	·07	·23	18
19	—	·10	·40	—	—	·10	—	·29	—	·24	·19	·02	19
20	·10	—	·06	—	·90	·12	—	·10	—	·50	·03	·04	20
21	·01	·02	·32	-	·15	·05	·02	·19	-	·07	-	·05	21
22	·02	·40	—	-	·20	—	—	·45	—	—	·34	—	22
23	—	—	·16	-	—	·12	·34	·32	—	-	·93	·07	23
24	·04	·08	·18	-	·09	·04	·24	—	—	·09	·09	·13	24
25	-	·01	·25	—	—	·82	·02	·15	—	~~1·7~~ -	·39	·10	25
26	·01	·34	·26	—	—	·10	·05	·05	-	1·70	·43	·35	26
27	—	·12	·24	-	·01	1·40	·25	—	-	·20	·05	·36	27
28	·	·10	·14	-	—	·36	1·30	·62	·01	·35	·37	·01	28
29	-	—	—	-	-	—	1·05	·27	·01	·50	·07	·22	29
30	·02	×	·40	-	·01	—	·25	—	·18	·03	·02	·31	30
31	—	×	·34	×	·07	×	1·08	·61	×	—	×	·28	31
Total	2·89	2·69	6·53	1·07	2·98	8·48	5·39	6·51	1·75	5·63	6·46	5·74	YEAR'S TOTAL 56·12
Rain Days.	22.	18.	27	7	19	25.	16	24	10	17	21	28	234

W. 7,500, XI. 12

CASTERTON

WESTMORLAND

FORM A.
BRITISH RAINFALL.

19 FEB 1914

REGI

Kept at Casterton -8·45
hly Lonsdale

in the County of Westm ¼ in.

by (Miss) Will round 1 ft. 1 in.

ea Level 320 ft.

IMPORTANT NOT ne result entered to the previous day. If an Ob sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·05	·06	·15	–	–	–	–	–	–	·1	–	1
2	·02	·38	·75	·17	–	·23	–	–	–	–	·14	·42	2
3	·04	·13	·36	–	·78	–	–	–	–	–	·15	·52	3
4	·22	·16	·16	–	.	·03	–	–	–	–	·15	·46	4
5	·51	·14	·04	–	.	·09	·03		–	–	·01	–	5
6	·12	·31	·3	–	·8	·22	·34	–	–	–	·05	–	6
7	·01	·31	·02	–	·12	·33	·04	.	–	·56	–	·1	7
8	.	·15	·09	–	·19	·03	–	–	·01	·09	·01	·15	8
9	.	·28	·47	·04	·1	1·28	·01	·10			·01	·16	9
10	.	·63	·63	·1	·03	·02	·06	·31	–	–	·2	·01	10
11	·26 ·26	–	–	·27	·03	·06	·11	–	–	·14	·21	·21	11
12	·21	–	·01	–	–	–	·07	–	·58	–	·37	·07	12
13	.	–	·75	·05	–	–	·03	–	·13	·15	·38	–	13
14	·12	–	·3	·15	–	–	–	·11	–	·55	·12	·13	14
15	·04	–	·21	·62	–	–	–	–	·2	–	·31	·16	15
16	.	–	·23	·01	–	–	·1	·12	–	–	·35	·02	16
17	·01	–	–	·27	·07	·2	·16	–	–	–	·24	–	17
18	·07	–	·37	·38	–	·08	·04	–	–	–	·5	–	18
19	·07	–	·06	·13	·18	·12	.	–	–	·15	·75	–	19
20	.	–	+	·25	·05	–	.	1·10	·01	·24	1·1	–	20
21	.	–	·14	·01	·15	–	·07	–	–	·07	–	–	21
22	·3	–	·43	–	·21	–	–	·83	·09	–	–	·15	22
23	·5	–	.	–	·1	·29	–	·21	·22	.	·14	–	23
24	·8	·05	–	·15	–	·49	–	–	–	–	·07	–	24
25	–	–	1	·07	–	–	–	–	·72	–	·07	·11	25
26	–	·04	–	·8	–	·02	–	–	1·73	·09	·01	·59	26
27	.	–	–	·4	–	·03	–	–	–	·18	·05	·65	27
28	·32	–	·23	·3	·02	–	–	–	–	·01	–	·1	28
29	–		·09	·7	·03	–	–	·42	–	·51	·15	·03	29
30	·6		–	–	–	–	–	–	–	·1	–	·1	30
31	·1		·09		·04		–	–		·01		–	31
Total	4·42	2·63	5·89	5·02	2·90	3·52	1·04	3·20	3·69	2·85	5·64	4·14	YEAR'S TOTAL 44·94
Rain Days.	20	12	22	20	16	16	12	8	9	14	25	19	193

W.7,000, XI. 13

M Williams

✓

REGI

FORM A. BRITISH RAINFALL.

19 FEB 1914

Kept at Casterton

in the County of Westmorland

by (Miss) Williams

Lat. 54 20 Long. 2·30

Time of Observation 8·30-8·45

Nearest Railway Station Kirkby Lonsdale

Diameter of Rain Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·05.	·06	·15	-	-	-	-	-	-	·1	-	1
2	·02	·38	·75	·17	-	·23	-	-	-	-	·14	·42	2
3	·04	·13	·36	-	·78	-	-	-	-	-	·15	·52	3
4	·22	·16	·16	-	.	·03	-	-	-	-	·15	·46	4
5	·51	·14	·04	-	.	·09	·03	-	-	-	·01	-	5
6	·12	·31	·3	.	·8	·22	·34	-	-	-	·05	-	6
7	·01	·31	·02	-	·12	·33	·04	.	-	·56	-	·1	7
8	.	·15	·09	-	·19	·03	-	-	·01	·09	·01	·15	8
9	.	·28	·47	·04	·1	1·28	·01	·10	-	-	·01	·16	9
10		·63	·63	·1	·03	·02	·06	·31	-	-	·2	·01	10
11	·26 ·26	-	-	·27	·03	·06	·11	-	-	·14	·21	·21	11
12	·21	-	·01	-	-	-	·07	-	·58	-	·37	·07	12
13	.	-	·75	·05	-	-	·03	-	·13	·15	·38	-	13
14	·12	-	·3	·15	-	-	-	·11	-	·55	·12	·13	14
15	·04	-	·21	·62	-	-	-	-	·2	-	·31	·16	15
16	.	-	·23	·01	-	.	·1	·12	-	-	·35	·02	16
17	·01	-	-	·27	·07	·2	·16	-	-	-	·24	-	17
18	·07	-	·37	·38	-	·08	·04	-	-	-	·5	-	18
19	·07	-	·06	·13	·18	·12	.	-	-	·15	·75	-	19
20	.	-	+	·25	·05	-	.	1·10	·01	·24	1·1	-	20
21	.	-	·14	·01	·15	-	·07	-	-	·07	-	-	21
22	·3	-	·43	-	·21	-	-	·83	·09	-	-	·15.	22
23	·5.	-	-	-	·1	·29	-	·21	·22	.	·14	-	23
24	·8	·05	-	·15	-	·49	-	-	-	-	·07	-	24
25	-	-	1	·07	-	-	-	-	·72	-	·07	·11	25
26	-	·04	-	·8	-	·02	-	-	1·73	·09	·01	·59	26
27	.	.	-	·4	-	·03	-	-	-	·18	·05	·65	27
28	·32	-	·23	·3	·02	-		-	-	·01	-	·1	28
29	.		·09	·7	·03	-	-	·42	-	·51	·15	·03	29
30	·6		-	-	-	-	-	-	-	·1	-	·1	30
31	·1		·09		·04		-	-		·01		-	31
Total	4·42	2·63	5·89	5·02	2·90	3·52	1·04	3·20	3·69	2·85	5·64	4·14	YEAR'S TOTAL 44·94
Rain Days.	20	12.	22.	20.	16	16	12.	8	9	14	25·	19	193

W.7,000, XI. 13

M Williams

Cor. for part W.D. 29.V.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

11 MAY 1915

Kept at the Clergy' Daughters' School
in the County of Westmorland 4
by Miss William

Lat. 54°20 Long. 2° 30
Time of Observation generally 8·30
Nearest Railway Station Barton
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	·10	-	-	·06	·21	·15	-	-	·07	·26	1
2	-	·13	·02	-	·01	-	·46	·47	-	·01	-	·12	2
3	·23	·12	·13	-	·66	-	-	·01	-	·09	·20	·18	3
4	·65	-	·20	·27	·25	·01	-	-	-	-	-	·88	4
5	·6	-	·60	·11	·08	·28	·18	-	-	-	-	·36	5
6	-	-	·05	·09	·12	-	-	·30	-	-	·19	·08	6
7	-	-	·27	·02	·25	·10	-	·10	-	-	·22	·02	7
8	·12	·05	·07	·02	·31	·12	·29	2·70	·02	-	·11	·08	8
9	1·16	·22	-	·19	-	·46	-	·10	1·20	-	·58	·14	9
10	·65	·11	-	-	·02	-	-	-	·24	-	·64	·01	10
11	-	·10	·31	-	-	-	·49	-	·08	·01	·25	[illegible]	11
12	-	·37	·07	-	·02	-	·19	-	·37	-	·61	·17	12
13	-	·12	·26	·06	-	-	·03	-	·18	-	·48	·09	13
14	-	·41	·15	-	-	-	-	-	·19	·02	·44	·09	14
15	-	-	·46	-	-	-	-	-	·67	-	·11	·25	15
16	-	·03	·01	-	-	-	1·54	-	1·45	-	·19	~~·09~~	16
17	·2	·36	·14	-	-	-	·12	-	·32	-	-	·02	17
18	·3	·44	·28	-	-	-	·11	-	-	-	-	1·36	18
19	-	·05	·14	-	-	-	·01	-	·05	·01	-	·20	19
20	-	·26	·10	-	·09	·01	-	·15	-	-	·02	·10	20
21	-	·31	-	-	·05	·05	1·70	·02	-	·01	-	·16	21
22	-	·5	·04	·05	·5	·04	-	·24	-	-	-	·01	22
23	-	·16	·3	·10	·25	·05	·03	·04	-	-	-	-	23
24	·95	-	·18	·10	·06	·11	1·50	·16	-	-	-	-	24
25	·1	-	-	-	-	-	·07	·40	-	-	·29	·46	25
26	·01	·06	-	-	-	-	-	-	-	·87	·15	·25	26
27	·06	·01	-	-	-	·01	-	-	-	·32	·35	·42	27
28	·12	·20	·03	-	·09	·02	-	-	-	·65	·46	·01	28
29	·36		·21	-	·16	·02	-	·40	-	·02	·65	·03	29
30	·15	X	·90	-	-	-	-	·20	-	·05	·53	·04	30
31	·70	X	·04	X	·03	X	·46	-	X	·01	X	·03	31
Total	6·36	4·02	5·06	1·01	2·95	1·34	7·39	5·44	4·77	2·07	6·54	5·82	YEAR'S TOTAL 52·77
Rain Days.	16	21	25	10	17	14	16	15	11	12	20	~~28~~ 27	20~~4~~6

W. 8,000. X. 14.

cond fr auth 12.V.16 #78

3952

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
7 - MAR 1916

Kept at the Clergy Daughters' School Casterton
in the County of Westmorland.
by

Lat. 54·20 Long. 2·30
Time of Observation 8·30 a
Nearest Railway Station Kirkby Lonsdale
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·3	·54	·03	—	·31	—	·01	·21	·02	—	—	·02	1
2	·01	·64	·32	·30	—	·04	·59	·55	·01	—	—	—	2
3	·22	·04	·59	·41	—	—	·41	·14	—	—	—	·39	3
4	·01	·44	·08	—	·08	·15	—	—	—	—	—	·55	4
5	·32	·19	·39	—	—	·10	—	·05	—	—	—	·74	5
6	·88	·18	·04	·30	—	—	·62	·03	·02	—	—	·48	6
7	·47	·65	—	·11	—	—	·91	·21	—	—	—	·15	7
8	·25	·39	—	·15	—	—	·03	·18	—	—	1·29	—	8
9	·01	·08	—	—	—	—	—	·01	—	·01	·26	·60	9
10	·76	—	·13	·07	—	—	—	·22	—	·02	—	·41	10
11	·10	·03	·02	—	·55	—	·02	·10	—	—	—	·25	11
12	·24	—	—	·09	—	—	·22	·07	—	·12	·82	—	12
13	·20	·27	—	·02	—	—	—	·14	—	·04	—	·04	13
14	·36	—	—	·12	—	—	·05	·07	·01	—	—	·12	14
15	1·25	—	—	·04	—	—	·01	·57	·12	—	·15	·24	15
16	—	·48	—	·01	·01	—	·08	·42	·01	—	—	—	16
17	—	·21	—	—	—	—	·01	—	—	—	—	Not altogether sure of these days	17
18	—	·20	·09	—	—	—	·04	—	—	·02	—		18
19	·03	·12	·13	·71	·07	—	·54	·02	—	—	—		19
20	·47	·05	·05	—	·08	—	·18	·11	—	—	—	·07 ?	20
21	·03	·08	—	·10	—	—	·22	—	—	—	—	—	21
22	—	—	·05	—	—	—	·19	—	—	—	—	·08	22
23	—	·02	·08	·01	—	—	·32	—	·07	·06	—	·55	23
24	—	—	·02	—	—	—	02 ·18	—	·47	—	—	·52	24
25	—	—	—	—	—	—	·22	—	·01	—	—	·42	25
26	—	·49	—	—	—	·08	·07	—	—	—	—	·13	26
27	—	·19	—	—	—	·32	·01	—	—	·65	·07	·40	27
28	—	·17	—	—	—	·01	—	·32	—	·10	—	·11	28
29	—		—	—	·06	·07	—	—	—	—	·17	·02	29
30	·13	✕	—	·21	—	—	—	—	—	—	·02	·21	30
31	·33	✕	—	✕	—	✕	·06	·53	✕	—	✕	·01	31
Total	6·37	5·46 5·48	2·02	2·65	1·16	·77	5·01 5·02	3·95	·74	1·02	2·78	6·56 ?	YEAR'S TOTAL 38·49 ? 38.49 ?
Rain Days.	20	21	14	15.	7	7	24	19	9	8	7	23	174 ?

W. 8,000. X. 15.

3881

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Clergy Daughters' School, Casterton
in the County of Westmorland
by Miss Williams

Lat. 54-30 Long. 2°-30
Time of Observation 8·45 a.m.
Nearest Railway Station Kirkby Lonsdale
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·52	—	·02	—	—	·35	·72	·11	—	—	·30	—	1
2	·08	·09	·01	—		·38	·01	—	·16	·08	·05	·03	2
3	·01	·03	·02^{s}	·09	-	·08	—	—	·73	·17	·27	—	3
4	·16	·09	—	—	·49	·33	—	—	·02	·60	·14	—	4
5	·19	1·04	—	—	·19	·28	—	—	—	1·55	·45	—	5
6	·61	·15	·09	·01	·15	·01	·23	—	—	·69	·10	·03	6
7	·02	·16	·02	—	·31	·07	·41	—	—	·53	·12	·26	7
8	·05	·05	·07	·01	—	·05	·07	—	—	·06	·25	·02	8
9	·28	—	·01^{s}	—	·45	·02	·05	—	—	—	·21	·27	9
10	·12	·12	·02^{s}	·32	·01	·39	·17	—	—	·94	·23	—	10
11	·15	·25	—	·69	·02	·01	·64	—	·32	·20	·03	·02	11
12	·07	·35	·05	·04	·48	—	·62	·03	—	·15	·04	·01	12
no rain 13	·04	·06	·02	·06	—	—	—	·39	—	·91	·01	·05^{s}	13
14	·07	·31	·01	·08	·58	—	—	1·33	·02	·47	—	·01	14
15	·38	·58	·06	·08	—	—	·07	1·12	·03	·11	—	—	15
16	·03	·11	·50	·72	—	—	·04	—	·02	—	—	—	16
17	·55	·20	—	·44	—	—	·20	·19	1·08	·17	—	·03^{s}	17
18	·46	·44	—	·04	—	—	·04	·02	·23	·20	·08	·06	18
19	·58	—	·11	·11	—	·02	—	·09	·05	—	·01	·15^{s}	19
20	—	—	·27	·02	—	—	—	·03	—	—	·11 ·03	·16^{s}	20
21	~~·18~~	—	·01	·04	·08	—	·10	·07	·01	—	·14	—	21
22	~~[illegible]~~	·01^{s}	—	·09	·02	·18	—	—	—	·06	·16	·01	22
23	·18	·02^{s}	·18	·04	—	—	—	—	—	·10	·03	·26	23
24	·08	·01^{s}	·05	·02	·01	1·13	—	·24	—	·08	·27	·03	24
25	·01	·08	·18	—	·07	·04	—	1·00	—	·05	·03	·07	25
26	·33 ~~·48~~	·02	·31	—	—	—	—	—	—	·01	—	—	26
27	~~·5~~ ·48	·04	·01	—	·02	—	—	·38	·10	·44	·15	·02	27
28	·[illegible]	·02	·02^{s}	—	—	·01	—	—	—	·4	·40	1·74	28
29	·15	·21	·01	—	—	·06	—	—	—	·27	·01	·31	29
30	·18	✕	—	—	—	·08	—	—	—	·99	~~[illegible]~~	·33	30
31	—	✕	—	✕	1·20	✕	·02	·60	✕	·47	✕	·28	31
Total	~~5·79~~ 5·78 5·78	~~4·46~~ 4·44	2·05	2·90	4·08	3·49	3·39	5·60	2·77	9·70	3·62	4·15	YEAR'S TOTAL ~~52·00~~ 51·97
Rain Days.	26	24	23	18	15	18	15	14	12	[illegible]	25	22	237

W. 8,000, VIII. 16

Exd C.P.

3717

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

Kept at the Clergy Daughters' School Casterton

in the County of Westmorland

by Mrs Williams

Lat. 54.30 Long. 2°.30

Time of Observation 8.45

Nearest Railway Station Kirkby Lonsdale Station

15 NOV 1919

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	–	–	–	–	–	–	·03	·15	–	–	·14	1
2	·72	–	–	–	–	·01	–	–	·01	·06	–	–	2
3	·32	·1 *	–	·04	–	·74	–	–	–	·59	·06	–	3
4	–	·06	–		–	–	–	–	–	·06	·01	–	4
5	·26	–	–		–	–	–	–	–	·02	·74	·24	5
6	·10		·02	2 *	–	·15	–	–	–	·39	·26	·57	6
7	·75	–	–	·12	–	·21	–	–	–	·27	·03	·25	7
8	·22	–	–	·16	–	·07	–	·71	·10	·53	·29	·22	8
9	·01	–	–	·14*	–	–	–	·20	–	·18	·56	–	9
10	·38*	–	–	·13*	·29	–	–	·15	–	–	–	–	10
11	·06	–	·78	·18*	·09	–	–	·88	–	·41	·03	–	11
12	–	·01	–	·03	·46	–	–	·17	·01	·23	–	·05	12
13	–	–	·08	–	·21	·06	–	·25	1·73	·03	·14	·37	13
14	·04	–	–	·29	·02	–	–	·26	–	–	–	·20	14
15	·03*	–	–	·23*	–	–	–	·02	·47	–	·02	·30	15
16	·01*	–	–	·14	–	–	–	·67	·37	·08	–	–	16
17	·02	·01	·02	·28	·02	–	·05	1·23	·11	·27	·03	·16 *	17
18	–	·22	·35	·16	·15	–	·99	·17	·51	·02	·04	·20	18
19	–	·17	·27	·03	·17	·03	–	·04	–	–	·03	·14	19
20	–	·13	·2	–	·06	·42	–	·06	·4	–	·2	–	20
21	–	·36	·02	–	–	–	–	·46	·29	·12	·02	–	21
22	–	·11	–	–	·17	–	–	·19	·15	1·01	·04	–	22
23	–	~~·15~~	–	–	–	1·02	–	·52	·06	·11	·05	–	23
24	–	·15	·02	–	–	·08	·1	·65	·01	·96	·25	·13	24
25	–	–	–	–	–	–	[illegible]	·16	·26	·44	·03	·01	25
26	–	·1	·09	–	·26	·02	·01	·10	·32	·26	·73	–	26
27	–	–	·4	–	–	·15	·68	·70	–	·11	·25	–	27
28	–	–	·04	–	–	–	·01	·10	–	·0	·09	–	28
29	–	–	·0	–	–	–	·12	·06	–	·27	·1	–	29
30	–	X	·02	–	~~·2~~	–	–	·02	–	·12	·2	–	30
31	–	X	·46*	X	·24	X	–	·60	X	–	X	–	31
Total	3·01	1·42	2·77	2·13	2·14	2·96	1·96	8·40	4·95	6·54	4·20	2·98	YEAR'S TOTAL 43·46
Rain Days.	14	11	14	13	12	12	7	25	16	24	24	14	186

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Clergy Daughters' School,
Casterton,
Kirkby Lonsdale.

May 18th 1918.

Dear Sir

I am sorry that pressure of School work has prevented my sending enclosed before. I am rather doubtful as to whether the amount of rain entered for on one or two days should not have been spread over two days I [illegible] I think in Sept

Yours faithfully

Mabel Williams

~~40 [illegible]~~ County obsr.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13 2·19

Kept at the Clergy Daughters' School Casterton
in the County of Westmorland
by M. Williams

Lat. 54·30 Long. 2·30
Time of Observation 8·45
Nearest Railway Station Barbon.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
" " " " Sea Level 320. ft.

IMPORTANT NOTE.— … the result entered to the
previous day. If an Observ… …ersal rule, he is earnestly
requested to add the reading … in the space provided
for it at the end of this pa… …ment of rain,
the selection and placing of … …tish Rainfall
Organization are given in "R… …pplication to
THE DIRECTOR, British Rainfal… …W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	Apr							Nov.	Dec.	Date.
1	·	·16	–	·0							·26	·95	1
2	·	·1	–	·1							·07	·79	2
3	·	·04	–	–							·02	·09	3
4	·	·1	–								·36	·01	4
5	·	·09	–	·3							·05	·03	5
6	·1	1·54	–	·2							–	·01	6
7	·3	·22	–	·1							·18	–	7
8	·	·1	·07	–							·22	·02	8
9	·	·62		–							·25	·10	9
10	·65	·7	·19	·2							·58	·10	10
11	·11	·2	·05	–								·23	11
12	·28	·4		·							–	·22	12
13	–	·09	–	·06							–	·23	13
14	·65	–	–	·12	–	·21	·20	·07	·28	·05	–	·02	14
15	·		–	–	–	·12	·39	–	1·74	·04	–	·92	15
16	·12		–	–	–	·2	1·13	·25	·63	–	–	·23	16
17	·25	–	–	–	·03	·24	·54	·31	·27	·37	–	·21	17
18	1·02	–	·37	–	–	–	·21	·60	·10	–	–	·30	18
19	·26	·17	·12	·02		–	·28	·23	·47	·03	–	·75	19
20	·34	1·07	·01	·17	·46	·20	1·51	·01	·22	–	–	–	20
21	·14	1·10	–	–	–	·10	·03	–	·90	·03	–	–	21
22	·03	·02		–	·15	·20	·58	·07	·33	–	–	·85	22
23	·22	–	–	–	·28	–	·62	–	·08	–	·06	·01	23
24	·21	·12	–	–		–	·17	·17	·38	–	·07	–	24
25	·01	·02	–	–	·12	–	·19	·97	·15	–	·01	–	25
26	·01	·19	–	–	–	–	·01	·55	1·17	·07	·14	·30	26
27	–	·18	·54	–	–	·14	–	·65	·23	·14	·11	·72	27
28	–	·07	·31	–	–	–	–	·18	·27	·01	·05	·50	28
29	–		–	–	–	–	–	·05	·09	–	–	·59	29
30	–	X	·20	–	–	–	–	·10	·09	·01	·24	·12	30
31	–	X	·11	X	–	X	–	·21	X	–	X	–	31
Total	~~5·60~~ 4·70	7·23	1·97	1·45	1·73	2·09	6·68	5·38	10·93	6·43	2·61	8·30	~~60·40~~ 59·50
Rain Days.	17	22	10	10	11	10	18	22	27	20	16	25	208

FORM C.
BRITISH RAINFALL.
W. 7,000. VII. 18.

PLEASE fill in name of place and month.

Rainfall *at* Casterton *in the Month of* January 1918

DATE	Inches
1	–
2	·
3	–
4	–
5	–
6	·1
7	·3
8	·
9	–
10	·65
11	·11
12	·28
13	–
14	·65
15	–
16	·12
17	·25
18	1·02
19	·26
20	·34
21	·14
22	·03
23	·22
24	·21
25	·01
26	·01
27	–
28	–
29	–
30	–
31	–
TOTAL	~~5·60~~ 4·70 R

REMARKS ON THE DAYS.

The daily on this ~~was~~ is correct.
I see that in the addition in the register
a badly made 0 was taken for 9.
With apologies for the trouble given
Yours truly Mabel Williams

adds to 4·70 R

No. of Days with Rain

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

W, 6,500, VII. 18. w w c

20.II.19

REGIST

FORM A.
BRITISH RAINFALL.

13 2 19

49

Kept at the Clergy Daughte
Cast

in the County of Westmorl

by M Williams

2·30

s

rbn.

Gauge 5 in.

Ground 12 ft. in.

Sea Level 320. ft.

PRINTED PAPER.

THE DIRECTOR,
British Rainfall Organization,
62, Camden Square,
LONDON, N.W.1.

No writing on this side of the line.

REMARKS.

ERVATIONS.
° on the
° on the
32° on days.
32° on days.

IMPORTANT NOTE.— the result entered to the previous day. If an Observ ersal rule, he is earnestly requested to add the reading in the space provided for it at the end of this pa ent of rain, the selection and placing of ish Rainfall Organization are given in "R pplication to THE DIRECTOR, British Rainfal .W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	·16	–	·01	–	–	–	–	·55	·08	·26	·95	1
2	.	·1	–	·13	–	–	–	–	·17	1·45	·07	·79	2
3	.	·04	–	–	·17	–	–	–	–	·63	·02	·09	3
4	.	·1	–	–	·22		–	·07	·18	·82	·36	·01	4
5	.	·09	–	·38	·05	–	–	·55	–	·76	·05	·03	5
6	·1	1·54	–	·23	–	·51	–	·04	–	·15	–	·01	6
7	·3	·22	–	·13	–	–	·17	·12	·23	·13	·18	—	7
8	.	·1	·07	–			·16	·15	·33	·15	·22	·02	8
9	.	·62	–	–	–	·17	·02	·01	·79	·67	·25	·10	9
10	·65	·7	·19	·20	–	–	·20	–	·50	·39	·58	·10	10
11	·11	·2	·05	–	·10	–	·27	·02	·21	–	–	·23	11
12	·28	·4	–	–	·03	–	–	–	·23	–	–	·22	12
13	–	·09	–	·06	·12	–	–	–	·34	·45	–	·23	13
14	·65	–	–	·12	–	·21	·20	·07	·28	·05	–	·02	14
15	.	–	–	–	–	·12	·39	–	1·74	·04	–	·92	15
16	·12	–	–	–	–	·2	1·13	·25	·63	–	–	·23	16
17	·25	–	–	–	·03	·24	·54	·31	·27	·37	–	·21	17
18	1·02	–	·37	–	–	–	·21	·60	·10	–	–	·30	18
19	·26	·17	·12	·02	–	–	·28	·23	·47	·03	–	·75	19
20	·34	1·07	·01	·17	·46	·20	1·51	·01	·22	—	–	–	20
21	·14	1·10	–	–	–	·10	·03	–	·90	·03	–	–	21
22	·03	·02	–	–	·15	·20	·58	·07	·33	–	–	·85	22
23	·22	–	–	–	·28	–	·62	–	·08	–	·06	·01	23
24	·21	·12	–	–	.	–	·17	·17	·38	–	·07	–	24
25	·01	·02	–	–	·12	–	·19	·97	·15	–	·01	–	25
26	·01	·19	–	.	–	–	·01	·55	1·17	·07	·14	·30	26
27	–	·18	·54	–	–	·14	–	·65	·23	·14	·11	·72	27
28	–	·07	·31	–	–	–	–	·18	·27	·01	·05	·50	28
29	–		–	–	–	–	–	·05	·09	–	–	·59	29
30	–	X	·20		–	–	.	·10	·09	·01	·24	·12	30
31	–	X	·11	X	–	X	–	·21	X	–	X	—	31
Total	~~5·60~~ 4·70	7·23	1·97	1·45	1·73	2·09	6·68	5·38	10·93	6·43	2·61	8·30	YEAR'S TOTAL ~~60·40~~ 57·50
Rain Days.	17	22	10	10	11	10	18	22	27	20	16	25	208

W, 6,500, VII. 18. W W C

cord pr auth 3528

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Clergy Daughters' School Casterton
in the County of Westmorland
by Miss Williams

Lat. 54·30 Long. 2·30
Time of Observation 9 am
Nearest Railway Station Barbon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·77	–	·03	—	·37	–	·09	·07	1·35	·06	–	·11	1
2	·36	–	·37	—	·12	–	·16	—	·23	·32	·01	·27	2
3	·99	·02	–	—	·03	·15	·02	–	–	–	·03	·24	3
4	·09	·03	·39	–	·35	·02	·13	·27	–	–	·01	·19	4
5	·14	—	—	–	·02	–	—	—	·03	—	–	·32	5
6	·01	–	·52	–	·35	–	–	–	·10	·02	–	·13	6
7	·05	–	·32	·18	~~·00~~	·04	—		–	–	·10	–	7
8	–	–	·03	—	–	·01	—		·01	–	–	—	8
9	·94	–	·13	·03	–	–	–		·01	–	·02	–	9
10	–	–	1·44	·09	·13	–	–		–	–	·08	·10	10
11	–	–	·42	·02	–	–	·13		–	·06	–	·05	11
12	–	–	·05	—	–	·01	·05		–	·05	snow ·20	—	12
13	·45	–	–	·08	–	–	·05		–	·20	–	·05	13
14	·46	–	–	·03	–	–	–		–	·01	–	·16	14
15	·54	·02	–	·30	—	–	–		–	–	–	·36	15
16	·18	–	–	·03	–	·07	–		–	–	snow ·20	·12	16
17	·04	–	–	·05	·02	·02	–		–	–	·60	·02	17
18	–	–	·17	—	—	–	·20		·25	–	·18	·34	18
19	·03	·59	·21	–	—	·43	·01		·01	–	·22	·05	19
20	·27	·37	·01	–	–	·26	·02	1·0·1	–	–	·09	·60	20
21	·01	·17	·02	–	·01	–	—	–	·23	–	·08	·27	21
22	—	·19	—	–	–	·26	–	·45	·41	–	·07	·36	22
23	·01	–	–	·30	—	·05	—	–	—	–	·16	·13	23
24	·07	–	—	–	·12	·02	—	–	·55	1·00	·31	·15	24
25	·42	—	—	·12	–	·02	–	·77	·40	·26	·10	—	25
26	·16	·01	·80	·61	–	·04	—	·25		–	~~0~~	·55	26
27	·30	–	·01	·03	—	–	—	—	1·64}	—	·03	—	27
28	·01	–	–	·01	—	–	—	·65	·29	—	–	·46	28
29	·01	~~1·40~~	–	·05	—	–	–	·01	·35	·06	–	·27	29
30	·01		–	·09	—	·06	—	·22	·43	·42	·14	·67	30
31	·01		·04		·01		·60	–		·03		–	31
TOTAL	6·33 ~~6·78~~	1·40 ~~2·80~~	4·96	2·02	1·53	1·46	1·36	3·70	6·29 ~~6·19~~	2·49	2·63	5·97	YEAR'S TOTAL 40·14 ~~39·49~~
Days with ·01 in. or more	25	8	17	16	11	15	11	(13)	~~16~~ 17	12	19	24	(188)

6th–20th not accurately kept
3 or 4 days on which rain fell.

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

At Dr end 3416

5 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.........

Kept at the Clergy Daughters' School Casterton
in the County of Westmorland
by M. Williams

Lat. 54·30 Long 2·30
Time of Observation 9 am
Nearest Railway Station Barbon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	~~Sept.~~ Oct	~~Oct.~~ Sept	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·06	·18	·19	·18	–	·51	·08	·01	·03	·01	·09	1
2	·10	·38	–	·11	·04	–	·03	·25	·19	·46	–	·60	2
3	·00	·20	·35	·08	·11	–	·26	1·13	·25	·35	–	·34	3
4	–	–	·04	·10	·02	–	–	·22	·24	·02	–	·02	4
5	–	–	·20	·01	1·70	–	·48	–	·18	·02	–	·02	5
6	·02	–	·22	·20	·88	–	·16	–	–	–	–	–	6
7	·06	·09	·03	·19	·03	–	·05	–	–	–	·06	–	7
8	·06	·12	·04	·14	·24	–	·44	·40	–	–	·15	·05	8
9	·18	1·69	·15	·26	·04	–	·33	–	–	·06	·42	·05	9
10	1·32	·21	·04	·20	·52	–	·28	·02	–	–	·10	·01	10
11	·23	·07	·48	–	·09	·11	·42	–	–	–	·01		11
12	·34	·30	·12	·13	·06	–	·42	–	–	–	·25	·14	12
13	·18	·24	–	·23	–	·12	·08	–	–	·03	·52	·04	13
14	·18	·26	(·22)	·28	–	·40	·18	–	·13	·02	·73	·16	14
15	·04	·16	·15	·85	–	–	·02	–	·09	·45	·07	–	15
16	·10	–	·09	·23	·12	–	·35	·02	–	·60	·16	–	16
17	·07	–	–	–	·17	–	·16	–	–	·46	·01	–	17
18	·66	–	–	·02	1·05	·46	·32	·80	–	–	† –	–	18
19	·02	·40	–	·04	·06	–	·20	·01	–	·30	–	·15	19
20	·18	–	–	·24	–	–	·22	–	–	·01	–	·10	20
21	·05	–	–	–	–	–	·90	–	–	–	–	·02	21
22	1·32	–	·11	·55	–	–	·41	–	–	–	–	·04	22
23	·03	–	1·20	·14	–	–	·10	–	–	–	–	~~·49~~	23
24	·10	·13	·15	·24	–	·02	–	–	–	·02	–	·49	24
25	–	·07	·80	·13	–	·05	·42	–	–	–	–	·09	25
26	·11	–	·18	·30	·18	–	·25	–	–	·08	·08	·02	26
27	·10	–		·04	·39	·92	·21	–	–	–	·07	·10	27
28	·20	·25	·22	·15	·01	·38	·06	–	–	–	·02	·37	28
29	·19	·48	·03	–	1·20	·07	·73	–	–	–	·23	·70	29
30	·42	✕	·04	–	·06	·05	·18	–	–	·18	·15	·48	30
31	·38	✕	·02	✕	·14	✕	·03	–	✕	✕ Sept	✕	·32	31
Total	6·64	5·11	5·06	5·04	7·29	2·58	8·20	2·93	1·09	3·09	3·04	4·40	Year's Total 54·47
Days with ·01 in. or more	26	17	23	25	22	10	29	9	7	16	17	23	224
Days with ·04 in. or more	23	17	20	23	19	9	26	6	6	9	13	18	189

I am sorry I have entered October instead of September.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KIRBY STEPHEN
REDMAN. HOUSE
1911 — 1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

3660

REG 1911

Kept at Redman Hou
in the County of Westm
by Mr Thomas Mason

nowden
of top five in.
op above Ground one ft. - in.
„ Sea Level 574 ft.
n 9. a.m.

Nearest Railway Station { Name Kirkby Stephen
Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·22		·04		·01	·15			·29	·12	1
2	·02		·01		·23		·03	·06		·04	·09	·26	2
3	·02		·19		·90			·04		·03	·70	·14	3
4	·59		·19	·15	·04		·01	·75			·84	·57	4
5	·33		·02	·04				·59		·13	·28	·04	5
6	·02		·04	·03				·34			·25		6
7	·03		·01		·03					·02	1·00	·92	7
8	·01		·25								·35	·50	8
9	·59		·01								·03	·45	9
10	·12	·06	·15	·02					·05		·01	·80	10
11	·03		·10								·09	·09	11
12	·03		·07		·02				1·00		·23	·03	12
13	·03				·04						·17	·60	13
14		·14	·11		·11				·02		·29	·40	14
15		·16	·08								·53	·12	15
16		·30	·09	·17		·06	·17			·02	·19	·30	16
17		·07	·05			·64	·05				·53	·26	17
18		1·15	·15	·05		·36					·02	·72	18
19		·12	·01	·32		·04			·47	·11	·12	·19	19
20		·09		·11		·62	·11	·11	·06	·04	·01	·45	20
21		1·25		·18		·15	·31	·53		·17	·05	·08	21
22	·17	·70		·17		·27		·01		·06	·04		22
23	·01	·83		·06	·05	·27			·11	·06		·36	23
24	·02	·10	·03	·14	·05	·62		·07		·21		·24	24
25	·01	·34		·72	·02	·05		·01		·17	·01	·27	25
26		·01		·03				·18		·70	·47	·08	26
27	·03	·80	·05	·10			·18	·29	·50		·08	·02	27
28		·29		·10		·02			·07			·23	28
29				·49		·15	·05	·22	·32	1·63	·01	·22	29
30				·03		·01	·03	·01	·01	·89	·04	·01	30
31					·04			·02		·10			31
Total	2·34	6·41	1·83	2·91	1·57	2·66	·95	3·38	2·61	4·38	6·72	8·47	TOTAL for year 42·3
No. of Rain Days	18	16	20	18	12	13	10	16	10	16	27	28	204

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Redman House Kirkby Stephen

in the County of Westmorland

by Mr Thomas Mason

Rain Gauge: Pattern Snowden
Diameter of top five in.
Height of top above Ground one ft. - in.
" " " Sea Level 574 ft. 3660

Time of Observation 9 a.m.

Nearest Railway Station: Name Kirkby Stephen
Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·22		·04		·01	·15			·29	·12	1
2	·02		·01		·23		·03	·06		·04	·09	·26	2
3	·02		·19		·90			·04		·03	·70	·14	3
4	·59		·19	·15	·04		·01	·75			·84	·57	4
5	·33		·02	·04				·59		·13	·28	·04	5
6	·02		·04	·03				·34			·25		6
7	·03		·01		·03					·02	1·00	·92	7
8	·01		·25								·35	·50	8
9	·59		·01								·03	·45	9
10	·12	·06	·15	·02					·05		·01	·80	10
11	·03		·10								·09	·09	11
12	·03		·07		·02				1·00		·23	·03	12
13	·03				·04						·17	·60	13
14		·14	·11		·11				·02		·29	·40	14
15		·16	·08								·53	·12	15
16		·30	·09	·17		·06	·17			·02	·19	·30	16
17		·07	·05			·64	·05				·53	·26	17
18		1·15	·15	·05		·36					·02	·72	18
19		·12	·01	·32		·04			·47	·11	·12	·19	19
20		·09		·11		·62	·11	·11	·06	·04	·01	·45	20
21		1·25		·18		·15	·31	·53		·17	·05	·08	21
22	·17	·70		·17		·27		·01		·06	·04		22
23	·01	·83		·06	·05	·27			·11	·06		·36	23
24	·02	·10	·03	·14	·05	·62		·07		·21		·24	24
25	·01	·34		·72	·02	·05		·01		·17	·01	·27	25
26		·01		·03				·18		·70	·47	·08	26
27	·03	·80	·05	·10			·18	·29	·50		·08	·02	27
28		·29		·10		·02			·07			·23	28
29				·49		·15	·05	·22	·32	1·63	·01	·22	29
30				·03		·01	·03	·01	·01	·89	·04	·01	30
31					·04			·02		·10			31
Total	2·34	6·41	1·83	2·91	1·57	2·66	·95	3·38	2·61	4·38	6·72	8·47	TOTAL for year 4423
No. of Rain Days	18	16	20	18	12	13	10	16	10	16	27	28	204

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

3660

REGISTER OF RAINFALL IN 1912

Kept at Redenau House Kirkby Stephen

in the County of Westmorland

by Mr Thomas Mason

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Kirkby Stephen

Diameter of Rain Gauge ~~XX~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·02	·22		·01	·15	·49	·17	·13			·07	1
2	·04	1·44	·70		·08	·33	·04		·08				2
3	·17	·04	·03			·80		·37	·70			·12	3
4	·18		·87	·05	·03	·27		·43	·63		·23	·10	4
5	·07		·02		·05	·45		·13	·03	·02	·01		5
6	·35	·27	·02		·01	·08		·38				·01	6
7		·38	·24	·03	·05		·09	·08	·43		·16	·02	7
8	·75	·14	·10	·11		·01			·36		·31	·02	8
9	·26	·07	·20			·68		·05			·09	·18	9
10	·16	·02	·01	·15	·06	·04	·07	·10			·33	·09	10
11	·07	·02			·01		·21	·27			·04	·56	11
12	·22	·10	·09			·26					·02	·70	12
13	·07	·03	·01			·05				·42	·12	1·42	13
14	·28		·04			·15			·02			·37	14
15	·17		·23		·53	·32				·09		·35	15
16	·64		·08			·04		·16		·19		·12	16
17	·02	·26	·19		·03	·35		·32			·02	·41	17
18		·10	·10			·10				·07		·16	18
19	·01	·33	·54		·01	·03		·07				·07	19
20	·05		·02		·55	·03		·15		·77		·02	20
21	·02	·01	·18		·02	·03		·01				·10	21
22	·04	·49			·17	·01		·47					22
23	·01	·02	·06			·10	·13	·47			·39	·10	23
24	·10	·01	·08		·07	·16	·05	·17			·40	·22	24
25		·01	·22			·42	·15	·05			·61	·10	25
26	·04	·44	·27			·05		·02		1·43	1·41	·35	26
27	·04	·13	·07		·03	·48	·37	·09		·20	·11	·69	27
28		·14	·01			·02	1·39	·33	·12	·65	·13	·01	28
29	·02	·03	·51			·16	1·15	·31	·28	·28		·21	29
30	·07		·27			·29	·16		·10	·04		·17	30
31			·15				1·45	·34				·12	31 ✓
Total	3·85	4·50	5·53	·34	1·71	5·86	5·75	4·94	2·88	4·16	4·35	6·86	YEAR'S TOTAL 50·76
Rain Days.	25	23	29	4	16	28	13	23	11	11	16	28	227 ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
JAN 1914

3660

Kept at Redman House

in the County of Westmorland

by Mrs T. Mason

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Kirkby Stephen

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·04	·27	·04					·03	·03		·03	1
2	·16	·19	1·24	·13						·04	·50	·20	2
3	·25	·44	·23		·20	·17			·02		·17	1·04	3
4	·24	·09	·15				·02	·03			·18	·65	4
5	·80	·29	·09					·04					5
6	·08	·71	·59		·28	·23	·56				·02		6
7		1·00	·04		·11	·22				·38			7
8		·16	·05		·40	·07		·05	·03	·31	·09	·07	8
9		·03	·04	·05	·07	·77	·01	·07			·14		9
10	·02	·01	·55	·21	·07	·07	·26						10
11	·34			·37		·27	·02			·05	·13	·18	11
12			·02			·03	·07		1·25		·30		12
13			·40	·01					·27	·16	·06		13
14	·10		·11	·22			·18	·05		·32	·07	·05	14
15	·12		·50	1·26			·02	·06			·37	·16	15
16			·28	·11			·02	·07			·13		16
17	·02		·05	·21		·08	·01				·30		17
18	·04		·71	·30			·04				·50		18
19	·33	·02	·11	·13	·11				·07	·18	·49		19
20	(·24)		·22	·01	·01		·02	·07	·20	·27	·82		20
21			·18		·02		·06	·53		·03	·06		21
22			·45		·04			·17	·03			·02	22
23	·36		·02	·02		·45		·10	·04	·02	·12		23
24				·08		·31		·03					24
25		·01		·17		·06			·47		·21	·31	25
26		·02	·01	1·25					1·28	·06	·03	·72	26
27				·83		·03				·27	·01	·15	27
28	·72		·22	·60							·01	·08	28
29			·30	·37				·15		·12	·02	·04	29
30	·75				·03	·03							30
31	·18												31
Total	4·79	3·01	6·83	6·37	1·34	2·79	1·29	1·42	3·69	2·24	4·73	3·70	YEAR'S TOTAL 42·20
Rain Days.	18	13	25	20	11	14	13	13	11	14	23	14	in.

W.7,000, XI. 13

189

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915
3660

Kept at Redman House, Kirkby Stephen
in the County of Westmorland
by Mr Thomas Mason

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Kirkby Stephen
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·60	·11				·31	·17		·04		·39	1
2	·50	·27	·02	·05			·34	·46		·01	·26	·45	2
3	·47	·32	·11	·02	·33			·02			·01	1·35	3
4	·05	[illegible]	·10	·20	·30	·01		·02			·02	·93	4
5	·75		·12	·28	·18	·05					·16	·29	5
6	·02		·01	·20	·04	·10		·07			·02	·36	6
7	·17	·26	·08	·03	·50	·20		·02			·02	·60	7
8	·23		·02	·01	·20	·41		·98			·04	·46	8
9	·40	·15		·50	·09	1·45	·36	·02	·07		·53	·02	9
10	·03	·46	·06	·01					·06		·32	·	10
11	·13	·12	·18		·26				·24		·32	·43	11
12	·30	·59	·08	·01					·23		·24 ·24	·90	12
13	·06	·27	·32	·11			·03		·04	·06		·36	13
14	·07	1·57	·05				·22		·09		·20	·20	14
15	·37	·17	·20						·14		·26	·07	15
16	·05	·12	·04				·65		1·05			·05	16
17	·02	·27	·30			·46	·12		·67			1·78	17
18	·04	·46	·13			·17	·04		·10			·	18
19	·47	·01	·28									·06	19
20	·82	·35	·02							·02			20
21	·06	·57				·13				·02	·11 ·11		21
22		·44		·02	·33	·18	·02				·04		22
23	·12	·12	·02	·07	·20		·09	·11					23
24			·48	·06	·18		·15	·04			·15		24
25	·54		·05				·03	·09		·45	·25	·79	25
26	·30	·02					·06			·14	·55	·43	26
27	·01	·03								·09	·66	·25	27
28	·06	·22	·18		·05			·03			·58		28
29	·02		·10					·31		·28	1·26		29
30	·75	X	·75		·04			·03		·03	·77	·59	30
31	·80	X	·02	X		X	·28		X	·13	X	·02	31
Total	4·79	7·39	3·83	1·57	2·70	3·16	2·70	2·37	2·69	1·27	6·77	10·78	YEAR'S TOTAL 49·42
Rain Days.	15	22	26	14	13	10	14	14	10	11	22	22	193

W. 8,000 4219

49.42

[illegible] 3901

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at Redman House, Kirkby Stephen
in the County of Westmorland
by Mr Thomas Mason

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Kirkby Stephen 3660
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. – in.
" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·59			·22		·09	·19			·07		1
2		·79	·24	·47		·05	·05	·05	·03				2
3	·10	·38	·13	·15			·28	·75	·05			·32	3
4	·05	·22		·08	·03	·08		·40			·02	·37	4
5	·25	·32	·12		·03			·03				·65	5
6	·22	~~1·08~~	·17	·21		·01	·75	·04	·06			·47	6
7	·40	1·08			·07		·53	·04				·22	7
8	·40	·62		·25			·09	·05			·69		8
9		·14						·09			·20	·63	9
10	·41							·05			·05	·47	10
11		·05	·09	·07	·74		·08	·05				·17	11
12	·18			·08			·22	·01		·07	·65		12
13	·03	·61		·04			·04	·12				·08	13
14	·38			·05	·03		·01	·08	·03	·07		·18	14
15	·80							·39	·01		·02	·14	15
16		1·20		·01				·16					16
17		·42					·05						17
18		·29	·19		·02		·06			·03			18
19		·04	·07	·51			·59						19
20					·12		·02					·47	20
21	·14			·09			·06					·09	21
22	·10		·03				·56	·01				·36	22
23			·08	·03			·02		·06			·39	23
24			·10	·05			·04		·75	·05		·26	24
25							·25		·20				25
26		1·36	·01			·03	·16		·01			·39	26
27		·25					·28			·30		·38	27
28		·12	·06		·24	·02		·38		·02		·01	28
29					·20		·01	·04			·21		29
30	·19	✕		·06		·11	·05				·04	·09	30
31		✕		✕		✕	·02	·55	✕		✕	·73	31
Total	4·21	8·48	1·29	2·15	1·70	·30	4·31	3·48	1·20	·54	1·95	6·87	YEAR'S TOTAL 36·48
Rain Days.	15	17	12	15	10	6	24	20	9	6	9	21	164

W. 8,000. X. 15.

End FW

3827
3660

FORM A.
BRITISH RAINFALL.
13. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Redman House Kirkby Stephen
in the County of Westmorland
by Mr Thomas Mason

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Kirkby Stephen
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.36	.02	.06			.42	.52	.08			.35		1
2	.11	.15				.22	.03		.07	.10	.02	.06	2
3	.03	.38	.03	.05		.07	.07		1.26	.12	.58		3
4	.34	.07		.01	.58	.22	.02	.01	.21	.61	.14		4
5		.96	.02		.21	.12	.02			1.07	.61		5
6	.72	.55	.20	.01	.20	.01	.07			.69	.31		6
7		.07	.12		.07	.32	1.70			.31	.09	.27	7
8		.04	.36		.08	.08	.01			.09	.16	.03	8
9	.04		.05	.09	.53	.10	.03			.05	.11	.27	9
10	.02	.10	.05			.04	.13			.84	.01	.03	10
11	.02	.25	.40	.13			.15		.03	.04		.04	11
12	.05	.48	.05	.22	.30		.62	.02		.15			12
13		.17	.10	.02	.02		.03	.31	.05	.16		.02	13
14		.35		.05	.12			.67	.06	.93			14
15		.37	.54	.02			.10	.26		.03			15
16		.10	.58	.19			.03					.01	16
17	.37	.04		.32	.05			.14	.22	.15		.10	17
18	.08	.33		.20				.20	.22	.12	.98	.03	18
19	.90			.32							.43		19
20	.25		.11	.18			.08				.17	.54	20
21	.32		.08	.04					.05				21
22		.04	.03	.16		.03		.07		.08	.01		22
23	.31	.03	.26	.18						.27	.39	.19	23
24	.07		.02	.14		.29		.39		.09	.34		24
25	.19	.11	.51		.18	.09		.68		.13			25
26	.35	.10	.14			.03	.53			.03			26
27	.49	.26	.05		.28	.06		.02	.02	.45			27
28	.05	.14			.07			.02		.17	.05	1.06	28
29	.01	.45								.11	.38		29
30		X	.02		.02	.04	.10			1.32	.08	.46	30
31		X		X	.78	X		.14	X	.49	X		31
Total	6.02	5.56	3.78	2.33	3.49	2.14	4.24	3.01	2.19	9.04	5.21	3.11	YEAR'S TOTAL 50.12
Rain Days.	21	24	22	18	15	16	18	14	10	26	19	14	217

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

3660

FORM A. BRITISH RAINFALL
-7. JAN 1918

Kept at Redman House, Kirkby Stephen
in the County of Westmorland
by Mr Thomas Mason

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station One mile
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·24		·03	·36		·16	·20	1
2	·36			·39					·03	·03			2
3	·15	·01		·25		·32				·52	·02		3
4		·03	·07								·01		4
5	·14		·09	·28					·02	·10	·82	·01	5
6			·01	·07		·08				·33	·55	·15	6
7	·40		·05			·05				·19		·13	7
8	·42			·20				·46	·01	·20	·11	·12	8
9	·02			·10				·67		·40	·25		9
10	·23		1·92	·20	·30			·05					10
11	·06			·01	·07			·75		·22			11
12	·02	·13	·03		·46			·05	·55	·05	·01	·08	12
13	·07			·35	·25			·46		·08	·02	·11	13
14	·22				·15			·18				·09	14
15	·07			·31	·02		·08	·24	·11	·13		·15	15
16	·07						·04	·72	·13	·12		·48	16
17		·18		·52	·12		·04	1·50	·20	·05			17
18	·02	·19	·16	·07	·11		·57	·32	·27			·04	18
19	·08		·18		·30	·07	·07	·09	·04				19
20		·14	·06		·02	·50		·52	·92	·06	·30	·25	20
21		·05	·03			·01		·28	·06	·16			21
22								·15	·01	·25			22
23		·06			·11	·49		·42	·01	·10	·18	·03	23
24				·01		·07		·42	·02	·69	·67		24
25		·05	·09		·01		·24	·05	·02	·18			25
26					·03	·12	·04	·55	·40	·42	·13		26
27			·06				·72	·52		·05	·01		27
28			·50					·50	·01		·08		28
29			·14				·02	·03		1·09	·12		29
30	·03			·42			·03	·05		·59	·25		30
31			·35		·14			·04					31
Total	2·36	·84	3·74	3·18	2·09	1·95	1·85	9·05	3·17	6·01	3·69	1·84	YEAR'S TOTAL 39·77
Rain Days.	16	9	15	14	14	10	10	25	18	23	17	13	184

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 2.1.19

3660

Kept at Redman House Kirkby Stephen

in the County of Westmorland

by Wm Thomas Mason

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kirkby Stephen

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. in.

" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·05	·04		·05				·40	·04	·48	·17	1
2		·04	·03	·30					·06	·50	·25	·25	2
3		·08			·18					1·00			3
4			·06					·13		·62	·65	·07	4
5		·26	·04	·21				1·67		1·15	·07	·23	5
6		·55		·33		·30			·03	·57	·60		6
7	·26	·05		·48			·11	·12	·25	·09	·20	·02	7
8	·07	·20					·14	·09	·30	·08	·22	·04	8
9	·05	1·13				·13			·62	·50	·10		9
10		·93	·07				·06		·35	·23	·48		10
11	·21	·04	·09				·23	·04	·05			·14	11
12		·24		·02	·50		·30		·04	·10		·01	12
13				·05					·38			·10	13
14	·85					·33	·29	·04	·23			·02	14
15					·06	·20	·28		1·85			·90	15
16	·03						·72	·11	·58	·12		·41	16
17	·28						·88	·08	·29	·22		·42	17
18	1·20		·12				·33		·08	·05		·15	18
19	·40	·01	·04				·36	·12	·44	·32		·20	19
20	1·05	·45		·26	·09		1·73		·06				20
21	·20	1·00				·10	·01		1·41	·08			21
22	·02	·04			·23		·03		·36			·65	22
23	·25				·40		·68		·34		·02	·03	23
24	·24	·11						·05	·12				24
25		·03					·20	·78	·21				25
26	·03				·25			·10	·38			·24	26
27		·25	·50			·08		·41	·44			·25	27
28		·17	·41					·16	·06			·27	28
29									·07		·15	·24	29
30		╳	·10								·02	·10	30
31		╳	·02	╳		╳		·07	╳		╳	·01	31
Total	5·16	5·63	1·52	1·65	1·76	1·14	6·35	3·99	9·40	5·67	3·24	4·92	YEAR'S TOTAL 50·75 50·43
Rain Days.	16	19	12	7	8	6	16	15	26	16	12	23	176

9·40

W. 8,000, IX. 17.

3486

6 JAN 20

3660

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Redman House. Kirkby Stephen

in the County of Westmorland

by Mr Thomas Mason

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kirkby Stephen

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft in.

" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65		·16		·22		·10		·80	·27	·03	·13	1
2	·17		·34		·08		·13	·04			·10	·05	2
3	·33				·20	·18	·20				·15	·01	3
4	·10	·09	·27		·08		·36	·09			·05	·07	4
5	·05				·55				·10		·03	·02	5
6	·06		·33					·02		·03	·07	·08	6
7	·07		·20			·03		·06			·02	·02	7
8	·02			·14							·25		8
9	1·47		·33	·01							·06		9
10			·53		·05							·80	10
11	·05		·40	·24	·27		·09		·50	·05		·15	11
12			·10	·30			·20		·04	·20	·20		12
13	·35			·38		·14	·05	·23		·18	·14	·20	13
14	·28			·18								·05	14
15	·65	·02		·35				·05			·07		15
16	·17	·15		·03		·07							16
17								·40	·01		·64		17
18			·04				·07	·35	·10		·44	·34	18
19		·28	·94			·30		·05			·34	·34	19
20	·25	·19	·15			·05	·16		·03		·01		20
21		·20	·04		·10	·05			·03		·01	·22	21
22									·22			·36	22
23				·13							·68	·11	23
24	·08								·21		·65		24
25	·17			·24				1·01	·62		·10		25
26	·02	·22	·63	·05				·18	·12		·10	·08	26
27	·10			·20							·05	·55	27
28				·06				·98		·26		·53	28
29			·03	·03						·52		·13	29
30	·31	╳	·02	·01		·11		·01		·19	·05	·59	30
31	·09	╳	·23	╳		╳	·25		╳		╳	·05	31
TOTAL	5·44	1·15	4·74	2·35	1·55	·93	1·61	3·49	2·78	1·70	4·24	4·88	YEAR'S TOTAL 34·86
Days with ·01 in. or more	21	7	17	~~14~~ 15	8	8	10	13	12	8	23	22	~~165~~ 164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3360

3660

6 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Redman House Kirkby Stephen

in the County of Westmorland

by Mrs Thomas Mason

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kirkby Stephen

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 574 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·06	·10	·45		·05	·09	·09			·04	1
2		·05		·06	·40		·50	·02	·23			·87	2
3		·40		·08	·13	·04		·28	·03	·26		·30	3
4				·03	·02		·40	·60		·67			4
5			·22	·02	·52		·05	·05		·17	·03		5
6			·26	·35	·60		·10						6
7	·67	·10		·01	·02		·29	·01			·07		7
8	·14	·35			·17		·12	·09					8
9		·70		·50			·09	·55	·20				9
10	1·34	·50		·56			·20	·03					10
11	·53		·25	·02	·23		·02				·07	·52	11
12	·28	·40		·17	·16	·01	·25		·02		·58	·49	12
13		·10		·38	·03	·12	·01				·44		13
14	·28	·21		·46			·32		·11		1·5~~5~~4		14
15	·02	·21		·67			·03			·31	·20		15
16	·01		·05	·05	·06		·23	·45	·54		·32		16
17	·29		·20		·20		·02	·06	·22		·02		17
18	·64		1·01	·05	1·39	·10	·12	·05					18
19	·05	·27	·48	·10									19
20	·18			·09		·05			·77			·31	20
21	·02			·32			·15	·02	·05			·02	21
22	·40			·02		·05	·22	·25					22
23	·21		·05				·52					·10	23
24	·16		1·15	·10			·03					·18	24
25			·40		·43	·07	·40	·04	·01		·04	·36	25
26	·20	·12	·95	·18	·29		·28		·03				26
27	·29		·72	·30		·45	·18					·20	27
28	·06		·23	·10		·03	·02				·05	·06	28
29	·25	·02		·05	·92	·04	·15				·26	·65	29
30	·28	✕	·06		·06	·06	·01		·03		·24	·36	30
31	·13	✕	·01	✕	·10	✕	·02		✕	·22	✕	·27	31
Total	6·43	3·50	6·10	4·77	6·18	1·02	4·87	2·59	2·33	1·63	3·86	4·73	Year's Total 48·01
Days with ·01 in. or more	2~~33~~ 22	~~1~~ 14	~~8~~ 16	~~4~~ 25	~~3~~ 19	2 11	~~8~~ 28	~~4~~ 15	~~5~~ 13	5 5	~~2~~ 13	~~1~~ 15	196
Days with ·04 in. or more	20 19	13	15	~~21~~ 20	16	~~10~~ 9	20	11	8	5	11	14	161

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MILNTHORPE
ST ANTHONYS
WESTMORLAND

1912 - 17

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

RE

Kept at Dr. A

in the County of

by G. E. C

As last year

in.

Ground ft. in.

Sea Level ft.

IMPORTANT N he result entered to the previous day. If an rsal rule, he is earnestly requested to add the reading in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	—	·41	—	·04	·17	·03	·11	·13	—	—	·27	1
2	·05	·01	·74	·06	·13	·18	·12	·02	·05	—	—	—	2
3	·33	—	—	—	—	·65	—	·22	·79	—	·02	·40	3
4	·32	—	·45	·62	·01	·11	—	·83	·13	—	2·11	·06	4
5	·12	—	·02	·01	·15	·07	—	·14	·01	·17	—	·02	5
6	·10	·30	·02	—	·09	—	—	·02	—	—	—	—	6
7	—	·43	·03	·03	·17	—	·23	·05	·21	—	·31	—	7
8	·38	·20	·06	·04	·10	·02	—	—	·04	—	·40	·08	8
9	·04	·11	·40	·22	—	·42	—	·16	—	—	·22	·37	9
10	·07	·02	—	·03	·07	·33	·50	·02	—	—	·47	·10	10
11	·06	—	·02	—	·04	·05	·20	·05	—	—	—	·26	11
12	·24	·03	·75	—	—	·24	·03	—	—	—	—	·17	12
13	·07	—	·18	—	—	·04	—	·03	—	·80	—	·64	13
14	·24	—	·27	—	—	·18	—	·01	—	·01	—	·38	14
15	·18	·34	·03	—	·05	·54	—	·01	—	·12	—	·09	15
16	1·00	—	·34	—	·01	·01	—	·15	—	·29	·03	·01	16
17	—	·30	·31	—	·07	·92	—	·46	—	—	·04	·63	17
18	·04	·12	·07	—	—	·21	—	—	—	·52	·09	·32	18
19	·06	·06	·42	—	—	·04	—	·34	—	·24	·11	·01	19
20	·16	—	·05	—	1·15	·03	·02	·09	—	·33	·01	·23	20
21	·01	·05	·23	—	·01	·02	·13	·12	—	·16	·01	·04	21
22	·03	·55	—	—	·10	—	—	·43	—	—	·29	·01	22
23	—	·02	·25	—	—	·06	·26	·14	—	—	·78	·17	23
24	—	·14	·19	—	·04	·19	·39	·07	—	·01	·05	·11	24
25	—	—	·11	—	—	·58	·05	·16	—	—	·51	·11	25
26	—	·32	·18	—	—	·07	·13	·01	—	1·70	·23	·37	26
27	—	·09	·36	—	—	·99	·34	—	—	·31	—	·39	27
28	—	·14	·01	—	—	·07	1·11	·68	—	·75	·45	·01	28
29	—	·02	·35	—	—	·03	·80	·17	·24	·33	—	·25	29
30	·03		·38	—	·03	·06	·23	·01	—	—	—	·29	30
31	—		·27		·09		1·09	·60		—		·30	31
Total	3·55	3·25	6·90	1·01	2·35	6·28	5·66	5·10	1·60	5·74	6·13	6·09	YEAR'S TOTAL 53·56
Rain Days.	21	19	28	4	18	24	14	24	8	14	18	28	232

W. 7,500, XI. ·12

REC

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at St. Anthonys, Milnthorpe
in the County of Westmorland 3
by G. E. Clayton

Lat. Long.
Time of Observation As last year
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	—	·41	—	·04	·17	·03	·11	·13	—	—	·24	1
2	·05	·01	·74	·06	·13	·18	·12	·02	·05	—	—	—	2
3	·33	—	—	—	—	·65	—	·22	·79	—	·02	·40	3
4	·32	—	·45	·62	·01	·11	—	·83	·13	—	2·11	·06	4
5	·12	—	·02	·01	·15	·07	—	·14	·01	·17	—	·02	5
6	·10	·30	·02	—	·09	—	—	·02	—	—	—	—	6
7	—	·43	·03	·03	·17	—	·23	·05	·21	—	·31	—	7
8	·38	·20	·06	·04	·10	·02	—	—	·04	—	·40	·08	8
9	·04	·11	·40	·22	—	·42	—	·16	—	—	·22	·37	9
10	·07	·02	—	·03	·07	·33	·50	·02	—	—	·47	·10	10
11	·06	—	·02	—	·04	·05	·20	·05	—	—	—	·26	11
12	·24	·03	·75	—	—	·24	·03	—	—	—	—	·17	12
13	·07	—	·18	—	—	·04	—	·03	—	·80	—	·64	13
14	·24	—	·27	—	—	·18	—	·01	—	·01	—	·38	14
15	·18	·34	·03	—	·05	·57	—	·01	—	·12	—	·09	15
16	1·00	—	·34	—	·01	·01	—	·15	—	·29	·03	·01	16
17	—	·30	·31	—	·07	·92	—	·46	—	—	·04	·63	17
18	·04	·12	·07	—	—	·21	—	—	—	·52	·09	·32	18
19	·06	·06	·42	—	—	·04	—	·34	—	·24	·11	·01	19
20	·16	—	·05	—	1·15	·03	·02	·09	—	·33	·01	·23	20
21	·01	·05	·23	—	·01	·02	·13	·12	—	·16	·01	·04	21
22	·03	·55	—	—	·10	—	—	·43	—	—	·29	·01	22
23	—	·02	·25	—	—	·06	·26	·14	—	—	·78	·17	23
24	—	·14	·19	—	·04	·19	·39	·07	—	·01	·05	·11	24
25	—	—	·11	—	—	·58	·05	·16	—	—	·57	·11	25
26	—	·32	·18	—	—	·07	·13	·01	—	1·70	·23	·37	26
27	—	·09	·36	—	—	·99	·34	—	—	·31	—	·39	27
28	—	·14	·01	—	—	·07	1·11	·68	—	·75	·45	·01	28
29	—	·02	·35	—	—	·03	·80	·17	·24	·33	—	·25	29
30	·03		·38	—	·03	·06	·23	·01	—	—	—	·29	30
31	—		·27		·09		1·09	·60		—		·30	31
Total	3·55	3·25	6·90	1·01	2·35	6·28	5·66	5·10	1·60	5·74	6·13	6·09	YEAR'S TOTAL 53·66
Rain Days.	21	19	28	4	18	24	14	24	8	14	18	28	232

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4 - JAN 1914

Kept at St. Anthonys, Milnthorpe

in the County of Westmorland

by G. E. Clayton.

3

Lat. Long.

Time of Observation As in

Nearest Railway Station

Diameter of Rain Gauge in. 1912 Same

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	—	—	—	—	—	—	—	·08	—	1
2	0·11	·32	·75	·05	—	·28	—	—	—	—	·27	·45	2
3	0·05	·05	·17	—	·57	—	—	—	—	—	·02	·49	3
4	·28	·16	·08	—	·01	·01	·04	—	—	—	·24	·53	4
5	·48	·12	·03	—	·01	·32	·04	—	—	—	—	—	5
6	·18	·46	·32	—	·68	·31	·38	—	—	—	·03	·02	6
7	·01	·42	·02	—	·08	·33	·02	—	—	·79	—	·15	7
8	—	·26	·10	—	·09	·02	·02	·10	—	·09	·05	·44	8
9	—	·41	·36	·05	·11	·87	—	·46	—	—	·16	·11	9
10	—	·63	·48	·15	·07	—	—	—	—	·17	·24	—	10
11	·31	—	—	·31	—	·05	·09	—	—	·02	·36	·22	11
12	·01	—	—	·02	·02	—	·01	·01	·36	—	·16	·07	12
13	—	—	·62	·03	—	—	·01	—	—	·33	·30	—	13
14	·03	·02	14 ·44	·08	—	—	—	—	·19	·68	·06	·03	14
15	·04	—	·27	·79	—	—	—	·09	—	—	·48	·44	15
16	—	—	·06	·08	—	—	·02	—	—	—	·32	·04	16
17	—	—	—	·17	·06	·10	·08	—	—	—	·47	—	17
18	·22	—	·46	·30	·02	·10	·02	—	—	—	·25	—	18
19	·03	—	·03	·16	·25	·05	—	—	—	·20	·54	—	19
20	—	—	—	·13	·02	·03	—	·01	—	·30	·99	—	20
21	—	—	·04	—	·04	—	·11	·75	—	·29	—	—	21
22	·40	—	·55	—	·22	—	—	·46	—	·01	—	—	22
23	·47	—	—	—	·12	·24	—	·12	·07	—	·13	·07	23
24	·50	·09	—	·12	—	·67	—	·01	·28	—	·06	·11	24
25	—	—	—	·20	—	—	—	—	·83	·04	·08	·39	25
26	—	·04	—	·65	—	·01	—	—	1·15	·01	·01	·55	26
27	—	—	—	·53	—	—	—	—	—	·32	·02	·13	27
28	·40	—	·05	·37	·05	—	—	—	—	·02	—	—	28
29	—		·07	·55	·02	—	—	·19	—	·18	·07	—	29
30	·53		—	—	·26	—	—	—	—	·06	—	—	30
31	·18		·03		—		—	—		—		—	31
Total	4·23	2·98	4·75	4·74	2·70	3·39	0·84	2·20	2·88	3·57	5·39	3·64	YEAR'S TOTAL 41·25
Rain Days.	18	12	21	19	19	15	12	10	6	16	24	14	189.

W.7,000, XI. 13

Esc Wg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at St. Anthony's House

in the County of Westmorland 3

by G. E. Clayton

Lat. Long.
Time of Observation 9. am
Nearest Railway Station As before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·09	·14	—	—	—	·16	·20	—	—	—	·12	1
2	—	·22	·02	—	—	—	·44	·26	—	·13	·13	·13	2
3	·21	·06	·10	—	·53	—	·01	—	—	—	·01	1·23	3
4	·39	—	·13	·34	·15	—	—	—	—	—	·06	·35	4
5	·06	—	·57	·12	·03	·08	·27	—	—	—	·15	·10	5
6	—	—	·05	·18	·10	·07	—	—	—	—	·10	·07	6
7	·12	—	·22	·06	·24	·05	—	·14	—	—	·09	·02	7
8	1·11	·01	·08	—	·16	·10	·04	·13	—	·03	·24	·15	8
9	·52	·35	—	·13	—	·32	—	·27	·36	—	·27	—	9
10	·01	·17	—	—	·03	—	—	—	—	—	·22	—	10
11	—	·20	·54	—	—	—	·46	—	—	—	·59	·10	11
12	—	·33	·14	—	·02	—	·06	—	·27	—	·41	·02	12
13	—	·17	·36	·03	·02	—	·01	—	—	·10	·36	·10	13
14	—	·21	·18	—	—	—	—	—	·43	—	·23	·24	14
15	—	·04	·57	—	—	—	—	—	—	—	·10	—	15
16	—	—	·05	—	—	—	1·15	—	·45	—	—	·01	16
17	—	·65	·11	—	—	—	·17	—	2·00	—	—	1·79	17
18	—	·32	·05	—	—	—	·06	—	—	—	—	·06	18
19	—	·01	·12	—	—	—	·01	—	·13	—	—	·16	19
20	—	·35	·03	—	·09	·01	—	—	—	—	—	·17	20
21	—	·19	—	—	·02	·01	·22	—	·40	·06	—	—	21
22	—	·92	—	—	·61	·11	—	·21	—	·01	—	—	22
23	—	·20	·28	—	·13	—	·03	·09	—	—	—	—	23
24	·84	—	·24	—	·16	·06	·12	·06	—	·01	·35	—	24
25	·09	—	—	—	—	—	·03	·35	—	·83	·23	·58	25
26	—	·06	—	—	—	—	—	·32	—	·24	·35	·22	26
27	·06	·03	—	—	—	·01	—	—	·02	·56	·63	·18	27
28	·08	·24	·27	—	·04	—	—	—	—	·02	·60	—	28
29	·40		·27	—	·07	—	—	—	—	—	·73	·03	29
30	·04		·86	—	—	—	—	—	—	—	·29	·29	30
31	·63		·01		—		·55	·32		·12		·08	31
Total	4·56	4·82	5·33	0·86	2·40	0·82	3·79	2·36	4·06	2·11	6·44	6·20	YEAR'S TOTAL 43·44 ✓
Rain Days.	14	21	24	6	16	10	17	11	8	11	21	23	182 ✓

W. 8,000. X. 14.

Ordered

3939

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

As before

Kept at St. Anthonys - Milnthorpe
in the County of Westmorland
by G. E. Clayton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·34

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·62	·04	—	·09	—	·06	·15	·05	—	—	—	1
2	—	·68	·56	·40	—	·05	·44	·21	—	—	—	—	2
3	·18	·13	·46	·43	—	—	·46	·40	—	—	—	·25	3
4	·02	·37	·08	—	·15	·20	—	·35	—	—	—	·13	4
5	·42	·15	·35	—	—	—	—	·05	—	—	—	·87	5
6	·55	·12	—	·26	—	·04	·69	·04	·02	—	·01	·23	6
7	·36	·66	—	·07	—	—	·64	—	—	—	—	·10	7
8	·21	·34	—	·19	—	—	—	·34	—	—	1·35	—	8
9	—	·08	—	·04	—	—	—	·05	—	—	·24	·59	9
10	·58	—	·07	·10	—	—	—	·06	—	·03	—	·47	10
11	·04	—	—	—	·69	—	·07	·03	—	—	—	·18	11
12	·27	·13	—	·04	—	—	·04	·12	—	·18	·25	—	12
13	·19	·01	—	—	—	—	—	—	—	—	—	·11	13
14	·40	—	—	·06	—	—	·06	·18	·04	—	—	·06	14
15	·90	—	—	·05	—	—	·01	·33	·11	—	·19	·39	15
16	—	·46	—	—	·06	—	·10	·18	·01	—	—	—	16
17	—	—	—	—	·02	—	·04	·13	—	—	—	—	17
18	—	·36	·06	—	—	—	·06	—	—	—	—	—	18
19	·02	·09	·10	·39	·10	—	·23	—	—	·01	—	—	19
20	·45	·01	·04	—	·03	—	·11	—	—	—	—	·23	20
21	·02	·11	—	·10	—	—	·13	—	—	—	—	·08	21
22	—	—	·11	—	—	—	·05	—	—	—	—	·12	22
23	—	—	·14	·04	—	—	·60	—	·10	—	—	·20	23
24	—	—	·06	—	—	—	·03	—	·38	·75	—	·26	24
25	—	—	—	—	—	—	·33	—	—	—	—	·19	25
26	—	·94	—	—	—	·07	·43	—	—	—	—	·45	26
27	—	·04	—	—	—	·04	·34	—	—	·78	—	·16	27
28	—	·21	—	—	—	—	·02	—	—	·24	·04	·01	28
29	—		—	—	·03	·03	—	—	—	—	·34	·04	29
30	·25		—	·39	—	·10	·01	—	—	—	·03	—	30
31	·24		—		—		·01	·82		—		·40	31
Total	5·50	5·57	2·07	2·56	1·19	0·53	4·96	3·44	0·71	1·99	2·45	5·52	YEAR'S TOTAL 36·41
Rain Days.	18	19	12	14	8	7	24	16	7	6	8	22	161

W. 8,000. X. 15.

c
end XII.18
Encd E.F.E.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
9 JAN 1918

Kept at St. Anthonys, Milnthorpe
in the County of Westmorland
by G. E. Clayton

Lat. ______ Long. ______ As before
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0·19

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·09	·10	—	—	1·00	·11	—			·35	·10	1
2	·09	·08	—	—	—	·21	·60	·01			·34	—	2
3	·03	·03	—	—	—	·15	—			·27	·02	·05	3
4	·09	·25	—	·06	·45	·14	—			·30	·19	—	4
5	·21	·62	—	—	·11	·23	—			·49	·16	—	5
6	·44	·16	—	—	·36	·18	·01			·95	·47	—	6
7	·04	·19	—	—	·35	—	·21		Absent.	·24	·18	·03	7
8	—	·03	—	—	—	·02	·72			·36	·22	·25	8
9	·03	—	·03	—	·39	·07	·09			·12	·07	—	9
10	·15	·26	—	—	—	·10	—			·01	·06	·23	10
11	·05	·17	—	·16	·02	·08	·05			·44	·12	—	11
12	·08	·15	—	·62	·36	—	·18			·15	—	·02	12
13	—	·29	—	·01	—	—	·27	·11	Home 6t.	·08	—	—	13
14	·03	·21	·07	·05	·45	—	—	·49		·88	—	·04	14
15	·03	·48	—	·04	—	—	—	·60		·26	—	—	15
16	·11	·07	·07	·10	—	—	—	·74		·08	—	—	16
17	·25	·30	·57	·33	—	—	·20	·01		—	—	—	17
18	·01	·43	—	·12	—	—	—	—		·16	—	·34	18
19	·37	—	—	·01	—	—	·05	·30		·18	—	·16	19
20	·39	—	·18	·20	—	—	—	·03		—	—	·04	20
21	·25	—	·15	·10	·09	·04	·02	—		—	·36	·20	21
22	—	·03	—	·07	—	—	·34	—		—	·06	—	22
23	·14	—	—	·06	—	·20	—	—		·05	·05	—	23
24	·02	—	·11	·02	—	—	—	·01		·26	·29	·23	24
25	—	·03	·03	—	·10	·36	—	·19		·44	·07	·05	25
26	·18	—	·16	—	—	·06	—	·26		·02	·34	·06	26
27	—	—	·19	—	·02	—	—	—		·04	·02	—	27
28	·43	·01	—	—	—	·01	—	—		·08	·02	·09	28
29	·14	—	—	—	—	—	—			·23	·15	1·58	29
30	·16	X	·05	—	—	·04	—			·25	·37	·30	30
31	—	X	—	X	—	X	·05		X	·65	X	·27	31
Total	4·06	3·88	1·65	1·95	2·70	2·89	2·90	2·75			3·91	4·04	YEAR'S TOTAL
Rain Days.	25	20	12	15	11	16	14	11			21	18	

W. 8,000, IX. 17.

part est. & cmp pp wd

REGISTER OF RAINFALL IN 1917.

Kept at St. Anthony's, Milnthorpe

in the County of Westmorland

by G. E. Clayton.

Lat. Long. As before

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
~ JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·00.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19	—	—	·40×	—	·38		Absent from home	Absent from home (·35)	—	·19	·10	1
2	·02	—	·03	—	—	·16				—	·05	—	2
3	·66	—	—	—	—	—				·65	·22	—	3
4	·15	·09	—	·01	—	·57				·04	·09		4
5	—	—	—	·02	—	—				·04	1·13	·10	5
6	·25	—	·05	·15	—	—				·52	·34	·14	6
7	·11	—	—	·09	—	·14				·30	·06	·21	7
8	·59	—	—	—	—	·29				·59	·09	·16	8
9	·04	—	—	·08	—	·03				·05	·31	·15	9
10	—	—	—	·10	—	—				·02	—	·01	10
11	·33	—	·82	·14	—	—				·49	·04	—	11
12	·03	·02	—	—	·43	—				·30	—	—	12
13	—	—	·06	—	·66	—				·02	·11	·29	13
14	—	—	—	·14	·10	·11			1·44	—	—	·19	14
15	—	—	—	·20	·03	—			·28	·01	—	·19	15
16	—	—	—	·14	—	—			·33	·24	—	—	16
17	·01	·05	—	·37	—	—			·60	·14	·01	—	17
18	—	·20	·20	·21	—	—	·04		·12	·01	—	—	18
19	—	·05	·24	—	·05	—	·92		·04	—	·04	·25	19
20	—	·20	·11	—	·44	—			·14	·01	·09	·15	20
21	—	·28	·03	—	·14	1·40			·09	·13	—	—	21
22	—	·06	—	—	·14	—			·06	·82	·04	—	22
23	—	—	—	—	—	—			—	·05	·02	—	23
24	—	·06	—	—	·27	·50			—	·92	·12	—	24
25	—	·01	—	—	—	·09	·12		·26	·23	—	—	25
26	—	·03	·04	—	·04	·19	—		·25	·12	·86	—	26
27	—	—	—	—	Absent from home (·25)	·04	·07		—	·10	·15	—	27
28	—	—	·06	—		·13	Absent (·65)		—	·07	·02	—	28
29	—		·33	—		—			—	·72	·05	—	29
30	—		×	—		—			—	·19	·37	—	30
31	—		×							—		—	31
Total	~~2·38~~ 2·19	1·05	·40× 2·37	1·74	·38 (2·93)	3·62	(1·80)	...	(3·69)	6·86	4·10	1·04	YEAR'S TOTAL
Rain Days.	10	11	14	12	...	12	...	...	...	26	22	12	

W. 8,000, IX. 17.

× 0·40. is for the 3 days Mch: 30· 31 & April 1.

ORTON

WESTMORLAND

1914 – 1920

REGI

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Orton ... r.m.
in the County of Westm ... Tebay
by Michael Sc ... ive in.s
... e Ground One ft. — in.
... Sea Level 770 ft.

IMPORTANT NOT... the result entered to the previous day. If an Obs... ersal rule, he is earnestly requested to add the readi... r in the space provided for it at the end of this ... ent of rain, the selection and placing ... tish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camden Square, ...

Jan. 1, following.

This Sheet has been sent on to me by Rev H. F. Tilbury late Vicar of Orton
I have had the Gauge since Aug 2nd 1914
I did not hear Mr Tilbury had been keeping a record prior to leaving Orton

M Scott

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·88	·	·	·	·47	1
2								~~(·50)~~ ·27	·	·02	·23	·20	2
3								·04	·	·	·01	1·57	3
4								·01	·	·	·	1·18	4
5								·02	·	·	·22	·10	5
6								·10	·	·	·03	·25	6
7								·04	·	·	·10	·36	7
8								2·76	·	·	·20	·84	8
9								·	·04	·	·74	·01	9
10								·	·10	·	·60	·13	10
11								·	·17	·	·41	·14	11
12								·	·25	·	·66	·11	12
13								·	·20	·12	·45	·27	13
14								·	·15	·	·31	·	14
15								·	·23	·	·15	·01	15
16								·	1·79	·	·	·26	16
17								·	·33	·	·	3·44	17
18								·	·01	·07	·	·12	18
19								·	·	·	·	·01	19
20								·01	·	·04	·03	·	20
21								·34	·	·01	·01	·	21
22								·08	·	·	·	·	22
23										·[illegible]	·05	·02	23
24								·11	·	·	·12	·	24
25								·34	·	·69	·44	1·20	25
26								·	·	·17	·67	·36	26
27								·	·	·15	·69	·17	27
28								·07	·	·01	1·09	·	28
29								·37	·	·07	1·78	·	29
30		X						·03	—	·01	·45	·94	30
31		X		X		X		—	X	·06	X	·	31
Total								4·82 (4·82)	3·27	1·42	9·44	11·56	YEAR'S TOTAL
Rain Days.								(16)	10	12	23	23	

W. 8,000. X. 14.

REGI

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Orton
in the County of Westmorland
by Michael Scott

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tebay
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

This Sheet has been sent on to me by Rev H. F. Tilbury late Vicar of Orton. I have had the Gauge since Aug 2nd 1914. I did not hear Mr Tilbury had been keeping a record prior to leaving Orton.

M Scott

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·83	·	-	-	·27	1
2								(·50) ·27	·	·02	·23	·20	2
3								·04	·	·	·01	1·57	3
4								·01	·	·	·	1·18	4
5								·02	·	·	·22	·10	5
6								·10	·	·	·03	·25	6
7								·04	·	·	·10	·36	7
8								2·76	·	·	·20	·52	8
9								·	·04	·	·74	·01	9
10								·	·10	-	·60	·13	10
11								-	·17	·	·41	·14	11
12								·	·25	·	·66	·11	12
13								·	·20	·12	·45	·27	13
14								·	·15	-	·31	·	14
15								-	·23	·	·15	·01	15
16								·	1·79	-	·	·26	16
17								-	·33	-	-	3·44	17
18								·	·01	·07	·	·12	18
19								·	·	·	·	·01	19
20								·01	·	·04	·03	·	20
21								·34	-	·01	·01	·	21
22								·08	·	·	-	·	22
23										[illegible]	·05	·02	23
24								·11	·	·	·12	·	24
25								·34	·	·69	·44	1·20	25
26								·	·	·17	·67	·36	26
27								·	·	·15	·69	·17	27
28								·07	·	·01	1·69	·	28
29								·37	-	·07	1·78	·	29
30		X						·03	—	·01	·45	·94	30
31		X		X		X		—	X	·06	X	·	31
Total								4·32 (4·82)	3·27	1·42	9·44	11·56	YEAR'S TOTAL
Rain Days.								(16)	10	12	23	23	

W. 8,000. X. 14.

cordly C. 12. V. 16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Orton,

in the County of Westmorland

by Michael Scott

Lat. 54½ about Long. 2½ W
Time of Observation 9 a.m.
Nearest Railway Station Tebay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	1.16	..	–	.12	–	.09	.35	17	–	.02	.01	1
2	.01	1-11	.15	.74	–	.07	.10	.11		–	–	–	2
3	.26	.39	25	.11	–	–	36	10	–	–	–	Snow .33	3
4	.01	.31	.43	.12	.07	18	–	– 5	–	–	–	.24	4
5	.33	.35	.11	.12	.01	–	–	– .01	–	–	–	92	5
6	.22	10	.02	.26	–	.05	77	.01	–	–	–	43	6
7	30	69	01	.38	.05	.02	66	12	–	–	–	17	7
8	46	Snow 51	..	04	–	–	7 80	09	–	–	1.49	–	8
9	01	15	..	01	–	–	–	–	–	–	.15	B. Snow 58	9
10	73	..	01	07	–	–	–	.04	–	.14	– 7	.89	10
11	04	04	..	02	Snow 57	=	–	.20	–	–	05	.17	11
12	.16	.02	..	05	–	–	.	.12	.	14	25	x7	12
13	09	14	..	–	–	–	.02	.37	.03	05	7	.	13
14	76	01	..	05	01	–	.03	.42	.02	–	7	67	14
15	1.06	..	–	02	–	–	–	.19	–	–	06 7	.36	15
16	..	1.65	..	–	02	–	.45	.07	.03	–	– 7	–	16
17	..	48	02	–	–	Frost	.02	–	–	–	7	7	17
18		46	Snow .27	.	.	Frost	.26	–	–	.01	.01 7	x7	18
19	11	04	03	1.70	08	–	.85	–	–	–	–	7	19
20	42	..	..	Hail .02	06	–	.18	.01	7	7	7	.41	20
21	06	10	..	.11	–	–	.28	–	7	7	7	.08	21
22	..	..	03	–	–	–	53	.01	7	–	7 01	.70	22
23	..	03	13	.06	–	–	02	–	10	14	– 7	.49	23
24	..	..	Snow 09	.01	–	–	02	–	91	04	x	.40	24
25	..	..	..	–	–	–	09	–	01	–	7	.06	25
26	–	1.17	–			.02	10	–	01	–	7	.48	26
27	..	Snow 29	–	–	–	7 12	7 26	–	x7	26	.01	.41	27
28	..	Snow 21	.01	–	17	7 33	x –	28	7	07	7	–	28
29	.	X	–	–	15	–	7	02	7	x7 –	.49	.09	29
30	33	X	–	08	–	03	02		x7	–	07	mild	30
31	07	X		X	–	X	31	.40	X	01	X	1.32	31
Total	5.75	9.44	1.59	3.97	1.31	.85	6.22	2.97	1.28	.86	2.81	9.21	YEAR'S TOTAL 46.26
Rain Days.	20	22	14	19	11	8	22	20	8	9	11	21	185

East Wind

East Wind

13 – Blizzard 5–8 p.m.

T. Thunder

x7 Severe Frost

x7 Frost

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3885

FORM A.
BRITISH RAINFALL
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Orton – Tebay
in the County of Westmorland
by Mich^l^ Scott

Lat. 54½ Long. 2½
Time of Observation 9 am.
Nearest Railway Station Tebay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.52	.24	.12	–	–	.86	.91	.02	–	–	.39	–	1
2	.54	.14	.01	–	–	.08	.03	–	.20	.10	.07	.05	2
3	.26	.61	.02	.05	–	.20	.29	–	.72	.34	.45	–	3
4	.36	.09	–	.01	.62	.25	.16	–	.23	.84	.19	–	4
5	.10	1.81	.02	–	.24	.15	.03	–	–	1.53	.39	–	5
6	.67	.50	.10	.01	.33	.03	.13	–	–	1.08	.28	–	6
7	.02	.14	.04	–	.34	.11	.98	–	–	.25	.21	.33	7
8	–	.03	.17	–	.02	.09	.01	–	–	.13	.32	.04	8
9	.04	..	.01	–	.40	.01	.02	–	–	.18	.09	.07	9
10	.04	.11	.03	.10	–	.14	.07	–	–	1.02	.11	–	10
11	.01	.31	.09	.32	.02	.01	.09	–	.06	.23	.05	.06	11
12	.08	1.16	.05	.25	.14	.01	.85	.02	–	.41	–	–	12
13	–	.35	.14	.03	.02	–	–	.48	–	.91	–	.06	13
14	.11	.55	–	.09	.14	–	–	.18	.01	1.20	–	–	14
15	.01	.85	.09	.05	–	–	.11	.38	.04	.02	–	–	15
16	.05	.21	.53	.52	–	–	.03	.17	.01	–	–	–	16
17	.47	.06	.01	.27	.01	–	–	.01	.46	.21	–	.03	17
18	.28	.28	–	.18	–	–	.02	.18	.26	.11	.38	.12	18
19	1.72	..	.12	.37	–	.01	–	–	.01	–	.08	.05	19
20	.94	..	.10	.11	–	–	.03	.04	–	–	.11	.37	20
21	.78	..	.01	.02	–	–	.35	–	.01	–	.03	–	21
22	.02	02	–	.08	–	.10	–	–	–	.05	.16	.02	22
23	.64	..	.47	.30	–	–	–	–	–	.66	.94	.12	23
24	.18	..	.07	.17	–	.60	–	.27	–	.09	.52	.11	24
25	.46	.04	.53	–	.08	.04	..	.86	–	.06	.67	.15	25
26	.77	.06	28	–	–	.01	..	–	–	.01	.02	–	26
27	–	.14	01	–	.29	.06	..	–	.17	.29	–	.06	27
28	1.68	.06	01	–	–	–	..	–	–	.18	23	1.03	28
29	.23	.21	05	–	–	–	..	–	–	.34	1.83	.36	29
30	.17	X	–	–	–	.03	07	.01	–	1.55	.63	.25	30
31	–	X	–	X	1.79	X	–	.42	X	.41	X	.06	31
Total	12.14	7.97	3.08	2.93	4.44	2.79	4.17	2.98	2.18	12.20	8.15	4.24	YEAR'S TOTAL 67.27
Rain Days.	27	23	25	18	14	19	18	13	12	26	23	19	237

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Orton : Tebay

in the County of Westmorland

by M Scott

Lat. 52½ Long. 2½

Time of Observation 9 a m

Nearest Railway Station Tebay L.&N.W. Rly

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	–	–	–	''	.19	–	.06	.46	–	.15	.29	1
2	.44	–	–	.07	''	.02	–	.01	.01	.06	.01	–	2
3	.45	.09	–	.40	''	.85	–	–	.02	.90	.02	–	3
4	– –	.02	.01	–	''	.01	–	–	–	.01	.07	.02	4
5	.14	–	.05	.32	''	–	–	–	.02	.09	1.83	.10	5
6	.03	–	–	.02	''	.10	–	–	–	.34	.57	.69	6
7	63	–	.03	–	–	.18	–	–	–	.21	.04	.18	7
8	.22	.02	–	.48	–	.02	–	.69	.10	.59	.22	.06	8
9	.03	–	–	.08	–	–	–	.81	–	.11	.27	.03	9
10	.26	–	.50	.26	.26	–	–	.24	–	.02	–	–	10
11	.03	.05	–	.01	.15	–	–	.80	–	.57	.01	–	11
12	– –	–	.05	–	.60	–	–	.03	–	.08	–	.09	12
13	.11	–	–	.49	.20	.07	–	.33	1.07	.02	.04	.12	13
14	.14	–	–	.24	03	–	–	.31	.01	–	–	.05	14
15	.03	–	–	.08	–	–	.05	1.25	.36	.13	.01	.16	15
16	.06	.01	–	.44	–	–	–	1.16	.31	.41	–	.22	16
17	.02	.24	.04	.19	.01	–	–	1.65	.14	15	–	.03	17
18	– –	.01	.37	.10	.04	–	1.31	.50	.62	–	.01	.15	18
19	.06	14	.17	–	.62	.01		.13	.05	–	.09	.30	19
20	.03	19	.03	–	.05	.91	–	.59	.55	.20	.10	.20	20
21	.03	03	.09	–	.08	.01	–	.10	.25	.32	–	–	21
22	– –	–	–	–	–	–	–	.18	.14	.74	–	.01	22
23	– –	.05	–	–	.12	.52	.01	.70	.02	12	.35	.02	23
24	– –	.01	–	–	–	.07	.04	.35	.17	1.25	.60	–	24
25	– –	.02	.12	–	02	–	.03	20	.15	.24	–	–	25
26	– –	–	.01	–	–	.21	.05	1.40	.60	.41	.58	–	26
27	– –	–	.09	–	.51	03	.47	.83	–	.08	.02	–	27
28	– –	–	.55	–		–	–	.30	–	–	.85	–	28
29	.02	X	.34	–		–	.03	.01	–	1.09	.48	–	29
30	.02	X	.02	.01		–	–	–	–	90	.41	–	30
31		X	.46	X	.28	X	–	.23	X	–	X	.01	31
Total	2.77	88	2.96	3.19	2.97	3.20	1.99	12.84	5.05	8.98	6.73	2.65	YEAR'S TOTAL 57.31 54.31
Rain Days.	20	13	17	15	14	15	8	25	19	25	22	19	212

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

[illegible]

FORM A.
BRITISH RAINFALL
6. 1. 19

Kept at Orton

in the County of Westmorland

by Mich' Scott

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Tebay

Diameter of Funnel of Rain Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.13	.03	.02	.02	–	–	–	.28	.02	.44	.47	1
2	–	.07	.01	.06	–	–	–	–	.09	1.90	.48	1.04	2
3	–		–	–	.12	–	–	–	–	1.66	.01	.06	3
4	.01	.14	–	–	.20	–	–	.07	.01	1.00	.84	.26	4
5	.01	.29	.11	.37	.09	–	–	1.23	–	1.92	.08	.14	5
6	.20	.23	.01	.29	.02	.45	–	.02	.03	.72	–	.02	6
7	.02	.82	–	.22	–	–	.33	.12	.52	.11	.43	.06	7
8	.10	–	.16	–	–	–	.22	.17	27	.29	.20	.01	8
9	.11	1.06	.01	–	–	45	.01	–	– 89	.45	.26	.05	9
10	.06	.35	.39	–	–	–	.06	–	1.~~03~~ 14	.56	1.30	.02	10
11	27	1.30	.27	–	.13	–	.33	–	.14	–	–	.26	11
12	–	.08	–	.02	.08	–	.17	–	.07	–	–	.09	12
13	–	38	–	.09	.12	.06	–	–	.23	.13	–	.08	13
14	.97	–	–	–	.04	.17	.30	.06	.22	.05	–	.08	14
15	–	–	–	–	.01	.62	.59	–	2.55	.06	–	.83	15
16	.10	.01	–	–	–	.11	.98	.20	.78	.04	–	.36	16
17	.48	.02	–	–	–	.16	.52	.13	20	.11	–	.46	17
18	1.22	–	.29	–	–	.01	.30	.02	.09	.01	–	.18	18
19	.71	–	.03	.19	–	–	.20	.12	.58	.21	–	.43	19
20	1.63	.13	–	.10	.09	.06	.96	.05	.34	–	–	.01	20
21	.33	.35	–	–	–	.13	.01	–	2.20	.05	–	–	21
22	.06	1.72	–	.01	.24	.11	.20	.09	.54	–	–	1.07	22
23	.91	.07	–	–	.10	–	.90	–	.26	–	.07	.04	23
24	.86	.10	–	–	–	–	.09	17	.44	.01	.07	.02	24
25	.03	.17	–	–	.27	.01	.62	1.12	.28	–	.03	–	25
26	.06	.25	–	–	–	–	.12	.12	47	.04	.05	.75	26
27	.02	.17	.94	–	.05	04	–	.49	.24	.15	.06	.46	27
28	05	.11	.25	–	–	–	–	07	.10	.05	.04	.54	28
29	–	×	.01	–	–	–	–	–	20	.01	–	.38	29
30	–	×	.12	–	–	–	–	.02	–	.07	.10	.17	30
31	–	×	.05	×	–	×	–	.07	×	.03	×	.04	31
Total	8.21 ~~8.31~~	7.95	2.68	1.37	1.58	1.78	6.91	4.34	12.96	9.65	4.46	8.31	YEAR'S TOTAL 69.40
Rain Days.	22	23	15	10	15	13	19	~~18~~ 19	26	25	16	29	232

W. 8.000, IX. 17.

Dl 3532 ~~140~~

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Orton

in the County of Westmorland

by N. Scott

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·03		·14		·20		·18		1·33	·15		·20	1
2	·30		·23		·08		·22	·01	·07		·03	·20	2
3	·15	·01			·27	·10	·13		·01	·01	·03	·31	3
4	·18	·10	·29		·17	·05	·26	·30	·09		·06	·32	4
5	·06				·12				·15	·01	·01	·28	5
6	·02		·36		·60				·04	·02	·01	·15	6
7	·02		·23	·17	·02	·11		·01			·11		7
8	·10		·04	·06	·01	·04		·01			·08	·01	8
9	1·57		·30	·02		·01				·01	·15	1·05	9
10	·12		1·44	·14	·08	·01					·01	·33	10
11	·03		·38	·16	·16		·03		·01	·02		·02	11
12			·08	·27	·05	·42	·07		·14	·25	·66		12
13	·90		·06	·59		·04	·04	·21		·12		·47	13
14	·37	·11		·12						·01		·18	14
15	·74	·12		·43				·03			·05	·63	15
16	·52	·01	·01	·01		·14					·21	·14	16
17	·01				·05			1·00			·99	·02	17
18			·24				·26	·31			·54	·62	18
19	·01	·50	·86	·01		·89	·01	·04	·15		·43	·04	19
20	·25	·17	·10			·05	·09		·18		·02	·25	20
21	·04	·23	·01		·01	·01	·01	·17	·20		·03	·28	21
22		·09				·31		·10		·01	·08	·16	22
23	·01			·12		·06		·01	·08	1·55	1·02	·08	23
24	·07			·05	·06			·01	·25	·54	·66	·01	24
25	·36	·01		·17		·05		1·13	·14		·15		25
26	·04	·01	1·09	·11		·05		·13	·41		·07	·70	26
27	·05		·01	·31					·13		·02	·05	27
28	·01			·16				·90		·08		·77	28
29	·07	×		·02				·01		·12		·04	29
30	·01	×	·05	·03	—	·10		·01	·32	·13	·70	·94	30
31	·01	×	·13	×		×	·43		×		×	·04	31
Total	7·05	1·36	6·05	2·95	1·88	2·44	1·73	4·39	3·70	3·03	6·12	8·29	YEAR'S TOTAL 48·99
Rain Days.	28	11	20	19	14	17	12	18	17	15	24	28	223

W, 6,500, VII. 18. W W G

cw Gravell

3419

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Orton

in the County of Westmorland

by M. Scott

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·19	·12	·15	·57		·39	·20	·13	·03		·19	1
2		·16		·16	59		·43	·01	·48	·13		1.01	2
3	·02	·20	·08	·12	·16	·01	·82	·30	·13	·24		·49	3
4	·01		·03	·11	·02		·26	1·39	·01	·40	·01	·01	4
5		·05	·53	·04	1·57		·05	·11		·22		·01	5
6			·42	·52	1·02		·02	·01		·01	·03	·01	6
7	1·31	·15	·02	·03	·02		·22				·07		7
8	·04	·44		·13	·36		·60	·24			·06		8
9	·41	2.68		·30	·01		·18	·02	08		·09	·09	9
10	1·19	·88	·24	·44			·36		·01			·04	10
11	·56	·01	·12	·01	·25	·04	·01		·02		·07	·16	11
12	·35	1.11	·56	·15	·37	·02	·29		·05		1·24	·32	12
13	·45	·33	·27	·35	·01	·43	·06				·60	·14	13
14	·12	·37	·16	·49			·73		26	·06	2.09	·01	14
15	·09	·36	·11	1·10			·03			·29	·24		15
16	·24	·04	·15	·11	07		·44	·06	·49		·21		16
17	·65		·49		·30		·10	1·16	·29		·01		17
18	·79	·01	·01	·10	2·45	·03	1·24	·01	·04				18
19	·02	·47		·21	·19	·08	·10	·06					19
20	·09	·01		·14		·06	·06		·50	·01	·01	·85	20
21	·02						·12	·03	·15			·38	21
22	·88			·25	·06	·05	·50						22
23	·53		·12	·07			·51	·10				·10	23
24	·16	·01	1·25	·05		·03	·09	·03				·42	24
25	·63	·06	·26	·07		·06	·66		·06			21	25
26	·19	·07	·88	·10	·01		·14		·21		·19	16	26
27	·14		·85	·04	·48	·53	·21				·10	·02	27
28	·18	·14	·50	·22		·15	·16				·09	·25	28
29	·28	·27	·05		·80	·10	·20				·38	·80	29
30	·40		·04	·01	·20	·06			·03		·22	·47	30
31	·39		·02		·06		·09			·06		·28	31
TOTAL	9·65	8·01	7·28	5·47	9·57	1·65	9·07	3·73	2·94	1·45	5·71	6·42	YEAR'S TOTAL 70·95
Days with ·01 in. or more	28	22	24	27	22	14	30	15	17	10	18	23	250

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

04 22 18 20 24 17 10 27 9 13 7 14 18 199

3678;1

Small

3905

FORM A.
BRITISH RAINFALL.

11 MAY 1916

3678

REGIST 15

PATTERDALE HALL

1915

Kept at Pattendal Long.

9 A.M.

in the County of Westm tion Penrith

uge 5 in.

by Joseph Ga ge above Ground 1 ft. 3 in.

for W. H. M „ Sea Level 490 ft.

IMPORTANT NOTE. n. and the result entered to the previous day. If an Obse st universal rule, he is earnestly requested to add the readin ng year in the space provided for it at the end of this easurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	1·19	1·29	·67	—	—	—	·16	·46	·03	—	·05	—	1
2	·15	1·67	·25	1·38	·04	—	·26	1·13	—	—	—	·08	2
3	·09	1·59	·10	·53	—	·06	·19	·19	—	—	—	·30	3
4	·04	·40	·07	·34	—	—	—	·05	—	—	—	·61	4
5	·61	1·65	·09	·15	—	·05	—	·04	·02	—	—	1·87	5
6	·38	·80	—	1·02	—	·04	1·06	·09	·11	—	·01	·67	6
7	·69	1·09	·12	·01	·30	·09	·83	·01	·04	—	—	·39	7
8	·16	·87	—	·43	—	—	·30	·07	—	—	1·76	—	8
9	·40	·49	—	·09	—	—	·05	—	—	—	1·03	·90	9
10	1·87	—	—	—	·01	—	·04	·07	—	·02		·83	10
11	·39	·02	—	—	—	—	—	·06	—	·01	·25	·53	11
12	·40	—	·58	—	—	—	·01	·10	—	·47	·31	—	12
13	·19	·13	—	·06	—	—	·02	·01	·19	·08	—	·52	13
14	·75	·01	—	—	—	—	—	—	·07	—	—	·43	14
15	1·37	—	—	—	—	—	·03	·58	—	—	·29	·68	15
16	—	2·21	—	—	—	—	·01	·02	·01	—	—	·06	16
17	—	1·22	—	—	·02	—	·04	—	—	—		—	17
18	·01	1·13	·39	—	—	—	·17	—	—	—	—		18
19	·07	·09	·05	·25	—	—	1·02	—	—	·08	—		19
20	·64	—	—	·15	·49	—	·44	·08	—	—	—	·57	20
21	·13	·35	·01	·07	·09	—	·31	—	—	—	—	·10	21
22	·01	·02	·02	—	—	—	·68	—	—	—	—	1·30	22
23	—	·05	—	—	—	—	·21	—	·16	·09	—	1·07	23
24	—	—	·50	·13	—	—	·07	—	·72	·56	—	·91	24
25	—	—	—	—	—	—	·04	—	·10	·21	—	·12	25
26	—	1·98	—	—	—	·06	·16	—	·05	—	—	·58	26
27	·01	·30	—	—	—	·03	·12	—	—	—	·11	·59	27
28	—	·42	·01	—	·15	·05	·10	·46	—	·68	—	—	28
29	—	×	—	—	·20	·22	—	—	·01	·06	·34	·90	29
30	·34	×	—	·08	—	·03	—	—	—	—	·84	·19	30
31	·25	×	·03	×	—	×	·13	·50	×	—	×	2·90	31
Total	10·14	17·78	2·89	4·69	1·30	·43	6·45	3·92	1·51	2·26	4·99	17·10	YEAR'S TOTAL 73·46
Rain Days.	23	22	14	14	8	9	25	17	12	10	10	24	188

W. 7,500, XI. ·12

3678; 1'

3905

REGIS 15

FORM A.
BRITISH RAINFALL.

11 MAY 1916

3678

Kept at Patterdale Hall
in the County of Westmorland.
by Joseph Garthwaite for W. H. Marshall.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Penrith
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·19	1·29	·67	—	—	—	·16	·46	·03	—	·05	—	1
2	·15	1·67	·25	1·38	·04	—	·26	1·13	—	—	—	·08	2
3	·09	1·59	·10	·53	—	·06	·19	·19	—		—	·30	3
4	·04	·40	·07	·34	—	—	—	·05	—		—	·61	4
5	·61	1·65	·09	·15	—	·05	—	·04	·02	—	—	1·87	5
6	·38	·80	—	1·02	—	·04	1·06	·09	·11	—	·01	·67	6
7	·69	1·09	·12	·01	·30	·09	·83	·01	·04	—	—	·39	7
8	·16	·87	—	·43	—	—	·30	·07	—	—	1·76	—	8
9	·40	·49	—	·09	—	—	·05	—	—	—	1·03	·90	9
10	1·87	—	—	—	·01	—	·04	·07	—	·02	—	·83	10
11	·39	·02	—	—	—	—	—	·06	—	·01	·25	·53	11
12	·40	—	·58	—	—	—	·01	·10	—	·47	·31	—	12
13	·19	·13	—	·06	—	—	·02	·01	·19	·08	—	·52	13
14	·75	·01	—	—	—	—	—	—	·07	—	—	·43	14
15	1·37	—	—	—	—	—	·03	·58		—	·29	·68	15
16	—	2·21	—	—	—	—	·01	·02	·01	—	—	·06	16
17	—	1·22	—	—	·02	—	·04	—	—	—	—	—	17
18	·01	1·13	·39	—	—	—	·17	—	—	—	—	—	18
19	·07	·09	·05	·25	—	—	1·02	—		·08	—		19
20	·64	—	—	·15	·49	—	·44	·08	—	—	—	·57	20
21	·13	·35	·01	·07	·09	—	·31	—	—	—	—	·10	21
22	·01	·02	·02	—	—	—	·68	—	—	—	—	1·30	22
23	—	·05	—	—	—	—	·21	—	·16	·09	—	1·07	23
24	—	—	·50	·13	—	—	·07	—	·72	·56	—	·91	24
25	—	—	—	—	—	—	·04	—	·10	·21	—	·12	25
26	—	1·98	—	—	—	·06	·16	—	·05	—	—	·58	26
27	·01	·30	—	—	—	·03	·12	—	—	—	·11	·59	27
28	—	·42	·01	—	·15	·05	·10	·46	—	·68	—	—	28
29	—		—	—	·20	·12	—	—	·01	·06	·34	·90	29
30	·34		—	·08	—	·03	—	—	—	—	·84	·19	30
31	·25		·03		—		·13	·50		—		2·90	31
Total	10·14	17·78	2·89	4·69	1·30	·43	6·45	3·92	1·51	2·26	4·99	17·10	YEAR'S TOTAL 73·46
Rain Days.	23	22	14	14	8	9	25	17	12	10	10	24	188

W. 7,500, XI. ·12

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

3679

PATTERDALE

GREENSIDE MINE

1911 - 1918.

RE 1911

Kept at Green
in the County of Wes
by W. H.

…er of top 7" in.
…of top above Ground 1 ft. 6 in.
„ „ Sea Level 1000 ft.
…ation 10 a.m. - except Sundays
…y Station Name Troutbeck
Distance 9 Direction N

IMPORTANT NOT… a.m., and the result entered to the previous day. If an Ob… most universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·70		1·14.			·08			1·17	·85	1
2	·44		·09		1·18		·15	·25		·05	·40	1·59	2
3			·35		2·20			·08			1.88	·76 ~~2·35~~	3
4					·08			1·69				·68	4
5			·10					·86			2·00	·56	5
6			10					·52 1.38			·45	1·54	6
7			·02								1·26	·01	7
8	·55		·38								·69	·71	8
9	x												9
10	·59		·70									3·05	10
11									·01			·50	11
12			·13						·77		·34	·07	12
13		·43									·58	·08	13
14		·42	·10		1·13						·55	·53	14
15	·20	·62	·30								·94	·34	15
16	·01	·65	·12	·25		.42	·20				·55		16
17		·15	·05				·15				·94	2·18	17
18		1·33		·55		·95						1·75	18
19		~~1·33~~		1.11		·20			1·41	·64	~~·24~~	1.20	19
20		·30		·98		·05	·61	·29	·30	·06		·79	20
21		1.39		·45		1·24	·41	·03				·20	21
22		2·57								·41			22
23	·58	·70		·52	·34	·16				·70		·40	23
24	·45	·20		·46		3·05	·03	·17	·64	·32		·49	24
25	·17			·97		·39 3·60	·02		·30	·08		·24 1·13	25
26		·99		·08			·05		·13	·48	·05	·46	26
27		·95		·24		·08	·17	·65	·39		·30	·03	27
28		·60		·26 ~~·90~~		·18		·25	·33			·52	28
29		X				·45		·32	·46	3·50	·03	·30	29
30		X		·33		·15	·05			1·17	·50		30
31		X		X		X	·06	1·14	X	·13	X		31
Total	2·96	11·30 14·26	3·14 17·40	6·20 23·60	5·07 28·63	7·32 35·95	1·90 37·85	5·33 43·18	4·74 47·92	7·54 55·46	12·87 68·33	19·83 88·20	TOTAL for year 88·20
No. of Rain Days.	8	22 14	35 13	46 11	52 6	62 12	73 11	85 12	95 10	106 11	124 18	147 24	150
W. 8,000, X. '11.	8	22	35	46	53	62	73	85	95	106	124	147	

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Greenside Mine

in the County of Westmorland

by W. H. Borlase

Rain Gauge: Pattern

Diameter of top 7" in.

Height of top above Ground 1 ft. 6 in.

" " " Sea Level 1000 ft.

3679

Time of Observation 10 a.m. - except Sundays

Nearest Railway Station: Name Troutbeck

Distance 9 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·70		1·14			·08			1·17	·85	1
2	·44		·09		1·18		·15	·25		·05	·40	1·59	2
3			·35		2·20			·08			1·88	·76 2·35	3
4					·08			1·69				·68	4
5			·10					·86			2·00	·56	5
6			·10					·52 1·38			·45	1·54	6
7			·02								1·26	·01	7
8	·55		·38								·69	·71	8
9	x												9
10	·59		·70									3·05	10
11									·01			·50	11
12			·13						·77		·34	·07	12
13		·43									·58	·08	13
14		·42	·10		1·13						·65	·53	14
15	·20	·62	·30								·94	·34	15
16	·01	·65	·12	·25		·42	·20				·55		16
17		·15	·05				·15				·94	2·18	17
18		1·33		·55		·95						1·75	18
19		~~1·33~~		1·11		·20			1·41	·64	·24	1·20	19
20		·30		·98		·05	·61	·29	·30	·06		·79	20
21		1·39		·45		1·24	·41	·03				·20	21
22		2·57								·41			22
23	·58	·70		·52	·34	·16				·70		·40	23
24	·45	·20		·46		3·05	·03	·17	·64	·32		·49	24
25	·17			·97		·39 3·60	·02		·30	·08		·24 1·13	25
26		·99		·08			·05		·13	·48	·05	·46	26
27		·95		·24		·08	·17	·65	·39		·30	·03	27
28		·60		·26 ·50		·18		·25	·33			·52	28
29		X				·45		·32	·46	3·50	·03	·30	29
30		X		·33		·15	·05			1·17	·50		30
31		X		X		X	·06	1·14	X	·13	X		31
Total	2·96	11·30 14·26	3·14 17·40	6·20 23·66	5·07 28·63	7·32 35·95	1·90 37·85	5·33 43·18	4·74 47·92	7·54 55·46	12·87 68·33	19·83 88·20	TOTAL for year 88·20
No. of Rain Days.	8	22 14	35 13	46 11	52 6	62 12	73 11	85 12	95 10	106 11	124 18	147 24	150
	8	22	35	46	52	62	73	85	95	106	124	147	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913
3679

Kept at Greenside Mines
in the County of Westmorland
by Wm. H. Borlase

Lat. Long.
Time of Observation 10. a.m.
Nearest Railway Station Troutbeck.
Diameter of Rain Gauge 7 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			1.11	.06	.25	.45	.28	.21	.08 ~~.75~~	.13	.	.	1
2	.09	.	2.14	.	.50	.15 ~~.60~~	.23	.	.23	.	.	.48	2
3	.35	.	.07 ~~2.21~~	.08	.	.91	.	.	1.00	.	.	.39	3
4	.46	.	1.10	83	.	.12	.	1.45	.53	.	.60	.37	4
5	.	.	.26	.28	.10	.	.	.13	.21	.42	.	.04	5
6	.	.57	.39	.04 ~~1.15~~	.15	.08	.	.34	.	~~.45~~	.	.	6
7	.	1.07	.07	.	.	.12	.34	.27	.99	.	80	.26	7
8	.89	.57	.58	.50	.12	.	.	.	.11 ~~1.10~~	.	.	.54 ~~.80~~	8
9	.20	.39	.	.69	.	.45	.20	.45		.	.50	.84	9
10	.47	.	.	.04	.10 ~~.28~~	.19	.45 ~~.70~~	.15		.	1.07 ~~1.57~~	.45	10
11	.09	.	.		.18	.08	.25.	.14 ~~.29~~		.	.	1.06	11
12	.75	.10	1.23		.	.35	.02	.		.	.	1.47	12
13	.	.	.05		.	.	.	.12		1.08	.	1.90	13
14	1.08	.	.45		.	.60	.	.		.08 ~~1.16~~	.	.63	14
15	.80	.13	.		.07	.57	.	.03		.77	.02	.40 ~~1.03~~	15
16	1.05	.02 ~~.26~~	.74		.	.08 ~~.65~~	.	.14		.63	.24	.	16
17	0.2	.11	.20 ~~.94~~		.	.65	.	.62		.03	0 ~~.34~~	.08	17
18	.02	.30	.		.	.30	.	.18 ~~.80~~		.28	.05	1.58	18
19	.01	.	.70		.	.15	.02	.30		.35 ~~1.48~~	.27	.61	19
20	.08	.	1.08		1.05	.15	.	.52		1.13	.03	.45	20
21	~~1.16~~	.10	.32		.	.09	.	.11		.	.05	.35	21
22	.	1.60	"		.23	.02	.	.48		.	.08	.07 ~~.42~~	22
23	.	.	.05 ~~.33~~		.05	.37 ~~.39~~	.40	.22		.	.98	.73	23
24	.03	.	.28			.49	.38	.14		.04	.47 ~~1.45~~	.29	24
25	.	.14	.43			.45	.07	.42 ~~.86~~		.03	1.29	.19 ~~.48~~	25
26	.	.93	.98			.04 ~~1.26~~	.	.01		1.44	.34	.	26
27	.	.59	.67			1.22	.76	.		.16 ~~1.60~~		.41	27
28	.	.59	.03			.11	1.24 ~~2.00~~	.91		.97		.06	28
29	.	.27	.79			.	.87	.88	.48	.46		.74 ~~.80~~	29
30	.	X	.32			.11	1.25	.02	.10 ~~.88~~	.44		1.25	30
31	.	X	.04 .36	X		X	.18	.67	X	.	X	.32	31
Total	6.39	7.42	14.08	2.52	2.80	8.30	6.94	8.24	4.40	8.44	6.79	15.96	YEAR'S TOTAL 92.28
Rain Days.	13.	15	23	6	10	26	15	23	8	17	15	27	~~198~~

W. 7,500, XI. 12

Daily rainfall apportioned from 3707

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

8679
6

Kept at Greenside Mines [illegible]
in the County of Westmorland
by W. H. Borlase

Lat. Long.
Time of Observation 10 a.m
Nearest Railway Station Troutbeck.
Diameter of Rain Gauge 7 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·20	·42 ~~1·70~~								·20 ~~2·36~~	·04	1
2	·85	~~1·20~~ 1·00	1·28 ~~1·90~~	·12		·36					2·16	·93	2
3	·97	2·00	·22	,	·68	.					·03	2·68	3
4	·44	·20	·33	.	~~·68~~	·39					·31	·28	4
5	~~·43~~ ·49	·88	·08	,		·28					·06	·05	5
6	·77	1·26	·82	.	·45	·41	·26			·04	·02	.	6
7	·82	1·40	·08	,	·35	·35				·64	·01	·15	7
8	.	·39	·21 ~~·85~~	.	·31	~~·86~~ ·51		·43	·12	~~·64~~	·07	·01	8
9	.	~~·81~~ ·42	·64	·37	·28	2·00					·18 ~~·25~~	·04	9
10	,	,	.	·09	,	·23				·18	·18	·03	10
11	,	,	.	·24	,	,	·08			·16	·47	·43	11
12	.	.	·20	·02	,	.			·95	0·16	·48	·17	12
13	.	.	·97	·02 ~~·39~~	,	.	·08		·65	·36	·34		13
14	·30	,	·18	·45	.	,			·10 ·75	·58	·24		14
15	,	.	·92	2·40	,	.				,	·92	·50	15
16	·13	.	~~1·15~~ ·23	·42	.	.				.	~~1·12~~ ·20		16
17	·13	,	·05	·64	·47 ~~·89~~	·10	·18			.	·41	·03	17
18	·20 ~~·58~~	.	1·14	1·36 ~~2·00~~	·12	·05				.	·43		18
19	·35	.	·10	·15	·19	·13				·42	·82		19
20	·08	.	·16	·10	·39	·11		·17		·32	1·25		20
21	.	.	~~2·00~~ ·37	~~·25~~	·29	·06	·06	1·45		·44	·04		21
22	·30	.	·96		·06		·12	·32	·43		.		22
23	1·14	,	·51		·01	·85		·88	·35		·15	·14	23
24	·80	·02		·40		·60		·021 ·90			·48	·16 1·31	24
25	.	·12		·45					·64		·20	[illegible]	25
26	.	·45		2·49		·13			·34	·49	·05	·97	26
27	.			~~3·15~~ ·79		·20				·35	·03	.	27
28	·27		·72	·76	·15	·09				·31	·03	.	28
29	.	X	·40	·87				·18		1·01	·18	·01	29
30	1·20	X								·25	·15 ~~·20~~		30
31		X	~~·40~~	X		X		.	X	·22	X		31
Total	9·27	8·34	10·99	12·01	3·75	6·85	·78	3·45	3·58	5·77	10·09	7·93	YEAR'S TOTAL 82·81
Rain Days.	18	12 11	20	15	13	18	6	7	8	17	30	19 ~~18~~	18[illegible] 184

W.7,000, XI. 13

Ex. M9

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

3679

Kept at Greenside Mines

in the County of Westmorland

by Wm. H. Borlase

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station Troutbeck

Diameter of Rain Gauge 7 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	–	.38 ~~1.05~~	.13			.50	.03		.03 ~~.29~~	.11	.90	1
2	.02	1.01	.10		–		.59	1.07 ~~1.10~~		.25	.31	.86	2
3	.47	.50	.23	.13	.71			.50				1.93	3
4	1.45 ~~1.92~~		.33	1.22	.78	.05					.03	2.80	4
5	.06		.62	.68 ~~1.90~~	.35	.15	.15	.01 ~~.20~~			.40	.38	5
6	.02	.10	.04	.29	.14			.19			.14	.60 ~~.98~~	6
7	.20	.83	.15	.20	.84	.25		.22			.14	.45	7
8	.78	.45 ~~1.28~~	.05 ~~.20~~	.25	1.22	.35		2.24	.04		.41 ~~.55~~	.74	8
9	.41	.40		.96	.00	.35			.06		.50		9
10		.93			.09				.17		.60		10
11		.30	.28		.09		.53		.42		.83	.25	11
12		1.68	.03		.28		.02 ~~.55~~		.30		1.25	.05	12
13		.84	.92	.27			.14		.39 ~~.69~~	.03	.56	.33 ~~.38~~	13
14		2.05	.48				.04		.75		.35	.28	14
15		.24 ~~2.29~~	.64 ~~1.12~~						.30		.21 ~~.56~~		15
16		.10	.13				1.25		1.60			.35	16
17		1.14	1.12			.05	.25		.39			1.95	17
18		.95	.10						.05	.10		.34	18
19		.07	.41				.03		.15			.12	19
20		1.62	.72		.07		.19				.02	.25 ~~.37~~	20
21		.74	.02		.10	.17		.04		.01	.00		21
22		1.43 ~~2.19~~	.01 ~~.03~~	.19	.35	.35		.29		.02	.02		22
23		.37	.02	.20			.22	.09 ~~.38~~					23
24	1.50		.52	.31	.21		.50	.03			.46	–	24
25	.35 ~~1.85~~						.17	.25		.80	.95	1.55	25
26	.20	.07					.11 ~~.28~~	.00		.31	.72	.42	26
27	.15	.05	.53					–	.17	.49	1.14	.29 ~~2.26~~	27
28	.20	.67	.63			.05		.02	.06		1.65	–	28
29	.80	X	.37 ~~1.00~~					.35		.01	2.70 ~~2.35~~	.15	29
30	1.90	X	.98					0 ~~.38~~			.78	2.57	30
31	2.60	X		X		X	.95		X		X		31
Total	11.50	16.54 ~~15.8~~	9.81 ~~10.48~~	4.83	5.23	1.77	5.64	5.33	4.85 ~~4.62~~	2.15 ~~2.29~~	14.28	17.56	YEAR'S TOTAL 99.40
Rain Days.	17	22	26	11	15	9	16	16	12	10	24	23	~~201~~

W. 8,000. X. 14.

Apportioned using 3707 J. [illegible]. Dec 1968

3905

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
26 JAN 1916

Kept at Greenside Mines
in the County of Westmorland
by Wm H Borlase

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Troutbeck
Diameter of Funnel of Rain Gauge 7 in. 3679
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·15	1·09	·70				·17	·64	·10				1
2	·28	1·97	·26	1·16		·24	·12	1·06					2
3	·04 ~~32~~	1·89	·19					32				·09	3
4	·05	·26	10	·72	·23	·37 ~~61~~						·10	4
5	·46	·90	·53	·05				·03				1·89 ~~1·99~~	5
6	·70	·37	·12	1·00			1·70					·58	6
7	·65	1·67 ~~2·04~~	– ~~·42~~	·80			·40	·11					7
8	·70	·90		·19				·01 ~~·12~~			1·17		8
9	–	·16		·02							·73	1·31	9
10	1·89		·10	·08			·14					·45	10
11	·10			·01	·78		·23 ~~·37~~			·10	·04	·15	11
12	·40			·07 ~~·37~~				·04		·37	·07	– ~~·15~~	12
13	·35								·11			·63	13
14	38 ~~1·13~~			·08				01				·36	14
15	·75			·03			·02	·20 ~~·21~~	·03			1·00	15
16		2·52					·35	·23	·03			[illegible]	16
17		·44	·16	–								03	17
18		·95	·15	·20	·30		·33			16			18
19	·41	·31		·48	·10 ~~·40~~		·90						19
20	1·17	·03					·41					·90	20
21	·25 ~~1·06~~	·14					·25					·15	21
22	– ~~11~~	·01	·35							17		·97	22
23	– ~~·25~~	·01		·06		·01			·29			1·02	23
24		·01 ~~·20~~							·49 ~~·78~~			·64	24
25							·16					·07	25
26		1·37					·19		·11			·44 ~~1·15~~	26
27		·30								50		·37	27
28		·34 ~~·64~~					·11	·55 ~~·57~~		·07			28
29		X						·02			·81	·55	29
30		X		·15								·42	30
31		X		X		X		·48	X		X	2·85	31
Total	9·73	15·69	2·66	5·10	1·41	·62	5·48	3·70	1·16	1·37	2·82	14·97	YEAR'S TOTAL 64·71
Rain Days.	18	17	11	14	3	2	15	13	7	6	5	23	134

W. 8,000. X. 15.

Estimated from 3707 11/12/68

✓ Exd 3833 3679

BRITISH RAINFALL FORM A.

5 JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Greenside Mine
in the County of Westmorland
by Wm. H. Borlase

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Troutbeck
Diameter of Funnel of Rain Gauge 7 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2.13	1.55	0.05	–	–	.75	1.60		–	–	1.20		1
2	.39 ~~2.52~~	.35	.21	–	–	.20	– ~~1.60~~		.43	.06	.26		2
3	.39	1.58		.08	–	.66	.53		1.37 ~~1.80~~	.10	1.60		3
4	.37	.08			.65	1.16 ~~1.82~~			.10	1.75	.58 ~~1.51~~		4
5	.05	1.65				.37				2.40	.93		5
6	.85	.40 ~~2.05~~			.71	.30	.28			1.22	.80		6
7	.15	16			.89 ~~1.60~~		.65			.84	.51	.49	7
8	.35	.25				.07				.18 ~~1.02~~	.87	.03	8
9	–	.36		.02	.49	.20	.10			.61	.40	.17	9
10	–	.06	.10	.47			.39			1.86	.08	.49	10
11	.07	.25		.80		.14	.23		.15	12		.04	11
12	.28	1.20	.08	.25	.21		.23	.83		.80			12
13	–	.34 ~~1.54~~	.12	.20				.47 ~~1.30~~	.16	1.80	.03		13
14	–	.08		.15				.22		1.98	.08		14
15	.34	1.13	.40					.17	.08	.23 ~~2.21~~			15
16	.05 ~~.39~~	.15	.37	.51			.23	.05					16
17	.45	.50		1.20				.15	.61	26		.06	17
18	.38	.65		.24				.23	.52	.18		12	18
19	1.30	–	.24	.49				–			.15		19
20	.90	–						.47		20	.28	1.66	20
21	.73	–					.11						21
22	.04	–				.17					.13	.03	22
23	.66 ~~.70~~	–	~~.24~~	1.13		.03				1.07	1.20	.05	23
24	.10	–	.05	.98		.46		.41		.46	.85		24
25	.24	–	.60		.22			.42		.20	.92	.68	25
26	.34	.05	.40 ~~1.00~~					.03	.05	.08	– ~~.95~~		26
27	.15									.50		.04	27
28	1.16	.10								.70	37	2.35	28
29		.34					.21			.48 ~~1.18~~	1.92	.25	29
30		X	.11			.17				4.25	.85	.42 ~~.51~~	30
31		X		X	1.28	X		.25	X	.47	X	.09	31
Total	11.87	10.23	2.97	6.52	4.45	4.68	4.56	3.70	3.47	22.80	14.01	6.48	YEAR'S TOTAL 95.74
Rain Days.	~~23~~	~~20~~	~~13~~	~~13~~	~~6~~	~~13~~	~~12~~	~~11~~	~~8~~	~~26~~	~~22~~	~~16~~	~~186~~

W. 8,000, VIII. 16

Estimated from 3707

3679

FORM A
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Greenside Mines
in the County of Westmorland
by Wm H. Borlase

Lat. .... Long. ....
Time of Observation 10 a.m.
Nearest Railway Station Troutbeck
Diameter of Funnel of Rain Gauge 7 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.26		.06			-		.03	.65		.11	.30	1
2	.85					-		.05	.10 ~~.75~~				2
3	.47					.93				1.08	–		3
4	–			.10						.12	.20	.02	4
5	.08										1.96	.02	5
6	.04					.35				.55	1.15	.39	6
7	.30 ~~.34~~					.17				.67 ~~1.22~~	.15	.35	7
8	.04			53 ~~83~~				.46	-	.82	.38	.06	8
9	.47		.01	30				.21	.05	.15	.55	~~.06~~	9
10	.11		.67	.29	.40			.30		.15			10
11	–		~~.67~~		.15			.74		1.40			11
12	–				.48			.01 ~~.75~~	.11	.18	.11	.15	12
13	–			.96	~~.48~~		.17	.25	.83	06		.40	13
14	–			30	.10			.08		.03 ~~.09~~		.15	14
15	–		.09	25 ~~55~~				.21	.43	.93			15
16	–			.15				1.23	.10 ~~.53~~	.49			16
17	–	.57		.55	.04			1.28	.24	.57	.06		17
18	.12	–	.57	.15	.28		.62	.65	1.11	–	~~.06~~	.24	18
19	.02	.10	.42		.35		.09	.11 ~~.76~~	.25	–	.18	.57	19
20		.15	.08		.16 ~~.37~~	1.28 ~~1.80~~		.23	.93	41	.75	.46	20
21		.08	.08		.20			.08	.38	.60 ~~1.01~~			21
22		–						.66	.42	1.08	.15		22
23		.02			.53	.70		1.03	04 ~~.46~~	.18	.90	.15	23
24		–			–	~~.70~~		.79	.14	1.97	–	.10 ~~.25~~	24
25		.30			–			1.00	.12	.24	.59		25
26		–			~~.09~~	.09	.26	1.38 ~~2.38~~	.56	.20	1.22		26
27		.02	.13		.09		.47	1.23	.04	.42	.40		27
28		.02	.78				~~.49~~	.63	.05	03 ~~.45~~	1.45		28
29		X	.10		.02		.02	.15		2.25	.40		29
30		X	–							.40	.85		30
31		X	(.27)	X	1.61	X	.03	.47	X		X		31
Total	2.76	1.26	3.20	3.58	4.41	3.52	1.66	13.26	6.55	14.98	11.56	3.29	YEAR'S TOTAL 70.03
Rain Days.	10	8	11	8	12	4	6	23	16	21	19	13	157

W. 8,000, IX. 17.

3679 8

FORM A.
BRITISH RAINFALL.

6. I. 19

REGISTER OF RAINFALL IN 1918

Kept at Greenside Mines
in the County of Westmorland
by Wm. H. Borlase

Lat. Long.
Time of Observation 10. a.m.
Nearest Railway Station Troutbeck
Diameter of Funnel of Rain Gauge 7 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1040 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.16	—		—	—	—	—	.82 ~~1.15~~	.18	.58	—	1
2	=	.11 ~~.50~~	—		—	—	—	—	.20	1.31	.18	.70	2
3	.07	.39	—		1.03	—	—	—	—	2.35	.04 ~~.80~~	.12	3
4	.05	.41	—		.09	—	—	.38	—	1.47	2.10	—	4
5		.63	—	.39	.26 ~~.35~~	—	—	1.75	—	1.60	.10	.36	5
6	— ~~.09~~	.83	—	.56	—	.37	—	~~—~~	—	2.00 ~~2.60~~	—	.20	6
7	.09	.33	—	.05 ~~1.00~~	—		.36	~~—~~	.66	.39	.95	—	7
8	4	.65	—	.09	—	.52	.22 ~~.58~~	.37	.62 ~~1.28~~	.57	.75	—	8
9	.66	.62	.06	—	—	— ~~.53~~	.18	—	.74	.71	.29	.12	9
10	.25	1.99 ~~2.61~~	.54 ~~.60~~	.06	—	—	.18	—	.79	1.12	1.66 ~~1.95~~	—	10
11	.57	.04	—		.24	—	—	—	.55	—		.48	11
12	—	.94	—		.09	.05	—	.03	.43	—	—	.05	12
13	—	—	—		.03 ~~.42~~	.10		—	.12	.12	—	.05	13
14	.37	—	—		.06	.42	.51	.31	.22 ~~.34~~	—	—	.12	14
15	—	.05	—		—	.25	.70	—	2.20	.10	—	.43 ~~.55~~	15
16	—	.03	—			.13 ~~.38~~	.20	.49	1.16	—	—	.42	16
17	.63	—	—		—	.37	.33	.51	.35	.40	—	1.01	17
18	1.20	.04	.40		—	.03	.89	.11 ~~.62~~	.09	—	—	.44	18
19	.57 ~~3.45~~	.08	—		—	—	.07	.38	1.13	.19	—	.10	19
20	1.68	0.23	—		—	.12	1.01	.10	.46	— ~~.19~~	—	.54	20
21	.66	1.80	—		.20	.22	.15 ~~1.16~~	.03	1.89	—	—		21
22	.21	.16	—		.33	.15 ~~.37~~	.45	.14	.84 ~~2.73~~	—	—	1.41	22
23	1.05	.03	—		.18	.05	.41	—	.23	—	.10	.07 ~~1.48~~	23
24	.63	.28 ~~.31~~				01	.21	.50	.35	—	.21 ~~.31~~	.02	24
25	.16	.16	—		.27	—	.35	.89 ~~1.39~~	.47 ~~.39~~ 2	—	.02	—	25
26	.07 ~~.67~~	.32	—		~~.29~~	—		.07	.41	.05	.04	.84 ~~.96~~	26
27	.14	.43	.96			.13		.50	.97		.18	1.99	27
28	.03		.32 ~~1.28~~					.13	.31	.19	.08	.76	28
29	.23	X	.01					.04	.10 ~~.41~~	.03	—	.89 ~~1.65~~	29
30		X	.59 ~~1.04~~					.08		.23	.48	.16	30
31		X	.44	X		X		.25	X	.20	X	.25	31
Total	9.26	10.71	3.32	1.15	2.78	2.93	6.22	~~6.73~~	~~16.44~~	13.21	7.76	11.43	YEAR'S TOTAL 91.93
Rain Days.								7.06	16.11				

W, 6,500, VII. 18. W W C

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGIS 911

PENRITH
MORLAND

1911 – 1920

Kept at Morland

in the County of Westmo

by Miss M. F. Mar

top 5 in.

above Ground 1 ft. in.

„ Sea Level 455 ft.

9 A.M.

ion { Name Cliburn Station
Distance 2½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·15	—	·03	—	·01	·13	—	—	·35	·07	1
2	·21	—	—	—	·15	—	·08	·04	—	·11	·08	·35	2
3	·01	—	·15	—	·90	—	—	·01	—	·02	·70	·21	3
4	·01	—	·06	·03	·02	—	—	·51	—	—	·58	·34	4
5	·46	—	·01	·01	·01	—	—	·94	—	—	·06	·07	5
6	·17	—	·07	—	—	—	—	·08	—	—	·18	1·19	6
7	—	—	—	—	·02	—	—	—	—	—	·60	—	7
8	·02	—	·24	—	—	—	—	—	—	—	·27	·76	8
9	—	—	—	—	—	—	—	—	—	—	—	·41	9
10	·24	~~·06~~	·20	·01	—	—	—	—	·25	—	·03	·96	10
11	·19	—	—	—	—	—	—	—	·92	—	—	·28	11
12	·16	·01	·10	—	·01	·01	—	—	·85	—	·24	·01	12
13	—	·01	—	—	·30	—	—	—	·08	—	·10	·32	13
14	·03	·01	·09	—	·25	—	—	—	—	—	·08	·22	14
15	·01	·13	·04	·05	—	—	—	—	—	—	·32	·11	15
16	—	·09	·15	·04	—	·22	·09	—	—	—	·19	·20	16
17	—	·02	·02	—	—	1·27	·01	—	—	—	·52	·34	17
18	—	·80	·01	·16	—	·10	—	—	—	·01	·09	·88	18
19	—	·09	—	·26	—	·09	—	—	·68	·20	·10	·21	19
20	—	·07	—	·22	—	—	·10	·39	·30	·01	—	·56	20
21	—	·56	—	·04	—	·21	·11	·27	—	·20	·04	·04	21
22	·20	·66	—	·08	—	·31	—	—	—	·08	·01	—	22
23	·02	·55	—	·03	·01	·51	—	—	·26	·09	—	·37	23
24	·13	·02	·02	·04	·01	1·06	—	·03	·01	·29	—	·33	24
25	·02	·32	·01	·14	—	·09	·01	—	·14	·04	—	·14	25
26	—	·01	—	·09	·17	—	·06	·01	·37	·20	·16	·15	26
27	·02	·32	—	·10	·16	—	—	·15	·11	—	·16	·02	27
28	—	·14	—	·17	—	·01	—	·07	·28	—	·01	·26	28
29	—		—	·47	—	·04	—	·10	—	·98	—	·12	29
30	—		—	—	·01	·03	·18	—	·02	·83	·03	—	30
31	—		—		·09		·01	—		·12		·01	31
Total	1·90	3·87	1·32	1·94	2·14	3·95	·66	2·73	4·27	3·18	4·90	8·93	TOTAL for year 39·79
No. of Rain Days	16	18	15	17	15	13	10	13	13	14	23	28	195

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Morland

in the County of Westmorland

by Miss M. F. Markham

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 455 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Cliburn Station
Distance 2½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·15	—	·03	—	·01	·13	—	—	·35	·07	1
2	·21	—	—	—	·15	—	·02	·04	—	·11	·08	·35	2
3	·01	—	·15	—	·90	—	—	·01	—	·02	·70	·21	3
4	·01	—	·06	·03	·02	—	—	·51	—	—	·58	·34	4
5	·46	—	·01	·01	·01	—	—	·94	—	—	·06	·07	5
6	·17	—	·07	—	—	—	—	·08	—	—	·18	1·19	6
7	—	—	—	—	·02	—	—	—	—	—	·60	—	7
8	·02	—	·24	—	—	—	—	—	—	—	·27	·76	8
9	—	—	—	—	—	—	—	—	—	—	—	·41	9
10	·24	·06	·20	·01	—	—	—	—	·25	—	·03	·96	10
11	·19	—	—	—	—	—	—	—	·92	—	—	·28	11
12	·16	·01	·10	—	·01	·01	—	—	·85	—	·24	·01	12
13	—	·01	—	—	·30	—	—	—	·08	—	·10	·32	13
14	·03	·01	·09	—	·25	—	—	—	—	—	·08	·22	14
15	·01	·13	·04	·05	—	—	—	—	—	—	·32	·11	15
16	—	·09	·15	·04	—	·22	·09	—	—	—	·19	·20	16
17	—	·02	·02	—	—	1·27	·01	—	—	—	·52	·34	17
18	—	·80	·01	·16	—	·10	—	—	—	·01	·09	·88	18
19	—	·09	—	·26	—	·09	—	—	·68	·20	·10	·21	19
20	—	·07	—	·22	—	—	·10	·39	·30	·01	—	·56	20
21	—	·56	—	·04	—	·21	·11	·27	—	·20	·04	·04	21
22	·20	·66	—	·08	—	·31	—	—	—	·08	·01	—	22
23	·02	·55	—	·03	·01	·51	—	—	·26	·09	—	·37	23
24	·13	·02	·02	·04	·01	1·06	—	·03	·01	·29	—	·33	24
25	·02	·32	·01	·14	—	·09	·01	—	·14	·04	—	·14	25
26	—	·01	—	·09	·17	—	·06	·01	·37	·20	·16	·15	26
27	·02	·32	—	·10	·16	—	—	·15	·11	—	·16	·02	27
28	—	·14	—	·17	—	·01	—	·07	·28	—	·01	·26	28
29	—		—	·47	—	·04	—	·10	—	·98	—	·12	29
30	—		—	—	·01	·03	·18	—	·02	·83	·03	—	30
31	—		—		·09		·01	—		·12		·01	31
Total	1·90	3·87	1·32	1·94	2·14	3·95	·66	2·73	4·27	3·18	4·90	8·93	TOTAL for year 39·79
No. of Rain Days	16	18	15	17	15	13	10	13	13	14	23	28	195

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Morland

in the County of Westmorland

by Miss M. F. Markham

Lat. 54. 35 Long: 2. 45 W

Time of Observation 9 A.M.

Nearest Railway Station Cliburn

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	·08	·48	·01	·03	·31	·16	·10	·16	—	—	·17	1
2	·02	·04	·57	·01	·13	·51	·11	—	·06	—	—	·07	2
3	·19	—	·02	—	—	·93	—	·40	·43	—	—	·11	3
4	·26	—	·65	·19	·02	·14	—	·51	·15	—	·15	—	4
5	·07	—	·02	—	·10	·11	—	·06	·06	·08	·01	·01	5
6	·11	·33	—	—	·01	·32	—	·21	—	—	—	·01	6
7	—	·37	·08	·03	·06	—	·06	·20	·35	—	·24	·02	7
8	·88	·21	·12	·08	—	—	—	·03	·35	—	·21	·13	8
9	·10	·06	·18	·25	—	·25	·01	·07	—	—	·09	·11	9
10	·24	·01	—	·01	·08	·10	·13	·09	—	—	·32	·05	10
11	·06	—	—	—	·01	·09	·28	·42	—	—	·01	·37	11
12	·25	·04	·09	—	—	·29	·01	·06	—	—	—	·36	12
13	·05	—	—	—	—	·02	—	·02	·01	·25	·11	·39	13
14	·20	—	·02	—	—	·14	—	·01	·04	—	—	·14	14
15	·35	·04	·05	—	·28	·21	—	—	—	·11	—	·36	15
16	1·58	·01	·11	—	·01	—	—	·01	—	·11	·01	·02	16
17	·02	·16	·29	—	·02	·41	—	·60	—	·01	·05	·27	17
18	—	·17	—	—	—	·03	—	—	—	·06	·02	·15	18
19	·01	·33	·31	—	·01	·09	·01	·20	—	·13	·07	·02	19
20	·12	·01	·16	—	·51	·08	·09	·17	—	·65	·02	·10	20
21	·03	·02	·09	—	—	·01	·04	·01	—	·01	·04	·11	21
22	·06	·29	—	—	·12	·01	—	·28	—	—	—	·01	22
23	—	—	·05	—	—	·08	·21	·26	—	·04	·07	·11	23
24	—	—	·01	—	·01	·07	·09	·08	—	·10	·38	·40	24
25	·05	·04	·02	—	—	·23	·38	·05	—	—	·53	·09	25
26	·01	·32	·25	—	—	·01	—	—	—	·87	1·01	·16	26
27	—	·08	·06	—	·05	·46	·48	·01	—	·23	·10	·65	27
28	—	·24	·15	—	—	·09	·18	·28	·02	·54	·16	·01	28
29	—	·09	·20	—	—	·01	·40	·14	·06	·32	—	·25	29
30	·03		·24	—	·01	—	·06	—	·05	·06	—	·18	30
31	—		·02	·02	·01		·70	·45		—		·06	31
Total	4·69	2·94	4·24	·60	1·47	5·00	3·40	4·72	1·74	3·57	3·60	4·89	YEAR'S TOTAL 40·86
Rain Days.	22	21	25	8	18	26	18	26	12	16	20	30	242

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 JAN 1914

Ent [illegible]

Kept at Morland

in the County of Westmorland

by Miss M. F. Markham

Lat. 54·35 Long. 2. 45 W.

Time of Observation 9 A.M.

Nearest Railway Station Cliburn

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·08	·21	—	—	—	—	—	—	—	·13	—	1
2	·18	·14	·52	·01	—	·10	—	—	—	—	·42	·10	2
3	·34	·17	·11	—	·30	—	·09	—	—	—	—	1·15	3
4	·34	·08	·08	—	·02	·01	·04	·03	—	·01	·06	·54	4
5	·65	·25	·04	—	·01	·16	·01	—	—	·01	—	—	5
6	·11	·65	·72	—	·34	·03	·42	—	—	—	·06	—	6
7	·02	·98	·01	·01	·05	·17	·01	—	—	·58	·01	—	7
8	—	·15	·03	—	·10	·01	—	·10	·05	·23	·06	·02	8
9	—	·03	·06	·06	·03	·28	·04	—	—	—	·12	·04	9
10	·05	·02	·21	·08	·09	·01	·09	—	—	·01	·33	—	10
11	·08	—	·07	·18	·01	·19	·03	—	—	·31	·24	·01	11
12	·05	—	—	—	—	·01	—	—	1·01	—	·24	·01	12
13	—	—	·18	·16	—	—	·01	·01	·25	·09	·10	—	13
14	·01	·04	·13	·16	·03	—	·02	—	—	·11	·07	·09	14
15	·05	—	·69	·94	—	—	—	—	—	—	·35	·09	15
16	·04	—	·07	·36	—	—	—	·04	—	—	·09	·01	16
17	·08	—	·01	·37	·01	·04	·03	—	—	—	·09	—	17
18	—	—	·77	·29	·01	·04	·04	—	—	·01	·17	—	18
19	·15	—	·18	·14	·06	—	—	—	·02	·17	·13	—	19
20	·05	—	·23	·01	·02	·01	·01	·03	·03	·44	·37	—	20
21	—	—	·31	—	·09	—	·05	·30	—	·22	·01	—	21
22	·11	—	·64	—	·01	—	—	·22	·02	—	—	—	22
23	·20	—	·06	—	—	·27	—	·32	·08	—	·04	·04	23
24	·26	—	·01	·04	—	·43	—	·03	—	—	·10	·01	24
25	—	·09	—	·18	—	—	—	—	·35	·01	·07	·26	25
26	—	·06	·01	1·14	—	·07	—	—	·56	·13	·03	·64	26
27	—	·01	—	·50	·29	·04	—	—	—	·40	—	·41	27
28	·29	—	·17	·60	·01	—	—	—	—	·03	—	·14	28
29	—		·23	·72	·01	—	—	·17	—	·65	·05	·01	29
30	·73		·02	—	·20	—	—	—	—	·06	·01	—	30
31	·10		·03		—		—	—		·08		—	31
Total	3·90	2·75	5·80	5·95	1·69	1·87	·89	1·25	2·37	3·55	3·35	3·57	YEAR'S TOTAL 36·94
Rain Days.	22	14	28	19	20	17	14	10	9	19	25	17	214

W.7,000, XI. 13

2c M9

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Morland
in the County of Westmorland
by Miss M. F. Markham

Lat. 54·35 Long. 2·45 W
Time of Observation 9 A.M.
Nearest Railway Station Cliburn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·38	·03	·01	—	—	·08	·15	—	—	—	·47	1
2	—	·20	·01	·06	—	—	·33	·42	—	·02	·38	·43	2
3	·02	·13	·10	—	·26	—	—	·03	—	—	—	1·22	3
4	·26	—	·07	·09	·17	·06	—	—	—	—	—	1·07	4
5	·06	—	·11	·30	·13	·23	·04	—	—	—	·41	·11	5
6	—	·01	—	·19	·05	—	—	·06	—	—	·01	·44	6
7	·01	·27	·09	·06	·23	·06	—	·01	—	·01	—	·26	7
8	·25	·03	·05	·02	·25	·30	—	·77	—	·01	·01	·20	8
9	·39	·25	—	·54	·01	·43	—	—	·17	—	·17	·01	9
10	·01	·38	·03	·10	·03	—	—	—	·01	—	·31	—	10
11	—	·18	·23	·01	·02	·02	·27	—	·23	—	·32	·08	11
12	—	·75	·12	—	·01	—	·20	—	·17	—	·27	·01	12
13	—	·18	·31	·02	—	—	—	—	·09	·05	·23	·11	13
14	—	·74	·09	—	—	—	—	—	·12	—	·24	·23	14
15	—	·15	·28	—	—	—	—	—	·13	—	·23	—	15
16	·01	·01	·02	—	—	—	1·58	—	·82	—	—	·13	16
17	·01	·42	·33	—	—	·29	·25	—	·32	—	—	1·01	17
18	—	·47	·24	—	—	·15	—	—	·04	·08	—	·07	18
19	—	·02	·16	—	—	—	·05	—	·01	—	·04	·01	19
20	—	·40	·17	—	—	—	—	—	—	·01	—	—	20
21	—	·19	—	—	—	·12	—	·01	—	·02	·02	—	21
22	—	·51	·01	·02	·25	·11	—	·04	—	·08	—	—	22
23	—	·23	·14	·05	·15	·08	—	·01	—	—	—	·03	23
24	·25	—	·45	·05	·14	—	·25	·03	—	—	·20	—	24
25	·37	—	·03	—	—	—	·02	·24	—	·45	·11	·39	25
26	·01	·01	·02	—	—	—	·02	·03	—	·15	·23	·35	26
27	·08	·03	—	—	—	—	—	—	—	·06	·45	·15	27
28	·05	·30	·19	—	·07	·01	—	·11	—	·01	·36	—	28
29	·20		·16	—	·03	—	—	·32	—	·04	·89	·01	29
30	·15	✕	·26	—	—	—	—	—	—	·01	·53	·92	30
31	·60	✕	—	✕	·04	✕	·50	—	✕	·07	✕	—	31
Total	2·73	6·24	3·70	1·52	1·84	1·86	3·59	2·23	2·11	1·07	5·41	7·71	YEAR'S TOTAL 40·01 ✓
Rain Days.	17	24	26	14	16	12	12	14	11	15	20	23	204 ✓

W. 8,000. X. 14.

Entered

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Morland
in the County of Westmorland
by Miss M. F. Markham

Lat. 54·35 Long. 2.45 W
Time of Observation 9. A.M.
Nearest Railway Station Cliburn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·26	—	·01	·27	—	·27	·27	·20	—	—	·01	1
2	·10	·65	·22	·39	—	·03	·04	·17	·02	—	—	—	2
3	·24	·41	·03	·12	—	—	·27	·34	—	—	—	·27	3
4	—	·21	·01	·15	·06	·06	—	·19	—	—	—	—	4
5	·14	·20	·09	—	·01	—	—	·03	—	—	—	·88	5
6	·07	·17	·04	·38	—	·03	·73	·05	·02	·01	·01	·32	6
7	·43	·73	·02	·26	·01	—	·44	·11	—	—	—	·04	7
8	·29	·63	·01	·05	—	—	·14	·01	—	—	·52	—	8
9	·06	·12	—	—	—	—	—	—	—	·01	·19	·53	9
10	·32	—	·01	·04	—	—	—	·06	—	·10	—	·54	10
11	·06	·10	·01	·01	·62	—	·04	·01	—	·01	—	·23	11
12	·27	·03	—	·06	—	—	·03	·07	—	·09	·09	—	12
13	·01	·07	—	—	—	—	·01	·01	·02	—	—	·08	13
14	·16	—	—	·04	·01	—	·02	·08	—	—	—	·10	14
15	·47	—	—	·02	—	—	·01	·17	—	—	·06	·35	15
16	—	·65	·01	·01	·01	—	·30	·07	—	—	—	·08	16
17	—	·54	·01	—	·01	—	—	—	—	—	—	—	17
18	—	·21	·38	—	—	—	—	—	—	·05	—	—	18
19	—	·04	·13	·17	·11	—	·19	—	—	—	—	—	19
20	·09	—	·01	·01	·08	—	·04	·01	—	—	—	·75	20
21	·17	·14	—	·15	—	—	·02	—	—	—	—	·03	21
22	·01	—	·07	·04	—	—	·39	—	—	—	—	·30	22
23	—	·05	·06	—	—	—	·88	—	·01	·14	—	·36	23
24	—	—	·02	·02	—	—	—	—	·80	·07	—	·20	24
25	—	—	—	—	—	—	·07	—	·03	—	—	·02	25
26	—	·92	—	—	—	·01	·10	—	·02	—	—	·46	26
27	—	·34	—	—	—	—	—	—	—	·37	—	·45	27
28	—	·13	·01	—	·33	·03	—	·38	—	·01	—	—	28
29	—		—	—	·09	—	—	·06	·02	—	·48	·05	29
30	·12	X	—	·07	—	·56	—	—	—	—	·05	·13	30
31	·11	X	·01	X	—	X	·07	·43	X	—	X	1·05	31
Total	3·39	6·60	1·15	2·00	1·61	·72	4·06	2·52	1·14	·86	1·40	7·23	YEAR'S TOTAL 32·68
Rain Days.	19	21	19	19	12	6	20	19	9	10	7	23	184

W. 8,000. X. 15.

only A

3837

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Morland
in the County of Westmorland
by Miss M. F. Markham

Lat. 54 . 35 Long. 2 · 45 W.
Time of Observation 9 A.M.
Nearest Railway Station Cliburn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·01	·01	·01	—	—	·30	·82	·01	—	—	·33	—	1
2	·15	·12	—	—	—	·19	·01	—	·25	·11	·01	·06	2
3	·03	·50	—	·08	—	·05	·05	—	·61	·20	·43	—	3
4	·26	·03	·01	—	·83	·12	·02	—	·30	·40	·24	—	4
5	·03	·65	·01	—	·30	·18	—	—	—	·65	·50	—	5
6	·28	·22	·09	·01	·32	·05	·08	—	—	·47	·33	·01	6
7	·01	·05	·02	—	·16	·44	1·33	—	—	·22	·13	·29	7
8	·02	·04	·02	·01	—	·05	—	—	—	·03	·21	—	8
9	·01	—	—	—	·26	·08	—	—	—	·05	·19	·02	9
10	·05	·22	·02	·05	—	·30	·10	—	—	·72	·02	·10	10
11	·01	·32	·01	·25	·01	·01	·12	—	·02	·05	—	·05	11
12	·05	·42	—	·12	·20	—	·42	·02	—	·06	—	·02	12
13	—	·17	·13	·02	—	—	·01	·39	·02	·47	—	·09	13
14	·01	·34	—	·11	·12	—	—	·04	·08	·69	—	—	14
15	·15	·31	·15	·02	—	—	·15	·04	·02	·05	—	—	15
16	—	·28	·51	·24	—	—	·02	·15	—	—	—	·01	16
17	·11	·05	—	·41	—	—	·02	·17	·22	·27	—	—	17
18	·21	·34	—	·42	—	—	·04	·35	·20	·06	·20	·14	18
19	·67	—	·23	·14	—	—	—	·01	—	—	·05	·02	19
20	·30	—	·01	·15	—	—	·05	·04	—	—	·02	·49	20
21	·16	—	—	·02	—	—	·17	—	—	—	—	·01	21
22	·01	·02	—	·03	—	·01	—	—	·02	·11	·01	·02	22
23	·35	·01	·16	·18	—	·19	—	—	—	·35	·37	·11	23
24	·01	—	·01	·26	—	1·03	—	·25	—	·02	·30	·08	24
25	·05	·01	·45	—	·11	·12	—	·80	—	·12	·58	·08	25
26	·13	·02	·21	—	—	·01	·50	—	—	·01	·02	—	26
27	—	·07	·03	—	·13	—	—	·18	·02	·22	—	—	27
28	·31	·04	·01	—	·01	—	—	—	—	·30	·01	·61	28
29	·02	·04	·02	—	—	—	—	—	—	·31	·21	·17	29
30	—	✕	—	—	—	·05	·06	—	—	1·10	·77	·13	30
31	—	✕	—	✕	·20	✕	—	·03	✕	·20	✕	·05	31
Total	4·40 4·40	4·28	2·11	2·52	2·65	3·18	3·97	2·48	1·76	7·24	4·32	2·56	YEAR'S TOTAL 41·47 41·47
Rain Days.	26	24	20	18	12	17	18	14	11	26	21	21	228

3677

REGISTER OF RAINFALL IN 1917

Eden

FORM A.
BRITISH RAINFALL.

Kept at Morland

in the County of Westmorland

by (Miss) M. F. Markham

Lat. 54. 35 Long. 2. 45 W

Time of Observation 9 A.M

Nearest Railway Station Cliburn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	—	—	·01	—	—	·31	—	·11	·22	1
2	·33	·01	—	·17	—	·02	—	·01	·01	·02	·01	—	2
3	·02	·01	—	·10	—	·17	—	—	·01	·39	—	—	3
4	—	·03	·01	·01	—	—	—	—	—	—	·01	·01	4
5	·18	—	·11	·19	—	—	—	—	·01	·12	·57	—	5
6	—	—	·01	·04	—	·10	—	—	—	·25	·49	·01	6
7	·52	—	·01	—	—	·14	—	—	—	·17	—	·16	7
8	·28	·01	—	·25	—	—	—	·42	·01	·03	·19	·04	8
9	·02	—	—	—	·01	—	—	·58	—	·08	·31	·04	9
10	·25	—	·65	·24	·31	—	—	·23	·02	·04	—	—	10
11	·05	·03	—	·08	·22	—	—	·17	—	·26	—	—	11
12	—	—	·10	—	·67	—	—	—	·01	·03	·01	·02	12
13	·08	—	—	·24	·01	·03	·02	·14	·26	·04	·02	·12	13
14	·06	—	—	·18	·01	—	—	·53	—	·01	—	·19	14
15	·03	—	—	·12	—	—	·02	·16	·13	·08	—	·22	15
16	·01	·01	—	·17	—	—	—	·45	·01	·02	·01	·15	16
17	—	·30	·01	·35	—	—	·03	1·04	·15	·11	—	·14	17
18	·01	—	·18	·08	·04	—	·41	·16	·26	·01	—	·01	18
19	·01	·13	·19	—	·39	—	·03	·01	·05	—	·03	·02	19
20	·01	·21	·05	—	·01	1·22	—	·57	·59	·02	·13	·23	20
21	·01	·06	·04	·01	·10	·02	—	·05	—	·08	—	—	21
22	—	·01	—	—	—	—	—	·52	·02	·30	—	—	22
23	—	·06	—	—	·19	·11	—	·24	·01	·18	·09	—	23
24	—	—	—	—	—	—	·05	·07	—	·68	·43	—	24
25	—	·05	·04	—	·01	·07	·04	·04	·02	·12	·01	—	25
26	—	·01	·01	—	—	·28	·02	1·07	·37	·17	·11	—	26
27	—	—	·04	—	·62	·01	·47	·48	·01	·18	·01	·01	27
28	·01	—	·29	—	—	—	·01	·16	—	—	·06	—	28
29	·02		·06	·01	·01	—	·03	·01	—	1·05	·03	—	29
30	·01	╳	—	—	—	—	—	·01	—	·23	·19	—	30
31	·01	╳	·35	╳	·19	╳	—	·26	╳	—	╳	·01	31
Total	1·95	·93	2·15	2·24	2·79	2·18	1·13	7·38	2·26	4·67	2·82	1·60	YEAR'S TOTAL 32·10
Rain Days.	21	14	17	16	15	12	11	24	19	26	20	17	212

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

4. 1. 19

Kept at Morland
in the County of Westmorland
by Miss M. F. Markham

Lat. 54.35 Long. 2.45 W.
Time of Observation 9 A.M.
Nearest Railway Station Cliburn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	·01	·20	·01	—	—	—	·32	·01	·50	·12	1
2	—	·03	—	·07	—	—	—	—	·02	·22	·12	·13	2
3	·01	·13	—	—	·28	—	—	—	—	·87	—	—	3
4	—	·08	—	—	·18	—	—	·06	—	·52	·62	·06	4
5	—	·17	·01	·05	·13	—	·03	1·44	—	·77	·02	·11	5
6	·13	·41	—	·27	·01	13 ~~·13~~	—	—	—	·97	—	·04	6
7	·04	·04	—	·08	—	·01	·11	·01	·12	·25	·54	—	7
8	·08	·36	·17	—	—	·02	·15	·06	·37	·04	·21	—	8
9	·10	·60	—	·01	—	·07	—	—	·67	·22	·19	·01	9
10	·08	·45	·04	—	—	—	·05	—	·35	·20	·58	—	10
11	·25	·02	·06	—	·28	—	·09	—	·27	·01	—	·05	11
12	·01	·19	—	·01	—	—	·05	—	·05	—	—	·06	12
13	—	·01	—	·02	·11	·03	—	—	·67	·18	—	·01	13
14	·36	—	—	—	·01	·32	·24	·01	·27	·02	—	—	14
15	—	·01	—	—	—	·04	·51	—	1·55	·02	—	·63	15
16	·02	—	—	—	—	·15	·28	·07	·52	·04	—	·35	16
17	·26	—	—	—	—	·23	·75	·13	·26	·27	—	·60	17
18	·72	·01	·12	—	—	—	·32	·01	·07	·01	—	·28	18
19	·48	—	·05	·22	—	—	·16	·14	·40	·20	—	·14	19
20	1·02	·29	—	·06	·20	·01	·33	—	·18	—	—	—	20
21	·31	·44	—	—	—	·13	—	—	1·02	·08	—	—	21
22	·07	·01	—	·03	·25	·04	·06	·01	·46	—	—	·37	22
23	·10	—	—	—	·39	—	·71	—	·27	—	·04	·05	23
24	·28	·04	—	—	—	—	—	·24	·07	—	·03	·01	24
25	—	—	—	—	·20	·01	·23	1·10	·20	—	03 ·03	—	25
26	·10	·03	—	—	—	—	·11	·04	·28	—	01 ·01	·07	26
27	·01	·12	·32	—	·04	—	—	·42	·48	·01	·06	·26	27
28	—	·11	·53	—	—	—	—	·13	·04	·03	·03	·42	28
29	—		·01	—	—	—	—	—	·06	—	—	·30	29
30	—	X	·06	—	—	—	—	·03	—	·03	·01	·07	30
31	—	X	—	X	—	X	—	·14	X	·02	X	·01	31
Total	4·43	3.58	1·38	1.02	2.09	1.19	4.18	4.04	8.97	4.99	2.99	4.15	YEAR'S TOTAL ~~43·01~~ 43·05
Rain Days.	20	22	11	11	13	13	17	17	25	23	15	23	210

W. 6,500, VII. 18. W W C

BR cord for auth

3492

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Morland

in the County of Westmorland

by Miss M. F. Markham

Lat. 54·35 Long. 2·45 W

Time of Observation 9. A.M.

Nearest Railway Station Cliburn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	—	·15	—	·17	—	·04	·02	·38	·16	·01	·17	1
2	·19	—	·25	—	·02	—	·33	—	·01	—	·03	·03	2
3	·08	—	—	·01	·18	·13	·04	·01	—	—	·01	·21	3
4	·05	·05	·23	—	·01	·09	·01	·01	·05	—	·06	·21	4
5	·04	·01	—	—	·23	—	—	—	·04	—	·01	·44	5
6	·03	—	·15	—	·51	—	—	—	—	·08	—	·16	6
7	·02	·01	·27	·01	·01	·01	—	·04	—	—	·13	—	7
8	·11	—	·01	·10	·02	·01	—	·01	—	—	·01	—	8
9	·88	—	·12	·04	—	·01	—	—	—	—	·12	·01	9
10	·05	—	·31	·06	·25	·02	—	—	—	·03	·03	·91	10
11	·01	—	·07	—	·13	—	·01	—	·22	·05	—	·19	11
12	—	—	·08	·07	—	·44	·03	—	·02	·15	·26	·01	12
13	·11	—	·06	·26	—	·02	·09	·25	—	·15	—	·31	13
14	·21	—	—	·12	—	—	—	—	—	—	—	·15	14
15	·75	·10	—	·34	—	—	—	·01	—	·01	—	1·02	15
16	·20	—	·01	·01	—	·01	—	—	—	—	·22	·01	16
17	·08	—	—	—	·07	—	—	·42	—	—	·42	—	17
18	—	—	·23	·03	—	—	·05	·33	·02	—	·06	·32	18
19	·04	·18	·55	—	—	·34	·02	·03	·08	—	·24	·04	19
20	·27	·16	·01	—	—	·33	·11	·01	—	—	·07	·32	20
21	·01	·06	·01	—	·01	·02	—	·06	·02	—	—	·26	21
22	—	·13	—	—	—	·06	—	·06	·06	·05	·03	·22	22
23	·04	—	—	·14	—	·02	—	·01	—	1·21	·35	·06	23
24	·03	—	—	·03	·04	·01	—	·01	·02	·10	·36	·12	24
25	·08	·01	—	·13	—	·06	—	·56	·32	—	·01	—	25
26	·03	·02	·38	·09	—	·07	—	·20	·18	—	·03	·36	26
27	·07	·02	—	·15	—	—	—	—	—	—	·02	·03	27
28	·01	—	—	·15	—	—	—	·82	—	·12	—	·22	28
29	·01		·01	·02	—	—	—	·03	·01	·09	—	·01	29
30	—	✕	·12	·05	—	·14	—	·02	·01	·04	·50	·64	30
31	—	✕	·01	✕	—	✕	·22	·01	✕	—	✕	·08	31
TOTAL	3·82	·75	3·03	1·81	1·65	1·79	·95	2·92	1·44	2·24	2·98	~~6·25~~ 6·15	YEAR'S TOTAL 29·53 ~~29·73~~
Days with ·01 in. or more	26	11	20	19	13	18	11	21	15	13	22	27	216

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3380

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Morland
in the County of Westmorland
by Miss M. F. Markham

Lat. 54 · 35 Long. 2 - 45 W.
Time of Observation 9 A.M
Nearest Railway Station Cliburn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	·16	·04	·65	—	·28	·03	·07	·05	—	·11	1
2	—	·02	—	·02	·40	·02	·85	·02	·20	·11	—	·53	2
3	·04	·04	·01	·01	·18	—	·50	·21	·18	·70	—	·37	3
4	—	—	—	·16	·07	—	·26	·37	·01	·63	·01	·01	4
5	—	·02	·25	·04	·15	—	·02	·13	·01	·24	—	·01	5
6	—	—	·40	·19	·32	—	·01	—	—	·03	·01	·01	6
7	·09	·05	·02	·02	·04	—	·07	—	—	·01	—	—	7
8	·06	·02	—	·09	·19	—	·11	·11	—	—	·01	—	8
9	·09	·71	—	·40	—	—	·19	·02	·12	—	—	·08	9
10	·68	·34	—	·24	—	—	·28	·01	—	—	—	·05	10
11	·33	·07	·03	·01	·24	·01	·01	—	·01	—	·03	·03	11
12	·16	·29	·37	·08	·14	—	·25	—	·05	—	·79	·21	12
13	·39	·09	·33	·35	·05	·13	·01	—	—	—	·55	·14	13
14	·01	·24	·22	·47	—	—	·17	—	·04	·03	1·01	—	14
15	—	·30	·09	·41	—	—	·01	—	·01	·10	·10	—	15
16	·01	·04	·01	·01	·08	—	·28	—	·44	—	·20	—	16
17	·12	—	·10	—	·38	—	·16	·27	·45	·01	—	—	17
18	·31	·01	—	·06	·63	·08	—	—	·01	—	—	—	18
19	·05	·37	—	·18	·17	·01	—	·04	—	—	—	—	19
20	·06	·01	—	·01	—	·01	—	—	·32	—	—	·28	20
21	·05	—	—	·01	—	—	·08	·04	·02	—	—	·24	21
22	·37	—	—	·19	—	·03	·39	—	—	—	—	—	22
23	·17	—	·04	·02	—	—	·12	—	—	—	—	·13	23
24	·22	—	1·40	·03	—	·02	·12	·10	—	—	—	·14	24
25	·01	·03	·38	·04	—	·01	·49	·01	·01	—	—	·13	25
26	·16	·09	1·09	·10	1·05	—	·51	—	—	—	—	·05	26
27	·32	—	·96	·14	·67	·61	·04	—	—	—	—	·04	27
28	·16	·05	·53	·26	—	·01	·65	—	—	—	·06	·14	28
29	·30	·01	—	—	·67	·05	·13	—	—	—	·12	·73	29
30	·12	✕	·03	—	·08	·01	—	—	·07	—	·19	·27	30
31	·21	✕	·01	✕	·04	✕	·02	·06	✕	·03	✕	·11	31
TOTAL	4·49	2·84	6·13	3·58	6·10	1·00	5·41	1·42	2·02	1·94	3·08	3·81	YEAR'S TOTAL 41·82
Days with ·01 in. or more	25	21	20	27	20	13	27	14	17	11	12	22	229
Days with ·04 in. or more	22	14	14	18	20	4	21	9	10	6	8	18	164

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓ Cnd fr anill

REGI

RAVENSTONEDALE

THE CHANTRY.

1911 - 1919

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at The Chantry,

in the County of West

by J. R. High

in.

round 1 ft. 10/12

ea Level 900 ft.

30

ame Ravenstonedale

istance 2½ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·43	—	·10	—	·02	·14	—	—	·66	·14	1
2	·21	—	—	—	·47	—	·07	·10	—	·07	·14	·28	2
3	—	—	·23	—	·90	—	—	·06	—	·03	·83	·27	3
4	—	—	·11	·12	·03	—	—	1·25	—	—	·95	·24	4
5	·54	—	·05	·04	—	—	—	·98	—	·14	·45	·12	5
6	·22	—	·11	·08	·02	—	—	·56	—	—	·45	·57	6
7	·03	—	·02	·01	—	—	—	—	—	—	1·32	·01	7
8	·03	—	·31	—	—	—	—	—	—	·01	·52	·30	8
x 10 + 9	x ·80	—	—	—	—	—	—	—	—	—	—	·96	9
x 9 + 10	x —	·01	·12	·02	—	—	—	—	·04	—	·01	·69	10
11	·10	—	·09	—	—	—	—	—	·11	—	·05	·06	11
12	·03	·05	·18	—	·02	—	—	—	·81	—	·16	·01	12
13	—	·06	—	—	·09	—	—	—	—	—	·35	·55	13
14	—	·33	·04	—	·12	—	—	—	—	—	·54	·31	14
15	—	·40	·16	·05	~~·04~~	—	—	—	—	·01	·86	·24	15
16	—	·45	·06	·16	—	·14	·08	—	—	—	·28	·45	16
17	—	·12	·02	—	—	·83	·04	—	—	—	·57	·32	17
18	—	·88	·07	·11	—	·52	·05	—	—	·01	·02	·64	18
19	—	·03	—	·26	—	·70	—	—	·75	·18	·26	·29	19
20	—	·19	—	·25	—	—	·11	·05	·05	·04	—	·34	20
21	—	1·10	—	·26	—	·14	·35	·28	—	·16	·03	·10	21
22	·15	1·02	—	·23	—	·32	—	—	—	·03	·04	—	22
23	·05	·49	—	·04	—	·87	—	—	·45	·12	—	·52	23
24	·10	·07	·05	·34	·12	·95	—	·09	—	·30	—	·31	24
25	·07	·43	—	·88	·04	·03	—	—	·28	·15	·01	·33	25
26	—	·01	—	·07	·02	—	—	·30	—	·70	·35	·09	26
27	·07	·84	·03	·12	—	—	·15	·29	·37	—	·11	·04	27
28	—	·23	—	·41	—	·09	—	·03	·13	—	·01	·25	28
29	—		—	·25	—	·11	—	·09	·31	2·06	—	·36	29
30	—		—	—	—	·03	·02	—	·04	·71	·08	·01	30
31	—		—		·05	—	·01	·05		·08	—	—	31
Total	2·40	6·71 6·71	2·08	3·70	1·98	4·13	·90	4·27	3·34	4·80	9·05	8·79	TOTAL for year 52·25 52·15
No. of Rain Days	13	18	17	19	12	12	10	14	11	17	25	29	197

9,000, IX. '10.

Cord for arill

FORM A2. BRITISH RAINFALL.

2 - JAN 1912 10/12

REGISTER OF RAINFALL IN 1911

Kept at The Chantry, Ravenstonedale

in the County of Westmorland

by I. R. Highmoor

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 900 ft.

Time of Observation 9-30

Nearest Railway Station
Name Ravenstonedale
Distance 2½ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·43	—	·10	—	·02	·14	—	—	·66	·14	1
2	·21	—	—	—	·47	—	·07	·10	—	·07	·14	·28	2
3	—	—	·23	—	·90	—	—	·06	—	·03	·83	·27	3
4	—	—	·11	·12	·03	—	—	1·25	—	—	·95	·24	4
5	·54	—	·05	~~·04~~	—	—	—	·98	—	·14	·45	·12	5
6	·22	—	·11	·08	·02	—	—	·56	—	—	·45	·57	6
7	·03	—	·02	·01	—	—	—	—	—	—	1·32	·01	7
8	·03	—	·31	—	—	—	—	—	—	·01	·52	·30	8
x 10 x 9	x ·80	—	—	—	—	—	—	—	—	—	—	·96	9
x 9 x 10	x —	·01	·12	·02	—	—	—	—	·04	—	·01	·69	10
11	·10	—	·09	—	—	—	—	—	·11	—	·05	·06	11
12	·03	·05	·18	—	·02	—	—	—	·81	—	·16	·01	12
13	—	·06	—	—	·09	—	—	—	—	—	·35	·55	13
14	—	·33	·04	—	·12	—	—	—	—	—	·54	·31	14
15	—	·40	·16	·05	~~·04~~	—	—	—	—	·01	·86	·24	15
16	—	·45	·06	·16	—	·14	·08	—	—	—	·28	·45	16
17	—	·12	·02	—	—	·83	·04	—	—	—	·57	·32	17
18	—	·88	·07	·11	—	·52	·05	—	—	·01	·02	·64	18
19	—	·03	—	·26	—	·70	—	—	·75	·18	·26	·29	19
20	—	·19	—	·25	—	—	·11	·05	·05	·04	—	·34	20
21	—	1·10	—	·26	—	·14	·35	·28	—	·16	·03	·10	21
22	·15	1·02	—	·23	—	·32	—	—	—	·03	·04	—	22
23	·05	·49	—	·04	—	·87	—	—	·45	·12	—	·52	23
24	·10	·07	·05	·34	·12	·95	—	·09	—	·30	—	·31	24
25	·07	·43	—	·88	·04	·03	—	—	·28	·15	·01	·33	25
26	—	·01	—	·07	·02	—	—	·30	—	·70	·35	·09	26
27	·07	·84	·03	·12	—	—	·15	·29	·37	—	·11	·04	27
28	—	·23	—	·41	—	·09	—	·03	·13	—	·01	·25	28
29	—		—	·25	—	·11	—	·09	·31	2·06	—	·36	29
30	—		—	—	—	·03	·02	—	·04	·71	·08	·01	30
31	—		—		·05	—	·01	·05		·08	—	—	31
Total	2·40	6·81 6·71	2·08	3·70	1·98	4·13	·90	4·27	3·34	4·80	9·05	8·79	TOTAL for year ~~52·25~~ 52·15
No. of Rain Days	13	18	17	19	12	12	10	14	11	17	25	29	197

9,000, IX. '10.

Ext B 73

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

Kept at Ravenstonedale

in the County of Westmorland

by J. R. Highmoor

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10½ in.
" " " Sea Level 900 ft.

Time of Observation 9-30

Nearest Railway Station
Name Ravenstonedale
Distance 2½ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·10	·37	—	·04	·10	·19	·17	·24	·02	—	·09	1
2	·07	·10	1·12	—	·06	·32	·05	·01	·13	—	—	—	2
3	·15	·03	·05	—	—	·93		·18	·95	—	—	·11	3
4	·24	—	·72	·12	·03	·25	1·11 amount for 3 weeks when away from home	·64	Total for 2 days	—	·50	·08	4
5	·08	—	·01	—	·19	·26		·32	·60	·04	—	·04	5
6	·18	·54	·02	—	·10	·02		·11	·02	—	—	·01	6
7	—	·27	·42	·14	·08	—		·10	·32	—	·13	·06	7
8	·63	·25	·10	·17	—	—		—	·20	—	·22	·05	8
9	·25	·10	·31	·12	—	·11		·14	—	—	·19	·32	9
10	·32	·05	—	·02	·09	·06		·03	—	—	·53	·20	10
11	·12	·06	—	—	·04	·03		·35	—	—	·05	·77	11
12	·45	—	·20	—	—	·33		—	—	—	·03	·56	12
13	·10	·01	·02	—	—	·02		·03	·02	·58	·10	2·15	13
14	·44	—	·16	—	—	·39		·01	·05	·02	·01	·41	14
15	·12	·07	·22	—	·51	·50		—	·01	·29	—	·21	15
16	·58	—	·30	—	·02	·05		·15	—	·39	·01	·05	16
17	·01	·23	·40	—	·02	·26		·47	—	—	—	·36	17
18	·02	·09	·02	—	—	·27		[illegible]	—	·29	—	·23	18
19	—	·29	·72	—	—	·04		·07	—	·14	·07	·15	19
20	·08	—	—	—	·63	·09		·20	—	·64	—	~~·05~~ ·10	20
21	·01	·05	·12	—	·05	·01		·04	—	—	·01	·05	21
22	—	·94	—	—	·24	—		·32	—	—	·12	·02	22
23	—	—	·09	—	·02	·16		·34	—	—	·56		23
24	·22	·05	·20	—	·06	·20	·02	·13	—	—	·53	away from home 3·13 ins fell	24
25	·02	·05	·76	—	—	·56	·50	·05	—	—	·62		25
26	·03	·76	·40	—	—	—	·05	·02	—	1·80			26
27	—	·32	·13	—	·07		·36	—	—	·26	·09		27
28	—	·17	·04	—	—	Total for 2 days	3·08	·55	·12	·82	·15		28
29	—	·15	·54	—	—	1·22	1·96	·30	·29	·30	—		29
30	·06		·56	—	·08	·04	·64	—	·04	·09	—		30
31	[illegible]		·15		·03	·53	1·45	·35		·02			31
Total	4·18	4·68	8·15	·57	2·36	6·75	9·41	5·08	2·99	5·70	3·94	9·45	TOTAL for year 63·26
No. of Rain Days.	22	22	27	5	19	27	15	25	14	15	18	30	239

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ravenstonedale Estd 1883
in the County of Westmorland
by J. R. Highmoor, Esqr.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10½ in.
" " " Sea Level 900 ft.
Time of Observation 9·30
Nearest Railway Station
Name Ravenstonedale
Distance 2½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9·a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Away from home ·54 fell	·03	·51	·08	—	—	—	—	·04	Away from home ·07 in 2 days fell	·14	·01	1
2		·29	2·13	·20	—	·22	·01	—	—		·38	·52	2
3		·97	·23	—	·43	—	·02	—	—		·13	1·54	3
4	·54	·17	·17	—	·01	—	·01	—	·01		·30	·95	4
5	·73	·38	·13	—	·01	·08	—	·02	—		·02	—	5
6	·20	·73	·59	—	·34	·44	·62	—	—	—	·03	—	6
7	·03	1·17	·37	—	In 2 days	·22	·07	—	—	·13	·01	·01	7
8	—	·23	·08	—	·38	·06	—	·07	·01	·42	·05	·13	8
9	—	·10	·37	·13	·04	1·41	—	·13	—	—	·06	·08	9
10	—	·02	·66	·10	·11	·06	·09	—	—	—	·17	—	10
11	·03	—	·01	·28	—	·14	—	·01	—	·11	·16	·14	11
12	·04	—	·02	—	·02	away from home. ·72 ins fell.	·05	·04	1·29	·23	·55	·04	12
13	—	—	·60	·08	—		·01	·01	·16	·41	·17	—	13
14	·05	·01	·15	·32	—		·07	·04	—	—	·14	·03	14
15	·06	—	·72	1·51	—		—	·03	—	—	·45	·22	15
16	—	—	·07	·16	—		·03	·02	—	—	·18	—	16
17	—	·01	—	·39	·01		·01	—	—	—	·50	—	17
18	·10	—	·81	·59	·02		·05	—	—	—	·64	—	18
19	·38	—	·16	·09	·04		—	—	·03	·29	·65	—	19
20	·17	—	·07	·07	·02		—	·02	·16	·24	1·11	—	20
21	—	—	·15	—	·04		·07	·87	—	·08	—	—	21
22	·07	—	·36	—	·02		—	·25	·03	·01	·01	—	22
23	·57	—	·04	—	—		—	·27	·06	·03	·14	—	23
24	·76	·04	—	·28	—		—	—	—	—	·20	·01	24
25	—	·01	—	·23	—		—	—	·61	—	·16	·76	25
26	—	·05	·03	1·05	—		—	—	1·17	·14	·02	1·05	26
27	—	·01	—	·74	·01	·03	—	—	—	·25	·02	·15	27
28	·37	—	·21	·71	·01	—	—	—	—	·02	—	·07	28
29	—		·23	·59	·02	—	—	·21	—	·17	·05	·06	29
30	1·05		—	—	·08	—	—	·05	—	·08	·01	—	30
31	·16		·03		—		—	—		·02		—	31
Total	5·27	4·22	8·60	7·60	1·61	3·38	1·11	2·04	3·57	2·70	6·45	5·77	TOTAL for year 52·32
No. of Rain Days.	20	16	26	19	19	(14)	13	15	11	18	28	17	(216)

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Ravenstonedale
in the County of Westmorland
by Jas. R. Highmoor.

Lat. Long.
Time of Observation 9. ~~30~~ a.m.
Nearest Railway Station Ravenstonedale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10½ in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·49	·15	·07	—	—	·10	·19	—	—	away from home 1·24	·32	1
2	—	·37	·01	·05	—	—	·58	·35	—	·05		·31	2
3	·02	·38	·05	—	·64	—	·01	·06	—	—		1·44	3
4	1·23	—	·04	·27	·38	·02	—	·06	—	—		·72	4
5	·09	—	·22	·34	·14	·13	—	~~·19~~	—	—	·25	·23	5
6	—	—	·05	·25	in 2 days	·07	—	·19	—	—	·06	·22	6
7	·07	·08	·10	·04	·35	~~3~~	—	·04	—	—	·04	·40	7
8	·13	·08	·06	·02	·19	·38	·23	1·38	—	—	·09	·55	8
9	·52	·21	—	away from home ·98 ins fell	·01	1·16	—	·03	·05	—	·78	·02	9
10	·02	·23	·36		·01	—	—	—	·10	—	·39	—	10
11	—	·27	·16		·13	—	·06	—	·15	—	·30	·30	11
12	—	·74	·07		—	—	·31	—	·29	—	·45	·33	12
13	·01	·56	·49		—	—	·01	—	·07	·10	·38	·17	13
14	·03	1·54	·13		—	—	—	—	·12	·02	·17	·32	14
15	—	·17	·40		—	—	—	—	·18	—	·15	·03	15
16	·03	—	·01		—	—	·60	—	1·93	—	—	·44	16
17	·13	·69	·36		—	·77	·06	—	·45	—	—	2·50	17
18	—	51	·14		—	·01	·05	—	·03	·01	—	—	18
19	—	—	·22		—	—	·01	—	·01	—	·04	—	19
20	—	·52	·13		—	—	—	—	—	—	—	—	20
21	—	·37	·01		·03	·08	—	—	—	—	·03	—	21
22	—	·63	·04		·03	·15	—	·10	—	away from home ·10 ins	·01	—	22
23	—	·24	·08		·18	·05	·04	·45	—		—	—	23
24	·91	—	·40		·09	·02	·10	·11	—		·16	—	24
25	·28	·01	—		·06	—	·03	·25	—		·25	·62	25
26	·01	·05	·04		—	—	·03	—	—		·62	·31	26
27	·03	·05	—		—	—	—	—	—		·62	·28	27
28	·14	·21	·11		—	—	—	·02	—		·81	—	28
29	·53	—	·14		—	—	—	·31	—		1·21	—	29
30	·82	—	1·13		—	—	—	·06	—		·73	·47	30
31	·77	—	—		·04		·67	—				·04	31
Total	5·77	8·34	4·80	2·02	2·28	2·84	2·89	3·30	3·38	·28	8·78	9·92	YEAR'S TOTAL 54.66
Rain Days.	19	22	27	abt (14.)	15	11	16	15	11	abt (8)	(25)	21	(204.)

W.7,000, XI. 13

3900

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Ravenstonedale Eden N
in the County of Westmorland
by J. R. Highmore.

Lat. 54° 26' Long. 2° 26'
Time of Observation 9 a.m.
Nearest Railway Station Ravenstonedale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10½ in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·90	—	—	·07	—	·03	·38	·15	—	—	—	1
2	—	·90	·17	·65	—	·08	·08	·17	·03	—	—	—	2
3	·19	·41	·33	·14	—	—	·31	·17	—	—	—	·27	3
4	·01	·33	—	·02	·06	·09	—	·22	—	—	—	·07	4
5	·49	·17	·06	—	·08	—	—	·02	—	—	—	·74	5
6	·37	·23	·12	·32	—	·02	·37	·03	—	[illegible]	·01	·54	6
7	·49	·38	·01	—	—	—	·69	·11	—	—	—	·48	7
8	·36	·47	—	·30	—	—	Away from home 2.4 2 ins fell	·04	—	—	1·30	·29	8
9	—	·10	·01	·06	—	—		·03	—	—	·11	·86	9
10	·78	—	·02	—	—	—		·05	—	·10	—	·16	10
11	·04	·05	·02	·04	·49	—		·11	—	—	·02	—	11
12	·16	·05	—	·07	·03	—		·03	—	·16	·35	—	12
13	·04	·42	—	·03	—	—		·19	·05	·01	—	·06	13
14	·47	—	—	·03	—	—		·14	—	—	—	·45	14
15	1·22	—	—	—	—	—		·21	·01	—	·05	·29	15
16	—	·61	—	—	—	—		·25	—	—	—	—	16
17	—	·68	—	—	·03	—		·01	—	—	—	—	17
18	—	·62	·18	—	—	—		—	—	·05	·02	—	18
19	—	·16	·14	1·11	·03	—		—	—	·01	—	—	19
20	·36	—	·03	—	·15	—		·02	—	—	—	·41	20
21	·10	·16	—	·10	—	—		—	—	—	—	·06	21
22	—	—	·01	—	—	—		—	—	—	—	·45	22
23	—	·04	·07	·04	—	—		—	·14	·02	—	·52	23
24	—	—	·07	·03	—	—		·01	~~·44~~	·03	—	·45	24
25	—	—	—	—	—	—		—	·65	·03	—	—	25
26	—	·60 in 2 days	—	—	—	·05		—	·01	—	—	·37	26
27	—		—	—	—	·06		~~·36~~	—	·38	—	·50	27
28	·01	·08	·07	—	·29	·01		·36	—	·06	·03	—	28
29	—	X	—	—	·18	—		·02	—	—	·27	·18	29
30	·13	X	—	·06	—	·02	·09	—	—	—	·06	·05	30
31	·11	X	·01	X	—	X	·08	·39	X	·04	X	·71	31
Total	5·80	7·36	1·32	3·00	1·41	·33	4·07	2·96	1·78	·90	2·22	7·91	YEAR'S TOTAL 39·06
Rain Days.	18	27	16	15	10	7		22	8	12	10	21	

W. 8,000. X. 14.

End Plt

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Ravenstonedale

in the County of Westmorland

by Mrs D. V. Highmoor

Lat. 54·26 Long. 2·26 W

Time of Observation 9·30 a.m.

Nearest Railway Station Ravenstonedale

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·61	·04	·05	—	—	1·01	·61	·06	—	~~·0~~	·41	·01	1
2	·23	·22	·03	—	—	·15	·26	—	·18	·08	·04	·06	2
3	·03	·27	·02	·06	—	·12	·12	—	1·04	·13	·43	—	3
4	·41	·10	—	·02	·62	·44	·12	—	·16	·90	·22	—	4
5	·01	1·70	—	—	·23	·20	·13	—	—	1·47	·47	—	5
6	·70	fell in 2 days	·27	·02	·26	·03	in 2 days	—	—	·80	·26	—	6
7	—	·01	·06	—	·06	·59	1·80	—	—	·30	·21	·44	7
8	—	·02	·22	—	·07	in 2 days	·04	—	—	·20	·20	~~·28~~ ·23	8
9	—	—	·06	—	·31	·03	·03	—	—	·13	·10	~~·23~~ ·12	9
10	·05	·26	—	·15	·01	·08	·05	—	—	·67	·03	—	10
11	—	·11	·30	·39	—	·01	·13	—	·04	·06	—	·03	11
12	·06	·70	·06	·29	·17	—	·55	·07	—	·23	—	·03	12
13	—	·21	·10	·02	·02	—	·02	·36	—	·77	—	·03	13
14	·04	·33	—	·01	·07	—	·01	·66	·02	·72	—	·01	14
15	·01	·50	·21	·10	—	—	·07	·22	·04	·05	—	—	15
16	—	·02	·65	·45	·01	—	·11	·04	·02	—	—	—	16
17	·43	·09	—	·40	·01	—	·01	·03	·25	·17	·01	·07	17
18	—	·22	—	·16	—	—	·01	·19	·24	·13	·34	·05	18
19	·75	—	·10	·32	—	·01	—	·01	·02	—	·13	·02	19
20	1·28	—	·08	·19	—	—	·05	·04	—	—	·15	·37	20
21	fell in 2 days	—	—	·03	—	—	·80	—	·02	—	·03	·01	21
22	—	—	—	·22	·01	·06	—	—	—	·08	·05	—	22
23	·31	—	·35	·24	—	·02	—	·02	—	·34	·65	·17	23
24	·03	—	·06	·23	·01	·45	—	·24	—	·10	·35	·08	24
25	·42	·15	·26	—	·12	·12	—	·67	·01	·05	·47	·09	25
26	·37	·09	·09	—	—	—	·24	·01	—	·08	·05	—	26
27	—	·19	·12	—	·29	·01	—	·06	·10	·37	—	·06	27
28	·86	·11	—	—	·02	—	—	—	·01	·18	·08	1·75	28
29	·06	·25	·05	—	·01	—	—	—	—	·27	1·00	·27	29
30	·11	✕	—	—	—	·07	·09	—	—	1·76	·15	·17	30
31	—	✕	—	✕	·98	✕	—	·35	✕	·62	✕	·01	31
Total	7·77	5·59	3·14	3·30	3·28	3·40	5·25	3·03	2·15	10·66	5·83	3·82	YEAR'S TOTAL 57·22
Rain Days.	21	22	20	18	19	18	22	16	14	26	23	22	241

W. 8,000. X. 15.

3666

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ravenstonedale

in the County of Westmorland

by Miss D. V. Highmoor.

Lat. 54·26" Long. 2·26 W

Time of Observation 9·30

Nearest Railway Station Ravenstonedale

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 10½ in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	—	—	·03	—	·32	—	·01	·54	—	·14	away from home ·28 in 5 days	1
2	·22	·01	—	·31 in 2 days	—	·06	—	·02	·02	·02	—		2
3	·25	·02	—		—	·60	—	—	·01	·47	·03		3
4	—	·05	·03	—	—	—	—	·01	—	·02	·03		4
5	·13	—	·05	·39	—	—	—	—	—	·08	1·22		5
6	·01	—	—	·01	—	·06	—	—	·01	·42	·69	·40	6
7	·66	—	·03	—	—	·10	—	—	—	·19	·05	·24	7
8	·27	—	—	·31	—	·03	—	·65	·04	·66	·19	·11	8
9	—	—	—	·07	—	—	—	·56	—	·11	·24	·07	9
10	·26	—	·94	·13	·17	—	—	·07	—	·01	·01	—	10
11	·04	·12	—	—	·08	—	—	1·16	—	·63	·01	—	11
12	·01	—	·03	—	·71	—	—	·04	·01	·10	—	·02	12
13	·05	—	—	·69	·07	·04	—	·54	·70	·04	·01	·15	13
14	·32	—	—	·23	·04	—	—	·25	—	·01	—	·04	14
15	·09	—	—	·13	—	—	·02	·23	·13	·15	·01	·12	15
16	·16	—	·01	·14	—	—	·10	1·18	·16	·26	—	·20	16
17	·03	·29	·06	·19	·11	—	·07	1·43	·24	·14	—	·06	17
18	—	—	·31	·08	·05	—	·06	·62	·41	·01	—	·06	18
19	·03	·08	·18	—	·38	·04	·02	·05	1·29 in 12 days away from home	—	·02	·12	19
20	·03	·09	·08	—	·02	·59	—	·63		·18	·15	·22	20
21	·01	·07	·03	·02	·07	·01	—	·20		·10	—	—	21
22	—	·01	—	—	—	·05	—	·30		·54	—	·01	22
23	—	·01	—	—	·09	·71	—	·92		·08	·46	·02	23
24	—	~~·02~~	—	—	—	—	·02	·24		·89	1·54 in 7 days away from home	—	24
25	—	·02	·10	—	·02	—	—	·16		·12		—	25
26	—	—	—	—	—	·08	·03	1·25 in 2 days		·32		—	26
27	—	—	·05	—	·30	·03	·65			·03		·01	27
28	—	—	·70	—	—	—	—	·16		·03		—	28
29	—	✕	·08	—	·01	—	·10	·01		·98		—	29
30	·03	✕	—	—	—	—	—	·02		·65		—	30
31	—	✕	·35	✕	·26	✕	—	·44	✕	·01	✕	·03	31
Total	2·70	·77	3·03	2·73	2·38	2·72	1·97	11·15	3·56	7·25	4·71	2·16	YEAR'S TOTAL 45·13
Rain Days.	19	11	16	15	15	14	9	27	(19)	29	(21)	(20)	(215)

W. 8,000, VIII. 16

RAVENSTONEDALE

WESTMORLAND

1918 - 19

FORM A.
BRITISH RAINFALL

REGI

Kept at Ravenstone W.

in the County of West ostonedale. N.E.

by (Miss) D. V. H 5 in.

d 1 ft. 10½ in.

Level about 900 ft.

IMPORTANT NOTI esult entered to the previous day. If an Obs rule, he is earnestly requested to add the reading at 9 a.m. on 1st January the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·14	·01	·09	·02	—	—	—	·29	·07	·33	·25	1
2	—	·13	·01	·15	—	—	—	—	·12	·50	·43	·66	2
3	·02	·15	·02	·02	·14	—	—	—	—	·97	·44	·02	3
4	—	·20	·01	—	·07	—	—	·08	·09	·60	·18	·17	4
5	—	·17	·10	·36	·10	—	—	1·60	—	·95	·32	·28	5
6	·12	·81	·01	·28	·01	·41	—	·05	·09	·43	—	·03	6
7	·02	·19	—	·21	·01	—	·16	·07	·61	·13	—	·09	7
8	·03	·40	·07	·01	—	—	·09	·05	·22	·30	·38	·03	8
9	·05	1·17	—	·01	—	·30	—	—	·60	·24	·27	·09	9
10	·06	1·33	·16	—	—	—	·09	—	·44	·35	·80	·01	10
11	·19	·04	·16	—	·14	—	·23	·02	·07	·01	—	·15	11
12	·01	·57	·01	—	·11	—	·3.0	—	·06	—	—	·03	12
13		·01	—	·08	·21	—	—	—	·24	·11	—	·06	13
14	1·05	—	—	—	—	·26	·41	05	·37	·02	—	·03	14
15	—	—	—	·03	·02	—	·37	—	2·11	·02	—	·92	15
16	·05	—	—	—	—	·12	·82	·13	·64	·05	—	·31	16
17	·38	—	—	—	·03	·29	1·12	·12	·44	·26	—	·62	17
18	1·48	—	·24	—	—	·01	·69	—	·08	·26	—	·27	18
19	·43	·08	·03	·17	—	—	·61	·09	·51	·09	—	·24	19
20	1·18	·39	—	·17	·16	·03	1·77	·01	·36	—	—	—	20
21	·29	2·07	—	·01	—	·13	·01	—	1·50	·08	—	—	21
22	·05	·16	—	—	·22	·03	·18	·06	·43	—	—	·86	22
23	·55	—	—	—	·21	—	·79	—	·21	—	·05	·05	23
24	·54	·15	—	—	—	—	·02	·09	·15	—	·03	·04	24
25	·04	·09	—	—	·26	·01	·32	·73	·57	—	·05	—	25
26	·04	·32	—	—	—	—	·06	·10	·43	—	·02	·41	26
27	·02	·28	·92	—	·02	·03	·01	·24	·45	·04	·07	·50	27
28	·01	·11	·42	—	—	—	—	·14	·09	—	·04	·41	28
29	—	✗	·02	—	—	—	—	—	·06	·02	·01	·39	29
30	—	✗	·23	—	—	—	—	·01	—	·06	·03	·29	30
31	—	✗	·11	✗	—	✗	—	·10	✗	·02	✗	·02	31
Total	6·61	8·96	2·53	1·59	1·73	1·62	8·05	3·74	11·23	5·58	3·75	7·23	YEAR'S TOTAL 62·61
Rain Days.	22	22	17	13	16	11	19	19	27	23	16	28	233

W. 8,000, IX. 17.

REGI

FORM A. BRITISH RAINFA

Kept at Ravenstonedale
in the County of Westmorland
by (Miss) D. V. Highmoor

Lat. 54·26" Long. 2·26 W.
Time of Observation 9·30
Nearest Railway Station Ravenstonedale. N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10½ in.
" " " " Sea Level about 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·14	·01	·09	·02	—	—	—	·29	·07	·33	·25	1
2	—	·13	·01	·15	—	—	—	—	·12	·50	·43	·66	2
3	·02	·15	·02	·02	·14	—	—	—	—	·97	·44	·02	3
4	—	·20	·01	—	·07	—	—	·08	·09	·60	·18	·17	4
5	—	·17	·10	·36	·10	—	—	1·60	—	·95	·32	·28	5
6	·12	·81	·01	·28	·01	·41	—	·05	·09	·43	—	·03	6
7	·02	·19	—	·21	·01	—	·16	·07	·61	·13	—	·09	7
8	·03	·40	·07	·01	—	—	·09	·05	·22	·30	·38	·03	8
9	·05	1·17	—	·01	—	·30	—	—	·60	·24	·27	·09	9
10	·06	1·33	·16	—	—	—	·09	—	·44	·35	·80	·01	10
11	·19	·04	·16	—	·14	—	·23	·02	·07	·01	—	·15	11
12	·01	·57	·01	—	·11	—	·30	—	·06	—	—	·03	12
13	[illegible]	·01	—	·08	·21	—	—	—	·24	·11	—	·06	13
14	1·05	—	—	—	—	·26	·41	05	·37	·02	—	·03	14
15	—	—	—	·03	·02	—	·37	—	2·11	·02	—	·92	15
16	·05	—	—	—	—	·12	·82	·13	·64	·05	—	·31	16
17	·38	—	—	—	·03	·29	1·12	·12	·44	·26	—	·62	17
18	1·48	—	·24	—	—	·01	·64	—	·08	·26	—	·27	18
19	·43	·08	·03	·17	—	—	·61	·09	·51	·09	—	·24	19
20	1·18	·39	—	·17	·16	·03	1·77	·01	·36	—	—	—	20
21	·29	2·07	—	·01	—	·13	·01	—	1·50	·08	—	—	21
22	·05	·16	—	—	·22	·03	·18	·06	·43	—	—	·86	22
23	·55	—	—	—	·21	—	·79	—	·21	—	·05	·05	23
24	·54	·15	—	—	—	—	·02	·09	·15	—	·03	·04	24
25	·04	·09	—	—	·26	·01	·32	·73	·57	—	·05	—	25
26	·04	·32	—	—	—	—	·06	·10	·43	—	·02	·41	26
27	·02	·28	·92	—	·02	·03	·01	·24	·45	·04	·07	·50	27
28	·01	·11	·42	—	—	—	—	·14	·09	—	·04	·41	28
29	—	✕	·02	—	—	—	—	—	·06	·02	·01	·39	29
30	—	✕	·23	—	—	—	—	·01	—	·06	·03	·29	30
31	—	✕	·11	✕	—	✕	—	·10	✕	·02	✕	·02	31
Total	6·61	8·96	2·53	1·59	1·73	1·62	8·05	3·74	11·23	5·58	3·75	7·23	YEAR'S TOTAL 62·61
Rain Days.	22	22	17	13	16	11	19	19	27	23	16	28	233

W. 8,000, IX. 17.

cast for month

342

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Ravenstonedale

in the County of Westmorland

by (Miss) D. V. Highmoor

Lat. 54·26 Long. 2·26 W

Time of Observation 9·30 a.m.

Nearest Railway Station Ravenstonedale N.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

" " " " Sea Level abt 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·85	—	·14	—	·24	—	—	—	1·61	·22	·64 ins fell	·30	1
2	·23	—	·32	—	·10	—	·35	—	·12	—		·17	2
3	·43	·03	·33	·03	·19	·09	·28	·02	·01	—		·36	3
4	·07	·10	—	—	·11	·01	·08	·14	·13	—		·57 in 2 days	4
5	·06	—	—	—	·14	—	·01	—	·06	—			5
6	·03	—	·38	—	·60	—	—	—	—	·03		·16	6
7	·04	—	·15	·11	·01	·03	—	·02	—	—		—	7
8	·17	—	·02	·07	·01	·06	—	·02	—	—		—	8
9	·72	—	·19	·04	—	·03	—	—	—	—		—	9
10	·04	—	·98	·16	·30	·01	—	—	—	·03	·11	·99	10
11	·05	—	·36	·15	·16	—	·03	—	·58	·04	—	·35	11
12	—	—	·06	·28	—	·04	·09	—	·04	·13	·19	·03	12
13	·43	—	·02	·48	—	—	·05	·28	—	·16	—	·67	13
14	·43	—	—	·27	—	—	—	—	—	—	·03	·10	14
15	·68	·09	·02	·27	—	—	—	·03	—	—	·03	·49	15
16	·27	·03	·01	·05	—	·09	—	—	—	·01	·18	·07	16
17	—	·01	—	—	·09	—	—	·62	·03	away from home 1·69 ins fell	·72	·01	17
18	—	—	·09	·01	—	—	·28	·35	·18		·51	·31	18
19	·06	·40	·27	·02	—	·33	·03	·03	·09		·32	·02	19
20	·39	·29	·07	—	—	away from home ·39 ins fell	·13	·02	·02		·01	·24	20
21	—	·13	·04	—	·09		·02	·14	·09		·01	·10	21
22	—	·15	·02	—	—		—	·02	·40		·01	·14	22
23	·04	—	—	·18	—		—	—	—		·80	·06	23
24	·03	—	·02	·02	·09		—	·01	·26		·84	·05	24
25	·39	·03	—	·20	—		—	1·17	away from home [illegible] ins fell		·26	[illegible]	25
26	·06	·03	·74	·03	—		—	·10			·10	·39	26
27	·05	·01	—	·19	—		—	·01			·01	·03	27
28	·02	—	—	·06	—		—	·99			—	·63	28
29	·08	X	—	·03	—		—	·02			—	·12	29
30	·04	X	·11	·03	—		—	—			·57	·77	30
31	·02	X	·04	X	—	X	·41	—	X		X	·02	31
Total	5·68	1·30	4·38	2·68	2·13	1·08	1·76	3·99	4·79	~~4·31~~	5·34	7·35	YEAR'S TOTAL ~~44·79~~
Rain Days.	26	12	22	21	13		12	18		2·31		27	42·79

W. 8,000, IX. 17.

Entd. 17·XI·13

3704

Rydal.

~~1911 -20~~

1911-12, 14-1920

1913 1927

FORM A. BRITISH RAINFALL.

12 APR 1913

Kept at Ryda … ng. … 9 A.M.

in the County of W- … n Windermere.

… e five in.

by Miss Mary Y … above Ground 1 ft. — in.

„ Sea Level about 370 ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										—	1·22	-·74	1
2										-·06	-·21	-·77	2
3										—	1·96	-·48	3
4										—	1·44	-·36	4
5										—	-·38	-·23	5
6										—	-·56	-·84	6
7										—	1·03	-·01	7
8										—	-·65	1·12	8
9										—	-·01	1·35	9
10										—	-·01	1·60	10
11										—	-·05	-·20	11
12										—	-·32	-·11	12
13										—	-·85	-·08	13
14										—	1·52	-·58	14
15										—	1·24	-·28	15
16										—	-·35	-·62	16
17										-·01	-·97	-·33	17
18										—	-·05	-·70	18
19										-·80	-·08	-·96	19
20									—	-·05	-·01	-·34	20
21									—	-·38	—	-·10	21
22									—	-·05	-·03	-·01	22
23									1·88	-·50	—	1·13	23
24									—	-·21	—	-·39	24
25									-·40	-·28	—	-·42	25
26									-·01	—	-·27	-·19	26
27									-·52	—	-·31	-·43	27
28									-·32	—	-·02	-·48	28
29									-·72	4·45	-·01	-·37	29
30									-·02	1·25	-·46	-·01	30
31										-·25		-·05	31
Total										8·29	14·01	15·28	YEAR'S TOTAL
Rain Days.										12	26	31	

W. 7,500, XI. 12

Entd. 17·XI·13

FORM A.
BRITISH RAINFALL.

12 APR 1913

Kept at Rydal

in the County of Westmorland

by Miss Mary Yates per Miss Marshall

Lat. Long.

Time of Observation 9 A·M.

Nearest Railway Station Windermere

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										—	1·22	-·74	1
2										-·06	-·21	-·77	2
3										—	1·96	-·48	3
4										—	1·44	-·36	4
5										—	-·38	-·23	5
6										—	-·56	-·84	6
7										—	1·03	-·01	7
8										—	-·65	1·12	8
9										—	-·01	1·35	9
10										—	-·01	1·60	10
11										—	-·05	-·20	11
12										—	-·32	-·11	12
13										—	-·85	-·08	13
14										—	1·52	-·58	14
15										—	1·24	-·28	15
16										—	-·35	-·62	16
17										-·01	-·97	-·33	17
18										—	-·05	-·70	18
19										-·80	-·08	-·96	19
20									—	-·05	-·01	-·34	20
21									—	-·38	—	-·10	21
22									—	-·05	-·03	-·01	22
23									1·88	-·50	—	1·13	23
24									—	-·21	—	-·39	24
25									-·40	-·28	—	-·42	25
26									-·01	—	-·27	-·19	26
27									-·52	—	-·31	-·43	27
28									-·32	—	-·02	-·48	28
29									-·72	4·45	-·01	-·37	29
30									-·02	1·25	-·46	-·01	30
31										-·25		-·05	31
Total										8·29	14·01	15·28	YEAR'S TOTAL
Rain Days.										12	26	31	

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

12 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Rydal

in the County of Westmorland 2 2

by miss Mary Yates per Miss Marshall

Lat. .... Long. ....

Nearest Railway Station Windermere

Time of Observation 9 A.M.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level about 370 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-·02	-·10	1·04	-·01	—	-·21	-·16	-·07	-·09	-·01	—	-·36	1
2	-·14	—	1·38	—	—	-·28	-·17	—	-·06	—	—	-·06	2
3	-·34	—	-·01	-·01	-·33	-·69	—	-·46	1·72	—	-·01	-·75	3
4	-·24	—	1·02	-·86	-·07	-·22	—	-·49	-·70	—	1·75	-·18	4
5	-·14	—	-·03	-·02	-·35	-·04	—	-·17	-·19	-·58	—	-·05	5
6	-·20	-·50	-·05	—	-·45	-·01	—	-·36	-·01	—	-·03	-·02	6
7	—	-·61	-·31	-·21	-·13	-·03	-·28	-·31	-·30	-·01	-·56	-·16	7
8	1·08	-·70	-·22	-·26	-·07	—	—	-·03	-·05	—	-·37	-·30	8
9	-·34	-·17	-·32	-·31	—	-·15	-·02	-·46	—	—	-·37	-·75	9
10	-·35	-·07	-·01	-·02	-·16	-·53	-·64	-·20	—	—	-·80	-·86	10
11	-·34	—	-·01	—	-·11	—	-·38	—	—	—	—	-·63	11
12	-·94	-·08	-·93	—	—	-·48	-·02	—	—	—	—	1·37	12
13	-·20	-·01	-·19	—	—	-·01	—	-·05	—	1·78	-·03	3·92	13
14	1·31	—	-·27	—	—	-·49	—	-·09	—	-·04	—	-·65	14
15	1·65	-·37	-·02	—	-·03	-·30	—	-·01	—	-·78	—	-·18	15
16	-·34	-·05	1·01	—	-·09	—	—	-·27	—	-·92	-·04	-·22	16
17	-·08	-·27	-·38	—	-·12	-·83	—	-·95	—	—	-·01	-·52	17
18	-·01	-·08	-·01	—	—	-·82	—	-·18	—	-·57	-·04	-·56	18
19	-·01	-·08	-·61	—	—	-·18	—	-·44	—	-·30	-·19	-·12	19
20	-·23	—	-·15	—	-·53	-·13	-·01	-·54	—	-·57	-·02	-·48	20
21	-·02	-·36	-·28	—	-·02	-·26	-·02	-·09	—	-·12	—	-·16	21
22	-·01	1·36	-·02	—	-·23	—	—	-·54	—	—	-·42	-·08	22
23	-·01	-·05	-·11	—	—	-·28	-·26	-·23	—	—	-·69	-·38	23
24	—	-·12	-·46	—	-·01	-·47	-·52	-·02	—	-·17	-·62	-·16	24
25	—	-·03	-·39	-·34	—	-·84	-·02	-·21	—	—	1·36	-·18	25
26	—	-·65	-·32	—	—	-·05	-·10	—	—	2·02	-·65	-·55	26
27	—	-·46	-·52	—	—	1·32	-·75	—	—	-·46	-·11	1·25	27
28	—	-·28	-·04	—	—	-·21	-·79	-·85	—	-·70	-·54	-·01	28
29	—	-·05	-·54	—	—	-·06	1·26	-·49	-·29	-·36	—	-·37	29
30	-·02		-·68	-·09	-·01	-·07	-·26	—	-·04	-·27	—	1·20	30
31	—		-·15		—		-·97	-·66		-·08		-·48	31
Total	8·02	6·45	11·48	2·13	2·71	8·96	6·63	8·17	3·45	9·74	8·61	16·96	TOTAL for year 93·31
No. of Rain Days	23	22	31	10	16	26	18	25	10	18	20	31	250

6,000, XI, '08.
EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

written 17.IV.15

cwd for auth 16.IV.15 ~~W~~ M 9

FORM A. BRITISH RAINFALL.

8 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Rydal
in the County of Westmorland 2
by Mary Yates

Lat. 54·45N Long. 3 W.
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If a
l rule, he is earnestly requested to add th
the space provided for it at the end c
of rain, the selection and p
Rainfall Organization are giv
ication to Dr. H. R. Mill, 62

Jan. 1, following.

C.S./G.

Rydal
Ambleside.

19 APR 1915

Many Thanks for your correction. I am so sorry to have given you this trouble.
Mary Yates.

Date.	Jan.	Feb.	M								Nov.	Dec.	Date.
1	-·02	-·51									—	-·48	1
2	-·02	-·65									-·33	-·35	2
3	-·23	-·34									—	1·80	3
4	1·47	-·01									-·02	1·44	4
5	-·16	-·01									-·33	-·40	5
6	—	-·09									-·29	1·29	6
7	-·27	-·22									-·27	-·07	7
8	-·61	-·12	-·08	-·12	-·55	-·45	-·03	2·66	-·32	-·02	-·42	-·22	8
9	-·35	-·48	—	-·52	-·01	1·04	—	—	-·02	—	-·71	—	9
10	-·01	-·66	-·01	-·10	-·13	-·02	—	-·01	-·10	—	-·81	—	10
11	—	-·23	-·57	-·01	-·03	-·02	-·82	—	-·22	—	-·73	-·26	11
12	—	-·86	-·16	-·01	-·06	—	-·02	—	-·32	-·06	1·41	-·12	12
13	—	-·72	-·68	-·14	—	—	-·01	—	-·64	—	-·63	-·16	13
14	-·01	-·89	-·38	—	—	—	-·09	—	-·40	—	-·40	-·39	14
15	—	-·11	-·69	—	—	—	—	—	-·26	—	-·23	—	15
16	-·01	-·07	-·08	—	—	—	1·02	—	1·33	—	—	-·06	16
17	-·04	1·05	-·50	—	—	-·35	-·14	—	-·34	-·01	—	2·77	17
18	—	-·74	-·53	—	—	—	-·07	—	-·11	-·03	-·01	-·16	18
19	—	-·06	-·12	—	—	—	-·02	—	-·07	—	—	-·05	19
20	—	-·78	-·34	—	-·10	-·11	—	—	—	—	—	-·05	20
21	—	-·53	—	—	}-·20{	—	—	-·05	—	-·01	—	—	21
22	—	1·00	-·01	-·06		-·22	-·02	-·45	—	-·07	—	—	22
23	—	-·23	-·21	-·16	-·23		-·10	-·16	—	-·01	—	—	23
24	2·05	—	-·15	-·11	-·01	-·06	-·36	-·02	—	—	-·38	—	24
25	-·45	—	—	—	-·03	—	-·12	-·81	—	1·45	1·41	1·27	25
26	-·07	-·23	-·01	—	—	—	-·05	-·06	—	-·24	1·25	-·62	26
27	-·10	-·22	—	—	—	—	—	—	-·06	-·44	1·40	-·20	27
28	-·19	-·48	-·46	—	-·03	—	—	-·10	-·04	-·01	1·25	—	28
29	-·90	✕	-·49	—	-·04	—	—	-·40	—	-·06	2·40	-·06	29
30	-·80	✕	1·00	-·01	-·01	—	—	—	-·07	—	-·38	-·64	30
31	-·87	✕	-·01	✕	—	✕	-·99	—	✕	-·18	✕	-·03	31
Total	8·63	11·29	8·33	2·82	3·46 3·46	2·67	5·29	6·52	4·30	2·70 2·70	15·06	12·89	YEAR'S TOTAL 83·96 83·96
Rain Days.	20	26	27	16	19	~~12~~ 13	19	17	15	15	21	23	231

W.7,000, XI. 13

written 17.IV.15

corr fr auth 16.IV.15 ~~W.~~ M.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

8 JAN 1915

Kept at Rydal ... dermere

in the County of W ... in.

by Mary Yate ... und — ft. 7 in.

Level 390 ft.

Dr H R Mill D Sc
62 Camden Square
London
N.W.

IMPORTANT ... result entered to the previous day. If ... rule, he is earnestly requested to add th ... the space provided for it at the end ... of rain, the selection and p ... Rainfall Organization are give ... ication to Dr. H. R. Mill, 62, C... ...uare, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-.02	-.51	-.30	-.06	—	—	-.54	-.67	—	-.08	—	-.48	1
2	-.02	-.65	-.09	-.05	—	—	-.60	-.36	—	—	-.33	-.35	2
3	-.23	-.34	-.16	—	1.08	—	—	-.10	—	—	—	1.80	3
4	1.47	-.01	-.24	-.60	-.31	-.02	-.03	-.01	—	—	-.02	1.44	4
5	-.16	-.01	-.72	-.56	-.15	-.09	-.26	-.01	—	—	-.33	-.49	5
6	—	-.09	-.12	-.19	-.16	-.13	—	-.30	—	—	-.29	1.29	6
7	-.27	-.22	-.22	-.12	-.25	-.16	—	-.35	—	-.03	-.27	-.07	7
8	-.61	-.12	-.08	-.12	-.55	-.45	-.03	2.66	-.32	-.02	-.42	-.22	8
9	-.35	-.48	—	-.52	-.01	1.04	—	—	-.02	—	-.71	—	9
10	-.01	-.66	-.01	-.10	-.13	-.02	—	-.01	-.10	—	-.81	—	10
11	—	-.23	-.57	-.01	-.03	-.02	-.82	—	-.22	—	-.73	-.26	11
12	—	-.86	-.16	-.01	-.06	—	-.02	—	-.32	-.06	1.41	-.12	12
13	—	-.72	-.68	-.14	—	—	-.01	—	-.64	—	-.63	-.16	13
14	-.01	-.89	-.38	—	—	—	-.09	—	-.40	—	-.40	-.39	14
15	—	-.11	-.69	—	—	—	—	—	-.26	—	-.23	—	15
16	-.01	-.07	-.08	—	—	—	1.02	—	1.33	—	—	-.06	16
17	-.04	1.05	-.50	—	—	-.35	-.14	—	-.34	-.01	—	2.77	17
18	—	-.74	-.53	—	—	—	-.07	—	-.11	-.03	-.01	-.16	18
19	—	-.06	-.12	—	—	—	-.02	—	-.07	—	—	-.05	19
20	—	-.78	-.34	—	-.10	-.11	—	—	—	—	—	-.05	20
21	—	-.53	—	—	-.20	—	—	-.05	—	-.01	—	—	21
22	—	1.00	-.01	-.06		-.22	-.02	-.45	—	-.07	—	—	22
23	—	-.23	-.21	-.16	-.23		-.10	-.16	—	-.01	—	—	23
24	2.05	—	-.15	-.11	-.01	-.06	-.36	-.02	—	—	-.38	—	24
25	-.45	—	—	—	-.03	—	-.12	-.81	—	1.45	1.41	1.27	25
26	-.07	-.23	-.01	—	—	—	-.05	-.06	—	-.24	1.25	-.62	26
27	-.10	-.22	—	—	—	—	—	—	-.06	-.44	1.40	-.20	27
28	-.19	-.48	-.46	—	-.03	—	—	-.10	-.04	-.01	1.25	—	28
29	-.90		-.49	—	-.04	—	—	-.40	—	-.06	2.40	-.06	29
30	-.80		1.00	-.01	-.01	—	—	—	-.07	—	-.38	-.64	30
31	-.87		-.01		—		-.99	—		-.18		-.03	31
Total	8.63	11.29	8.33	2.82	3.46 3.46	2.67	5.29	6.52	4.30	2.70 2.70	15.06	12.89	YEAR'S TOTAL 83.96 83.96
Rain Days.	20	26	27	16	19	12 13	19	17	15	15	21	23	231

W.7,000, XI. 13

[illegible] stats 12. V. 16

3931

FORM A.
BRITISH RAINFALL.
10. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rydal.

in the County of Westmorland.

by Mary Yates

Lat. Long.

Time of Observation same as last

Nearest Railway Station year.

Diameter of Funnel of Rain Gauge . in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	1·53	·15	—	·14	—	·20	·44	·03	—	—	—	1
2	·06	1·15	·21	·67	—	·20	·40	·83	—	—	—	—	2
3	·04	·55	·61	·36	—	—	·42	·42	—	—	—	·29	3
4	·02	·39	·27	·18	·08	·53	—	—	—	—	—	·41	4
5	·42	1·30	·61	·03	·25	—	—	·13	—	—	—	1·73	5
6	·34	·53	·01	·52	—	·25	(1) 1·88	—	—	—	·01	·66	6
7	·47	1·06	·01	·41	—	—	·55	·15	·06	—	·04	·36	7
8	·42	·97	·01	·16	—	—	·01	·20	—	—	1·29	·01	8
9	※ ×	·18	—	·02	—	—	—	·02	—	·07	·40	·95	9
10	1·25×	·02	·05	·16	—	—	·04	·05	—	—	—	1·00	10
11	·19	·02	—	—	·74	—	·05	·03	—	·38	·09	—	11
12	·52	·01	—	—	·01	—	·07	·03	—	·14	1·16	—	12
13	·37	·09	—	—	—	—	—	·12	·08	—	—	·13	13
14	·66	—	—	·05	—	—	—	·03	·07	—	—	·52	14
15	(1) 1·22	—	—	·07	—	—	—	·05	·04	—	·16	·67	15
16	—	2·08	—	·01	·02	—	·26	·12	·16	—	—	—	16
17	—	·64	·02	—	—	—	·15	—	—	·01	—	—	17
18	·15	·60	·08†	·01	—	—	·54	—	—	—	—	—	18
19	·77	·17	·12	1·92	·41	—	·35	—	—	—	—	—	19
20	※	·01	·07	·07	·19	—	·53	·02	—	—	—	·50	20
21	·13	·23	—	·13	—	—	·66	—	—	·05	—	·08	21
22	—	—	·16	—	—	·07	·90	—	—	·66	—	·84	22
23	—	·05	·19	·01	—	·04	·01	—	— ×	·17	—	·63	23
24	—	—	·11	·03	—	—	·06	—	(1·06×)	—	—	·75	24
25	—	—	—	—	—	—	·07	—	·05	※ —	—	·15	25
26	—	2·10	—	—	—	·05	·33	—	·01	·70	—	·99	26
27	—	·43	—	—	—	·20	·03	—	—	·12	·07	·27	27
28	—	·57	—	—	·07	·40	—	·36	—	·01	·03	·01	28
29	—	X	—	—	·24	·02	—	—	·01	—	·98	·57	29
30	·45	X	—	·19	—	·13	—	—	—	·01	·26	·12	30
31	·40	X	—	X	—	X	·02	·90	X	—	X	2·26	31
Total	8·68	14·68	2·68	5·00	2·15	1·89	7·53	3·90	1·57	2·32	4·49	13·90	YEAR'S TOTAL 68·79
Rain Days.	20	23	16	19.	10	10	22	17	10	~~21~~ 11	11	23	194

W. 8,000. X. 15. ※ I was unable to measure the rain on this day - the amount therefore included in the next days total. + Inaccurate from some snow being blown off the gauge about right C.S.

[illegible] CJE 5839

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

17 FEB 1917

Kept at Rydal, Ambleside.

in the County of Westmorland.

by Mary Yates.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·96	-·33	-·07	—	—	2·00	1·14	-·03	—	—	-·62	—	1
2	-·53	-·23	-·04	—	—	-·62	-·20	—	-·58	—	-·60	-·05	2
3	-·13	-·46	—	-·07	—	-·15	-·14	—	-·57	-·41	-·56	—	3
4	-·27	-·11	—	—	-·63	-·35	-·02	—	-·11	-·72	-·62	—	4
5	-·27	1·57	—	—	-·37	-·92	—	—	—	2·09	-·66	—	5
6	1·24	-·29	—	—	-·58	-·32	-·26	—	—	-·98		-·05	6
7	-·07	-·15	-·07	—	-·67	-·16	-·46	—	—	-·86	-·26	-·28	7
8	-·02	-·17	—	—	—	-·14	-·02	—	—		-·86	-·48	8
9	-·11	—	-·01	—	-·19	-·24	-·09	—	—	-·19	-·37		9
10	-·20	-·28	-·02	-·36	—	-·06	-·21	—	-·05	1·99	-·43	—	10
11	-·14	-·10	-·03	-·69	-·05	—	-·22	-·20	-·12			—	11
12	-·53	-·86	-·22	-·23	-·38	-·06	-·02	-·20	—	1·64	—	-·02	12
13	—	-·36	—	-·15	-·01	—	—	-·26	—		-·62	—	13
14	-·24	-·57	—	-·10	-·47	—	—	-·17	-·09	-·50	—	—	14
15	-·11	1·18	-·70	-·13	—	—	-·01	-·55	—	-·24	—	-·21	15
16	-·09	-·55	—	1·08	—	—	-·30	-·02	-·02	—	—		16
17	-·80	-·14	—	-·80	—	—	-·13	-·03	-·75		—		17
18	1·15	-·62	-·23	-·26	—	—	-·01	-·82	1·38	-·17	-·57	-·35	18
19	-·90	-·01	—	-·16	—	—	—	-·05	-·02			-·27	19
20	1·57	—	-·03	-·01	—	—	—	-·18	-·01			-·93	20
21	-·83	—	-·01	-·05	-·03	—	-·16	—	-·02	—	—	-·01	21
22	—	—	-·25	-·59	—	-·33	—	—	—	-·33	-·20	-·07	22
23	-·45	—	-·09	-·07	—	-·16	—	-·02	—	-·62	2·95	-·18	23
24	-·15	-·02	-·40	-·97	—	-·81	—	-·57	—	-·26		-·12	24
25	-·14	-·04	—	-·01	-·16	-·15	—	-·41	—	-·04	-·77	-·18	25
26	-(·52)	-·05	—	— 8	—	-·01	—	-·02	-·13	-·16	—	—	26
27	—	-·06	—	—	—	—	—	-·02	-·10	-·45	2·19	-·24	27
28	1·08	-·02	-·24	—	—	—	—	—	—	1·15		4·15	28
29	-·24	-·56	-·02	—	-·06	-·01	-·02	—	—	1·08		-·50	29
30	-·26	X 12	— 5	—	7	-·02	— 5	-·09	—	-·46		-·26	30
31	10 —	X	—	X	—	X 6	—	-·30	X		X	-·11	31
Total	13·94	8·73	2·43	5·73	3·60	6·57	3·41	3·94	3·89	14·34	11·62	8·46	YEAR'S TOTAL 96·60
Rain Days.	27	24	16	17	12	18	17	18	14	27	23	22	235

W. 8,000, VIII. 16

cnd in auth W DL 3698

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 1918

Kept at Rydal. Ambleside
in the County of Westmorland
by Mary Yates

Lat. Long.
Time of Observation Same as last year
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·10	—	—	−·01*	—	—	—	−·03	−·60	—	−·23	−·35	1
2	—	−·10	−·02	−·04*	—	−·13	—	—	−·89	−·03	−·02	—	2
3	−·62	—	—	−·17	—	1·23	—	—	−·10	−·93	−·01	—	3
4	−·01	—	−·10	−·02	—	—	—	—	−·08	−·06	−·23	−·31	4
5	−·27	—	−·17	−·25	—	—	—	—	—	−·48	1·64	−·28	5
6	−·11	—	—	−·08	—	−·21	—	—	−·01		−·64	−·82	6
7	1·36	—	—	—	—	−·20	—	—	—	−·38	−·23	−·22	7
8	−·75	—	—	−·28	—	—	—	−·50	—	1·09	−·53	−·17	8
9	−·02	—	−·01	−·19	−·01	—	—	−·33	−·23	−·48	−·42		9
10	−·43	—	1·38	−·13	−·50	—	—	−·24	—	−·14	—	—	10
11	−·10	—	—	−·05	−·04	—	—	−·46	−·04	−·95	−·11	—	11
12	−·01	−·02	−·20	−·04	−·50	—	—	—	—	−·13	−·01	−·36	12
13	−·06	—	—	−·58	−·04	—	—	−·01	−·10	−·04	−·09		13
14	−·03	—	—	−·18	−·04	—	−·01	−·26	1·38	—	−·02	−·28	14
15	−·03	—	—	−·21	—	−·03	−·07	−·07	—	1·09	—	−·82	15
16	—	—	−·05	−·53	—	—	—	−·11	1·12	−·21	—	−·16	16
17	−·01	—	−·24	−·40	—	—	−·11	1·60	−·13	−·53	—	−·01*	17
18	−·01	−·19	−·40	−·08	−·23	—	1·12	1·22	−·23	−·02	—	−·57	18
19	−·01	−·62	−·38	—	−·27	—	−·01	−·65	−·65	—	−·18	−·43	19
20	—	−·59	−·05	—	−·12	1·33	—	−·08	−·08	−·34	−·68	−·49	20
21	—	−·08	−·03	—	−·21	—	—	−·40	−·86	−·33	—	—	21
22	—	−·02	—	—	—	—	—	−·14	−·77	1·39	−·05	—	22
23	—	−·10	—	—	−·74	−·88	−·20	−·19	−·45	−·15	−·40	—	23
24	—	—	—	—	—	−·02	−·14	−·91	−·12	1·80	−·64	—	24
25	—	−·16	—	—	—	—	−·13	−·50	−·11	−·41	1·06	−·04	25
26	—	−·02	−·06	—	—	—		−·50	−·93	−·71		—	26
27	—	—	−·54	−·03	−·13	—	−·40	1·36	−·70	−·16	−·50	—	27
28	—	—	−·27	−·03	—	—	−·02	1·05	—	−·04	−·80	—	28
29	—	X	—	—	—	—	−·06	−·37	−·06	1·22	−·67	—	29
30	—	X	−·04	—	—	—	—	−·06	—	−·36	−·49	—	30
31	—	X	—	X	1·71	X	−·04	—	X	—	X	−·01	31
Total	4·93	1·90 ~~2·00~~	3·94	3·30 ~~3·50~~	4·54	4·03	2·31	11·04	9·64	13·47	9·59 ~~9·69~~	5·32	YEAR'S TOTAL 74·01 74·42
Rain Days.	17	10	16	19	13	8	13	23	22	27	24	17	209

W. 8 000, IX. 17. * Blizzard — most of snow blown off gauge

30

FORM A.
BRITISH RAINFALL
24 2. 19

REGISTER OF RAINFALL IN 1918

Kept at Rydal
in the County of Westmorland
by Mary Tales

Lat. Long.
Time of Observation as last
Nearest Railway Station
Diameter of Funnel of Rain Gauge Year in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	-·34	-·05	-·04	-·04	—	—	—	-·67	-·12	-·78	-·90	1
2	—	-·29	—	-·06	—	—	—	—	-·28	1·72	-·30	1·67	2
3	—	-·49	—	—	-·58	—	—	—	-·03	2·20	-·06	-·15	3
4	-·02		—	—	-·19	—	—	-·15	-·01	1·22	1·20	-·31	4
5	—	-·50	—	-·29	-·28	—	—	1·30	—	1·37	-·15	-·29	5
6	—	-·80	—	-·54	—	—	—	-·01	—	1·06	—	-·06	6
7	—	-·23	—	-·07	—	—	-·39	[illegible]	-·45	-·27	-·47	1·27	7
8	-·19	-·08	-·15	—	—	—	-·14	-·20	-·35	-·72	-·43	-·09	8
9	-·49	-·72	-·02	—	—	-·48	-·09	—	-·70	-·79	-·34	-·19	9
10	-·19	2·09	-·40	-·09	—	—	-·11	—	-·99	-·75	1·38	-·02	10
11	-·55	-·22	-·39	—	-·17	—	-·36	-·02	-·78	—	—	-·92	11
12	—	1·23	-·01	-·02	-·09	-·01	—	—		—	—	-·20	12
13	-·02	—	—	-·16	-·02	-·09	—	—	-·36	-·59	—	-·09	13
14	—	—	—	—	-·08	-·40	-·64	—	-·16	-·21	—	-·04	14
15	-·53	-·02	—	—	—	-·11	-·64	-·12	3·09	-·07	—	-·24	15
16	-·13	-·17	—	—	—	-·11	-·21	-·27	1·15	-·32	—	-·35	16
17	-·93	—	—	—	—	-·33	-·44	-·62	-·30		—	-·85	17
18	1·02	-·03	-·31	—	—	-·03	-·60	-·38		-·01	—	-·17	18
19	-·84	—	-·09	—	—	—	-·76	-·36	-·81	-·09	—	1·15	19
20	1·75	-·67	-·01	—	-·19	-·15		-·05	-·60	—	—	-·01	20
21	-·72	2·82	—	—	—	-·40	-·08	-·02	2·28	—	—	-·11	21
22	-·33	-·17	—	—	-·41	-·26	1·27	-·05	1·16	—	—	1·77	22
23	-·99	-·66	—	—	-·15	—	-·54	—	-·07	—	—	-·08	23
24	-·62	-·14	—	—	—	—	-·15	3·57	-·80	—	-·02	-·04	24
25	-·18	[illegible]	—	—	-·36	—	-·70		-·60	—	-·26	—	25
26	-·18	-·46	—	—	—	—	-·05	-·04	-·41	-·19	-·03	1·25	26
27	-·23	-·40	-·80	—	—	-·04	—	-·66	-·50	-·13	-·23	-·80	27
28	-·09	-·25	-·39	—	—	—	—	-·05	-·38	-·18	-·07	-·76	28
29	-·13	X	—	—	—	—	—	—	-·15	—	—	-·62	29
30	—	X	-·41	—	—	—	—	-·08	-·01	-·24	-·27	-·15	30
31	—	X	-·21	X	—	X	—	-·11	X	—	X	-·24	31
Total	10·13	12·18	3·24	1·27	2·56	2·41	7·17	7·54	17·09	12.25	5·99	14·79	YEAR'S TOTAL 96.62
Rain Days.	21	23	13	8	12	12	18	20	28	21	15	30	221

W. 6,500, VII. 18. w w

3510

3 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Rydal

in the County of Westmorland

by Mary Yates (Miss)

Lat. Long.

Time of Observation Same as last Year

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·39	-	-·44	-	-·20	-	-·22	-·05	3·36	-·47	-·03	-·59	1
2	-·32	-	-·31	-·03	-·08	-	-·24	-·02	-·15	-·03	-·03	-·79	2
3	-·22	-·03	-·02	-·02	-·45	-·14	-·24	-	-	-	-·03	-·45	3
4	-·22	-·07	-·18	-	-·17	-·06	-·07	-·27	-·15	-	-·03		4
5	-·03	-·01	-	-·02	-·59	-	-	-	-·43	-·01	-	·70	5
6	-·10	-·02	-·61	-·01	-·04	-	-	-	-·04	-·03	-	·68	6
7	-·06	-	-·27	-·49	-	-·12	-	-	-	-	-·24	-·28	7
8	-	-	-·15	-·06	-·03	-·02	-	-·04	-	-	-·02	-	8
9	1·32	-	-·55	-·09	-	-	-	-	-	-	-·09	-	9
10	-·29	-	1·89	-·31	-·43	-·06	-	-	-	-·04	-·02	-·06	10
11	-·13	-	-·48	-·18	-·05	-·01	-·03	-	-·19	-·06	-·04	1·48	11
12	-·01	-	-·07	-·16	-·07	-·43	-·10	-	-·04	-·03	-·44	-·23	12
13	1·15	-·02	-·01	-·44	-	-	-·03	-·25	-	-·34	-	-·03	13
14	1·46	-·07	-	-·41	-	-	-	-·01	-	-·03	-	-·74	14
15	1·10	-·15	-·02	-·97	-	-	-	-·01	-	-	-	-·32	15
16	-·25	-·02	-·01	-·05	-	-·16	-	-	-	-	-·34	-·94	16
17	-·06	-	-	-·04	-	-·02	-·03	-·95	-	-	1·64	-·05	17
18	-	-	-·65	(·01)	-	-·07	-·50	23 -·23	-·36	-	-·77	-·69	18
19	-·12	-·69	1·11	-·01	-	-·90	-	-·01	-·09	-	-·33	-·09	19
20	-·78	-·22	-·03	-	-	-·11	-	-·07	-·22	-	-·04	-·50	20
21	-·21	-·44	-	-	-	-·03	·04	-·31	-·39	-	-·13	-·65	21
22	-·01	-·08	-	-	-	-·48	-	-·25	-·45	-·20	-·17	-·31	22
23	-·01	-	-	-·03	-	-·25	-	-	-	1·59	-·66	·17 Av	23
24	-·28	-	-	-·03	-·06	-·01	-	-	1·36	-·16	-·39	-·04	24
25	-·39	-	-	-·65	-	-·02	-	-·02	-·82	-·01	-·15	-·01	25
26	-·13	·18	-·85	-·27	-	-·06	-	1·71	-·33	-	-·08	-·98	26
27	-·01		-	-·20	-	-·02	-	·19 Av	-	-	-·03	-·02	27
28	-·01	-	-·02	-·15	-	-·04	-	-·02	-·18	-·06	-	1·20	28
29	-·03		-	-·04	-	-	-	-·61	-·84	-·06	-	-·06	29
30	-		-·38	-·11	-	-·13	-	-·08	-·05	-·12	-·82	-·86	30
31	-		-·06		-		-·65	-		-·03		-·17	31
TOTAL	10·09	2·00	~~6·61~~ 8·11	4·78	2·17	3·14	2·15	5·10	9·45	3·27	6·52	13·09	YEAR'S TOTAL ~~68·37~~ 69·87
Days with ·01 in. or more	27	14	21	25	11	21	11	19	18	17	23	29	236

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3398

21 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rydal

in the County of Westmorland

by Mary Yates

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

Same as last year.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-·11	-·08	-·30	-·47	-·95	-·02	-·17	-·29	-·05	-·19	-·03	-·41	1
2	—	-·07	-·01	-·15	-·47	—	-·72	-·68	-·51	-·66	—	1·72	2
3	-·12	-·07	-·16	-·03	+✓ -·49	—	-·05	-·83	-·20	-·94	—	-·66	3
4	-·01	—	-·07	-·02	+✓	—	-·14	2·84	-·01	-·82	-·02	-·01	4
5	—	-·03	1·12	—	2·00	—	-·10	-·25	-·07	+✓ -·65	-·05	-·03	5
6	-·02	-·01	-·75	-·85	-·72	—	-·01	—	—	+	-·09	—	6
7	1·83	-·17	-·04	-·02	-·02	—	-·29	-·01	-·04	-·01	-·14	—	7
8	-·29	-·44	—	-·14	-·23	—	-·40	-·40	—	—	+✓ -·21	—	8
9	-·53	3·10	+ -·38	-·41	-·02	—	-·56	-·10	-·10	—	+✓	-·06	9
10	1·41	1·11	+✓	-·51	—	—	-·55	—	-·02	—	—	-·07	10
11	-·47	-·09	-·17	-·01	-·45	-·22	-·04	—	-·02	—	-·17	-·01	11
12	-·78	1·11	-·83	-·31	-·17	-·03	-·73	—	-·09	—	1·77	-·33	12
13	-·40	-·22	-·48	+✓ ·59	-·08	-·32	-·16	—	—	—	-·37	-·16	13
14	-·19	-·75	-·19	+✓	—	-·57	-·88	—	-·86	-·35	2·12	—	14
15	-·28	-·46	-·25	-·50	—	—	-·01	-·25	-·05	-·42	-·05	—	15
16	-·74	-·25	-·29	-·05	-·15	—	-·68	-·92	-·95	-·01	-·41	—	16
17	-·44	—	-·47	-·01	-·53	—	-·19	-·01	1·35	—	-·01	—	17
18	-·77	-·02	-·01	-·12	1·77	-·17	-·03	-·08	-·06	—	—	—	18
19	-·07	-·80	—	-·17	-·17	+✓ -·48	-·20	—	—	—	-·03	-·01	19
20	-·21	-·01	—	-·08	—	+✓	-·02	—	-·22	—	—	1·34	20
21	-·06	—	—	-·10	-·03	—	-·16	-·02	—	—	—	-·27	21
22	-·82	—	—	-·42	-·10	-·08	-·86	-·01	—	—	—	-·01	22
23	1·20	—	-·20	-·11	—	—	-·23	—	—	-·02	—	-·25	23
24	-·08	-·02	-·81	-·14	—	-·05	-·06	—	—	—	—	-·52	24
25	-·13	-·05	-·37	-·18	—	-·14	-·28	—	-·05	—	—	-·27	25
26	-·14	-·21	-·96	-·16	-·57	—	-·30	—	-·16	—	-·30	-·10	26
27	-·22	-·01	1·62	-·02	-·27	1·09	-·28	—	—	—	-·26	-·19	27
28	-·17	-·58	-·65	-·62	-·02	-·38	-·06	—	—	—	-·05	-·54	28
29	-·48	-·84	-·16	—	-·27	-·08	-·62	—	—	—	-·55	-·90	29
30	-·99	✕	-·26	-·04	-·10	-·36	—	—	-·17	-·09	-·32	-·96	30
31	-·23	✕	-·41	✕	-·08	✕	-·13	-·03	✕	—	✕	-·53	31
Total	13·19	10·50	10·96	7·23	9·66	3·99	8·91	6·12	4·98	3·56	6·95	9·35	**Year's Total** 95·40
Days with ·01 in. or more	29	24	26	28	24	15	30	15	19	12	20	23	265
Days with ·04 in. or more	27	18	23	22	20 19	13	26	10	16 15	8	16 17	18	21 7 2+6

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGIST 11

RYDAL

HIGH CLOSE

1911 - 1920

FORM A2. BRITISH RAINFALL. 6 - JAN 1912

Kept at High Close, … in.

in the County of Westmo … ove Ground … ft. … in.

„ Sea Level … ft. 3705

(the late) / J M. T. Jones Ba
by
per F. E. J. Jones Bo

n { Name … Distance … Direction …

IMPORTANT NOTE.—Rai … and the result entered to the previous day. If an Observer … universal rule, he is earnestly requested to add the reading at … year in the space provided for it at the end of this parag … urement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	1·84	–	·25	–	·04	·25	·06	–	1·16	·80	1
2	·06	–	·03	–	·70	–	·03	·28	–	·05	·22	·90	2
3	–	–	·70	–	1·78	–	·01	·02	–	–	2·06	·57	3
4	–	–	·03	–	·06	–	·02	2·02	–	–	1·35	·52	4
5	·70	–	·13	–	–	–	–	1·55	–	–	·13	·24	5
6	–	–	·07	–	–	–	–	·54	–	–	·90	1·02	6
7	·97	–	·01	–	·04	–	–	–	–	–	·92	·02	7
8	·20	–	·36	–	–	–	–	–	–	–	·82	1·40	8
9	–	–	–	–	–	–	–	–	–	–	–	1·25	9
10	1·28	·31	·68	–	–	–	–	–	·03	–	–	1·65	10
11	–	–	·03	–	–	–	–	–	·45	–	·03	·28	11
12	–	·05	·06	–	·04	–	–	–	·75	–	·31	·10	12
13	–	·23	–	–	·43	–	–	–	–	–	·70	·10	13
14	·27	1·01	·03	–	–	–	–	–	–	–	1·19	·56	14
15	–	1·21	·11	·11	–	–	–	–	–	–	1·30	·30	15
16	·22	1·58	·08	·12	–	·45	·04	–	–	–	·24	·80	16
17	·12	·11	–	·10	–	1·23	·11	–	–	–	1·22	·32	17
18	–	2·60	–	·34	–	·17	·03	–	–	–	·03	·78	18
19	–	·07	–	·35	–	·45	–	–	1·20	·87	·05	·91	19
20	–	·23	–	·76	–	·03	·80	·44	·34	·07	–	·45	20
21	–	2·72	–	·74	–	1·03	·05	·10	–	·43	–	·12	21
22	·08	·72	–	·45	–	·23	–	–	–	·07	–	–	22
23	·33	·84	–	·11	1·42	·05	–	–	1·33	·33	–	1·26	23
24	·82	·23	–	·99	·02	1·73	–	·15	–	·54	–	·52	24
25	·43	·59	–	·74	–	·11	–	·07	·39	·27	–	·42	25
26	·03	·05	–	·14	–	·01	–	·50	–	·41	·12	·19	26
27	·19	1·41	–	·45	–	·05	·20	·32	·70	–	·28	·20	27
28	·01	·31	–	·46	–	·50	·01	·06	·48	–	·05	·75	28
29	–	X	–	·09	–	·73	–	·17	·69	3·88	–	·40	29
30	–	X	–	–	–	·05	·10	–	·01	1·25	·38	–	30
31	–	X	–	X	–	X	–	·36	X	·33	X	·08	31
Total	5·71	14·27	4·16	5·95	4·74	6·82	1·44	6·83	6·43	8·50	13·46	16·91	TOTAL for year 95·22
No. of Rain Days.	15	18	14	15	9	15	12	15	12	12	21	29	187

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at High Close, Ambleside

in the County of Westmorland

(the late) by J. M. T. Jones Balme Esq
per J. E. J. Jones Balme

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft. 3705

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	1.84	—	·25	—	·04	·25	·06	—	1·16	·80	1
2	·06	—	·03	—	·70	—	·03	·28	—	·05	·22	·90	2
3	—	—	·70	—	1·78	—	·01	·02	—	—	2·06	·57	3
4	—	—	·03	—	·06	—	·02	2·02	—	—	1·35	·52	4
5	·70	—	·13	—	—	—	—	1·55	—	—	·13	·24	5
6	—	—	·07	—	—	—	—	·54	—	—	·90	1·02	6
7	·97	—	·01	—	·04	—	—	—	—	—	·92	·02	7
8	·20	—	·36	—	—	—	—	—	—	—	·82	1·40	8
9	—	—	—	—	—	—	—	—	—	—	—	1·25	9
10	1·28	·31	·68	—	—	—	—	—	·03	—	—	1·65	10
11	—	—	·03	—	—	—	—	—	·45	—	·03	·28	11
12	—	·05	·06	—	·04	—	—	—	·75	—	·31	·10	12
13	—	·23	—	—	·43	—	—	—	—	—	·70	·10	13
14	·27	1·01	·03	—	—	—	—	—	—	—	1·19	·56	14
15	—	1·21	·11	·11	—	—	—	—	—	—	1·30	·30	15
16	·22	1·58	·08	·12	—	·45	·04	—	—	—	·24	·80	16
17	·12	·11	—	·10	—	1·23	·11	—	—	—	1·22	·32	17
18	—	2·60	—	·34	—	·17	·03	—	—	—	·03	·78	18
19	—	·07	—	·35	—	·45	—	—	1·20	·87	·05	·91	19
20	—	·23	—	·76	—	·03	·80	·44	·34	·07	—	·45	20
21	—	2·72	—	·74	—	1·03	·05	·10	—	·43	—	·12	21
22	·08	·72	—	·45	—	·23	—	—	—	·07	—	—	22
23	·33	·84	—	·11	1·42	·05	—	—	1·33	·33	—	1·26	23
24	·82	·23	—	·99	·02	1·73	—	·15	—	·54	—	·52	24
25	·43	·59	—	·74	—	·11	—	·07	·39	·27	—	·42	25
26	·03	·05	—	·14	—	·01	—	·50	—	·41	·12	·19	26
27	·19	1·41	—	·45	—	·05	·20	·32	·70	—	·28	·20	27
28	·01	·31	—	·46	—	·50	·01	·06	·48	—	·05	·75	28
29	—	×	—	·09	—	·73	—	·17	·69	3·88	—	·40	29
30	—	×	—	—	—	·05	·10	—	·01	1·25	·38	—	30
31	—	×	—	×	—	×	—	·36	×	·33	×	·08	31
Total	5·71	14·27	4·16	5·95	4·74	6·82	1·44	6·83	6·43	8·50	13·46	16·91	TOTAL FOR YEAR 95·22
No. of Rain Days.	15	18	14	15	9	15	12	15	12	12	21	29	187

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

14 JAN 1913

3705

2

REGISTER OF RAINFALL IN 1912

Kept at High Close
Ambleside
in the County of Westmorland
by F. E. T. Jones Baker

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	1·20	—	·41	·29	·15	·10	·06	—	—	·33	1
2	·19	—	1·40	—	·63	·21	·17	—	·07	—	—	·04	2
3	·48	—	·06	—	—	·75	—	·25	1·68	—	·03	~~·20~~	3
4	·25	—	1·05	1·03	·05	·16	—	·61	1·01	—	2·15	·15	4
5	·30	—	·05	·01	·32	·05	—	·41	·26	·45	—	·03	5
6	·19	·62	·08	—	·38	·01	—	·20	—	—	—	·03	6
7	—	·54	·19	·18	·18	·02	·31	·14	·19	—	·62	·17	7
8	1·15	·82	·22	·32	·10	—	—	·01	·03	—	·38	·36	8
9	·29	·13	·30	·36	—	·12	·06	·37	—	—	·45	·80	9
10	·26	·06	·02	—	·09	·42	·54	·09	—	—	·99	·62	10
11	·24	—	—	—	·15	—	·45	·23	—	—	—	·54	11
12	·84	—	·96	—	—	·55	·02	—	—	—	—	·85	12
13	·22	—	·16	—	—	·03	—	·03	—	1·43	·03	3·00	13
14	1·28	—	·30	—	—	·39	—	·02	—	·05	—	·53	14
15	·53	·33	·04	—	·01	·26	—	—	—	·49	—	·67	15
16	1·47	·04	1·10	—	·12	·02	—	·20	—	1·15	·04	·26	16
17	·30	·15	·29	—	·14	·85	—	·91	—	—	·01	·45	17
18	—	·21	—	—	—	·89	—	·16	—	·65	·07	·56	18
19	·05	·12	·55	—	—	·13	—	·49	—	·34	·27	·12	19
20	·20	—	·19	—	·98	·12	—	·45	—	·73	·02	·36	20
21	·01	·22	·42	—	—	·23	·02	·20	—	·16	—	·11	21
22	—	1·42	—	—	·12	—	—	·36	—	—	·60	·05	22
23	—	·12	·09	—	—	·27	·26	·62	—	—	·52	·32	23
24	—	·12	·50	—	·01	·11	·85	·01	—	·15	·46	·27	24
25	—	·02	·33	—	—	·98	·07	·34	—	—	·90	·24	25
26	—	·64	·41	·26	—	·05	—	·01	—	2·12	1·08	·36	26
27	—	·41	·63	—	—	1·28	·83	—	—	·51	·05	1·15	27
28	—	·27	·11	—	—	·36	·73	1·05	—	·76	·48	·04	28
29	—	·04	·57	—	—	·03	·90	·44	·32	·51	—	·37	29
30	—	×	·80	·05	—	·08	·26	—	·09	·20	—	1·22	30
31	—	×	·19	×	—	×	·83	·43	×	—	×	·53	31
Total	8·28	6·28	12·21	2·21	3·69	8·66	6·45	8·13	3·71	9·70	9·15	15·23	TOTAL for year 93·70
No. of Rain Days	~~19~~	~~19~~	~~28~~	~~7~~	~~15~~	~~27~~	~~16~~	~~26~~	~~9~~	~~15~~	~~19~~	~~31~~	~~234~~

9,000, IX. '10.

3705

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Skip Close, Ambleside

in the County of Westmorland

by Rt Jones Balme

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.04	.80	—	—	—	—	—	—	—	.65	—	1
2	.68	.49	1.38	.20	—	.36	—	—	—	—	1.02	1.14	2
3	.60	1.65	.14	—	.54	—	—	—	—	.01	.10	1.90	3
4	.41	.32	.12	—	.03	.02	—	—	—	—	.60	.55	4
5	.26	.61	.03	—	.09	.20	.08	—	—	—	.08	—	5
6	1.43	1.16	.78	—	1.04	.66	.26	—	—	—	—	.01	6
7	.53	2.40	.05	—	.21	.23	.01	—	—	.53	—	.17	7
8	—	.65	.12	—	.12	.32	.02	.25	—	.01	.05	.36	8
9	—	.38	1.03	.12	.23	2.60	.02	.01	—	—	.20	.14	9
10	.03	.45	1.10	.12	.06	.08	—	—	—	.28	.78	.01	10
11	1.76	—	—	.48	—	.11	.14	—	—	.23	.12	.50	11
12	.03	—	.13	.03	—	—	.06	.01	.60	—	.52	.13	12
13	—	—	1.08	.13	.04	—	.08	.01	.43	.31	.40	.01	13
14	.16	—	.17	.24	—	—	—	.01	.03	.90	.26	—	14
15	.23	—	.60	2.40	—	—	—	.05	—	—	.73	.20	15
16	—	—	.15	.37	—	—	.01	—	—	—	.66	.06	16
17	.16	—	—	.55	.13	.11	.20	—	—	—	.37	—	17
18	.25	—	1.35	.82	—	.11	.01	—	—	.02	.58	—	18
19	.28	—	.12	.25	.32	.11	—	—	—	.32	1.01	—	19
20	.07	—	.18	.12	.33	.08	—	.07	.15	.10	1.33	—	20
21	—	—	.24	—	.27	—	.14	2.07	—	.45	.62	—	21
22	.68	—	.70	—	.40	—	—	.33	.13	—	—	—	22
23	.72	—	.22	—	.07	1.06	—	.70	.62	—	.11	—	23
24	1.10	.10	—	.16	—	.52	—	.01	—	—	.36	.17	24
25	—	.04	—	.24	.06	—	—	—	.63	.02	.25	1.80	25
26	—	.26	—	1.35	—	.07	—	—	.35	.20	.02	1.18	26
27	—	—	—	.55	.06	.03	—	—	—	.38	—	.50	27
28	.85	.03	.43	.44	.34	—	—	—	—	.14	—	—	28
29	.02		.47	1.03	—	—	—	.27	—	.66	.16	—	29
30	1.86		—	—	.36	—	—	—	—	.11	.07	—	30
31	.23		—		—		—	—		.30		—	31
Total	12.36	8.58	11.39	9.60	4.70	6.67	1.03	3.79	2.94	4.97	10.45	8.83	YEAR'S TOTAL 85.31
Rain Days.	23	14	23	19	19	17	12	12	8	18	25	17	207

W.7,000, XI. 13

endly own stats 16.IV.15

3705

FORM A.
BRITISH RAINFALL.

- JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at High Close, Ambleside

in the County of Westmorland 2

by F. E. Jones Baker

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.44	.23	.01	—	—	.30	.40	—	.10	—	.62	1
2	—	.60	.14	—	—	—	.82	.30	—	.13	.37	.43	2
3	.21	.45	.20	—	1.15	—	—	.14	—	—	—	1.70	3
4	1.38	.01	.33	.83	.38	.03	—	—	—	—	—	1.40	4
5	.18	—	.90	.62	.24	.02	.32	—	—	—	.28	.58	5
6	—	.14	.11	.20	.20	.11	—	.30	—	—	.33	1.35	6
7	.14	.15	.11	.10	.18	.05	—	.10	—	.03	.23	.04	7
8	.86	.10	.25	.10	.80	.29	.03	2.85	.28	.05	.93	.26	8
9	.38	.53	—	.55	.07	.50	—	—	.02	—	.95	—	9
10	—	.78	—	.10	.14	.02	—	—	.11	—	.95	—	10
11	—	.28	.70	—	.05	—	1.05	—	.18	—	.92	.14	11
12	—	.84	.08	.05	.05	—	.03	—	.86	—	1.45	.03	12
13	—	.92	.80	.24	.02	—	.04	—	.56	.04	1.08	.15	13
14	—	.84	.48	—	—	—	—	—	.31	—	.23	.33	14
15	—	.10	.72	—	—	—	—	—	.29	—	.32	—	15
16	—	.10	.06	—	—	—	.62	—	1.33	—	—	.02	16
17	—	1.23	.43	—	—	.21	.14	—	.55	—	—	3.40	17
18	—	.87	.60	—	—	—	.10	—	—	.04	—	.14	18
19	—	.10	.15	—	—	—	.03	—	.12	—	.03	.03	19
20	—	.74	.24	—	.09	.32	—	—	—	—	—	.14	20
21	—	.17	—	—	.10	.02	—	.06	—	—	—	—	21
22	—	1.22	.01	.10	.08	.07	.03	.46	—	.10	—	—	22
23	—	.28	.20	.21	.15	.09	.09	.11	—	—	—	—	23
24	1.53	—	.31	.08	.13	.05	.41	.02	—	—	.38	—	24
25	.36	—	—	—	—	—	.24	.60	—	1.46	1.17	1.03	25
26	.09	.32	—	—	—	—	—	.12	—	.23	1.33	.70	26
27	.09	.15	—	—	—	—	—	—	.10	.41	1.62	.23	27
28	.33	.42	.40	—	.03	—	—	.07	—	.06	1.27	—	28
29	.72	X	.70	—	.02	—	—	.36	—	.03	2.46	.03	29
30	.42	X	1.20	.02	—	—	—	—	—	—	.41	.80	30
31	.78	X	—	X	—	X	.98	—	X	.15	X	.06	31
Total	7.47	11.78	9.35	3.21	3.82	1.78	5.23	5.89	4.21	2.83	16.71	13.61	YEAR'S TOTAL 85.89
Rain Days.	14	25	24	14	18	13	16	14	12	13	20	23	206

W. 8,000. X. 14.

Cx 928

3932

3705

FORM A. BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at High Close, Ambleside

in the County of Westmoreland

by F E T Jones Balme

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	1.45	—	—	·13	—	·07	·24	—	—	—	—	1
2	·08	1.18	·55	·76	—	·20	·70	·36	—	—	—	—	2
3	·03	·80	·72	·40	—	—	·43	·40	—	—	—	·38	3
4	—	·34	·41	·15	·10	·35	—	—	—	—	—	·13	4
5	·48	1.06	·52	—	·25	—	—	—	—	—	—	1.75	5
6	·22	·38	—	·66	—	·20	1.40	·16	·10	—	—	·95	6
7	·50	1.08	—	·40	—	—	·92	·16	—	—	·02	·33	7
8	·40	·82	—	·30	—	—	—	·25	—	—	1.80	—	8
9	—	·25	—	·01	—	—	—	·01	—	—	·50	·95	9
10	1.20	—	·12	·15	—	—	·01	·04	—	·02	—	1.15	10
11	·18	—	—	·01	·61	—	·01	·04	—	·06	·02	·47	11
12	·43	·02	—	·02	—	—	·11	—	—	·40	·64	—	12
13	·36	·04	·03	—	—	—	—	·10	·02	·14	—	·04	13
14	·75	—	—	·02	—	—	·25	·07	·07	—	—	·72	14
15	1.65	—	—	·10	—	—	·04	·22	·05	—	·25	·72	15
16	—	2.60	—	—	—	—	·25	·12	·19	—	—	·07	16
17	—	·63	·02	—	·02	—	·15	—	·01	—	—	—	17
18	—	·75	·15	·02	—	—	·35	—	—	·02	—	—	18
19	·08	·18	·09	2.35	·30	—	·32	—	—	—	—	—	19
20	·97	—	·12	·04	·30	—	·92	—	—	—	—	·43	20
21	·14	·25	—	·16	—	—	·70	—	—	—	—	·05	21
22	—	—	·19	—	—	·06	·19	—	—	·07	—	1.10	22
23	—	—	·21	·02	—	·03	·14	—	·35	·66	—	·58	23
24	—	—	·03	·02	—	—	·10	—	·52	·20	—	·95	24
25	—	—	—	—	—	—	·10	—	·05	—	—	·10	25
26	—	1.98	—	—	—	—	·35	—	—	—	—	·53	26
27	—	·38	—	—	—	·13	·17	—	—	·80	·11	·95	27
28	—	·46	—	—	·07	·52	—	·39	[illegible]	·17	—	—	28
29	—	×	—	—	·05	—	—	—	[illegible]	—	·90	·40	29
30	·36	×	—	·15	—	·70	—	—	—	—	·14	·15	30
31	·42	×	—	×	—	×	·02	·80	×	·02	×	2.40	31
Total	8.91	14.65	3.16	5.74	1.83	2.19	7.70	3.36	1.38	2.50	4.38	15.32	~~YEAR'S TOTAL~~ 71.12
Rain Days.	~~18~~	~~19~~	~~13~~	~~19~~	~~9~~	~~8~~	~~23~~	~~15~~	~~10~~	~~11~~	~~9~~	~~23~~	~~177~~

W. 8,000. X. 15.

and for months ~~M F W~~

3860

3705

BRITISH RAINFALL FORM A.

24 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at High Close, Ambleside

in the County of Westmorland

by [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.81	.32	—	—	—	.75	.98	.02	—	—	.88	—	1
2	.55	.36	—	—	—	.16	—	—	.16	.16	.17	.03	2
3	.12	.59	—	.03	—	.16	.11	—	1.40	.51	1.14	—	3
4	.32	.10	—	—	.51	1.33	.05	—	.05	1.80	.35	—	4
5	.30	1.57	—	—	.33	.38	—	—	—	2.03	.51	—	5
6	2.05	.45	—	—	.45	.16	.38	—	—	.87	.50	.05	6
7	.10	.10	—	—	.65	.06	.61	—	—	.75	.24	.25	7
8	.02	.26	.02	.02	—	.05	.03	—	—	.19	.91	—	(91) 8
9	.03	—	—	—	.35	.15	.11	—	—	.01	.46	.25	9
10	.20	.24	—	.36	—	—	.26	—	—	1.87	.54	—	10
11	.16	.16	—	.65	.01	—	.29	—	.21	.31	.07	.01	11
12	.82	1.07	.01	.22	.35	—	.53	.27	—	.45	.01	—	12
13	—	.33	.06	.18	.01	—	—	.37	—	1.19	—	.01	13
14	.32	.56	—	.10	.58	—	—	.10	.05	.96	.05	—	14
15	.21	1.24	.27	.07	—	—	—	.45	.04	.10	—	—	15
16	.04	.48	.32	.95	—	—	.10	.05	.03	.02	—	.08	16
17	.85	.12	—	1.20	—	—	.08	—	1.47	.43	—	—	17
18	.30	.82	—	.35	—	—	.01	.48	1.01	.21	.07	.47	18
19	1.28	—	.23	.04	—	—	—	.02	.01	—	.09	.30	19
20	1.64	—	.01	.04	—	—	—	.08	—	—	.19	.81	20
21	.97	—	—	—	.03	—	.25	—	—	—	.13	—	21
22	—	—	—	.06	—	.28	—	—	.01	.20	.13	.05	22
23	.40	—	.21	.60	—	.16	—	—	—	.76	1.38	.16	23
24	.20	—	.06	1.05	—	.61	—	.48	—	.11	.49	.09	24
25	.12	—	.35	.04	.26	.15	—	.36	—	.40	1.48	.17	25
26	.60	.01	.18	—	—	—	—	.01	—	.04	.10	—	26
27	—	.01	—	—	—	—	—	.02	.10	.26	.05	.02	27
28	1.02	—	.01	—	—	—	—	—	—	.41	.40	3.65	28
29	.27	.20	.10	—	—	—	—	—	—	.46	1.09	.57	29
30	.25		.06	—	—	.11	.04	—	—	1.78	.79	.99	30
31	—		—		1.75		—	.33		.33		.23	31
Total	14.95	8.99	1.89	5.96	5.28	4.51	3.83	3.04	4.54	16.61	12.22	8.19	90.01
Rain Days.	~~27~~	~~20~~	~~14~~	~~17~~	~~12~~	~~14~~	~~15~~	~~14~~	~~12~~	~~27~~	~~26~~	~~19~~	~~217~~

W. 8,000, VIII. 16

3699
3705

FORM A.
BRITISH RAINFALL.

FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at High Close, Ambleside

in the County of Westmorland

by F. G. James Holmes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	—	—	—	—	·04	—	—	1·04	—	·24	·52	1
2	1·37	·02	—	—	—	·03	—	—	·11	·02	·03	—	2
3	·92	·11	—	·20	—	1·12	—	—	·06	·92	·01	—	3
4	—	—	·07	—	—	—	—	—	—	·07	·13	·15	4
5	·30	—	·17	·24	—	—	—	—	·02	·14	1·56	·31	5
6	·08	—	—	·08	—	·19	—	—	—	·47	·86	1·16	6
7	·92	—	—	—	—	·19	—	—	—	·41	·02	·24	7
8	·32	—	—	·21	—	·01	—	·51	·28	·95	·51	·22	8
9	—	—	·01	·38	—	—	—	·29	—	·31	·58	—	9
10	·41	—	·71	·21	·42	—	—	·27	·03	·12	—	—	10
11	·08	·03	—	·04	·13	—	—	·79	·02	1·04	·08	—	11
12	—	—	·17	—	·53	—	—	·03	·01	·12	—	·07	12
13	·04	—	—	·46	·03	·03	·11	·16	1·56	·01	·11	·33	13
14	·01	—	—	·31	·02	—	—	·39	—	—	—	·27	14
15	—	—	—	·03	—	—	·03	·06	·78	1·06	—	·33	15
16	—	·07	·08	·46	—	—	—	1·31	·36	·18	—	·04	16
17	—	·21	·25	·37	·02	—	·03	1·45	·29	·55	—	—	17
18	·01	·03	·70	·07	·14	—	1·26	·68	·70	—	—	·38	18
19	—	·37	·46	·01	·51	—	—	·07	·05	—	·28	·64	19
20	—	·66	·01	—	·13	1·78	—	·42	·71	·33	·45	·34	20
21	—	·06	·01	—	·18	·01	—	·16	·66	·24	—	—	21
22	—	—	—	—	—	—	—	·30	·57	1·55	·02	—	22
23	—	·13	—	—	·71	1·02	·07	1·03	·08	·25	·16	·05	23
24	—	—	—	—	—	—	·21	·77	·06	1·90	·66	—	24
25	—	·11	·24	—	—	—	—	·85	·79	·41	·02	—	25
26	—	·01	—	—	—	·03	·11	1·41	·68	·36	·93	—	26
27	—	—	·09	—	·08	—	·42	·70	—	·40	·24	—	27
28	—	—	·70	·03	—	—	—	·15	·06	·01	·91	—	28
29	—	✕	·30	—	—	—	·14	·19	—	1·11	1·02	—	29
30	—	✕	·01	—	—	—	—	—	—	·52	·39	—	30
31	—	✕	·41	✕	2·15	✕	·03	·42	✕	—	✕	—	31
Total	4·64	1·81	4·39	3·10	5·05	3·85	2·41	12·41	8·92	13·45	9·21	5·05	YEAR'S TOTAL 74·29
Rain Days.	12	12	17	15	13	11	10	23	22	26	22	15	198

W. 8,000, IX. 17.

31
3705

FORM A.
BRITISH RAINFALL.

3 · 1 · 18

REGISTER OF RAINFALL IN 1918

Kept at High Close Ambleside

in the County of Westmorland

by Fr T Jones Dalue

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·40	—	·05	·03	—	—	—	·82	·20	·87	1·01	1
2	—	·33	—	·10	—	—	—	—	·40	1·60	·34	1·68	2
3	·01	·26	—	—	·35	—	—	—	—	2·58	·05	·30	3
4	—	·27	—	—	·17	—	—	·12	·02	1·85	1·40	·25	4
5	·02	·50	—	·25	·30	—	—	1·25	—	1·42	·15	·22	5
6	·11	1·03	—	·49	—	·42	—	—	—	1·21	—	·14	6
7	—	·36	—	·05	—	—	·39	—	·40	·21	·35	1·14	7
8	·27	·03	·14	—	—	—	·14	·20	·36	·66	·34	·13	8
9	·55	·70	·01	—	—	·60	·11	—	·68	·92	·40	·14	9
10	·33	2·25	·38	·05	—	—	·16	—	·48	·80	1·48	·06	10
11	·58	·30	·40	—	·17	—	·17	·01	·53	·01	—	1·04	11
12	—	1·30	—	·03	·04	·01	·01	—	·30	—	—	·22	12
13	·63	—	—	·04	·02	·07	—	—	·31	·52	—	·07	13
14	1·00	—	—	—	·06	·42	·63	·10	·44	·13	—	·03	14
15	—	·04	—	—	·04	·14	·73	—	3·06	·04	—	·51	15
16	·03	·17	—	—	—	·07	·21	·36	1·13	—	—	·41	16
17	·16	—	—	—	—	·25	·50	·41	·15	·27	—	·87	17
18	1·31	·02	·30	—	—	·03	·63	·06	·09	—	—	·31	18
19	·89	·21	·07	·05	—	—	·08	·51	·87	·08	—	·80	19
20	1·67	·34	—	·19	·19	·16	·74	·07	·72	—	—	—	20
21	·81	3·50	—	—	—	·28	·06	—	2·15	—	—	·02	21
22	·35	·37	—	—	·45	·51	1·23	·06	·94	—	—	2·20	22
23	·89	—	—	—	·13	—	·62	—	·13	—	·12	·09	23
24	·45	·29	—	—	—	—	·04	·82	·64	·03	·12	—	24
25	·18	·15	—	—	·42	—	·30	1·55	·48	—	·03	·01	25
26	·05	·77	—	—	—	—	·17	·10	·69	·20	·18	1·02	26
27	·22	·70	·92	—	·01	·03	—	·57	·62	·15	·11	1·08	27
28	·07	·12	·34	—	—	—	—	·04	·41	·12	·05	·62	28
29	·14	X	—	—	—	—	—	—	·05	—	—	·81	29
30	—	X	·33	—	—	—	—	·07	—	·18	·54	·20	30
31	—	X	·25	X	—	X	—	·18	X	·18	X	·19	31
Total	10·12	14·41	3·14	1·30	2·38	2·99	6·92	6·48	16·87	13·36	6·53	15·57	YEAR'S TOTAL 100·07
Rain Days.	23	24	10	10	14	13	19	18	26	22	16	29	224

W. 8,000, IX. 17.

3511
3705

14 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at High Close Ambleside
in the County of Westmorland
by Sir James. Balme

Lat. Long.
Time of Observation as before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2·36	—	·41	—	·19	—	·11	·04	3·32	·53	—	·67	1
2	·41	—	·34	·01	·09	—	·18	—	·12	·03	·01	1·04	2
3	·16	·03	—	·02	·38	·14	·16	—	—	—	·01	·48	3
4	·11	·06	·16	—	·30	·05	·08	·20	·15	—	·03	·81	4
5	·02	—	—	—	·71	—	—	—	·45	—	—	·90	5
6	·01	—	·59	·02	·05	—	—	—	·06	·03	—	·37	6
7	·04	—	·32	·29	—	·07	—	—	—	—	·24	—	7
8	·26	—	·15	·03	·13	·03	—	—	—	—	·04	—	8
9	1·91	—	·38	·03	—	·01	—	—	—	—	·05	·08	9
10	·26	—	1·87	·32	·16	·06	—	—	—	·01	—	1·57	10
11	·11	—	·15	·07	·13	—	·02	—	·12	—	·04	·22	11
12	—	—	·05	·24	·05	·45	·10	—	·01	·09	·58	·01	12
13	1·05	—	—	·40	—	·01	·04	·25	—	·27	—	·81	13
14	·56	·04	—	·52	—	—	—	—	—	—	—	·30	14
15	·98	·21	—	·71	—	—	—	—	—	—	—	·98	15
16	·25	—	—	·01	—	·14	—	—	—	—	·23	·25	16
17	·05	—	—	·01	—	—	·01	·91	—	—	2·00	·04	17
18	—	—	·60	—	—	—	·52	·21	·46	—	·83	·70	18
19	·13	·55	1·16	·01	—	·97	—	·01	·03	—	·42	·05	19
20	·82	·29	·06	—	—	·07	—	·02	·08	—	·07	·78	20
21	·11	·48	—	—	—	—	·01	·26	·52	—	·15	·58	21
22	—	·03	—	—	—	·52	—	·43	·41	·16	·16	·36	22
23	·01	—	—	—	—	·26	—	—	—	1·48	·50	·10	23
24	·29	—	—	·02	·05	—	—	·01	1·70	·06	·43	·10	24
25	·50	—	—	·51	—	—	—	1·47	·70	—	·16	—	25
26	·10	·03	1·24	·15	—	·04	—	·14	·34	—	·02	1·15	26
27	·05	·02	—	·11	—	—	—	—	—	—	—	·03	27
28	·01	—	—	·05	—	·01	—	·67	·18	·02	—	1·31	28
29	—		—	·04	—	—	—	·13	·94	·01	—	·06	29
30	—		·21	·08	—	·08	—	·09	—	·05	1·14	·91	30
31	—		·07		—		·83	—		—		·05	31
Total	10·56	1·74	7·76	3·65	2·24	2·91	2·06	4·84	9·59	2·74	7·11	14·71	Year's Total 69·91
Days with ·01 in. or more	~~25~~	~~10~~	~~16~~	~~22~~	~~11~~	~~16~~	~~11~~	~~15~~	~~17~~	~~12~~	~~20~~	~~28~~	~~203~~

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

~~3899~~ 3705

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at High Close Ambleside

in the County of Westmorland

by J. E. G. James Andrew

Lat. Long. As left

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·32	·34	·12	1·11	—	·55	·20	·02	·13	·02	·40	1
2	·01	·05	—	·09	·42	—	·34	·14	·34	·12	—	2·02	2
3	·15	·11	·22	—	·17	—	—	·44	·32	1·08	—	·70	3
4	—	—	·03	·03	·20	—	·09	2·45	·01	·91	·01	—	4
5	—	·01	·98	—	1·90	—	·07	·21	·62	·67	·02	—	5
6	—	—	·65	1·08	·74	—	·01	—	—	·06	·13	—	6
7	1·58	·15	·05	·02	—	—	·44	—	·06	—	·13	—	7
8	·25	·34	—	·14	·27	—	·37	·54	—	—	·14	—	8
9	·38	4·78	·01	·65	—	—	·39	—	·16	—	·25	·04	9
10	1·62	1·30	·25	·37	—	—	·40	—	—	—	—	·05	10
11	·77	·08	·15	—	·47	·14	·03	—	—	—	·15	—	11
12	·62	1·08	1·06	·29	·20	·03	·84	—	·07	—	1·31	·12	12
13	·40	·28	·34	·71	·11	·31	·05	—	—	—	·32	·14	13
14	·20	·74	·16	·98	—	·66	·81	—	·91	·23	1·84	—	14
15	·23	·55	·12	·48	—	—	·02	—	·11	·51	·01	—	15
16	·54	·09	·34	·02	·17	—	·83	·20	·85	—	·41	—	16
17	·45	—	·52	·02	·53	—	·02	·87	1·47	—	—	—	17
18	1·06	·02	·03	·18	2·05	·21	·02	—	·01	—	—	—	18
19	·04	·50	—	·19	·13	·24	·35	·05	—	—	·02	—	19
20	·25	—	—	·06	—	·11	—	—	·16	—	—	1·26	20
21	·03	—	—	·08	·02	—	·23	—	—	—	—	·28	21
22	·87	—	—	·52	·10	·05	·95	—	—	·01	—	—	22
23	1·26	—	·20	·22	—	—	·18	·05	—	—	—	·28	23
24	·40	·03	·78	·09	—	·09	·04	—	—	—	—	·50	24
25	·03	·06	·35	·18	—	·08	·27	—	·04	—	—	·19	25
26	·29	·22	·98	·30	·28	—	·03	—	·15	—	·27	·10	26
27	·17	—	1·63	·05	·24	·84	·27	—	—	—	·28	·23	27
28	·13	·46	·68	·31	·01	·33	·05	—	—	—	·02	·49	28
29	·43	·84	·20	—	·19	·05	·60	—	—	—	·58	1·06	29
30	·65		·18	·05	·11	·21	—	—	·14	·04	·36	·74	30
31	·53		·36		·08		·16	·07		—		·79	31
TOTAL	13·42	12·01	10·61	7·23	9·50	3·35	8·41	5·22	4·84	3·76	6·27	9·39	YEAR'S TOTAL 94·01
Days with ·01 in. or more	~~28~~	~~21~~	~~25~~	~~26~~	~~22~~	~~14~~	~~28~~	~~11~~	~~17~~	~~10~~	~~19~~	~~18~~	~~239~~
Days with ·04 in. or more	~~25~~	~~18~~	~~22~~	~~22~~	~~20~~	~~13~~	~~22~~	~~11~~	~~13~~	~~9~~	~~13~~	~~18~~	~~206~~

RYDAL

~~LOUGHRIGG~~

SILVERTHWAITE

WESTMORLAND

1911 - 17

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Silver… …don … in.

…round 1 ft. – in.

in the County of … …ea Level 292 ft.

… a.m.

by (Miss) A. Sha… …ame Windermere

…istance 8 m. Direction S. E.

IMPORTANT … the result entered to the previous day. If … rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	1.46	.	.27	.	.	.21	.	.	1.31	.88	1
2	.06	.	.04	.	.60	.	.01	.26	.	.04	.21	.70	2
3	.	.	.70	.	1.34	.	.02	.01	.	.	1.97	.55	3
4	.	.	.02	.	.05	.	.01	2.09	.	.	1.40	.52	4
5	S .57	.	.13	.	.	.	.	1.08	.	.	.25	.23	5
6	.27	.	.05	.01	.	.	.	.51	.	.	.55	1.—	6
7	.56	.	.02	.	.04	.	.	.01	.	.	.93	.03	7
8	.16	.	.32	.	.	.	.	.	.	.	.87	S 1.40	8
9	.01	.	.	.	.	.	.	.	.	.	.01	1.36	9
10	1.28	S .10	.69	.	.	.	.	.	.33	.	.	1.85	10
11	.09	.	.02	.	.	.	.	.	.09	.	.05	.21	11
12	.	.01	.06	.	.02	.	.	.	.66	.	.33	.07	12
13	.03	.31	.	.	.48	.	.	.	.	.	.87	.09	13
14	.10	.90	.05	.	.	.	.	.	.	.	1.11	.59	14
15	.04	1.09	.05	.09	.	.	.	.	.	.	1.20	.31	15
16	.20	1.19	.08	.19	.	.50	.03	.	.	.	.33	.70	16
17	.19	.06	.	.02	.	1.31	.09	.	.	.	.93	.31	17
18	.	2.03	.01	.28	.	.57	.03	.	.	.02	.04	.76	18
19	.	.05	.	.28	.	.19	.	.	1.39	.87	.03	.81	19
20	.	.41	.	1.05	.	.01	.64	.50	.05	.05	.	.43	20
21	.01	2.52	.	.55	.	1.20	.04	.05	.	.43	.	.11	21
22	.05	.75	.	.26	.01	.25	.	.	.	.04	.	.	22
23	.17	.50	.	.10	.80	.09	.	.	1.58	.27	.	.04	23
24	.80	.24	.01	.96	.01	.84	.	.16	.	.47	.	.45	24
25	.52	.50	.	.71	.	.05	.03	.03	.33	.22	.	.47	25
26	.02	.05	.	.15	.	.	.02	.40	.03	.43	.11	.22	26
27	.17	1.35	.	.50	.	.05	.16	.26	.58	.	.29	.27	27
28	.	.20	.	.48	.	.32	.01	.11	.31	.	.04	.68	28
29	.		.	.08	.	.53	.04	.06	.70	3.80	.	.41	29
30	.		.	.	.01	.03	.11	.	.	1.	.42	.	30
31	.		.		.01		.06	.27		.12		.07	31
Total	5.32	12.26	3.71	5.71	3.64	5.94	1.31	6.01	6.05	7.76	13.28	15.52 15.52	TOTAL for year 86.51 86.51
No. of Rain Days	20	18	16	16	12	14	16	16	11	12 13	22	28 29	20X 203

9,0… '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Silverthwaite, Loughrigg (Ambleside)

in the County of Westmorland 2

by (Miss) A. Sharp.

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. – in.
	" " " Sea Level	292 ft.

Time of Observation 9. a. m.

Nearest Railway Station: Name Windermere; Distance 8 m. Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	1.46	.	.27	.	.01	.21	.	.	1.31	.88	1
2	.06	.	.04	.	.60	.	.01	.26	.	.04	.21	.70	2
3	.	.	.70	.	1.34	.	.02	.01	.	.	1.97	.55	3
4	.	.	.02	.	.05	.	.01	2.09	.	.	1.40	.52	4
5	.57	.	.13	.	.	.	.	1.08	.	.	.25	.23	5
6	.27	.	.05	.01	.	.	.	.51	.	.	.55	1.–	6
7	.56	.	.02	.	.04	.	.	.01	.	.	.93	.03	7
8	.16	.	.32	.	.	.	.	.	.	.	.87	1.40	8
9	.01	.	.	.	.	.	.	.	.	.	.01	1.36	9
10	1.28	.10	.69	.	.	.	.	.	.33	.	.	1.85	10
11	.09	.	.02	.	.	.	.	.	.09	.	.05	.21	11
12	.	.01	.06	.	.02	.	.	.	.66	.	.33	.07	12
13	.03	.31	.	.	.48	.	.	.	.	.	.87	.09	13
14	.10	.90	.05	.	.	.	.	.	.	.	1.11	.59	14
15	.04	1.09	.05	.09	.	.	.	.	.	.	1.20	.31	15
16	.20	1.19	.08	.19	.	.50	.03	.	.	.	.33	.70	16
17	.19	.06	.	.02	.	1.31	.09	.	.	.	.93	.31	17
18	.	2.03	.01	.28	.	.57	.03	.	.	.02	.04	.76	18
19	.	.05	.	.28	.	.19	.	.	1.39	.87	.03	.81	19
20	.	.41	.	1.05	.	.01	.64	.50	.05	.05	.	.43	20
21	.01	2.52	.	.55	.	1.20	.04	.05	.	.43	.	.11	21
22	.05	.75	.	.26	.01	.25	.	.	.	.04	.	.	22
23	.19	.50	.	.10	.80	.09	.	.	1.58	.27	.	.04	23
24	.80	.24	.01	.96	.01	.84	.	.16	.	.47	.	.45	24
25	.52	.50	.	.71	.	.05	.03	.03	.33	.22	.	.47	25
26	.02	.05	.	.15	.	.	.02	.40	.03	.43	.11	.22	26
27	.17	1.35	.	.50	.	.05	.16	.26	.58	.	.29	.27	27
28	.	.20	.	.48	.	.32	.01	.11	.31	.	.04	.68	28
29	.		.	.08	.	.53	.04	.06	.70	3.80	.	.41	29
30	.		.	.	.01	.03	.11	.	.	.	.42	.	30
31	.		.		.01		.06	.27		.12		.07	31
Total	5.32	12.26	3.71	5.71	3.64	5.94	1.31	6.01	6.05	7.76	13.28	15.62 15.52	TOTAL for year 86.81 86.51
No. of Rain Days	20	18	16	16	12	14	16	16	11	12 13	22	28 29	20X 203

9,0 '10.

Crd for auth 20.III.1)

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Silverthwaite, Loughrigg (Ambleside) 2
in the County of Westmorland
by (Miss) A. Sharp.

RAIN GAUGE
Pattern Snowdon 8.
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 292 ft.

JAN 1913

Time of Observation 9. a. m.

Nearest Railway Station
Name Windermere
Distance 8 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.	.96	.	.45	.27	.15	.14	.07	.	.	S .33	1
2	.15	S .04	1.20	.	.59	.20	.11	.01	.09	.	.	.	2
3	.53	.	.05	.	.	.62	.	.33	1.46	.	.03	.71	3
4	.20	.	1.01	1.05	.04	.16	.	.80	.83	.	1.65	.17	4
5	.23	.	.06	.01	.34	.05	.	.29	.24	.54	.	.	5
6	.22	.57	.01	.	.39	.	.	.20	.	.01	.01	.05	6
7	.	.62	.17	.12	.17	.05	.29	.18	.22	.	.62	.13	7
8	S 1.36	.80	.24	.18	.08	.	.	.11	.01	.	.37	.36	8
9	.30	.14	.29	.40	.	.12	.04	.29	.	.	.39	.83	9
10	.26	.05	.02	.01	.12	.33	.51	.08	.	.	.90	.73	10
11	.15	.	.01	.	.05	.	.43	.23	.	.	.	.38	11
12	1.03	.	1.10	.	.	.46	.02	.	.	.	.	.87	12
13	.24	.	.13	.	.	.02	.	.04	.	1.74	.	1.55	13
14	1.25	.	.24	.	.	.33	.	.04	.	.05	.	1.55	14
15	.59	.40	.01	.	.	.27	.	.	.	.69	.	.40	15
16	1.85	.04	1.04	.	.11	.02	.	.28	.	1.15	.07	.24	16
17	.15	.14	.25	.	.12	1.	.	.83	.	.	.01	.45	17
18	.01	.21	.	.	.	.44	.	.18	.	.65	.08	.52	18
19	.04	.10	.52	.	.	.16	.	.52	.	.22	.17	.13	19
20	.19	.	.12	.	.84	.07	.02	.28	.	.68	.01	.47	20
21	.02	.30	S .53	.	.01	.25	.02	.24	.	.19	.	.10	21
22	.01	1.54	.	.	.11	.01	.	.52	.	.	.46	.19	22
23	.	.02	.08	.	.	.31	.28	.44	.	.	.43	.20	23
24	.	.12	.40	.	.	.34	.78	.03	.	.	.45	.23	24
25	.	.03	.24	.	.	.62	.05	.34	.	.	.85	.14	25
26	.	.54	.37	.46	.	.05	.08	.	.	2.50	.82	.36	26
27	.	.30	.45	.	.	1.23	.80	.	.	.36	.03	1.13	27
28	.	.26	.02	.	.	.28	.70	.99	.	.71	S .61	.	28
29	.	.04	.35	.	.	.	1.07	.53	.38	.36	.	.15	29
30	.		1.09		.	.05	.17	.	.05	.12	.	1.30	30
31	.		.17	.05	.02		.80	.44		.01		.48	31
Total	8.80	6.26	11.13	2.28	3.44	7.71	6.32	8.38 8.36	3.35	9.98	7.96	13.15	TOTAL for year 88.74
No. of Rain Days.	21	20	29	8	15	25 26	18	26	9	16	19	23	~~234~~ 235

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A

14 JAN 1914

Entd BSS

Kept at Silverthwaite

in the County of Westmorland 2

by A. Sharp.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.03	.07	.89	.	.	.	.	.	.	.	.58	.	1
2	.62	.43	1.23	.19	.	.36	.	.	.	.	.83	.70	2
3	.47	.80	.11	.	.50	.	.	.	.	.01	.08	1.42	3
4	.46	.25	.06	.	.05	.04	.01	.	.	.	.66	s .59	4
5	.23	.57	.02	.	.06	.21	.05	.	.	.	.06	.	5
6	1.69	1.23	.62	.	1.08	.67	.16	.	.	.	.	.01	6
7	.37	1.61	.04	.	.21	.22	.02	.	.	.48	.	.14	7
8	.	.59	.13	.	.14	.24	.02	.23	.	.01	.07	.20	8
9	.	.39	.73	.07	.21	2.13	.04	.02	.	.	.16	.07	9
10	.	.41	.81	.10	.02	.04	.	.	.	.27	.77	.01	10
11	s 1.70	.	.	s .47	.	.11	.13	.	.	.25	.15	.31	11
12	s .04	.	.09	.02	.	.01	.05	.	.59	.	.46	.07	12
13	.	.	.81	.16	.04	.	.09	.02	.38	.33	.39	.01	13
14	.20	.02	.09	.23	.02	.	.	.01	.03	.77	.22	.02	14
15	.21	.	.62	2.16	.	.	.	.06	.	.	.56	.16	15
16	.	.	.12	.28	.	.	.02	.	.	.	.58	.02	16
17	.17	.	.	.44	.08	.14	.25	.	.	.	.47	.	17
18	.31	.	1.24	.89	.	.12	.02	.	.	.02	.39	.	18
19	.28	.	.06	.15	.42	.14	.	.	.	.29	.78	.	19
20	.05	.	.37	.12	.33	.08	.01	.09	.15	.08	1.22	.	20
21	.	.	.26	.	.23	.	.15	1.55	.	.37	.02	.	21
22	s.R .67	.	.58	.	.42	.01	.	.26	.16	.	.	.	22
23	.65	.	.15	.	.05	1.09	.	.52	.57	.02	.09	.05	23
24	1.10	.10	.	.17	.	.48	.	.02	.	.	.33	.04	24
25	.	.05	.	.24	.02	.	.	.	.64	.01	.22	1.43	25
26	.	.28	.	1.27	.	.04	.	.	.34	.20	.02	1.10	26
27	.	.	.	.52	.05	.01	.	.	.	.34	.02	.45	27
28	.80	.	.42	.38	.28	.	.	.	.	.13	.01	.01	28
29	.01		.25	.96	.01	.	.	.26	.	.60	.12	.03	29
30	1.53		.02	.	.34	.	.	.	.	.10	.06	.	30
31	.16		.		.		.	.		.29		.	31
Total	11.75	6.80	9.72	8.80	4.56	6.14	1.02	3.04	2.86	4.57	9.33	6.84	YEAR'S TOTAL 75.43
Rain Days.	22	14	24	19	21	19	14	11	8	19	27	21	219

W. 7,500, XI. 12

conf for auth 16 IV.15 ~~Jt.~~ W.9

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
9 - JAN 1915

Kept at Silverthwaite
in the County of Westmorland 2
by A. Sharp.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.41	.24	.	.	.	.49	.40	.	.	.	.40	1
2	.	.53	.09	.	.	.	.55	.27	.	.17	.40	.35	2
3	.27	.36	.19	.	1.08	.	.	.16	.	.	.	1.69	3
4	.90	.01	.35	.64	.28	.02	.03	.02	.	.	.	1.03	4
5	.20	.	.96	.34	.17	.	.25	.02	.	.	.30	.36	5
6	.	.09	.08	.12	.20	.07	.	.29	.	.	.31	1.17	6
7	.08	.07	s .18	.08	.21	.02	.	.19	.	.01	.17	.04	7
8	.90	.10	.15	.07	.68	.18	.02	2.85	.33	.04	.88	.15	8
9	.38	.50	.	.41	.	.47	.	.	.02	.	.73	.	9
10	.01	.59	.01	.03	.10	.	.	.	.10	.	.70	.	10
11	.	.23	s .73	.05	.09	.01	1.07	.	.15	.	.76	.14	11
12	.	.79	.11	.01	.07	.	.03	.	.32	.	1.11	.05	12
13	.	.83	.70	.15	.01	.	.02	.	.48	.03	.60	.15	13
14	.	.79	.34	.	.	.	.01	.	.23	.	s .35	.36	14
15	.	.09	.50	.	.	.	.	.	.19	.	s .33	.	15
16	.	.08	.04	.	.	.	.50	.	1.60	.	.	.01	16
17	.	1.27	.34	.	.	.01	.18	.	.21	.	.	3.35	17
18	.	.85	.53	.	.	.	.05	.	.07	.	.	.13	18
19	.	.06	.19	.	.	.	.02	.	.	.	.02	s .02	19
20	.	.71	.22	.	.06	.32	.	.	.	.	.	.09	20
21	.	.27	.	.	.08	.02	.	.03	.	.01	.	.	21
22	.	.94	.	.09	.11	.10	.02	.42	.	.14	.	.	22
23	.	.23	.22	.23	.18	.04	.06	.12	.	.	.	.	23
24	1.41	.	.27	.05	.03	.04	.33	.01	.	.	.31	.	24
25	.34	.	.	.	.	.	.21	.85	.	1.54	1.30	1.27	25
26	.06	.33	.	.	.	.	.	.06	.	.32	1.30	.55	26
27	.08	.19	.	.	.	.	.	.	.04	.48	1.25	.20	27
28	.21	.35	.45	.	.03	.	.	.05	.07	.	.88	.	28
29	.75		.66	.	.02	.	.	.34	.	.02	2.71	.04	29
30	.26		1.08	.03	.	.	.	.	.	.	.26	.71	30
31	.67		.01		.01		.96	.		.14		.04	31
Total	6.[illegible]2	10.69	8.64 8.64	2.30	3.41	1.30	4.80	6.08	3.81	2.90	14.67	12.30	YEAR'S TOTAL 77.42 77.42
Rain Days.	15	25	25	14	18	12	18	16	13	11	20	23	210

W.7,000, XI. 13

W M L cwd for arith 12.V.16. 3937

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

27 JAN 1916

Kept at Silverthwaite
in the County of Westmorland
by (Miss) A. Sharp.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.69	1.26	.03	.	.08	.	.14	.23	.01	.	.	.01	1
2	.07	1.10	.55	.72	.	.17	.48	.35	.	.	.	.	2
3	.02	.65	.61	.42	.	.	.44	.42	.01	.	.	.28	3
4	.	.33	.35	.11	.10	.31	.	.	.	.	.	.18	4
5	.46	1.09	.48	.05	.26	.	.	.10	.	.	.	1.50	5
6	.22	.37	.	.63	.	.16	1.30	.05	.08	.	.	.82	6
7	.41	1.07	.	.26	.	.	.43	.14	.	.	.02	.23	7
8	.37	.83	.	.16	.	.	.	.21	.	.	1.58	.	8
9	.	.24	.	.	.	.	.	.01	.	.	.39	s 1.03	9
10	1.24	.01	.04	.65	.	.	.01	.04	.	.07	.	1.08	10
11	.15	.	.	.01	.61	.	.03	.03	.	.01	.03	.19	11
12	.46	.01	.	.	.	.	.13	.	.	.39	.69	.	12
13	.38	.72	.	.	.	.	.	.07	.	.14	.	.20	13
14	.52	.	.	.03	.	.	.17	.14	.09	.	.	.49	14
15	1.20	.	.	.10	.	.	.05	.24	.05	.	.19	.65	15
16	.	s 2.20	.	.02	.02	.	.26	.05	.20	.	.	.04	16
17	.	.70	s .02	.	.	.	.05	.	.	.	.	.	17
18	.	.62	s .30	.02	.	.	.31	.	.	.01	.	.	18
19	.	.11	s .13	1.76	.28	.	.23	.	.	.	.	.	19
20	.72	.	.09	.02	.26	.	.62	.	.	.	.	.40	20
21	.11	.09	.	.18	.	.	.67	.	.	.	.	.06	21
22	.	.01	.19	.	.	.05	.14	.	.	.01	.	.88	22
23	.	.01	.15	.02	.	.04	.13	✓	.33	.71	.	.60	23
24	.	.	.06	.	.	.	.20	.	.44	.13	.	.88	24
25	.	.	.	.	.	.	.09	.	.08	.	.	.08	25
26	.	2.07	.	.	.	.	.33	.	.	.	s .15	.57	26
27	.	.26	.	.	.	.27	.10	.	.	.86	.	.62	27
28	.	s .49	.	.	.07	.46	.03	.47	.	s .17	.	.	28
29	.		.	.	.03	.	.	.	.01	.	.93	.26	29
30	s .49	×	.	.15	.	.97	.	.	.	.	.21	.12	30
31	.47	×	.	×	.	×	.02	.96	×	.01	×	1.55	31
Total	8.04	13.56	3.00	4.81	1.71	2.43	6.26 6.36	3.51	1.30	2.51	4.19	12.87 12.72	YEAR'S TOTAL 64.39 64.14
Rain Days.	17	22	13	18	9	8	24	16	10	11	9	24	181 ✓

W. 8,000. X. 14. 13

FORM A.
BRITISH RAINFALL.
19. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Silverthwaite
in the County of Westmorland
by (Miss) A. Sharp.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.33	.31	.	.	.	.60	.80	.01	.	.	(1.10)	.	1
2	.32	.31	.	.	.	.14	.	.	.23	.27	.	.04	2
3	.19	.41	.	.02	.	.24	.10	.	1.	.39	.97	.01	3
4	.05	.10	.	.	.56	1.17	.01	.	.03	1.30	.34	.	4
5	.30	1.38	.	.	.20	.17	.01	.	.	1.52	.99	.	5
6	1.36	.35	.	.	.46	.12	.33	.	.	.61	.26	.05	6
7	.03	.05	.	.	.53	.07	.45	.	.	.68	.78	.26	7
8	.01	.09	.	.01	.01	.05	.03	.	.	.12	.	.	8
9	.07	.	.	.	.26	.15	.09	.	.	.08	.57	.33	9
10	.23	.30	.	.22	.	.11	.26	.	.	1.37	.71	.	10
11	.16	.08	.	.54	.01	.	.26	.	.	.26	.05	.02	11
12	.48	.89	.	.17	.27	.01	.38	.32	.14	.30	.	.	12
13	.	.48	.10	.04	.01	.	.	.20	.	1.20	.	.	13
14	.26	.38	.	.03	.33	.	.	.11	.05	.70	.05	.	14
15	.14	.89	.22	.10	.	.	.	.45	.02	.07	.	.09	15
16	.04	.33	.27	.69	.16	.	.08	.08	.02	.	.	.	16
17	.89	.09	.	.79	.02	.	.08	.02	.94	.41	.	.04	17
18	.38	.65	.	.22	.	.	.	.57	.34	.15	.07	s .45	18
19	1.15	.	.21	.01	.	.	.	.03	.	.	.08	s .85	19
20	1.28	.	.	.04	.	.	.	.03	.	.	.20	.46	20
21	.62	.	.	.01	.03	.	.32	.	.02	.	.14	.	21
22	.	.	.	.05	.	.24	.	.	.	.22	.08	.03	22
23	.38	.	s .28	.52	.	.16	.	.	.	.76	1.28	.18	23
24	.08	.	.03	.49	.	.74	.	.47	.	.24	.47	.07	24
25	.05	.	.28	.	.16	.11	.	.30	.	.30	1.49	.28	25
26	.21	.	.13	.	.	.	.01	.01	.	.03	.10	.	26
27	.	.08	.03	.	.	.	.	.01	.08	.23	.	.13	27
28	1.09	.	.	.	.	.	.	.	.	.38	.34	3.28	28
29	.19	.22	.04	.	.01	.	.	.	.	2.15	.95	.48	29
30	.06	X	.05	.	.	.12	.03	.04	.	.40	.89	.85	30
31	.	X	.	X	1.13	X	.	.23	X	.99	X	.20	31
Total	11.55	7.39	1.64	3.95	4.15	4.20	3.24	2.88	2.87	15.11	11.91	8.10	YEAR'S TOTAL 76.99
Rain Days.	24	19	11	17	16	16	16	16	11	26	22	20	247.

W. 8,000. X. 15.

3700

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Silverthwaite

in the County of Westmorland

by (Miss) A. Sharp

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.21	.	.02	.02	.	.05	.	.	.76	.	.25	.34	1
2	1.19	S .03	.	.	.	.03	.	.	.07	.01	.03	.	2
3	.42	.	.	S .24	.	.73	.	.	.	1.	.02	.	3
4	.	.	S .17	.	.	.	.	.	.	.05	.20	.25	4
5	S .30	.	S .35	.09	.	.21	.	.	.	.10	1.60	.20	5
6	.10	.	.	.12	.	.18	.	.	.02	.43	.70	.74	6
7	S 1.04	.	.	.15	.	.08	.	.	.	.49	.02	.15	7
8	.26	.	.	.	.01	.	.	.62	.19	1.02	.54	S .19	8
9	.	.	.	S .30	.01	.	.	.26	.	.20	.50	.	9
10	S .45	.	.64	S .35	.41	.	.	.29	.02	.08	.	.	10
11	.07	.02	.	.02	.09	.	.	.82	.	1.20	.09	.	11
12	.	.	.19	.	.50	.	.	.01	.05	.15	.	.07	12
13	.04	.	.	.21	.03	.06	.06	.11	1.26	.01	.10	.48	13
14	.02	.	.	.24	.02	.	.01	.34	.	.	.	.10	14
15	.	.	.	.14	.	.	.05	.12	.54	1.16	.	.50	15
16	.	.07	.07	.37	.	.	.01	1.68	.17	.19	.	.21	16
17	.	.19	.25	S .34	.03	.	.08	1.27	.25	.62	.03	.	17
18	.02	.04	.56	.05	.08	.	1.07	.66	.73	.02	.	.36	18
19	.	.38	SR .35	.01	.39	.	.	.15	.03	.01	.33	.52	19
20	.	.66	.01	.	.18	1.17	.	.47	.77	.29	.40	.29	20
21	.	.05	.	.	.17	.	.	.20	.55	1.65	.	.	21
22	.	.02	.	.	.	.	.	.24	.17	.	.03	.	22
23	.	.14	.	.	.69	.87	.10	.98	.05	.24	.25	.04	23
24	.	.	.	.	.	.05	.20	.85	.11	1.50	.26	.	24
25	.	.08	.13	.	.02	.02	.	.76	.89	.25	.03	.	25
26	.	.01	.	.	.	.	.13	1.34	.70	.41	.89	.	26
27	.	.01	.05	.	.08	.	.31	.60	.	.20	.27	.	27
28	.	.	.32	.02	.	.	.01	.11	.	.02	.70	.	28
29	.	.	.40	.	.	.	.13	.10	.	1.36	.56	.	29
30	.		.02	.	.	.	.	.01	.05	.36	.40	.	30
31	.		S .39		1.47		.01	.65		.		.	31
Total	4.12	1.70	3.92	2.67	4.28	3.38	2.17	12.54	7.38	13.02	8.20	4.44	YEAR'S TOTAL 67.82
Rain Days.	12	13	16	16	16	11	13	24	20	26	23	15	205

8,000, VIII. 16

Ex L.G.M.

104[illegible] books agrees 2.XII.14

BRITISH RAINFALL. FORM A.
24 APR 1914

3703

REGIS 1911

RYDAL.
THE STEPPING STONES
1911–15, 1917

Kept at The Stepping S Long.
in the County of Westm tion
by Gordon Words

Station
n Gauge in.
Gauge above Ground ft. in.
" " Sea Level ft.

IMPORTANT NOTE a.m. and the result entered to the previous day. If an Obse most universal rule, he is earnestly requested to add the readi owing year in the space provided for it at the end of this measurement of rain, the selection and placing the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	1·37	–	-·22	–	-·05	-·31	-·02	–	1·24	-·60	1
2	-·17	–	-·04	–	-·65	–	-·05	-·28	–	-·07	-·24	-·74	2
3	–	–	-·67	–	1·54	–	-·03	-·02	–	-·01	2·20	-·44	3
4	–	–	-·02	–	-·05	–	-·02	2·07	–	–	1·48	-·34	4
5	1·18	–	-·15	–	–	–	–	1·49	–	-·01	-·35	-·19	5
6	-·42	–	-·08	-·03	–	–	–	-·63	–	–	-·48	-·91	6
7	-·60	–	-·04	–	-·06	–	–	–	–	–	1·06	-·03	7
8	-·26	–	-·33	–	–	–	–	–	–	–	-·69	1·15	8
9	-·01	–	-·01	-·02	–	–	–	–	–	–	-·01	1·29	9
10	1·49	-·25	-·63	–	–	–	–	–	-·13	–	–	1·85	10
11	-·19	–	-·03	–	–	–	–	–	-·42	–	-·07	-·23	11
12	-·01	-·02	-·05	–	-·01	–	–	–	-·75	–	-·31	-·11	12
13	-·03	-·13	–	–	-·39	–	–	–	–	-·01	-·86	-·09	13
14	-·12	-·62	-·11	–	-·02	–	–	–	–	–	1·32	-·56	14
15	-·03	1·07	-·14	-·08	–	–	–	–	–	–	1·22	-·26	15
16	-·11	1·38	-·09	-·20	–	-·37	-·04	–	–	–	-·40	-·59	16
17	-·10	-·14	-·01	-·04	–	1·61	-·12	-·02	–	–	-·78	-·31	17
18	–	2·29	–	-·32	–	-·50	-·04	–	–	-·02	-·04	-·76	18
19	–	-·06	–	-·26	–	-·05	-·01	–	1·66	-·79	-·07	-·84	19
20	-·01	-·29	–	1·12	–	-·04	-·80	-·41	-·09	-·06	-·02	-·51	20
21	-·02	2·73	–	-·63	–	1·07	-·12	-·03	-·01	-·39	–	-·11	21
22	-·04	-·99	–	-·35	–	-·26	–	–	–	-·06	-·02	-·01	22
23	-·33	-·60	–	-·09	1·41	-·10	–	–	1·72	-·40	–	-·95	23
24	-·65	-·23	-·04	-·93	-·02	1·58	–	-·17	-·02	-·36	–	-·39	24
25	-·42	-·47	-·01	-·71	–	-·11	-·01	-·03	-·45	-·26	–	-·46	25
26	-·04	-·05	–	-·12	–	-·02	-·01	-·51	-·04	-·67	-·23	-·28	26
27	-·16	1·29	–	-·42	–	-·09	-·13	-·29	-·52	–	-·30	-·27	27
28	-·02	-·23	–	-·45	–	-·40	-·02	-·12	-·34	–	-·04	-·68	28
29	–		–	-·12	–	-·60	-·03	-·15	-·71	4·25	–	-·43	29
30	–		–	-·01	-·03	-·07	-·07	–	-·04	1·15	-·53	-·01	30
31	–		–		–		-·04	-·48		-·19		-·05	31
Total	6·41 ✓	12·84 ✓	3·82 ✓	5·90 ✓	4·40 ✓	6·87 ✓	1·59 ✓	7·01 ✓	6·92 ✓	8·70 ✓	13·96 ✓	15·44 ✓	YEAR'S TOTAL 93·80 ✓
Rain Days.	23	18	18	18	11	15	17	16	15	16	24	31	222

W. 7,500, XI. 12

Ex L & M

104 for books of area 2.XII.14

REGIS 1911

Kept at The Stepping Stones, Ambleside

in the County of Westmorland 2

by Gordon Wordsworth

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

BRITISH RAINFALL. FORM A.

24 APR 1914

3703

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	1·37	–	–·22	–	–·05	–·31	–·02	–	1·24	–·60	1
2	–·17	–	–·04	–	–·65	–	–·05	–·28	–	–·07	–·24	–·74	2
3	–	–	–·67	–	1·54	–	–·03	–·02	–	–·01	2·20	–·44	3
4	–	–	–·02	–	–·05	–	–·02	2·07	–	–	1·48	–·34	4
5	1·18	–	–·15	–	–	–	–	1·49	–	–·01	–·35	–·19	5
6	–·42	–	–·08	–·03	–	–	–	–·63	–	–	–·48	–·91	6
7	–·60	–	–·04	–	–·06	–	–	–	–	–	1·06	–·03	7
8	–·26	–	–·33	–	–	–	–	–	–	–	–·69	1·15	8
9	–·01	–	–·01	–·02	–	–	–	–	–	–	–·01	1·29	9
10	1·49	–·25	–·63	–	–	–	–	–	–·13	–	–	1·85	10
11	–·19	–	–·03	–	–	–	–	–	–·42	–	–·07	–·23	11
12	–·01	–·02	–·05	–	–·01	–	–	–	–·75	–	–·31	–·11	12
13	–·03	–·13	–	–	–·39	–	–	–	–	–·01	–·86	–·09	13
14	–·12	–·62	–·11	–	–·02	–	–	–	–	–	1·32	–·56	14
15	–·03	1·07	–·14	–·08	–	–	–	–	–	–	1·22	–·26	15
16	–·11	1·38	–·09	–·20	–	–·37	–·04	–	–	–	–·40	–·59	16
17	–·10	–·14	–·01	–·04	–	1·61	–·12	–·02	–	–	–·78	–·31	17
18	–	2·29	–	–·32	–	–·50	–·04	–	–	–·02	–·04	–·76	18
19	–	–·06	–	–·26	–	–·05	–·01	–	1·66	–·79	–·07	–·84	19
20	–·01	–·29	–	1·12	–	–·04	–·80	–·41	–·09	–·06	–·02	–·51	20
21	–·02	2·73	–	–·63	–	1·07	–·12	–·03	–·01	–·39	–	–·11	21
22	–·04	–·99	–	–·35	–	–·26	–	–	–	–·06	–·02	–·01	22
23	–·33	–·60	–	–·09	1·41	–·10	–	–	1·72	–·40	–	–·95	23
24	–·65	–·23	–·04	–·93	–·02	1·58	–	–·17	–·02	–·36	–	–·39	24
25	–·42	–·47	–·01	–·71	–	–·11	–·01	–·03	–·45	–·26	–	–·46	25
26	–·04	–·05	–	–·12	–	–·02	–·01	–·51	–·04	–·67	–·23	–·28	26
27	–·16	1·29	–	–·42	–	–·09	–·13	–·29	–·52	–	–·30	–·27	27
28	–·02	–·23	–	–·45	–	–·40	–·02	–·12	–·34	–	–·04	–·68	28
29	–		–	–·12	–	–·60	–·03	–·15	–·71	4·25	–	–·43	29
30	–		–	–·01	–·03	–·07	–·07	–	–·04	1·15	–·53	–·01	30
31	–		–		–		–·04	–·48		–·19		–·05	31
Total	6·41 ✓	12·84 ✓	3·82 ✓	5·90 ✓	4·40 ✓	6·87 ✓	1·59 ✓	7·01 ✓	6·92 ✓	8·70 ✓	13·96 ✓	15·44 ✓	YEAR'S TOTAL 93·80 ✓
Rain Days.	23	18	18	18	11	15	17	16	15	16	24	31	222

W. 7,500, XI. 12

10 year book
[illegible] XII.14

3703

BRITISH RAINFALL.
FORM A.

24 APR 1914

REGISTER OF RAINFALL IN 1912

ex 256

Kept at The Stepping Stones, Ambleside

in the County of Westmorland 2

by Gordon Wordsworth.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-·03	–	-·95	–	-·33	-·24	-·17	-·08	-·08	-·01	–	-·29	1
2	-·16	–	1·33	-·02	-·43	-·26	-·17	-·02	-·09	–	-·02	-·04	2
3	-·37	–	-·08	-·01	–	-·69	–	-·34	1·63	–	-·03	-·66	3
4	-·23	–	1·09	-·95	-·04	-·22	–	-·73	-·78	–	1·90	-·22	4
5	-·14	–	-·04	-·03	-·34	-·06	–	-·22	-·18	-·64	–	-·05	5
6	-·26	-·53	-·04	–	-·39	–	–	-·31	–	-·01	-·03	-·04	6
7	-·01	-·60	-·19	-·24	-·13	-·03	-·35	-·35	-·26	–	-·65	-·13	7
8	-·96	-·71	-·24	-·33	-·07	-·01	–	-·04	-·04	–	-·37	-·34	8
9	-·34	-·16	-·28	-·33	–	-·19	-·03	-·35	–	–	-·36	-·87	9
10	-·38	-·06	-·02	-·02	-·14	-·56	-·63	-·14	–	–	-·87	-·91	10
11	-·12	–	-·02	–	-·10	–	-·36	-·15	–	-·01	–	-·70	11
12	1·08	-·02	1·08	–	–	-·60	-·02	-·01	–	–	–	1·06	12
13	-·19	–	-·22	–	–	-·05	–	-·06	–	1·87	-·03	3·32	13
14	1·33	–	-·27	–	–	-·40	–	-·07	–	-·05	–	-·49	14
15	-·42	-·38	-·03	–	-·04	-·33	–	-·02	–	-·94	–	-·57	15
16	1·67	-·05	-·95	–	-·07	-·02	–	-·25	–	-·93	-·05	-·29	16
17	-·06	-·15	-·38	–	-·11	-·90	–	-·89	–	-·02	–	-·53	17
18	-·02	-·19	-·01	–	–	-·90	–	-·15	–	-·61	-·06	-·57	18
19	-·03	-·13	-·63	–	–	-·20	–	-·46	–	-·41	-·19	-·21	19
20	-·23	–	-·11	–	-·66	-·14	-·02	-·51	–	-·59	-·02	-·59	20
21	-·02	-·30	-·50	–	–	-·25	-·02	-·15	–	-·14	-·01	-·13	21
22	-·02	1·39	-·03	–	-·15	-·01	–	-·59	–	-·01	-·65	-·09	22
23	–	-·03	-·10	–	–	-·20	-·26	-·31	–	–	-·54	-·40	23
24	–	-·13	-·41	–	–	-·38	-·47	-·03	–	-·18	-·69	-·23	24
25	–	-·06	-·35	–	–	1·01	-·03	-·19	–	-·02	1·10	-·16	25
26	–	-·77	-·33	-·43	–	-·06	-·08	-·02	–	2·35	-·83	-·71	26
27	–	-·41	-·53	–	–	1·20	-·81	–	–	-·48	-·07	1·26	27
28	–	-·29	-·04	–	–	-·23	-·67	-·86	–	-·74	-·50	-·04	28
29	–	-·07	-·55	–	–	–	1·17	-·50	-·38	-·39	–	-·39	29
30	-·03		-·70	-·07	–	-·06	-·21	-·01	-·06	-·25	–	1·10	30
31	–		-·25		–		-·90	-·56		-·04		-·58	31
Total	8·10 ✓	6·43 ✓	11·75 ✓	2·43 ✓	3·00 ✓	9·20 ✓	6·37 ✓	8·37 ✓	3·50 ✓	10·69 ✓	8·97 ✓	16·97 ✓	YEAR'S TOTAL 95·78 ✓
Rain Days.	23	20	31	10	14	27	18	30	9	22	21	31	256

W. 7,500, XI. 12

3703

FORM A.
BRITISH RAINFALL.
12 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Stepping Stones, Rydal

in the County of Westmorland

by Gordon Wordsworth Esq

Lat. 54° 26' N. Long. 2° 59' W

Time of Observation 9 A.M.

Nearest Railway Station Windermere

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-·07	-·11	1·12	-·02	–	–	–	–	–	–	-·52	–	1
2	-·60	-·43	1·45	-·21	–	-·44	–	–	–	–	-·78	-·86	2
3	-·49	1·38	-·11	–	-·49	–	–	–	–	–	-·10	1·60	3
4	-·51	-·30	-·15	–	-·02	-·02	-·02	–	–	–	-·72	-·64	4
5	-·35	-·54	-·06	–	-·12	-·34	-·07	–	–	–	-·09	-·02	5
6	1·44	1·32	-·74	–	-·95	-·74	-·23	–	–	–	-·02	-·02	6
7	-·24	1·89	-·04	–	-·21	-·20	-·03	–	–	-·58	-·01	-·15	7
8	–	-·64	-·16	–	-·24	-·29	-·01	-·31	-·02	-·01	-·05	-·40	8
9	–	-·38	-·89	-·14	-·20	2.12	-·03	-·03	–	–	-·20	-·09	9
10	-·10	-·32	1·00	-·15	-·14	-·08	–	–	–	-·25	-·86	-·01	10
11	-·73	–	-·01	-·56	–	-·12	-·14	-·02	–	-·24	-·24	-·43	11
12	-·03	-·01	-·10	-·08	–	-·01	-·05	-·02	-·69	-·02	-·41	-·08	12
13	–	-·01	-·93	-·16	-·04	–	-·14	-·02	-·33	-·37	-·26	-·01	13
14	-·23	–	-·20	-·26	–	–	-·01	-·01	-·03	-·86	-·29	-·03	14
15	-·21	–	-·72	2·24	–	–	–	-·07	–	–	-·61	-·25	15
16	–	–	-·23	-·37	–	–	-·04	–	–	–	-·60	-·03	16
17	-·23	–	-·03	-·50	-·06	-·17	-·20	–	–	–	-·45	–	17
18	-·28	–	1·04	-·77	-·01	-·13	-·03	–	–	-·04	-·41	–	18
19	-·42	–	-·14	-·13	-·30	-·07	–	–	–	-·31	-·98	–	19
20	-·08	–	-·44	-·12	-·30	-·09	–	-·08	-·15	-·16	1·31	–	20
21	–	–	-·37	–	-·25	–	-·12	1·60	–	-·48	-·01	–	21
22	-·60	–	1·04	–	-·43	-·06	–	-·30	-·14	-·01	-·01	–	22
23	-·74	–	-·15	–	-·05	-·95	–	-·43	-·48	-·01	-·12	-·07	23
24	-·91	-·09	-·01	-·24	–	-·40	–	-·04	-·01	-·01	-·29	-·13	24
25	–	-·09	–	-·21	-·02	–	–	–	-·66	-·03	-·27	1·64	25
26	–	-·32	–	1·34	–	-·04	–	–	-·37	-·31	-·03	1·29	26
27	–	-·02	–	-·57	-·04	-·04	–	–	-·01	-·36	-·02	-·47	27
28	-·67	–	-·40	-·39	-·33	–	–	–	-·01	-·13	-·04	–	28
29	-·02		-·28	-·88	-·02	–	–	-·22	–	-·67	-·25	-·04	29
30	1·52		-·03	–	-·23	–	–	–	–	-·09	-·04	–	30
31	-·31		-·01		–		–	–		-·14		–	31
Total	10·78	7·85	11·85	9·34	4·45	6·31	1·12	3·15	2·90	5·08	9·99	8·26	YEAR'S TOTAL 81·08
Rain Days.	23	16	28	20	21	19	14	13	12	21	30	21	238

W.7,000, XI. 13

Ex. M.G.

3703

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at The Stepping Stones, Rydal

in the County of Westmorland 2

by Gordon G. Wordsworth

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·65	·25	·04	—	—	·53	·62	—	·05	—	·42	1
2	·03	·70	·10	·01	—	—	·67	·32	—	·10	·33	·46	2
3	·17	·38	·16	—	1·07	—	·01	·14	—	—	—	1·95	3
4	1·46	·02	·25	·58	·24	·02	·01	·04	—	—	—	1·51	4
5	·20	·02	·71	·46	·19	·07	·29	·02	—	—	·28	·32	5
6	—	·08	·10	·23	·18	·10	·01	·36	—	—	·35	1·15	6
7	·16	·18	·19	·12	·19	·11	—	·24	—	·03	·21	·08	7
8	·63	·11	·13	·05	·54	·34	·02	3·04	·33	·04	·65	·23	8
9	·39	·49	—	·55	·01	·62	—	—	·03	—	·72	·02	9
10	·01	·62	·02	·07	·12	·08	—	·01	·08	—	1·11	—	10
11	—	·25	·58	·02	·06	·03	·83	—	·20	—	·67	·22	11
12	—	·81	·15	·02	·05	—	·03	—	·33	—	1·62	·07	12
13	—	·79	·69	·18	·02	—	·01	—	·55	·05	·66	·17	13
14	—	1·15	·35	—	—	—	·11	—	·32	—	·35	·35	14
15	—	·13	·65	—	—	—	·01	—	·28	—	·30	—	15
16	·01	·10	·05	—	—	—	·85	—	1·46	—	—	·05	16
17	·02	1·05	·42	—	—	·04	·18	—	·33	—	—	3·50	17
18	—	·72	·56	—	—	—	·08	—	·09	·04	—	·15	18
19	—	·09	·12	—	—	—	·02	—	·07	—	·01	·10	19
20	—	·85	·25	—	·09	·11	—	—	—	—	—	·08	20
21	—	·44	·01	—	·10	·01	—	·06	—	·01	—	—	21
22	—	·96	·02	·04	·19	·11	·02	·48	—	·08	—	—	22
23	—	·25	·21	·21	·14	·09	·10	·15	—	·01	—	—	23
24	1·90	—	·19	·08	·07	·05	·34	·02	—	—	·31	—	24
25	·66	·01	—	—	·01	—	·12	·84	—	1·44	1·60	1·32	25
26	·07	·31	·01	—	—	—	·04	·12	—	·38	1·20	·63	26
27	·09 ~~·25~~	·27	—	—	—	—	—	—	·06	·45	1·29	·21	27
28	·25 ·96	·51	·36	—	·04	—	—	·10	·02	·01	1·09	—	28
29	·96 ·52		·57	—	·05	—	—	·35	—	·04	2·94	·05	29
30	·52	✕	1·10	·02	—	—	—	—	—	—	·33	·76	30
31	·91	✕	·02	✕	·02	✕	·82	—	✕	·19	✕	04	31
Total	8·45	11·94	8·22	2.68	3·38	1·78	5·10	6·91	4·15	2·92	16·02	13·84	YEAR'S TOTAL 85·39
Rain Days.	19	27	28	16	20	14	22	17	14	15	20	24	236

W. 8,000. X. 14.

392

FORM A.
BRITISH RAINFALL.
3703
4-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at The Stepping Stones, Rydal
in the County of Westmorland
by Gordon G. Wordsworth.

Lat. 54°26'N Long. 2°59' W
Time of Observation 9 A.M
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-.72	1.45	-.09		-.14		-.17	-.47	-.02				1
2	-.06	1.27	-.48	-.76		-.19	-.44	-.48					2
3	-.04	-.60	-.59	-.35			-.47	-.47				-.24	3
4	-.01	-.37	-.34	-.18	-.09	-.38						-.40	4
5	-.46	1.18	-.50	-.01	-.25	-.01		-.10				1.62	5
6	-.32	-.50	-.02	-.61		-.20	1.51	-.07	-.06		-.01	-.82	6
7	-.46	1.12	-.01	-.33		-.01	-.71	-.14			-.02	-.35	7
8	-.35	-.98		-.16				-.20			1.48		8
9	-.03	-.21		-.02				-.02			-.34	-.63	9
10	1.16	-.02	-.04	-.15			-.04	-.06		-.04		1.10	10
11	-.17	-.02		-.01	-.71		-.04	-.03		-.02	-.07	-.45	11
12	-.49	-.03		-.02	-.01		-.08	-.02		-.37	-.98		12
13	-.29	-.09						-.13	-.07	-.15		-.32	13
14	-.76			-.05	-.01		-.14	-.10	-.08			-.52	14
15	1.36			-.08			-.01	-.16	-.05		-.15	-.60	15
16		1.90		-.02	-.03		-.21	-.09	-.16			-.07	16
17		-.64	-.02				-.12						17
18		-.55	-.05	-.02			-.45			-.01	-.01		18
19	-.08	-.17	-.15	2.15	-.39		-.34						19
20	-.75		-.08	-.04	-.25		-.72	-.02				-.46	20
21	-.16	-.16		-.13			-.70					-.07	21
22			-.16			-.06	-.33			-.02		-.73	22
23		-.03	-.18	-.02		-.05	-.13		-.33	-.58		-.55	23
24			-.10	-.04			-.10		-.68	-.23		-.81	24
25							-.09		-.05			-.11	25
26		1.68				-.07	-.39					-.55	26
27		-.38				-.11	-.01			-.81	-.10	-.66	27
28		-.53			-.09	-.33	-.01	-.32		-.20			28
29					-.22	-.01					-.93	-.43	29
30	-.45	X		-.20		-.19				-.01	-.20	-.17	30
31	-.52	X		X		X	-.04	1.12	X	-.02	X	2.18	31
Total	8.64	13.88	2.81	5.35	2.19	1.61	7.25	4.00	1.50	2.46	4.29	13.84	YEAR'S TOTAL 67.82
Rain Days.	20	22	15	21	11	12	24	18	9	12	11	23	198

W. 8,000. X. 15.

Ex'd

3703

FORM A2.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Stepping Stones, Rydal

in the County of Westmorland

by

Rain Gauge:
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
1 ~~2~~	·14	—	·01	—	—	·12	—	·02	·57	—	·23	·37	2
2 3	1·27 ·77	·07 ·07	·01 —	— ·25	— —	·04 1·20	— —	— —	·06 ·05	·02 ·95	— ·01	— —	3
4	—	—	·11	—	—	—	—	—	—	·06	·26	·21	4
5	·27	—	·21	·27	—	—	—	—	·01	·11	1·76	·22	5
6	·08	—	—	·09	—	·24	—	—	—	·45	·55	1·00	6
7	1·29	—	—	—	—	·19	—	—	—	·30	·02	·24	7
8	·52	—	—	·25	—	—	—	·55	·31	1·13	·57	·16	8
9	·01	—	·01	·23	·02	—	—	·23	—	·30	·44	·03	9
10	·41	—	1·27	·16	·38	—	—	·28	·04	·15	—	—	10
11	·12	·10	—	·03	·13	—	—	·44	—	1·00	·10	—	11
12	—	—	·20	—	·52	—	—	—	·07	·20	—	·07	12
13	·05	—	—	·50	·03	·06	·06	·22	1·38	·03	·11	·31	13
14	·01	—	—	·26	·03	—	—	·10	—	—	—	·17	14
15	·02	—	—	·39	—	—	·09	·12	·98	·95	·02	·80	15
16	·01	·11	·07	·20	—	—	—	1·75	·35	·27	—	·14	16
17	—	·26	·30	·45	—	—	·12	1·22	·30	·50	—	·01	17
18	·01	·04	·55	·05	·21	—	1·01	·58	·78	·02	—	·45	18
19	—	·32	·38	—	·28	—	—	·06	·06	·01	·22	·51	19
20	—	·55	·03	—	·14	1·34	—	·39	·97	·34	·45	·40	20
21	—	·08	—	—	·17	—	—	·13	·68	·39	—	—	21
22	—	·02	—	—	—	—	—	·24	·56	1·44	·04	—	22
23	—	·11	—	—	·71	·87	·13	·87	·08	·15	·46	·04	23
24	—	—	—	—	·01	·03	·18	·58	·17	1·74	·55	—	24
25	—	·14	·24	—	·01	—	—	·72	·88	·36	·03	—	25
26	—	·02		—	—	·22	·16	1·02	·79	·58	·90	—	26
27	—	·01	·06	·02	·12	·01	·43	·85	—	·19	·23	—	27
28	—	—	·55	·02	—	—	·01	·30	·07	·01	1·42	—	28
29	—		·33	—	—	—	·06	·06	—	1·38	·77	—	29
30	—		—	—	—	—	—	—	—	·29	·53	—	30
31	—		·06		1·54		·03	·85		—		·01	31
Total	4·98	1·90	4·39	3·17	4·30	4·32	2·28	11·58	9·13	13·32	9·67	5·14	TOTAL for year 74·18
No. of Rain Days	15	14	17	15	15	11	11	23	21	28	22	18	210

9,000, IX. '10.

Cty

Smale

REG

SHAP

FORCE BECK

WESTMORLAND

1918

26 6 19

FORM A.
BRITISH RAINFALL.

Kept at Force Be

in the County of West

by G. H. Hi

ge 5 in.

ound 1 ft. – in.

a Level 1.062 ft.

IMPORTANT NO … result entered to the previous day. If an Observer … l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3										4·21	·47		3
4													4
5												1·00	5
6										4·00	1·01		6
7													7
8												·15	8
9										1·00			9
10											2·00		10
11										·47		·25	11
12													12
13													13
14										·22			14
15												·95	15
16													16
17										·25			17
18												·80	18
19													19
20													20
21													21
22										·61 ~~2·11~~		·45	22
23													23
24													24
25													25
26													26
27										·24	·30		27
28													28
29												1·05	29
30		✕									·10		30
31		✕		✕		✕			✕	·36	✕	·10	31
Total.										~~12·86~~	3·88	4·75	YEAR'S TOTAL
Rain Days.										~~(10·86)~~ (11·36)			

W, 6,500, VII. 18. W W G

Cty

Smade

REG

FORM A.
BRITISH RAINFALL.

26 6 19

Kept at Force Beck

in the County of Westmorland

by G. H. Hill + Son

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1.062 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3										4·21	·47		3
4													4
5												1·00	5
6										4·00	1·01		6
7													7
8												·15	8
9										1·00			9
10											2·00		10
11										·47		·25	11
12													12
13													13
14										·22			14
15												·95	15
16													16
17										·25			17
18												·80	18
19													19
20													20
21													21
22										·61 ~~2·11~~		·45	22
23													23
24													24
25													25
26													26
27										·24	·30		27
28													28
29												1·05	29
30		×									·10		30
31		×		×		×			×	·36	×	·10	31
Total										~~12·86~~	3·88	4·75	YEAR'S TOTAL
Rain Days										~~(10·86)~~ (11·36)			

W. 6,500, VII. 18. W W G

Cop from Table

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

21 JAN 20

Kept at Force Beck
in the County of Westmorland
by G. H. Hall & Son

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Shap
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1062 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5	1.25	.13	.72										5
6													6
7													7
8	.22												8
9		.	1.22										9
10													10
11													11
12	1.00	.	.43										12
13													13
14													14
15	1.55												15
16		.17	-										16
17													17
18													18
19	37	.40	39										19
20													20
21													21
22	.40												22
23		.40	-										23
24													24
25													25
26	.37	.	59										26
27													27
28		02											28
29	.17												29
30		X											30
31	.03	X	.28	X		X			X		X		31
Total	5.36	1.12	3.63										YEAR'S TOTAL
Rain Days.													

W, 6,500, VII. 18. w w c

Copy

REGI

~~I~~ 1

SHAP
KIRK BANK
WESTMORLAND
1918 - 19

26 6 . 19

FORM A.
BRITISH RAINFALL.

Kept at Shap Kirk

in the County of Westm

by G. H. Hill

5 in.

d 1 ft. – in.

evel 911 ft.

IMPORTANT NOTE sult entered to the previous day. If an Obse ule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										.	.45	.13	1
2										.88	.24	.49	2
3										1.47	.01	.02	3
4										1.07	.77	.16	4
5										1.11	.10	.21	5
6										.82	.	.06	6
7										.24	.56	.05	7
8										.20	.32	.01	8
9										.21	.25	.06	9
10										.36	.61	.01	10
11										.02	.	.10	11
12										.	,	.03	12
13										.15	.	.03	13
14										.06	,	.06	14
15										.02	,	.67	15
16										.02	,	.25	16
17										.17	,	.51	17
18										.	,	.22	18
19										.08	,	.38	19
20										.	,	,	20
21										.06	,	.	21
22										.	.	.66	22
23										.	05	.01	23
24										.	.04	.02	24
25											.01	.	25
26										.01	.04	.25	26
27										.03	.11	.19	27
28										.02	.03	.54	28
29										.	.02	.41	29
30		X								.05	.13	.10	30
31		X		X		X			X	.03	X	.02	31
Total										7.08	3.74	5.65	YEAR'S TOTAL
Rain Days.										22	17	28	

W. 6,500. VII. 18. w w c

FORM A.
BRITISH RAINFALL.

26 6 19

REGI

Kept at Shap Kirk Bank 12

in the County of Westmorland

by G. H. Hill + Son

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 911 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										.	.45	.13	1
2										.88	.24	.49	2
3										1.47	.01	.02	3
4										1.07	.77	.16	4
5										1.11	.10	.21	5
6										.82	.	.06	6
7										.24	.56	.05	7
8										.20	.32	.01	8
9										.21	.25	.06	9
10										.36	.61	.01	10
11										.02	.	.10	11
12										.	.	.03	12
13										.15	.	.03	13
14										.06	.	.06	14
15										.02	.	.67	15
16										.02	.	.25	16
17										.17	.	.51	17
18										.	.	.22	18
19										.08	.	.38	19
20										.	.	.	20
21										.06	.	.	21
22										.	.	.66	22
23										.	.05	.01	23
24										.	.04	.02	24
25										.	.01	.	25
26										.01	.04	.25	26
27										.03	.11	.19	27
28										.02	.03	.54	28
29										.	.02	.41	29
30		X								.05	.13	.10	30
31		X		X		X			X	.03	X	.02	31
Total										7.08	3.74	5.65	YEAR'S TOTAL
Rain Days.										22	17	28	

W, 6,500, VII. 18. W W C

Copy for Table

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

12

Kept at Shap Kirk Bank

in the County of Westmorland

by G. H. Hall & Son

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 911 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.65	.	.22										1
2	.11	.	.30										2
3	.13	.	.01										3
4	.10	.10	.27										4
5	.05	.											5
6	.01	.	.22										6
7	.05	.	.11										7
8	.18	.	.01										8
9	.95	.	.21										9
10	.18	.	.68										10
11	.01	.	.48										11
12	.	.	.01										12
13	.48	.	.02										13
14	.23	.											14
15	.73	.24											15
16	.30	.											16
17	.01	.											17
18	.	.	.27										18
19	.04	.24	.56										19
20	.38	.19	.10										20
21	.04	.22	01										21
22	01	.09											22
23	.	.	.01										23
24	.01	.											24
25	.19	.											25
26	.01	.02	.52										26
27	.	.											27
28	.	.01											28
29	.01												29
30	.	X	.07										30
31	.02	X	.11	X		X			X		X		31
Total	4.88	1.11	4.19										YEAR'S TOTAL
Rain Days.	25	8	20										

W. 6,500, VII. 18. w w c

B. made

6x M.

REGISTER OF RAINFALL IN 1919

14 required

FORM A.
BRITISH RAINFALL

SPECIMEN.

Kept at ~~Kirkbank~~ Shap

in the County of Westmorland

by W. J. Leighton. West View.

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" " " " Sea Level 911 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65	·00	·22 s										1
2	·11	·00	·30										2
3	·13	·00	·01										3
4	·10	s ·10	·27 s										4
5	·05	·00	·00										5
6	·01	·00	·22										6
7	·05	·00	·11										7
8	·18	·00	·01										8
9	·95	·00	·21										9
10	·18	·00	·68										10
11	·01	·00	·48										11
12	·00	·00	·01										12
13	·48	·00	·02										13
14	·23	·00	·00										14
15	·73	·24	·00										15
16	·30	·00											16
17	·01	·00											17
18	·00	·00											18
19	·04	s ·24											19
20	·38	·19											20
21	·04	·22											21
22	·01	·09											22
23	·00	·00											23
24	·01	·00											24
25	·19	·00											25
26	·01	·02											26
27	·00	·01											27
28	·00	·00											28
29	·01	X											29
30	·00	X											30
31	·02	X		X		X			X		X		31
Total	4·88	1·11	✓										YEAR'S TOTAL
Rain Days.	25	8	✓										

W, 6,500, VII. 18. W W C

SHAP
MOSEDALE COTT.
WESTMORLAND

1918 -19

REG

FORM A.
BRITISH RAINFALL.

26 6. 19

Kept at Mosedale Co

in the County of Westr

by G. W. Hill

5 in.

ft. — in.

vel 1442 ft.

IMPORTANT NO sult entered to the previous day. If an C ule, he is earnestly requested to add the re he space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										.12	.76	.82	1
2										1.62	.50	2.26	2
3										2.50	.03	.23	3
4										1.75	1.71	.92	4
5										1.62	.02	.19	5
6										1.47	.	.08	6
7										.43	.56	.12	7
8										.75	.68		8
9										.59	.39	.16	9
10										.68	1.63	.04	10
11										.03	.	.65	11
12										.	.	.17	12
13										.47	.	.19	13
14										.46	.	.02	14
15										.08	.	.69	15
16										.18	.	.97	16
17										.12	.	.50	17
18										.	.	.06	18
19										.08	.	.45	19
20										.	.	.	20
21										.06	.	.	21
22										.	.	1.36	22
23										.	.13	.50 ✓	23
24										.08	.	.	24
25										.	.12	.	25
26										.08	.10	1.33	26
27										.33	.16	.80	27
28										.17	.05	.72	28
29										.13	.	.92	29
30		☒								.12	.25	.06	30
31		☒		☒		☒			☒	.27	☒	.33 ✓	31
Total										14.19	7.09	14.54	YEAR'S TOTAL
Rain Days										25	15	26	

W. 6,500. VII. 18. w w c

FORM A.
BRITISH RAINFALL.

26 6. 9

REG

Kept at Moordale Cottage
in the County of Westmorland
by G. H. Hill & Sons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1442 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.12	.76	.82	1
2										1.62	.50	2.26	2
3										2.50	.03	.23	3
4										1.75	1.71	.92	4
5										1.62	.02	.19	5
6										1.47	.	.08	6
7										.43	.56	.12	7
8										.75	.68	.	8
9										.59	.39	.16	9
10										.68	1.63	.04	10
11										.03	.	.65	11
12										.	.	.17	12
13										.47	.	.19	13
14										.46	.	.02	14
15										.08	.	.69	15
16										.18	.	.97	16
17										.12	.	.50	17
18										.	.	.06	18
19										.08	.	.45	19
20										.	.	.	20
21										.06	.	.	21
22										.	.	1.36	22
23										.	.13	.50 ✓	23
24										.08	.	.	24
25										.	.12	.	25
26										.08	.10	1.33	26
27										.33	.16	.80	27
28										.17	.05	.72	28
29										.13	.	.92	29
30		✕								.12	.25	.06	30
31		✕		✕		✕			✕	.27	✕	.33 ✓	31
Total										14.19	7.09	14.54	YEAR'S TOTAL
Rain Days.										25	15	26	

Copy for Table

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

21 JAN 20

8

Kept at Mosedale Cottage

in the County of Westmorland

by G. H Hill & Son

Mr Horner

Lat. Long

Time of Observation 9

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 1442 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.43	.	.54										1
2	.27	.	.30										2
3	.12	.											3
4	.05	.19	.27										4
5	.03	.											5
6	.05	.	.79										6
7	.11	.	.26										7
8	.48	.	.14										8
9	1.42	.	.83										9
10	.20	.	1.39										10
11	.05	.	.25										11
12	.	.	.03										12
13	1.31	.											13
14	.38	.03											14
15	1.05	.30											15
16	.13	.											16
17	.	.											17
18	.	.	.69										18
19	.25	.65	.64										19
20	.82	.15	.29										20
21	.09	.48	.16										21
22	.	.08											22
23	.	.											23
24	.29	.											24
25	.65	.03											25
26	.06	.	1.63										26
27	.	.09											27
28	.	.											28
29	.03												29
30	.	X	.13										30
31	.	X	.17	X		X			X		X		31
Total	9.27	2.00	8.51										YEAR'S TOTAL
Rain Days.	22	9	17										

W. 6,500, VII. 18. w w c

SHAP.

TAILBERT HEAD

WESTMORLAND

1918 - 19

FORM A.
BRITISH RAINFALL.

26 6 19

REGI

Kept at Tailbert H

in the County of West

by G H Hull

…e 5 in.

…und 1 ft. – in.

…Level 1·103 ft.

IMPORTANT NOT… result entered to the previous day. If an Ob… rule, he is earnestly requested to add the reading at 9 a.m. on 1st January… the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										(·15)	·77	·18	1
2										·	·54	·90	2
3											·	·10	3
4										7·02	1·81	·43	4
5										1·77	·13	·28	5
6										·97	·	·06	6
7										·51	1·07	·08	7
8										·44	·59	·04	8
9										·67	·52	·10	9
10										1·31	1·59	·01	10
11										·	·	·19	11
12										·	·	·02	12
13										·27	·	·04	13
14										·11	·	·03	14
15										·06	·	·70	15
16										·01	·	·20	16
17										·17	·	·55	17
18										·01	·	·22	18
19										·23	·	·34	19
20										·01	·	·06	20
21										·06	·	·01	21
22										·	·	·56	22
23										·	·04	·02	23
24										·01	·04	·01	24
25										·	·02	·	25
26										·01	·04	·76	26
27										·10	·13	·24	27
28										·22	·04	·49	28
29										·	·	·60	29
30		✕								·19	·06	·16	30
31		✕		✕		✕			✕	·06	✕	·	31
Total										(14·36) ~~15·86~~	7·39	7·38	YEAR'S TOTAL
Rain Days										25	15	29	

W. 6,500. VII. 18. W W C

REGISTER OF RAINFALL

13

Kept at Tailbert Head

in the County of Westmorland

by Gst Hill & Sons

Lat. .... Long. —

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1.103 ft.

FORM A. BRITISH RAINFALL.

26 6 49

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										(.15)	.77	.18	1
2										.	.54	.90	2
3											.	.10	3
4										7.02	1.81	.43	4
5										1.77	.13	.28	5
6										.97	.	.06	6
7										.51	1.07	.08	7
8										.44	.59	.04	8
9										.67	.52	.10	9
10										1.31	1.59	.01	10
11										.	.	.19	11
12										.	.	.02	12
13										.27	.	.04	13
14										.11	.	.03	14
15										.06	.	.70	15
16										.01	.	.20	16
17										.17	.	.55	17
18										.01	.	.22	18
19										.23	.	.34	19
20										.01	.	.06	20
21										.06	.	.01	21
22										.	.	.56	22
23										.	.04	.02	23
24										.01	.04	.01	24
25										.	.02	.	25
26										.01	.04	.76	26
27										.10	.13	.24	27
28										.22	.04	.49	28
29										.	.	.60	29
30		X								.19	.06	.16	30
31		X		X		X			X	.06	X	.	31
Total										(14.36) ~~15.86~~	7.39	7.38	YEAR'S TOTAL
Rain Days.										25	15	29	

W. 6,500. VII 18. W W C

to make
Copy for Table

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Tailbert Head 13
in the County of Westmorland
by G. H. Hill & Sons
Mr Routledge

Lat. Long.
Time of Observation 9
Nearest Railway Station Shap
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1.103 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.05	.	.37										1
2	.13	.01	.32										2
3	.17	.											3
4	.12	.10	.25										4
5	.04	.01	.01										5
6	.02	.	.21										6
7	.	.	.14										7
8	.35	.	.03										8
9	1.50	.	.24										9
10	.21	.	.96										10
11	.01	.	.24										11
12	.	.	.01										12
13	.49	.	.02										13
14	.25	.											14
15	.85	.14											15
16	.27	.01											16
17	.01	.											17
18	.	.	.35										18
19	.04	.26	.72										19
20	.36	.21	.11										20
21	.03	.31	.01										21
22	.01	.08											22
23	.	.											23
24	.01	.											24
25	.30	.01											25
26	.01	.01	1.00										26
27	.04	.07											27
28	.	.											28
29	.08												29
30	.	X	.07										30
31	.	X	.18	X		X			X		X		31
Total	6.35	1.22	5.24										YEAR'S TOTAL
Rain Days.	24	12	19										

W. 6,500, VII. 18. w w c

FORM 1090 METEOROLOG
(formerly B.R.O. Form A.1). RI

3673/1

STAINMORE OLD GAUGE
RAMPSON
1920 – 30

NIZATION.
~~commencing~~ with July 11th

Kept at STAINMOR

in the County of Wes

by Miss M. BRAC

13. 33 W.
REEN. except during Summer time, then 8 AM. 9 am.
RRAS. N.E.Ry.
Gauge 5 in.
Ground 1 ft. 9 in.
Sea Level 981 ft.

IMPORTANT NOTE.
tered to the previous day.

If an Observer prefers not … ted to add the reading at 9 a.m. on 1s … the end of this paragraph. Full instructions … rain gauges, and particulars as to the British Rainfall Organization … Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·03	·07	·02	·02	·20	1
2								·01	·27	·17	—	·44	2
3								·51	·15	·40	—	·19	3
4								·36	·01	·77	—	1·10	4
5								·07	·05	·22	—		5
6								—	—	—	·01	·08	6
7								—	—	—	·01	—	7
8								·19	—	—	·01	—	8
9								·59	·07	—	·01	·05	9
10								·17	—	—	—	·01	10
11							—	—	—	—	·03	SNOWING 12" LEVEL SNOW, ESTIMATED AT 1" RAIN	11
12							·13	—	—	—	·15		12
13							—	—	·02	—	·20		13
14							·24	—	·11	·01	·66		14
15							·11	—	—	·20	·08		15
16							·15	—	·42	—	·16	1·00	16
17							·01	·19	·13	·03	·02	SNOWING	17
18							·22	·01	·02	—	—		18
19							·35	·06	—	—	—		19
20							·02	—	·42	—	—	·47	20
21							·13	·03	·06	—	—	·26	21
22							·25	·04	—	—	—	—	22
23							·48	·01	—	—	—	·10	23
24							·05	—	—	—	—	·10	24
25							·35	—	—	—	—	·14	25
26							·08	—	·01	—	·01	—	26
27							·04	—	—	—	·12	·04	27
28							·02	—	—	—	·02	·20	28
29							·30	—	—	·06	·08	·77	29
30		✕					·00	—	·09	—	·20	·32	30
31		✕		✕		✕	·01	—	✕	·31	✕	1·04	31
TOTAL				commencing with	11th JULY		~~2·94~~	2·27	1·90	2·19	1·79	6·51	~~YEAR'S~~ TOTAL from 11th JULY 17·60
Days with ·01 in. or more							18	14	15	10	17	23	97
Days with ·04 in. or more							14	9	11	7	8	19*	68 ←*

(65,296). Wt.21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

* Includes 3 days, estimated, between 11th & 19th Dec.

FORM 1090 **METEOROLOGICAL NIZATION.**
(*formerly B.R.O. Form A.1*).

REGISTER OF RAINFALL IN 192 commencing with July 11th

Kept at STAINMORE (RAMPSON)
in the County of Westmorland
by MISS M. BRACKEN

Lat. 54°-30'-46 N. Long 2°-13'-33 W.
Time of Observation 9 AM GREEN. except during Summer time, then 8 AM Green
Nearest Railway Station BARRAS. N.E.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 981 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·03	·07	·02	·02	·20	1
2								·01	·27	·17	—	·44	2
3								·51	·15	·40	—	·19	3
4								·36	·01	·77	—	1·10	4
5								·07	·05	·22	—		5
6								—	—	—	·01	·08	6
7								—	—	—	·01	—	7
8								·19	—	—	·01	—	8
9								·59	·07	—	·01	·05	9
10								·17	—	—	—	·01	10
11							—	—	—	—	·03	SNOWING 12" LEVEL SNOW, ESTIMATED AT 1" RAIN	11
12							·13	—	—	—	·15		12
13							—	—	·02	—	·20		13
14							·24	—	·11	·01	·66		14
15							·11	—	—	·20	·08		15
16							·15	—	·42	—	·16	1·00	16
17							·01	·19	·13	·03	·02	SNOWING	17
18							·22	·01	·02	—	—		18
19							·35	·06	—	—	—		19
20							·02	—	·42	—	—	·47	20
21							·13	·03	·06	—	—	·26	21
22							·25	·04	—	—	—	—	22
23							·48	·01	—	—	—	·10	23
24							·05	—	—	—	—	·10	24
25							·35	—	—	—	—	·14	25
26							·08	—	·01	—	·01	—	26
27							·04	—	—	—	·12	·04	27
28							·02	—	—	—	·02	·20	28
29							·30	—	—	·06	·08	·77	29
30							·00	—	·09	—	·20	·32	30
31							·01	—		·31		1·04	31
TOTAL					commencing with 11th JULY		~~2·94~~	2·27	1·90	2·19	1·79	6·51	~~YEAR'S~~ TOTAL from 11 July 17·60
Days with ·01 in. or more							18	14	15	10	17	23*	97
Days with ·04 in. or more							14	9	11	7	8	19	68 ←*

(65,296). Wt.21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

* Includes 3 days, estimated, between 11th & 19th Dec.

3668

SWINDALE HEAD

1918 — 79

1920-24

FORM A.
BRITISH RAINFALL

26 6. 20

Copy

REC

Kept at Swindal

in the County of West

by G. H. Hill

Gauge 5 in.

e Ground 1 ft. - in.

Sea Level 1,029 ft.

IMPORTANT NC … the result entered to the previous day. If an … ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.59	.21	1
2											.37	1.07	2
3											.03	.06	3
4											1.20	.40	4
5											.11	.33	5
6											.	.07	6
7											.46	.15	7
8											.45	.07	8
9											.45	.12	9
10										11.10	1.04	.01	10
11										.07	.	.24	11
12										.	.	.12	12
13										.32	.	.04	13
14										.08	.	.	14
15										.	.	.71	15
16										.07	.	.30	16
17										.15	.	.59	17
18										.	.	.34	18
19										.21	.	.10	19
20										.	.	.17	20
21										.05	.	.	21
22										.	.	.83	22
23										.	.03	.04	23
24										.04	.05	.07	24
25										.	.	.	25
26										.01	.04	.60	26
27										.20	.20	.39	27
28										.27	.03	.50	28
29										.	.	.80	29
30		╳								.14	.05	.15	30
31		╳		╳		╳			╳	.08	╳	.	31
Total										12.79	5.10	8.48	YEAR'S TOTAL
Rain Days.											15	27	

W 6,500, VII. 18. W W C

Copy

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL.

Kept at Swindale Head 7
in the County of Westmorland
by G. H. Hill & Sons

Lat. Long. -
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1,029 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.59	.21	1
2											.37	1.07	2
3											.03	.06	3
4											1.20	.40	4
5											.11	.33	5
6											.	.07	6
7											.46	.15	7
8											.45	.07	8
9										.	.45	.12	9
10										11.10	1.04	.01	10
11										.07	.	.24	11
12										.	.	.12	12
13										.32	.	.04	13
14										.08	.	.	14
15										.	.	.71	15
16										.07	.	.30	16
17										.15	.	.59	17
18										.	.	.34	18
19										.21	.	.10	19
20										.	.	.17	20
21										.05	.	.	21
22										.	.	.83	22
23										.	.03	.04	23
24										.04	.05	.07	24
25										.	.	.	25
26										.01	.04	.60	26
27										.20	.20	.39	27
28										.27	.03	.50	28
29										.	.	.86	29
30		X								.14	.05	.15	30
31		X		X		X			X	.08	X	.	31
Total										12.79	5.10	8.48	YEAR'S TOTAL
Rain Days.											15	27	

W, 6,500, VII. 18. W W G

Copy Table

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

7

Kept at Swindale Head

in the County of Westmorland

by G. H. Hull & Son

Mr Birkett

Lat. Long.

Time of Observation 9

Nearest Railway Station Shap

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1029 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.06	.	.39										1
2	.17	.	.22										2
3	.16	.											3
4	.10	.10	.20										4
5	.04	.	.24										5
6	.02	.	.29										6
7	.06	.	.21										7
8	.30	.	.03										8
9	1.66	.	.33										9
10	.21	.	.86										10
11	.02	.	.55										11
12	.	.	.02										12
13	.60	.	.01										13
14	.35	.											14
15	.87	.26											15
16	.35	.											16
17	.01	.											17
18	.	.	.24										18
19	.04	.28	.38										19
20	62	.20	.11										20
21	.05	.39	.09										21
22	.02	.04	.03										22
23	.	.	.05										23
24	.	.											24
25	.45	.	.01										25
26	.01	.02	1.33										26
27	.08	.08											27
28	.	.03											28
29	.02												29
30	.	X	.13										30
31	.01	X	.16	X		X			X		X		31
Total	7.28	1.40	5.88										YEAR'S TOTAL
Rain Days.	25	9	22										

W, 6,500, VII. 18. W W C

Copy

RE

3663.

WET SLEDDALE
MILETHWAITE
1918 – 19.

1920-25

26 6. 19

FORM A.
BRITISH RAINFALL.

Kept at Wet Sled

in the County of We

by G. H

n Gauge 5 in.

ve Ground 1 ft. – in.

Sea Level 989 ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.58	.34	1
2											.42	1.14	2
3											.	.10	3
4											1.00	.37	4
5										5.78	.09	.21	5
6										.70	.	.04	6
7										.21	.47	.14	7
8										.36	.41	.	8
9										.45	.37	.10	9
10										.71	.74	.	10
11										.03	.	.30	11
12										.	.	.04	12
13										.23	.	.14	13
14										.06	.	.16	14
15											.	.66	15
16											.	.16	16
17										.25	.	.72	17
18											.	.30	18
19										.20	.	.	19
20										.	.	.	20
21										.	.	.	21
22										.	.	1.74	22
23										.	.08	.05	23
24										.08	.02	.	24
25										.	.07	.	25
26										.	.05	.75	26
27										.12	.09	.38	27
28										.	.04	.50	28
29										.12	:	.70	29
30		X								.09	.06	.18	30
31		X		X		X			X	.07	X	.	31
Total										9.46	~~3.89~~ 4.49	9.22	YEAR'S TOTAL
Rain Days.											15	23	

W, 6,500, VII. 18. W W Q

Copy

RE

FORM A.
BRITISH RAINFALL.

26 6 19

Kept at Wet Sleddale Mirethwaite 9

in the County of Westmorland

by G. H Hill & Sons

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 989 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.58	.34	1
2											.42	1.14	2
3											.	.10	3
4											1.00	.37	4
5										5.78	.09	.21	5
6										.70	.	.04	6
7										.21	.47	.14	7
8										.36	.41	.	8
9										.45	.37	.10	9
10										.71	~~.34~~ .74	.	10
11										.03		.30	11
12										.	.	.04	12
13										.23	.	.14	13
14										.06	.	.16	14
15											.	.66	15
16											.	.16	16
17										.25	.	.72	17
18										.	.	.30	18
19										.20	.	.	19
20										.	.	.	20
21										.	.	.	21
22										.	.	1.74	22
23										.	.08	.05	23
24										.08	.02	.	24
25										.	.07	.	25
26										.	.05	.75	26
27										.12	.09	.38	27
28										.	.04	.50	28
29										.12	:	.70	29
30		×								.09	.06	.18	30
31		×		×		×			×	.07	×	.	31
Total										9.46	~~3.89~~ 4.49	9.22	YEAR'S TOTAL
Rain Days.											15	23	

W, 6,500, VII. 18. w w c

FORM A.
BRITISH RAINFALL.

21 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Wet Sleddale Mirethwaite 9
in the County of Westmorland
by G. H Hill & Sons

Lat. Long.
Time of Observation 9
Nearest Railway Station Shap
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 989 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.20	.02	.36										1
2	18	.	.37										2
3	.	.	.03										3
4	.	.10	.33										4
5	.50	.											5
6	.	.	.68										6
7	.05	.	.25										7
8	.30	.	.05										8
9	1.57	.	.35										9
10	.19	.	.85										10
11	.05	.	.51										11
12	.	.	.06										12
13	.80	.	.02										13
14	.23	.											14
15	.85	.20											15
16	.32	.											16
17	.	.											17
18	.	.	.62										18
19	.08	.40	.48										19
20	.64	.20	.27										20
21	.06	.49	.10										21
22	.	.07											22
23	.	.											23
24	.10	.											24
25	.50	.											25
26	.02	.03	1.10										26
27	.11	.03											27
28	.	.											28
29	.												29
30	.	╳	.05										30
31	04	╳	.17	╳		╳			╳		╳		31
Total	7.79	1.54	6.65										YEAR'S TOTAL
Rain Days.	20	9	19										

W. 6,500, VII. 18. w w c

WINDERMERE

BROCKHOLE

1911 – 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Bro

in the County of We

by W. Ea

— in.

round 1 ft. 6 in.

ea Level 145 ft.

n

ame Windermere LNW

stance 2½m Direction SE

IMPORTANT NO … e result entered to the previous day. If an O … to this almost universal rule, he is earnestly requested to add the re… at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	1.05	—	·19	—	·04	·04	—	—	·75	·28	1
2	·17	—	·03	—	·63	—	·02	·37	—	·04	·11	·46	2
3	·01	—	·47	—	1.50	—	—	—	—	—	1.73	·27	3
4	—	—	·01	·01	·07	—	—	1.29	—	—	1.31	·47	4
5	·50	—	·19	·03	—	—	—	2.26	—	—	·34	·17	5
6	·41	—	·04	·01	—	—	—	·46	—	—	·38	·76	6
7	·53	—	·04	—	·06	—	—	·01	—	—	·47	·01	7
8	·20	—	·31	—	—	—	—	—	—	—	·61	1.17	8
9	·02	—	—	—	—	—	—	—	—	—	—	·94	9
10	1.47	·23	·57	—	—	—	—	—	·14	—	—	1.70	10
11	·11	—	·02	—	—	—	—	—	·72	—	·13	·15	11
12	·07	—	·06	—	·06	—	—	—	·71	—	·31	·02	12
13	·03	·21	—	—	·38	—	—	—	—	—	·79	·09	13
14	·14	·82	·05	—	—	—	—	—	—	—	1.24	·51	14
15	·03	1.02	·04	·04	—	—	—	—	—	—	·89	·16	15
16	·10	·99	·06	·17	—	·42	·02	—	—	—	·33	·55	16
17	·09	·07	—	·01	—	1.41	·07	—	—	—	·70	·39	17
18	—	1.97	·01	·25	—	·27	·03	—	—	·02	·02	·59	18
19	—	·05	—	·12	—	·03	—	—	1.70	·73	·05	·62	19
20	·02	·30	—	·94	—	—	·54	·33	·08	·03	·02	·63	20
21	·01	1.99	—	·41	—	·78	·06	·01	—	·37	—	·14	21
22	·05	·65	—	·23	—	·32	—	—	—	·05	—	—	22
23	·16	·60	—	·06	·57	·08	—	—	1.10	·37	—	·59	23
24	·39	·24	·02	·78	·01	·80	—	·13	·02	·34 (·34)	~~—~~	·47	24
25	·17	·45	—	·56	—	·07	·01	·02	·41	·19	—	·40	25
26	·02	·07	—	·15	—	·02	—	·46	·05	·85	·09	·20	26
27	·09	1.41	·02	·29	—	·03	·10	·30	·37	—	·24	·25	27
28	·01	·14	—	·46	—	·20	—	·10	·30	—	·03	·57	28
29	—		—	·10	—	·32	·02	·02	·67	3.80	—	·31	29
30	—		—	—	·02	·01	·08	—	·01	·75	·29	·01	30
31	—		—		·02		·03	·27		·13		·05	31
Total	4.80	11.21	2.99	4.62	3.51	4.76	1.02	6.07	6.28	7.67	10.83	12.93	TOTAL for year 76.69
No. of Rain Days.	24	17	17	18	11	14	12	15	13	13	22	30	206

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Brockhole

in the County of Westmorland

by W. Saddrun

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 145 ft.

Time of Observation 9 am

Nearest Railway Station
Name Windermere LNW
Distance 2½ m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	1.05	—	·19	—	·04	·04	—	—	·75	·28	1
2	·17	—	·03	—	·63	—	·02	·37	—	·04	·11	·46	2
3	·01	—	·47	—	1.50	—	—	—	—	—	1.73	·27	3
4	—	—	·01	·01	·07	—	—	1.29	—	—	1.31	·47	4
5	·50	—	·19	·03	—	—	—	2.26	—	—	·34	·17	5
6	·41	—	·04	·01	—	—	—	·46	—	—	·38	·76	6
7	·53	—	·04	—	·06	—	—	·01	—	—	·47	·01	7
8	·20	—	·31	—	—	—	—	—	—	—	·61	1.17	8
9	·02	—	—	—	—	—	—	—	—	—	—	·94	9
10	1.47	·23	·57	—	—	—	—	—	·14	—	—	1.70	10
11	·11	—	·02	—	—	—	—	—	·72	—	·13	·15	11
12	·07	—	·06	—	·06	—	—	—	·71	—	·31	·02	12
13	·03	·21	—	—	·38	—	—	—	—	—	·79	·09	13
14	·14	·82	·05	—	—	—	—	—	—	—	1.24	·51	14
15	·03	1.02	·04	·04	—	—	—	—	—	—	·89	·16	15
16	·10	·99	·06	·17	—	·42	·02	—	—	—	·33	·55	16
17	·09	·07	—	·01	—	1.41	·07	—	—	—	·70	·39	17
18	—	1.97	·01	·25	—	·27	·03	—	—	·02	·02	·59	18
19	—	·05	—	·12	—	·03	—	—	1.70	·73	·05	·62	19
20	·02	·30	—	·94	—	—	·54	·33	·08	·03	·02	·63	20
21	·01	1.99	—	·41	—	·78	·06	·01	—	·37	—	·14	21
22	·05	·65	—	·23	—	·32	—	—	—	·05	—	—	22
23	·16	·60	—	·06	·57	·08	—	—	1.10	·37	—	·59	23
24	·39	·24	·02	·78	·01	·80	—	·13	·02	·31 (·34)	—	·47	24
25	·17	·45	—	·56	—	·07	·01	·02	·41	·19	—	·40	25
26	·02	·07	—	·15	—	·02	—	·46	·05	·85	·09	·20	26
27	·09	1.41	·02	·29	—	·03	·10	·30	·37	—	·24	·25	27
28	·01	·14	—	·46	—	·20	—	·10	·30	—	·03	·57	28
29	—		—	·10	—	·32	·02	·02	·67	3.80	—	·31	29
30	—		—	—	·02	·01	·08	—	·01	·75	·29	·01	30
31	—		—		·02		·03	·27		·13		·05	31
Total	4.80	4.21	2.99	4.62	3.51	4.76	1.02	6.07	6.28	7.67	10.83	12.93	TOTAL for year 76.69
No. of Rain Days.	24	17	17	18	11	14	12	15	13	13	22	30	206

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Brockhole, Windermere
in the County of Westmorland 2
by W. Caddum

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 145 ft.

Time of Observation 9 am

Nearest Railway Station
Name Windermere L.N.W.
Distance 2½ miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02 Snow	·59	—	·21	·34	·13	·13	·08	—	—	·29 Snow	1
2	·10	·06 Snow	1·11	—	·21	·19	·09	·03	·08	—	—	·05 Snow	2
3	·42	—	·05	—	—	·79	—	·27	1·26	—	·04	·65	3
4	·28	—	·90	·94	·03	·21	—	·79	·51	—	1·43	·12	4
5	·18	—	·04	·05	·34	—	—	·16	·15	·60	—	·04	5
6	·31	·47	·04	—	·33	—	—	·33	—	—	·01	·03	6
7	—	·62	·16	·10	·15	·02	·31	·24	·19	·01	·54	·07	7
8	1·39	·69	·28	·14	·04	·01	—	·14	·02	—	·43	·25	8
9	·24	·19	·37	·30	—	·25	·03	·39	—	—	·24	·86	9
10	·16	·04	·03	·01	·14	·20	·77	·06	—	—	·70	·70	10
11	·11	—	·02	—	·06	·05	·22	·20	—	—	—	·44	11
12	·73	—	1·02	—	—	·40	·03	·01	—	—	—	·57	12
13	·15	—	·24	—	—	·06	—	·03	—	1·59	·12	1·92	13
14	·73	—	·28	—	—	·35	—	·01	—	·04	—	·38	14
15	·44	·45	·02	—	·03	·24	—	·02	—	·66	—	·32	15
16	2·33	·02	·80	—	·10	·03	—	·20	—	·75	·02	·17	16
17	·09	·17	·29	—	·14	·87	—	·84	—	—	·04	·50	17
18	·02	·18	—	—	—	·33	—	·05	—	·67	·07	·70	18
19	·04	·15	·63	—	—	·05	—	·56	—	·14	·14	·06	19
20	·24	—	·09	—	·86	·06	·06	·22	—	·56	·01	·38	20
21	·02	·13	·42	—	·01	·16	·03	·23	—	·24	—	·07	21
22	·03	1·12	—	—	·12	·04	—	·55	—	—	·26	·04	22
23	—	·02	·08	—	—	·31	·22	·28	—	·02	·59	·44	23
24	·01	·14	·33	—	—	·36	·40	·05	—	·20	·40	·20	24
25	—	·07	·33	—	—	·67	·01	·14	—	—	·86	·17	25
26	—	·90	·30	·22	—	·06	·07	·01	—	2·35	·41	·53	26
27	—	·32	·39	—	—	1·22	·96	—	—	41	·07	·95	27
28	—	·26	·03	—	—	·08	·35	·78	—	65	·62 Snow	·04	28
29	—	·04	·40	—	—	·01	·84	·10	·34	·29	—	·34	29
30	·04		·62	·05	·02	·11	·34	—	·04	·11	—	·83	30
31	—		·16		·01		·85	·44		·01		·55	31
Total	8.07	6.06	9.92	1.81	2·80	7·47	5·71	7·26	2·67	9·30	7·—	12·68	TOTAL for year
No. of Rain Days.	23	21	29	8	17	28	18	29	9	18	20	31	80·75

W. 8,000, X. '11.

Exe 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Brockhole

in the County of Westmorland

by W. Gaddum

Lat. 54.24 N Long. 2.54 W

Nearest Railway Station Windermere

RAIN GAUGE.
Time of Observation 9 am
Diameter 5 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 145 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·12	·46								·44		1
2	·40	·35	1.16	·19		·45					·58	·56	2
3	·30	·66	·08		·57					·01	·03	1·21	3
4	·48	·17	·11		·02	·03	·01				·54	·60	4
5	·27	·29	·04		·18	·55	·11				·02		5
6	·70	·79	·59		·80	·60	·11					·02	6
7	·14	1·26	·12		·23	·29	·01			·62		·12	7
8		·60	·19		·17	·08	·01	·15	·01	·02	·09	·12	8
9		·33	·74	·11	·16	1·77	·04	·02			·23	·09	9
10	·03	·33	·75	·16	·01	·03				·33	·44	·01	10
11	·58	·01		·43		·20	·16			·18	·31	·33	11
12	Snow ·05	·02	·05	·06		·01	·04		·71		·41	·05	12
13			·75	·07	·02		·13	·01	·34	·33	·33	·02	13
14	·12		·19	·16					·02	·77	·18	·01	14
15	·14		·68	1·58				·11			·58	·16	15
16			·15	·29			·03				·51	·03	16
17	·14		·02	·42	·06	·26	·19				·50		17
18	·16		·83	·79	·07	·10	·02			·02	·43		18
19	·40		·05	·14	·34	·07				·35	1·08		19
20	·03		·12	·10	·21	·11		·06	·09	·23	1·26		20
21			·26		·17		·11	1·19		·41	·02		21
22	·46		·86		·54	·05		·29	·13				22
23	·54		·12		·04	·75		·31	·35	·07	·12	·05	23
24	·76	·10		·28		·46		·05			·36	·14	24
25		·06		·40					·61	·05	·21	·97	25
26		·21		1·06		·06			·38	·12	·01	·99	26
27		·01		·66	·05	·03				·32	·01	·32	27
28	·50		·41	·43	·27					·24	·03	·11	28
29	·01		·29	·97	·02			·23		·50	·11	·01	29
30	1·12		·05		·43					·04	·04		30
31	15		·01							·22			31
Totals	7·57	5·31	9·08	8·30	4·36	5·90	·97	2·42	2·64	4·83	8·87	5·92	66·17
Total from Jan. 1	23	16 12·88	26 21·96	19 30·26	20 34·62	19 40·52	13 41·49	10 43·91	9 46·55	19 57·38	27 60·25	21 66·17	222

K 5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

See M.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

JAN 1915

Kept at Brockhale, Windermere
in the County of Westmorland 2
by W. Gaddum

Lat. 54.24 N Long. 2.54 W
Time of Observation 9am
Nearest Railway Station Windermere L N W
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·59	·27	—	—	—	·62	·31	—	·02	—	·48	1
2	·01	·58	·13	·02	—	—	·51	·34	—	·11	·38	·24	2
3	·19	·36	·17	—	·85	—	·01	·07	—	—	·01	1·63	3
4	·73	·01	·32	·55	·30	·02	—	·03	—	—	—	1·17	4
5	·32	·04	·69	·26	·07	·06	·23	·03	—	—	·31	·42	5
6	—	·09	·08	·05	·09	·09	—	·27	—	—	·30	·53	6
7	·11	·05	·19	·05	·25	·05	—	·21	—	·03	·21	·06	7
8	·67	·02	·13	·06	·36	·20	—	3·22	·38	·04	·51	·30	8
9	·46	·47	—	·29	—	·61	—	—	·03	—	·67	—	9
10	—	·41	·02	—	·04	—	—	·02	·15	—	·56	—	10
11	—	·25	·52	·02	·12	·02	1·09	—	·25	—	·77	·11	11
12	—	·77	·11	—	·03	—	·03	—	·26	—	·81	·07	12
13	—	·61	·62	·16	·01	—	·01	—	·41	·07	·57	·20	13
14	—	·74	·31	—	—	—	—	—	·35	—	·43	·41	14
15	—	·10	·49	—	—	—	—	—	·26	—	·26	—	15
16	—	·05	·07	—	—	—	·93	—	1·98	—	—	·06	16
17	·01	1·29	·29	—	—	·02	·13	—	·30	—	—	2·52	17
18	—	·73	·26	—	—	—	·05	—	·04	·03	—	·13	18
19	—	·05	·08	—	—	—	·02	—	·09	—	·01	·05	19
20	—	·60	·07	—	·05	·13	—	—	—	—	—	·10	20
21	—	·26	·02	—	·03	·01	—	·10	—	·03	—	—	21
22	—	1·03	—	·06	·27	·10	—	·43	—	·13	·01	—	22
23	—	·26	·26	·18	·11	·03	·03	·09	—	—	—	—	23
24	1·44	—	·29	·08	—	·03	·17	·04	—	·01	·27	—	24
25	·18	—	—	—	·03	—	·11	·96	—	1·03	·66	1·15	25
26	·06	·14	—	—	—	—	—	—	—	·28	·66	·50	26
27	·09	·27	—	—	—	—	—	—	·09	·35	·67	·13	27
28	·18	·54	·34	—	·04	—	—	·12	·03	—	·83	—	28
29	1·09		·45	—	·05	—	—	·31	—	·02	1·88	·05	29
30	·33		·94	·03	—	—	—	·01	—	—	·30	·63	30
31	·73		·01		·02		·66	—		·21		·01	31
Total	6.60	10.31	7.13	1.81	2.72	1.37	4.60	6.56	4.62	2.36	11.08	10.90	YEAR'S TOTAL
from 1 Jany →		16.91	24.04	25.85	28.57	29.94	34.54	41.10	45.72	48.08	59.16		70.06
Rain Days.	16	26	26	13	18	13	15	17	14	14	22	23	217 ✓

W. 7,500, XI. ·12

3918

FORM A.
BRITISH RAINFALL

3 - JAN 19

REGISTER OF RAINFALL IN 1915

Kept at Brockhole

in the County of Westmorland

by W. Gaddum

Lat. 54.24 N Long. 2.54 W.

Time of Observation 9 am

Nearest Railway Station Windermere L&NW

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	1.19	·03	—	·09	—	·10	·42	·01	—	—	·02	1
2	·10	1.06	·50	·70	—	·11	·36	·56	—	—	—	—	2
3	·09	·45	·58	·30	—	—	·48	·16	—	—	—	·22	3
4	—	·34	·25	·02	·10	·30	—	·22	—	—	—	·42	4
5	·54	1.22	·44	—	·09	—	—	·08	—	—	—	1.62	5
6	·36	·44	·01	·59	—	·20	1.23	·02	·07	—	·01	·67	6
7	·47	1.07	·02	·20	—	—	·45	·11	—	—	·02	·25	7
8	·35	·85	—	·18	—	—	—	·21	—	—	1.42	—	8
9	—	·15	—	·01	—	—	—	·02	—	—	·27	1.05	9
10	1.20	·03	·04	·16	—	—	·01	·03	—	·05	—	1.13	10
11	·19	·02	—	—	·69	—	·04	·06	—	—	·06	·33	11
12	·38	·07	—	—	—	—	·14	·08	—	·16	·89	—	12
13	·23	·06	—	—	—	—	—	·27	—	·10	—	·41	13
14	·50	—	—	·02	—	—	·22	·05	·07	—	—	·40	14
15	1.11	—	—	·07	—	—	·01	·17	·05	—	·18+	·69	15
16	—	2.—	—	·01	·02	—	·15	·06	·11	—	—	·03	16
17	—	·55	·03	—	—	—	·16	—	—	—	—	—	17
18	—	·49	·25	·01	—	—	·21	—	—	—	—	—	18
19	·04	·13	·12	1.14	·20	—	·22	—	—	—	—	—	19
20	·41	·02	·07	·03	·09	—	·53	·01	—	—	—	·30	20
21	·11	·07	—	·25	—	—	·45	—	—	—	—	·08	21
22	—	·02	·13	—	—	·07	·47	—	—	·02	—	·63	22
23	—	·03	·11	·02	—	·04	·11	—	·15	·83	—	·53	23
24	—	—	·07	—	—	—	·29	—	·56	·17	—	·61	24
25	—	—	—	—	—	—	·15	—	·16	—	—	·18	25
26	—	1.73	—	—	—	—	·30	—	·02	—	—	·62	26
27	—	·28+	—	—	—	·36	·02	—	—	·59	·13+	·64	27
28	—	·57	·02	—	·06	·01	·02	·39	—	·17	—	—	28
29	—	×	—	—	·13	—	—	—	—	—	·91	·20	29
30	·54+	×	—	·15	—	·15	—	—	—	—	·12	·11	30
31	·44	×	—	×	—	×	·06	·86	×	·01	×	1.35	31
Total	7.54	12.84	2.67	3.86	1.47	1.24	6.18	3.78	1.20	2.10	4.01	12.49	YEAR'S TOTAL 59.38
Rain Days.	18	24	16	17	9	8	24	19	9	9	10	24	187

W. 8,000. X. 14. + Snow

⊕ gauge moved on 27.11.16, to 175 [illegible]

3842

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at Brockhole
in the County of Westmorland
by W. Zaddum

Lat. 54.24 N. Long. 2.54 W.
Time of Observation 9 am
Nearest Railway Station Windermere 2 N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 145 ⊕ ft.
175

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·14	·30	·01	—	—	·59	·71	·08	—	—	·69	—	1
2	·56	·26	—	—	—	·15	·01	—	·26	·31	·06	·04	2
3	·11	·26	—	·03	—	·32	·20	—	·71	·34	·69	·02	3
4	·17	·24	—	·01	·72	·69	—	—	·09	1·26	·36	—	4
5	·37	1·25	—	—	·25	·22	—	—	—	1·87	·44	—	5
6	·95	·31	·04	—	·49	·11	·25	—	—	·52	·36	·05	6
7	·04	·13	·01	—	·64	·05	·44	—	—	·56	·31	·29	7
8	·01	·16	·03	·01	·16	·06	·06	—	—	·12	·69	·01	8
9	·05	—	—	—	·21	·04	·08	—	—	·16	·36	·20	9
10	·20	·30	·01	·20	—	—	·10	—	—	1·21	·52	·03	10
11	·13	·10	—	·73	·02	—	·18	—	·10	·21	·50	·13	11
12	·47	·81	·04	·10	·39	·01	·36	·28	—	·15	·01	—	12
13	—	·42	·14	·05	·01	—	—	·35	—	1·16	·02	·01	13
14	·20	·49	·02	·04	·40	—	—	·35	·04	·65	·02	—	14
15	·10	·95	·22	·11	—	—	·06	·24	·01	·12	—	—	15
16	·12	·44	·32	·65	—	—	·14	·91	·04	—	—	·02	16
17	·70	·15	—	·73	—	—	·03	·08	1·37	·34	—	·04	17
18	·13	·59	—	·14	—	—	·01	·43	·46	·14	·14	·25	18
19	1·24	—	·24	·02	—	—	—	·03	·01	—	·17	snow ·19	19
20	1·19	—	·02	·05	—	—	—	·07	—	—	·16	snow ·57	20
21	·61	—	—	·13	—	—	·07	—	·02	—	·09	—	21
22	—	·01	—	·06	·03	·30	—	—	—	·22	·09	·03	22
23	·24	—	·40 snow	·33	—	·37	—	·02	—	·73	·86	·14	23
24	·17	—	·03	·54	—	1·36	—	·57	—	·24	·27	·07	24
25	·04	·01	·48	—	—	·10	—	·47	·11	·28	·84	·12	25
26	·34	·01	·26	—	·15	—	—	·02	·17	·04	·05	—	26
27	—	·03	·02	—	·01	—	—	—	·12	·22	·08	·06	27
28	1·26	—	—	—	—	—	—	—	—	·25	·37	2·82	28
29	·25	·25	·04	—	·07	—	—	—	—	·57	·79	·32	29
30	·09	✕	·02	—	—	·10	·02	·04	—	1·30	1·30	·62	30
31	—	✕	—	✕	1·19	✕	—	·25	✕	·46	✕	·22	31
Total	10.88	7.47	2·35	3.93	4.74	4.47	2·72	4.19	3.51	13.42	10.24	6.25	YEAR'S TOTAL 74.17
Rain Days.	27	22	19	18	15	15	16	16	14	26	27	23	238

W. 8,000. X. 15.

Ex DL

3685

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

8 JAN

Kept at Brockhole
in the County of Westmorland
by W. Gaddum

Lat. 54.24 N Long. 2.54 W
Time of Observation 9 am
Nearest Railway Station Windermere L.N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	·02	—	—	·03	—	—	·38	—	·22	·23	1
2	1·15	·01	—	·04	—	·02	—	—	·04	—	—	—	2
3	·34	·10	—	·21*	—	·79	—	—	·04	·83	·02	—	3
4	—	—	·02*	—	—	—	—	—	—	·05	·14	·09	4
5	·20	—	·18	·20	—	—	—	—	·02	·07	1·48	·19	5
6	·10	—	—	·08	—	·21	—	—	—	·51	·56	·44	6
7	1·12	—	—	—	—	·20	—	—	—	·37	—	·24	7
8	·53	—	—	·21	—	—	—	·76	·18	·99	·47	·15	8
9	·07	—	·01	·17*	—	—	—	·21	—	·29	·30	·02	9
10	·39	—	1·23	·25*	·33	—	—	·30	·02	·07	—	—	10
11	·07	·05	—	—	·10	—	—	·40	—	1·05	·07	—	11
12	—	—	·12	—	·38	—	—	—	·04	·17	—	·03	12
13	·03	—	—	·48	·04	·08	—	·17	1·03	—	·07	·31	13
14	·01	—	—	·10	·04	—	·01	·13	—	—	—	·17	14
15	·02	—	—	·35	—	—	·01	·06	·57	·39	—	·71	15
16	—	·10	·05	·16	—	—	—	1·75	·06	·21	—	·10	16
17	—	·29	·19	·35	—	—	·11	1·34	·37	·35	—	·04	17
18	·01	·04	·40	·02	·17	—	·82	·21	·48	—	—	·31	18
19	·01	·35	·30	—	·27	—	—	·02	·01	—	·20	·48	19
20	—	·61	·03	—	·14	1·36	—	·54	·60	·20	·29	·29	20
21	—	·09	·01	—	·15	·02	—	·09	·45	·36	—	—	21
22	—	·01	—	—	—	—	—	·19	·16	1·26	·03	—	22
23	—	·12	—	—	·58	·60	·03	·67	·06	·26	·18	·03	23
24	—	—	—	—	—	·07	·03	·32	·13	1·37	·47	—	24
25	—	·06	·19	—	·04	—	—	·56	·65	·36	—	—	25
26	—	·02	—	—	—	·17	·07	·84	·67	·38	·83	—	26
27	—	—	·03	—	·13	—	·55	·63	—	·09	·15	—	27
28	—	—	·41	—	—	—	—	·12	·03	·03	·49	—	28
29	—	X	·11	—	—	—	·06	·08	—	·79	·21	—	29
30	—	X	·01	—	—	—	—	—	—	·44	·43	—	30
31	—	X	·31*	X	·87	X	—	·75	X	—	X	—	31
Total	4.15	1.85 6.—	3.62 9.62	2·62 12·24	3.24 15.48	3.56 19.03	1.69 20·72	10.14 30·86	5·99 36·85	10.89 47·74	6.61 54.35	3.83	YEAR'S TOTAL 58.18
Rain Days.	15	13	18	13	13	11	9	22	21	24	19	17	195

W. 8,000, VIII. 16

*Snow.

19

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
2 · 1 · 19

Kept at Brockhole
in the County of Westmorland
by W Laddrim

Lat. 54.24 N Long. 2.54 W
Time of Observation 9 am
Nearest Railway Station Windermere L N W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.44	snow .03 (03)	.02	.03	—	—	—	.37	.08	.71	.70	1
2	—	.17	—	.21	—	—	—	—	.18	1.30	.23	1.48	2
3	—	.17	—	—	.70	—	—	—	—	2.11	.03	.19	3
4	—	.24	—	—	.08	—	—	.13	.06	1.30	.67	.39	4
5	—	.14	—	.35	.24	—	—	1.25	—	.94	.07	.20	5
6	.08	.93	—	.48	.01	.48	—	—	—	.62	—	.03	6
7	—	.25	—	.03	.02	—	.42	.12	.37	.10	.35	.45	7
8	snow .28 (28)	.05	snow .11	—	—	.10	.16	.08	.36	.46	.23	.07	8
9	.36	.76	.03	.02	—	.29	.06	—	.75	.80	.15	.19	9
10	.15	1.24	.43	.03	—	—	.22	—	.35	.58	1.27	.04	10
11	.49	.19	.25	—	.19	—	.10	—	.35	.03	—	.60	11
12	—	.90	.01	.06	.05	.02	.04	—	.17	—	—	.28	12
13	—	.01	—	.07	.05	.03	~~.04~~	—	.27	.44	—	.06	13
14	snow 1.35	—	—	—	.07	.34	.68	.08	.20	.09	—	.03	14
15	—	.01	—	—	—	.12	.59	—	3. —	.01	—	.55	15
16	snow .03	snow .11	—	—	—	.30	.28	.23	.86	—	—	.27	16
17	.59	—	—	—	—	.33	.75	.32	.34	.10	—	.72	17
18	1.15	.02	.36	—	—	.01	.87	.03	.15	—	—	.26	18
19	.64	.20	.08	.09	—	—	.16	.40	.72	.11	—	.98	19
20	1.45	.40	—	.11	.10	.09	.54	—	.55	—	—	snow rain —	20
21	.42	1.90	—	—	—	.21	.03	—	1.96	—	—	.01	21
22	.23	.15	—	—	.60	.26	.76	.04	.76	—	—	1.27	22
23	.84	—	—	—	.12	—	.35	—	.11	—	.17	.08	23
24	.57	.09	—	—	—	—	—	.92	.55	.01	.10	.02	24
25	.12	.04	—	—	.36	—	.44	.88	.33	—	.03	—	25
26	.03	.38	—	—	—	—	.05	.09	.50	.13	.19	.95	26
27	.06	.32	.76	—	—	.03	—	.50	.33	.15	.10	.80	27
28	.12	.14	.38	—	—	—	—	.13	.30	.05	.07	.48	28
29	.09	✕	—	—	—	—	—	—	.11	—	.04	.62	29
30	—	✕	.29	—	—	—	—	—	—	.10	.44	.17	30
31	—	✕	.21	✕	—	✕	—	.12	✕	.28	✕	.07	31
Total	9.05	9.25	2.94	1.37	2.62	2.61	6.50	5.32	14.—	9.79	4.82	11.96	YEAR'S TOTAL 80.23
Rain Days	~~20~~	18.30	21.24	22.61	25.23	27.84	34.34	39.66	53.66	63.45	68.27	80.23	
	20	25	12	11	14	14	18	16	26	22	17	29	224

W: 8,000. VIII. 16

3499

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Brockhole, Windermere
in the County of Westmorland
by W. Gaddum

Lat. 54.39 Long. 2.54 W
Time of Observation 9 am
Nearest Railway Station W'mere LNW
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.83	—	.23	—	.15	—	.12	.05	2.10	.43	—	.45	1
2	.35 snow	—	.24	.03	.10	—	.25	—	.05	.05	—	.77	2
3	.20	.05 Snow	—	.05	.37	.14	.10	—	—	—	.02	.37	3
4	.11	.09	.19	—	.23	.02	.10	.28	.07	—	.03	.40	4
5	—	—	—	—	.50	—	—	—	.26	.01	—	.77	5
6	.04	—	.55	—	.05	—	—	—	.04	—	—	.24	6
7	.08	—	.26	.26	—	.05	—	.02	—	—	.40 Snow	—	7
8	.30	—	.20	.03	.04	.02	—	—	—	—	.01	—	8
9	1.24	—	.30	.08	—	—	—	—	—	—	.05	.02	9
10	.24	—	1.31	.25	.16	.05	—	—	—	.01	.02	.77	10
11	.07	—	.22	.07	.08	.02	.04	—	.06	.05	.01 snow	.23	11
12	—	—	.03	.26	.05	.30	.02	—	.04	.04	.55 snow	—	12
13	1.25	—	—	.61	—	—	.03	—	—	.12	—	.60	13
14	.46	.02	—	.31	—	—	—	.15	—	—	.01	.30	14
15	.89	.18	—	.44	—	—	—	—	—	—	—	.96	15
16	.30	—	—	.01	—	.04	—	—	—	—	.28 Snow	.29	16
17	.08	—	—	—	—	—	.02	.96	.02	—	1.35	.06	17
18	—	—	.60	—	—	.07	.36	.30	.17	—	.35	.55	18
19	.10	.65	1.16	—	—	1.03	—	.07	.05	—	.28	.06	19
20	.75	.25	.03	—	—	.05	—	.02	.08	—	.12	.68	20
21	.16	.43	—	—	—	—	—	.23	.31	—	.16	.40	21
22	—	.03	—	—	—	.40	—	.20	.35	.12	.13	.35	22
23	—	—	—	.03	—	.13	—	—	—	1.45	.34	.17	23
24	.22 8.67	—	—	.01	.07	—	—	.02	.80	.03	.50	.06	24
25	.50	—	—	.63	—	.03	—	1.12	.58	—	.12	—	25
26	.08	.02	1.—	.18	—	.06	—	.21	.36	—	.01	.95	26
27	—	.07	—	.08	—	.02	—	—	—	—	—	.04	27
28	—	—	—	.08	—	—	—	.85	.14	.03	—	.92	28
29	.04	✕	—	.02	—	—	—	.19	.69	—	—	.03	29
30	—	✕	.16	.05	—	.02	—	.12	—	.05	.50	10.44 1.08	30
31	—	✕	.11	✕	—	✕	.80	.03	✕	.02	✕	.04	31
Total	9.29	1.79	6.59	3.48	1.80	2.45	1.84	4.82	6.17	2.41	5.24	11.56	YEAR'S TOTAL 57.44
Rain Days.	.22	11.08	17.67	21.15	22.95	25.40	27.24	32.06	38.23	40.64	45.88		202

W. 8,000. X/15. 22 10 16 20 11 17 10 17 18 13 21 27 202

3388

FORM A.
BRITISH RAINFALL.

3d. ward

REGISTER OF RAINFALL IN 1920

Kept at Brockhole Windermere
in the County of Westmorland
by W. [illegible]

Lat. 54.24 N Long. 2.54 W
Time of Observation 9 am
Nearest Railway Station W'mere 2 m
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 175 ft.

3 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·16	·22	·11	·92	—	·90	·04	·03	·07	—	·28	1
2	—	·03	—	·05	·25	—	1·33	·01	·43	·07	—	1·79	2
3	·13	·13	·23	·01	·14	—	—	·15	·28	·95	—	·40	3
4	—	—	·03	·02	·14	—	·09	1·96	—	·77	—	—	4
5	—	·05	·61	—	1·36	—	·10	·17	·02	·47	·04	·01	5
6	·03	—	·54	·55	·67	—	—	—	—	·02	·04	—	6
7	1·15	·11	(2" snow) ·05 (snow)	·30	·01	—	·43	·01	·02	—	·01	—	7
8	·15	·27	—	·11	·29	—	·33	·46	·01	—	·10	—	8
9	·26	2·98	—	·42	—	—	·29	·02	—	—	·16	·04	9
10	1·61	·71	·20	·59	—	—	·59	—	·11	—	—	·06	10
11	·39	·10	·11	·02	·48	·15	·02	—	—	—	·19	—	11
12	·38	·97	·89	·40	·11	·01	·53	—	·18	—	·70	·20	12
13	·23	·11	·42	·47	·09	·27	·05	—	—	—	·17	·16	13
14	·20	·59	·16	·59	—	·50	·73	—	·59	·40	1·46	—	14
15	·22	·31	·09	·62	—	—	—	—	·05	·33	·14	—	15
16	·30	·03	·30	·04	·11	—	·64	·05	·70	—	·15	—	16
17	·26	—	·31	·01	·37	—	·18	·74	·73	—	—	—	17
18	·61	·02	—	·13	1·27	·26	·04	—	·02	—	—	—	18
19	·05	·54	—	·10	·02	·25	·15	·01	—	—	—	—	19
20	·25	—	—	·21	—	·05	·07	—	·41	—	—	·89	20
21	·03	—	—	·06	—	—	·09	—	·01	—	—	·20	21
22	·80	—	—	·50	·08	·03	·65	—	—	·01	—	—	22
23	·87	—	·21	·21	—	—	·24	—	—	—	—	·25	23
24	·18	·03	·87	·07	—	·10	·02	—	—	—	—	·45	24
25	·01	·08	·20	·13	—	·08	·33	—	·01	—	—	·05	25
26	·18	·20	·96	·25	—	—	·03	—	·24	—	·21	·07	26
27	·13	·02	1·01	·02	·30	·95	·25	—	—	—	·20	·20	27
28	·13	·30	·64	·69	—	·29	·11	—	—	—	·05	·45	28
29	·43	·52	·20	—	·50	·04	·60	—	—	—	·73	·83	29
30	·61	X	·17	—	·08	·10	—	—	·12	·10	·25	·66	30
31	·35	X	·25	X	·06	X	·19	·24	X	·01	X	6·99 ·62	31
Total	10·03	8·26	8·67	6·68	7·25	3·08	8·98	3·86	3·96	3·20	4·57	7·61	YEAR'S TOTAL 7615
Rain Days.	28	22	23	27	20	11	27	12	18	[illegible]	[illegible]	19	237 199

28 22 23 27 20 14 27 12 18 11 16 19 237

W. 8,000, VIII. 16

3695

WINDERMERE

HAMMARBANK.

1912 - 20

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REG

Kept at Hammarban ... L.M

in the County of Westr ... Windermere.

Gauge 5 in.

by H Co

Ground 1 ft. in.

Sea Level ft.

IMPORTANT NC ... the result entered to the previous day. If an (... ersal rule, he is earnestly requested to add the re ... r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	001	—	048	—	015	035	012	011	011	—	—	036	1
2	014	002	1.07	—	017	020	006	002	014	—	—	001	2
3	042	—	006	—	—	077	—	037	1.17	—	003	057	3
4	028	—	082	1.00	003	016	—	085	047	—	144	008	4
5	016	—	004	006	032	002	—	017	012	051	001	005	5
6	029	040	003	—	035	—	—	027	—	—	001	003	6
7	—	063	025	005	012	—	032	019	016	—	050	010	7
8	1.14	069	025	010	006	002	—	013	001	—	043	034	8
9	033	019	035	029	—	030	—	049	—	—	024	071	9
10	012	003	003	—	014	023	076	005	—	—	066	070	10
11	018	—	002	—	005	005	019	025	—	—	—	033	11
12	058	—	1.06	—	—	023	002	002	—	—	—	044	12
13	015	—	024	—	—	005	—	002	—	1.34	013	1.27	13
14	065	—	029	—	—	021	—	001	—	004	—	034	14
15	031	037	002	—	012	026	—	001	—	054	—	015	15
16	2.19	001	056	—	009	—	—	020	—	073	002	002	16
17	011	020	025	—	012	083	—	087	—	001	002	048	17
18	002	018	—	—	—	032	—	003	—	072	008	046	18
19	003	015	050	—	—	003	—	043	—	007	015	006	19
20	020	—	005	—	064	004	006	018	—	056	001	037	20
21	001	010	038	—	—	013	002	030	—	020	—	006	21
22	004	083	001	—	007	002	—	055	—	—	021	004	22
23	—	001	011	—	—	024	019	029	—	002	065	040	23
24	—	012	026	—	—	030	041	007	—	033	032	021	24
25	—	004	023	—	—	057	006	014	—	001	068	011	25
26	—	069	028	013	—	005	012	—	—	2.04	037	038	26
27	—	024	036	—	—	096	087	—	—	042	006	081	27
28	—	023	003	—	—	007	035	071	—	070	069	002	28
29	—	003	028	—	—	015	067	021	035	031	—	025	29
30	004	X	061	004	001	003	016	—	007	009	—	068	30
31	—	X	018	X	002	X	096	040	X	—	X	052	31
Total	7.40	5.16	9.10	1.67	2.46	6.59	5.34	7.34	2.60	8.64	6.71	10.35	YEAR'S TOTAL 73.36
Rain Days.	22	20	30	7	16	27	17	28	9	18	21	31	246

W. 8,000. X. 15.

REGISTER OF

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Hammarbank Windermere
in the County of Westmorland
by H Coutts

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Windermere.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	001	—	048	—	015	035	012	011	011	—	—	036	1
2	014	002	1·07	—	017	020	006	002	014	—	—	001	2
3	042	—	006	—	—	077	—	037	1·17	—	003	057	3
4	028	—	082	1·00	003	016	—	085	047	—	144	008	4
5	016	—	004	006	032	002	—	017	012	051	001	005	5
6	029	040	003	—	035	—	—	027	—	—	001	003	6
7	—	063	025	005	012	—	032	019	016	—	050	010	7
8	1·14	069	025	010	006	002	—	013	001	—	043	034	8
9	033	019	035	029	—	030	—	049	—	—	024	071	9
10	012	003	003	—	014	023	076	005	—	—	066	070	10
11	018	—	002	—	005	005	019	025	—	—	—	033	11
12	058	—	1·06	—	—	023	002	002	—	—	—	044	12
13	015	—	024	—	—	005	—	002	—	1·34	013	1·27	13
14	065	—	029	—	—	021	—	001	—	004	—	034	14
15	031	037	002	—	012	026	—	001	—	054	—	015	15
16	219	001	056	—	009	—	—	020	—	073	002	002	16
17	011	020	025	—	012	083	—	087	—	001	002	048	17
18	002	018	—	—	—	032	—	003	—	072	008	046	18
19	003	015	050	—	—	003	—	043	—	007	015	006	19
20	020	—	005	—	064	004	006	018	—	056	001	037	20
21	001	010	038	—	—	013	002	030	—	020	—	006	21
22	004	083	001	—	007	002	—	055	—	—	021	004	22
23	—	001	011	—	—	024	019	029	—	002	065	040	23
24	—	012	026	—	—	030	041	007	—	033	032	021	24
25	—	004	023	—	—	057	006	014	—	001	068	011	25
26	—	069	028	013	—	005	012	—	—	2·04	037	038	26
27	—	024	036	—	—	096	087	—	—	042	006	081	27
28	—	023	003	—	—	007	035	071	—	070	069	002	28
29	—	003	028	—	—	015	067	021	035	031	—	025	29
30	004	✕	061	004	001	003	016	—	007	009	—	068	30
31	—	✕	018	✕	002	✕	096	040	✕	—	✕	052	31
Total	7·40	5·16	9·10	1·67	2·46	6·59	5·34	7·34	2·60	8·64	6·71	10·35	YEAR'S TOTAL 73·36
Rain Days.	22	20	30	7	16	27	17	28	9	18	21	31	246

W. 8,000. X. 15.

cnd by B ~~H~~ RJ

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

2 JAN 191

Kept at Hammarbank Windermere

in the County of Westmoreland

by H Coutts

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	006	007	027	—	—	—	—	—	—	—	032	—	1
2	027	035	1·00	015	—	045	—	—	—	—	042	045	2
3	020	042	011	—	047	—	—	—	—	001	002	098	3
4	055	016	005	—	001	002	—	—	—	—	040	062	4
5	023	024	004	—	007	041	010	—	—	—	004	—	5
6	066	065	047	—	068	056	016	—	—	—	—	003	6
7	007	090	023	—	019	025	003	—	—	056	—	013	7
8	—	055	013	—	015	005	001	014	001	005	014	011	8
9	—	029	051	013	018	1·47	001	004	—	—	027	006	9
10	—	034	068	013	001	001	021	—	—	038	040	001	10
11	031	002	—	044	—	017	008	—	—	024	038	031	11
12	001	—	003	007	001	—	014	001	069	—	052	007	12
13	—	001	067	005	001	—	—	002	030	031	033	—	13
14	005	—	004	011	—	—	—	002	002	072	013	001	14
15	012	—	040	1·12	—	—	—	009	—	—	054	013	15
16	—	—	008	019	—	—	004	001	—	—	053	002	16
17	012	—	—	038	004	035	015	—	—	—	053	—	17
18	018	—	065	067	004	010	003	—	—	002	036	—	18
19	024	—	004	014	033	006	—	—	—	029	087	—	19
20	002	—	008	011	016	012	—	005	013	033	1·03	—	20
21	—	—	019	001	014	—	010	1·05	—	048	002	—	21
22	046	—	069	—	038	005	—	031	014	001	—	—	22
23	051	—	012	—	004	065	—	034	046	005	015	005	23
24	062	008	—	026	—	045	—	006	001	—	025	015	24
25	—	004	—	027	—	—	—	—	062	005	018	067	25
26	—	021	001	1·00	—	005	—	—	047	010	002	1·04	26
27	—	001	—	067	004	002	—	—	001	035	002	030	27
28	054	—	030	045	022	—	—	—	—	011	003	002	28
29	001		031	089	002	—	—	022	—	045	016	—	29
30	085	X	007	—	033	—	—	001	—	012	003	—	30
31	012	X	002	X	—	X	—	—	X	016	X	—	31
Total	6·20	4·34	7·19	7·24	3·52	5·24	1·06	2·37	2·86	4·79	8·09	5·16	YEAR'S TOTAL 58·05
Rain Days.	22	16	26	20	21	18	12	14	11	20	27	19	2·26

W. 8,000. X. 15.

cmd 19.XII.17

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Hammarbank Windermere

in the County of Westmoreland

by H Coutts

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	044	025	—	—	—	063	025	—	003	—	025	1
2	—	043	008	002	001	—	039	038	—	010	035	018	2
3	018	045	009	—	075	—	003	014	—	—	—	1·58	3
4	053	001	024	046	030	002	—	002	—	—	—	083	4
5	021	003	065	016	007	006	027	001	—	—	037	029	5
6	—	007	004	005	009	009	—	031	—	—	028	041	6
7	010	006	026	004	028	005	—	019	—	004	020	004	7
8	065	001	014	004	040	020	—	3·29	038	005	047	019	8
9	047	045	—	020	001	061	—	001	006	—	046	—	9
10	002	036	—	—	005	002	—	002	017	—	049	—	10
11	—	025	053	003	014	001	1·33	—	020	—	055	008	11
12	—	061	011	—	002	—	004	—	022	—	066	006	12
13	—	042	053	013	002	—	002	—	043	013	044	023	13
14	—	052	026	—	—	—	—	—	022	—	036	039	14
15	—	007	046	—	—	—	—	—	022	—	023	—	15
16	—	002	008	—	—	—	085	—	2·06	—	—	006	16
17	—	098	030	—	—	003	009	—	025	—	—	2·14	17
18	—	070	019	—	—	—	008	—	003	004	—	010	18
19	—	024	012	—	—	—	003	—	011	—	003	007	19
20	—	070	011	—	005	010	—	—	003	001	—	011	20
21	—	024	—	—	005	001	—	006	—	004	—	—	21
22	—	077	001	004	034	019	—	037	—	016	002	—	22
23	—	023	027	013	015	007	004	014	—	002	—	—	23
24	1·24	—	032	006	002	003	021	006	—	001	·43 034	—	24
25	014	002	002	—	001	—	010	076	—	089	050	1·15	25
26	005	016	—	—	—	—	001	003	—	023	058	048	26
27	010	026	—	—	003	—	—	—	005	023	059	012	27
28	011	049	040	—	006	—	—	014	002	002	065	—	28
29	1·00		033	—	—	—	—	035	—	002	1·45	003	29
30	026	✕	089	003	—	—	—	002	—	—	026	050	30
31	066	✕	001	✕	002	✕	055	—	✕	023	✕	001	31
Total	5·72 ✓	8·79 ✓	6·69 ✓	1·39 ✓	2·87 ✓	1·49 ✓	4·67 ✓	6·55 ✓	4·46 ✓	2·25 ✓	9·37 ✓	9·30	YEAR'S TOTAL 63·55 ✓
Rain Days.	15 ✓	27 ✓	26 ✓	13 ✓	21 ✓	14 ✓	16 ✓	19 ✓	15 ✓	17 ✓	21	23 ✓	227 ✓

W. 8,000. X. 15.

Duplicate see 1915A in condi

REG

WINDERMERE
HAMMER BASK
1915

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Windermere

in the County of Westm

by H. Ca

ndermere

auge 5 in.

Ground 1 ft. – in.

Sea Level 2 9 5 ft.

IMPORTANT NO he result entered to the previous day. If an C rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	038	1·15	003	—	009	—	011	044	002	—	—	002	1
2	010	092	050	066	—	013	041	066	—	—	—	—	2
3	012	028	056	035	—	—	047	015	—	—	—	042	3
4	001	036	017	004	012	027	—	009	001	—	—	036	4
5	061	097	038	—	019	—	—	004	—	—	—	1·50	5
6	039	036	001	041	—	017	1·43	003	006	—	001	060	6
7	035	088	003	018	—	—	039	012	—	—	003	011	7
8	033	073	—	017	—	—	—	016	—	—	1·09	—	8
9	001	017	—	—	—	—	—	002	—	—	024	076	9
10	101	002	003	015	—	001	—	008	—	007	—	087	10
11	018	001	001	001	059	—	003	017	—	—	006	027	11
12	043	005	—	002	002	—	022	0.08	—	016	075	—	12
13	017	006	—	—	—	—	—	022	004	011	—	027	13
14	033	—	—	003	—	—	024	023	009	—	—	053	14
15	1·00	—	—	006	—	—	001	036	006	—	020	067	15
16	—	1·73	—	—	003	—	020	008	001	—	—	002	16
17	—	041	002	002	002	—	017	—	—	—	—	—	17
18	—	041	018	001	—	—	020	—	—	—	—	—	18
19	003	011	013	085	026	—	013	—	—	—	—	—	19
20	032	002	006	002	008	—	030	001	—	—	—	028	20
21	011	003	—	018	—	—	037	—	—	—	—	009	21
22	—	—	017	—	—	007	037	—	—	002	—	044	22
23	—	005	012	005	—	005	019	—	014	069	—	051	23
24	—	—	006	001	—	—	008	—	054	011	—	055	24
25	—	—	—	—	—	—	012	—	020	—	—	016	25
26	—	1·40	001	—	—	—	031	—	002	—	—	060	26
27	—	036	—	—	—	027	003	—	—	060	016	063	27
28	—	045	—	—	005	003	006	037	—	015	—	061	28
29	—		—	—	011	00.1	001	—	—	—	083	013	29
30	056	╳	—	017	—	034	—	—	—	—	012	012	30
31	042	╳	—	╳	—	╳	005	056	╳ +10	002	╳	086 30	31
Total	6·68 ✓ 6.86	10.93 ✓	2·47 ✓	3·39 ✓	1·56 ✓	1·45 ✓ 1·35	5·90 ✓	3·87 ✓	1·29 ✓	1·93 ✓	3·49 ✓	10·48 ✓	YEAR'S TOTAL 53·~~54~~ 53.52
Rain Days.	20 ✓	23 ✓	17 ✓	19 ✓	11 ✓	10 ✓	24 ✓	19 ✓	11	9 ✓	10 ✓	25	198 ✓

W. 8,000. X. 15.

Duplicate see 1915A in correcti

REG

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Windermere

in the County of Westmorland

by H. Coutts.

Nearest Railway Station indermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	038	1·15	003	—	009	—	011.	044	002	—	—	002	1
2	010	092	050	066	—	013	041	066	—	—	—	—	2
3	012	028	056	035	—	—	047	015	—	—	—	042	3
4	001	036	017	004	012	027	—	009	001	—	—	036	4
5	061	097	038	—	019	—	—	004	—	—	—	1·50	5
6	039	036	001	041	—	017	1·43	003	006	—	001	060	6
7	035	088	003	018	—	—	039	012	—	—	003	011	7
8	033	073	—	017	—	—	—	016	—	—	1·09	—	8
9	001	017	—	—	—	—	—	002	—	—	024	076	9
10	1·01	002	003	015	—	001	—	008	—	007	—	087	10
11	018	001	001	001	059	—	003	017	—	—	006	027	11
12	043	005	—	002	002	—	022	0.08	—	016	075	—	12
13	017	006	—	—	—	—	—	022	004	011	—	027	13
14	033	—	—	003	—	—	024	023	009	—	—	053	14
15	1·00	—	—	006	—	—	001	036	006	—	020	067	15
16	—	1·73	—	—	003	—	020	008	001	—	—	002	16
17	—	041	002	002	002	—	017	—	—	—	—	—	17
18	—	041	018	001	—	—	020	—	—	—	—	—	18
19	003	011	013	085	026	—	013	—	—	—	—	—	19
20	032	002	006	002	008	—	030	001	—	—	—	028	20
21	011	003	—	018	—	—	037	—	—	—	—	009	21
22	—	—	017	—	—	007	037	—	—	002	—	044	22
23	—	005	012	005	—	005	019	—	014	069	—	051	23
24	—	—	006	001	—	—	008	—	054	011	—	055	24
25	—	—	—	—	—	—	012	—	020	—	—	016	25
26	—	1·40	001	—	—	—	031	—	002	—	—	060	26
27	—	036	—	—	—	027	003	—	—	060	016	063	27
28	—	045	—	—	005	003	006	037	—	015	—	001	28
29	—		—	—	011	001	001	—	—	—	083	013	29
30	056	╳	—	017	—	034	—	—	—	—	012	012	30
31	042	╳	—	╳	—	╳	005	056	╳ ·10	002	╳	086 ·50	31
Total	6·68 6·86	10·93 ✓	2·47 ✓	3·39 ✓	1·56 ✓	~~1·45~~ 1·35	5·90 ✓	3·87 ✓	1·29 ✓	1·93 ✓	3·49 ✓	10·48 ✓	YEAR'S TOTAL ~~53·54~~ 53·52
Rain Days.	20 ✓	23 ✓	17 ✓	19 ✓	11 ✓	10 ✓	24 ✓	19 ✓	11	9 ✓	10 ✓	25	198 ✓

W. 8,000. X. 15.

3915

FORM A.
BRITISH RAINFALL.

4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at *Hammarbank Windermere*

in the County of *Westmorland*

by *W. Hubert Coutts*

Lat. Long.

Time of Observation *9 a.m.*

Nearest Railway Station *Windermere*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground ft. *13* in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	038	1.15	003	—	009	—	011	044	002	—	—	002	1
2	010	092	050	066	—	013	041	066	—	—	—	—	2
3	012	028	056	035	—	—	047	015	—	—	—	042	3
4	001	036	017	004	012	027	—	009	001	—	—	006	4
5	061	097	038	—	019	—	—	004	—	—	—	1.50	5
6	039	036	001	041	—	017	1.43	003	006	—	001	060	6
7	035	088	003	018	—	—	039	012	—	—	003	011	7
8	033	073	—	017	—	—	—	016	—	—	1.09	—	8
9	001	017	—	—	—	—	—	002	—	—	024	076	9
10	101	002	003	015	—	001	—	008	—	007	—	087	10
11	018	001	001	001	059	—	003	017	—	—	006	027	11
12	043	005	—	002	002	—	022	008	—	016	075	—	12
13	017	006	—	—	—	—	—	022	004	011	—	027	13
14	033	—	—	003	—	—	024	023	009	—	—	053	14
15	1.00	—	—	006	—	—	001	036	006	—	020	067	15
16	—	1.73	—	—	003	—	020	008	011	—	—	002	16
17	—	041	002	002	002	—	017	—	—	—	—	—	17
18	—	041	018	001	—	—	020	—	—	—	—	—	18
19	003	011	013	085	026	—	013	—	—	—	—	—	19
20	032	002	006	002	008	—	030	001	—	—	—	028	20
21	011	003	—	018	—	—	037	—	—	—	—	009	21
22	—	—	017	—	—	007	037	—	—	002	—	044	22
23	—	005	012	005	—	005	019	—	014	069	—	051	23
24	—	—	006	001	—	—	008	—	054	011	—	055	24
25	—	—	—	—	—	—	012	—	020	—	—	016	25
26	—	1.40	001	—	—	—	031	—	002	—	—	060	26
27	—	036	—	—	—	027	003	—	—	060	016	063	27
28	—	045	—	—	005	003	006	037	—	015	—	001	28
29	—		—	—	011	001	001	—	—	—	083	013	29
30	056	✕	—	017	—	034	—	—	—	—	012	12	30
31	042	✕	—	✕	—	✕	005	056	✕	002	✕	086	31
Total	686	10.93	2.47	3.39	1.56	1.35	5.90	3.87	1.29	1.93	3.49	10.48	YEAR'S TOTAL 53.42 53.52
Rain Days.	20	23.	17	19	11	10	24	19	11	9	10	25	198

W. 8,000. X. 15.

S made ✓ and by total W. C. F. E. 3342

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

2 Jan 1917

Kept at Hammerbank Windermere

in the County of Westmoreland

by H Coutts

Lat. Long.

Time of Observation 9 a.m. Greenwich

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	067	030	001	—	—	061	072	008	—	—	051	—	1
2	037	018	—	—	001	017	001	—	030	026	006	006	2
3	005	023	—	005	001	029	024	—	087	038	066	002	3
4	013	015	—	002	072	055	001	—	008	096	038	—	4
5	032	1·18	—	—	030	027	—	—	—	1·40	043	—	5
6	057	031	006	—	050	010	020	—	—	045	033	005	6
7	004	009	003	—	060	006	044	—	—	056	036	027	7
8	001	010	004	001	009	010	003	—	—	009	050	001	8
9	004	—	—	—	024	003	008	—	—	013	031	021	9
10	019	029	002	022	—	001	009	—	—	090	046	—	10
11	012	011	—	075	003	—	022	—	010	021	005	003	11
12	034	069	004	008	052	—	047	019	—	012	001	—	12
13	—	035	011	006	001	—	—	052	—	1·11	001	002	13
14	019	038	003	005	033	—	—	024	004	054	001	—	14
15	005	079	025	010	—	—	006	086	001	014	—	—	15
16	012	040	033	060	—	—	019	036	003	001	—	002	16
17	062	016	001	052	—	—	005	013	1·21	032	—	003	17
18	011	058	—	011	—	—	001	031	039	019	011	026	18
19	1·15	—	025	003	—	—	—	003	001	—	019	017	19
20	1·05	—	003	004	—	—	—	006	—	—	012	054	20
21	048	—	—	008	003	—	017	—	002	—	010	—	21
22	—	001	001	007	—	025	—	—	—	023	005	004	22
23	019	—	045	023	—	032	—	002	—	068	069	016	23
24	012	—	003	039	—	2·03	—	053	—	019	026	007	24
25	004	002	038	001	015	012	—	051	003	(016)	079	018	25
26	026	002	020	—	—	—	—	—	012	003	004	—	26
27	001	004	002	—	001	—	—	—	014	021	005	006	27
28	1·31	001	—	—	—	—	—	—	—	030	032	2·70	28
29	024	024	003	—	—	—	—	—	—	070	1·09	025	29
30	013	╳	—	—	—	007	002	003	—	1·42	094	055	30
31	—	╳	—	╳	1·03	╳	—	023	╳	038	╳	025	31
Total	8·92 ✓	6·63 ✓	2·33 ✓	3·42 ✓	4·58 ✓	4·98 ✓	3·01 ✓	4·~~7~~0 4·10	3·35 ✓	12·07 ✓	8·83 ✓	5·95 ✓	YEAR'S TOTAL 68·17 ✓
Rain Days.	28 ✓	23 ✓	20 ✓	19 ✓	16 ✓	15 ✓	17 ✓	15 ✓	14 ✓	27	27 ✓	22	243

W. 8,000. X. 15.

Smade

Cx d EGL

3682

BRITISH RAINFALL FORM

9 APR 1918

REGISTER OF RAINFALL IN 1917.

Kept at Hammarbank Windermere

in the County of Westmorland

by H Coutts

Lat. .... Long. ....

Time of Observation 9 a.m. Greenwich

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	015	—	003	—	—	004	—	—	032	—	023	018	1
2	1·11	001	001	003	—	—	—	—	007	—	003	—	2
3	027	008	—	017	—	081	—	—	003	085	004	—	3
4	—	—	001	002	—	—	—	—	—	006	013	010	4
5	032	—	013	021	—	—	—	—	003	009	1·66	022	5
6	013	—	—	007	—	019	—	—	—	049	051	040	6
7	095	—	002	001	—	021	—	—	—	035	002	017	7
8	030	—	—	020	—	—	—	090	018	107	043	014	8
9	006	—	002	021	002	—	—	020	—	023	029	—	9
10	040	—	1·22	022	028	—	—	037	002	004	—	—	10
11	006	004	—	001	013	—	—	036	—	091	008	—	11
12	—	—	012	—	065	—	—	002	004	019	—	004	12
13	002	—	—	029	005	006	—	013	1·00	001	010	031	13
14	001	—	—	015	006	—	—	015	—	002	—	016	14
15	002	—	—	029	—	—	—	014	058	032	001	060	15
16	—	011	007	017	—	—	—	1·92	010	033	—	007	16
17	—	024	014	033	—	—	012	1·72	021	029	—	002	17
18	002	004	030	003	021	—	088	019	048	002	—	031	18
19	001	032	022	—	030	—	001	006	003	—	022	042	19
20	—	060	002	—	017	1·47	—	088	063	017	028	028	20
21	—	011	001	—	016	001	—	016	035	037	—	—	21
22	—	001	—	—	—	055	—	018	017	1·15	002	—	22
23	—	011	—	—	054	011	006	080	008	026	014	002	23
24	—	—	—	—	—	—	006	026	015	1·27	037	—	24
25	—	008	013	—	008	—	—	052	056	033	002	—	25
26	—	002	—	—	—	015	013	098	070	027	075	—	26
27	—	002	006	—	018	—	045	067	—	010	029	—	27
28	—	—	036	—	—	—	001	010	001	006	036	—	28
29	—		008	—	—	—	007	009	—	070	018	—	29
30	—	X	004	—	—	—	—	002	—	043	032	—	30
31	—	X	029	X	073	X	—	078 070	X	—	X	—	31
Total	3·83	1·79	3·28	2·41	3·56	3·60	1·79	11·60	5·74	10·38	6·39	3·44	YEAR'S TOTAL 57·81
Rain Days.	15	14	20	16	14	10	9	24	21	27	23	16	209 ~~225~~

W. 8,000. X. 15.

16

FORM A.
BRITISH RAINFALL.

2 . 1 . 1[illegible]

REGISTER OF RAINFALL IN 1918

Kept at Hammarbaik Windermere

in the County of Westmorland

by Hubert Coutts

Lat. Long.
Time of Observation 9 a.m. Greenwich
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	039	001	003	003	—	—	—	044	007	051	065	1
2	—	015	—	023	—	—	—	—	020	1·32	035	1·63	2
3	001	016	—	—	075	—	—	—	—	2·12	002	013	3
4	—	020	—	—	012	—	—	012	009	080	048	043	4
5	—	011	001	025	026	—	—	1·18	—	1·10	007	021	5
6	009	088	—	044	—	056	—	—	001	047	—	001	6
7	—	020	—	002	—	—	040	014	040	009	031	025	7
8	018	003	011	—	—	011	018	012	026	035	016	007	8
9	045	088	002	001	—	031	002	—	067	083	015	016	9
10	016	091	045	001	—	—	008	—	038	058	097	004	10
11	052	019	028	—	019	—	012	—	035	—	—	057	11
12	—	076	001	007	004	001	—	—	013	—	—	021	12
13	002	001	—	004	008	003	—	—	024	046	—	006	13
14	1·08	—	—	—	006	035	041	007	027	007	—	005	14
15	—	—	—	—	—	011	059	—	3·06	002	—	064	15
16	007	008	—	—	—	019	033	022	080	—	—	025	16
17	055	—	—	—	—	022	079	029	046	005	—	060	17
18	1·30	001	033	—	—	003	1·00	002	013	001	—	026	18
19	061	019	009	007	—	—	015	038	065	010	—	1·02	19
20	1·45	042	001	015	010	009	053	001	051	—	—	—	20
21	043	1·49	—	—	—	025	002	—	2·60	001	—	003	21
22	020	014	—	—	055	(026)	072	005	096	—	—	1·03	22
23	090	001	—	—	011	—	028	—	014	—	012	006	23
24	062	010	—	—	—	001	—	064	050	001	008	003	24
25	012	003	—	—	034	—	056	079	039	—	002	—	25
26	003	025	—	—	—	—	010	008	044	013	020	086	26
27	004	028	072	—	—	002	—	056	044	020	010	081	27
28	040	013	028	—	—	—	—	009	032	004	006	050	28
29	009		001	—	—	—	—	001	028	—	—	057	29
30	—		023	—	—	—	—	001	—	009	040	013	30
31	—		022		—		—	009		025		003	31
Total	9·02	8·00	2·78	1·32	2·63	2·55	6·28	4·87	15·12	9·17	4·00	11·29	YEAR'S TOTAL 231
Rain Days.	22	25	15	11	12	15	17	19	27	23	16	29	77·03

W. 8,000, IX. 17.

3496

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Hammarbank Windermere

in the County of Westmorland

by Hubert Coutts

Lat. ______ Long. ______

Time of Observation 9. a. m. Greenwich

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
												~~036~~	
1	1.61	—	016	—	020	—	011	004	2.12	043	—	036	1
2	029	—	032	003	005	—	015	001	001	003	001	062	2
3	026	005	—	001	035	012	014	—	—	—	002	035	3
4	009	008	023	—	026	002	011	030	012	—	005	037	4
5	—	—	—	—	050	—	—	—	032	002	—	065	5
6	—	—	056	—	005	—	—	—	006	—	—	028	6
7	008	—	026	028	—	017	—	002	—	—	027	—	7
8	030	—	012	003	003	001	—	003	—	—	002	—	8
9	1.05	—	027	005	—	—	—	—	—	—	004	002	9
10	028	—	1.27	020	021	004	—	—	—	—	001	070	10
11	007	—	020	006	017	002	003	—	006	008	—	017	11
12	—	—	003	033	007	032	003	—	002	004	048	—	12
13	1.40	—	—	070	—	—	002	021	—	014	—	044	13
14	047	001	—	027	—	—	—	—	—	—	—	026	14
15	077	(025)	—	049	—	—	—	—	—	—	—	099	15
16	020	001	—	002	—	003	—	—	—	—	027	026	16
17	008	—	—	002	—	—	003	1.00	002	—	1.05	005	17
18	—	—	065	—	—	006	031	027	020	—	031	053	18
19	008	060	077	—	—	1.12	—	009	004	—	(036)	006	19
20	068	026	002	—	—	004	—	—	008	—	011	063	20
21	016	036	—	—	—	002	—	025	033	—	014	039	21
22	—	004	—	—	—	041	—	017	031	010	016	033	22
23	001	—	—	003	—	012	—	—	—	1.36	023	019	23
24	020	—	—	—	010	001	—	001	065	004	038	006	24
25	049	—	—	055	—	002	—	1.02	060	—	015	—	25
26	007	—	084	018	—	001	—	017	025	—	001	090	26
27	003	005	002	007	—	—	—	—	—	—	—	004	27
28	—	—	—	005	—	—	—	092	014	002	—	095	28
29	—		001	—	—	—	—	024	050	002	—	002	29
30	—		012	005	—	—	—	022	001	003	047	1.18	30
31	—		006		—		1.00	003		001		002	31
Total	8.67	1.71	5.91	3.42	1.99	2.54	1.93	5.00	5.84	2.32	4.54	10.82	YEAR'S TOTAL 54.69
Rain Days.	22	10	18	19	11	17	10	18	19	13	20	27	204

W. 6,500. VII. 18. w w c

W 3385

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hammarbank Windermere

in the County of Westmorland

by Hubert Coutts Esq.

Lat. .... Long. ....

Time of Observation 9 a.m. Greenwich

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	008	011	022	007	090	—	069	004	002	006	—	031	1
2	—	001	—	004	019	—	1·06	002	043	004	—	1·49	2
3	015	016	026	002	007	—	001	012	033	078	—	025	3
4	001	—	002	003	016	—	008	1·40	—	064	001	001	4
5	—	004	050	001	1·53	—	012	016	001	042	002	001	5
6	002	—	043	071	069	—	001	—	—	001	002	—	6
7	084	018	006	003	—	—	052	—	003	—	001	—	7
8	015	021	—	016	023	—	028	045	001	—	014	001	8
9	025	2·47	002	063	—	—	017	001	009	—	010	004	9
10	1·70	047	017	061	—	—	024	—	—	—	—	004	10
11	040	008	005	001	051	013	001	—	—	—	016	001	11
12	034	081	069	040	012	001	038	—	017	—	071	020	12
13	037	012	028	037	003	026	001	—	—	—	024	016	13
14	017	053	011	057	—	050	072	—	063	035	1·29	—	14
15	018	026	007	077	—	—	001	—	003	032	006	—	15
16	026	004	038	003	016	—	067	002	058	—	011	—	16
17	021	—	028	—	034	—	007	083	079	—	—	—	17
18	056	003	001	014	1·45	030	003	—	005	—	—	—	18
19	006	067	—	008	002	021	020	001	—	—	001	—	19
20	023	—	—	016	—	004	028	—	044	—	—	077	20
21	002	—	—	005	—	—	010	—	001	—	—	023	21
22	081	—	—	049	012	002	062	—	—	001	—	—	22
23	083	—	021	022	—	—	018	003	—	—	—	025	23
24	013	003	1·00	010	—	011	002	—	—	—	—	042	24
25	001	006	013	012	—	010	039	—	002	—	—	005	25
26	016	012	091	021	—	—	003	—	026	—	019	005	26
27	007	001	084	002	031	1·13	031	—	—	—	019	019	27
28	009	028	063	065	002	029	016	—	—	—	005	040	28
29	036	070	015	—	052	006	057	—	—	—	070	087	29
30	056	✕	013	—	008	008	—	—	013	005	018	062	30
31	020	✕	017	✕	005	✕	006	016	✕	001	✕	039	31
TOTAL	9·22 ~~9·28~~	7·39	7·72 ~~7·75~~	6·70	7·50 ~~7·54~~	3·24	8·00 ~~7·80~~	3·25	4·03	2·69	4·19	6·77	YEAR'S TOTAL 70·70 ~~70·63~~
Days with ·01 in. or more	29	22	25	27	20	14	30	12	18	11	18	22	248
	15	18	23	20	18	12	22	7	11	8	13	18	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cor^d. 18/V.1

WINDERMERE

HOLEBIRD

1911 - 1920

FORM A2.
BRITISH RAINFALL.

13 JAN 1912

3696

REGIS 911

Kept at Holebird Wm snowdon

Diameter of Funnel op 5 in.

Height of Top above Ground 1 ft. - in.

in the County of Westm

„ Sea Level 483 ft.

Hour of reading 9 a.m.

by W. Gir

Nearest Railway Station
Name Windermere
Distance 1½ miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	—	—	·90	—	·20	—	·06	·05	·01	—	·76	·31	1
2	·14	—	·04	—	·55	—	·04	·23	—	·04	·10	·35	2
3	·02	—	·47	—	1·43	—	·01	·03	—	—	1·74	·27	3
4	—	—	·04	·02	·06	—	—	1·34	—	—	1·38	·56	4
5	·38	—	·17	·04	·01	—	—	1·13	—	—	·33	·18	5
6	·27	—	·07	·02	—	—	—	·57	—	—	·32	·89	6
7	·52	—	·06	—	·08	—	—	—	—	—	·60	·01	7
8	·18	—	·38	—	·01	—	—	—	—	—	·47	1·49	8
9	·02	—	—	—	—	—	—	—	—	—	—	·56	9
10	1·45	·16	·56	—	—	—	—	—	·41	—	—	1·64	10
11	·18	—	·03	—	—	—	—	—	·31	—	·10	·15	11
12	·07	·05	·10	—	·05	—	—	—	·75	—	·35	·05	12
13	·04	·23	—	—	·30	—	—	—	—	—	·86	·12	13
14	·13	·80	·08	—	·02	—	—	—	—	—	1·31	·42	14
15	·02	·94	·03	·04	—	—	—	—	—	—	·91	·18	15
16	·15	·88	·06	·15	·01	·47	·02	—	—	—	·32	·56	16
17	·10	·09	·01	·02	—	1·23	·08	—	—	—	·68	·37	17
18	—	1·80	·02	·28	—	·23	·04	—	—	·01	·08	·58	18
19	·01	·06	—	·14	—	·06	—	—	1·70	·71	·08	·65	19
20	—	·27	—	·90	—	·01	·42	·60	·09	·04	—	·59	20
21	·03	1·92	—	·38	—	·80	·06	·06	—	·38	—	·14	21
22	·05	·53	—	·26	—	·29	—	—	—	·05	·01	—	22
23	·12	·60	—	·06	·50	·09	—	—	1·02	·35	—	·62	23
24	·45	·23	·02	·70	·01	·91	—	·15	—	·34	—	·40	24
25	·24	·44	—	·70	—	·06	·01	·01	·40	·21	—	·41	25
26	·08	·07	—	·14	—	·05	—	·46	·01	·83	·13	·2	26
27	·10	1·63	—	·26	—	·03	·10	·30	·34	—	·26	·2	27
28	·03	·18	—	·54	—	·19	·01	·12	·28	—	·02	·6	28
29	—	X	—	·10	—	·35	·04	·02	·65	3·83	—	[illegible]	29
30	—	X	—	—	·02	·02	·13	—	·01	·32	·32		30
31	—	X	—	X	·01	X	·05	·22	X	·12	X		31
Total	4·78	10·88	3·04	4·78	3·26	4·79	1·07	5·29	5·98	7·73	11·13 ~~11·16~~		
No. of Rain Days	24	18	17	18	15	15	14	15	13	13	22		

9,000, IX. '10.

cord. 181V.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

13 JAN 1912

3696

Kept at Holehird Windermere

in the County of Westmorland

by W G Groves

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 483 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Windermere
Distance 1½ miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·90	–	·20	–	·06	·05	·01	–	·76	·31	1
2	·14	–	·04	–	·55	–	·04	·23	–	·04	·10	·35	2
3	·02	–	·47	–	1·43	–	·01	·03	–	–	1·74	·27	3
4	–	–	·04	·02	·06	–	–	1·34	–	–	1·38	·56	4
5	·38	–	·17	·04	·01	–	–	1·13	–	–	·33	·18	5
6	·27	–	·07	·02	–	–	–	·57	–	–	·32	·89	6
7	·52	–	·06	–	·08	–	–	–	–	–	·60	·01	7
8	·18	–	·38	–	·01	–	–	–	–	–	·47	1·49	8
9	·02	–	–	–	–	–	–	–	–	–	–	·86	9
10	1·45	·16	·56	–	–	–	–	–	·41	–	–	1·64	10
11	·18	–	·03	–	–	–	–	–	·31	–	·10	·15	11
12	·07	·05	·10	–	·05	–	–	–	·75	–	·35	·05	12
13	·04	·23	–	–	·30	–	–	–	–	–	·86	·12	13
14	·13	·80	·08	–	·02	–	–	–	–	–	1·31	·48	14
15	·02	·94	·03	·04	–	–	–	–	–	–	·91	·18	15
16	·15	·88	·06	·16	·01	·47	·02	–	–	–	·32	·56	16
17	·10	·09	·01	·02	–	1·23	·08	–	–	–	·68	·37	17
18	–	1·80	·02	·28	–	·23	·04	–	–	·01	·08	·55	18
19	·01	·06	–	·14	–	·06	–	–	1·70	·71	·08	·68	19
20	–	·27	–	·90	–	·01	·42	·60	·09	·04	–	·59	20
21	·03	1·92	–	·38	–	·80	·06	·06	–	·38	–	·14	21
22	·05	·33	–	·26	–	·29	–	–	–	·05	·01	–	22
23	·12	·60	–	·06	·30	·09	–	–	1·02	·35	–	·62	
24	·45	·23	·02	·70	·01	·91	–	·15	–	·34	–	·40	
25	·24	·44	–	·70	–	·06	·01	·01	·40	·21	–	·41	
26	·08	·07	–	·14	–	·05	–	·46	·01	·83	·13	·2	
27	·10	1·63	–	·26	–	·03	·10	·30	·34	–	·26	·2	
28	·03	·18	–	·54	–	·19	·01	·12	·28	–	·02	·6	
29	–		–	·10	–	·35	·04	·02	·65	3·83	–	·3	
30	–		–	–	·02	·02	·13	–	·01	·82	·92		
31	–		–		·01		·05	·22		·12		·	
Total	4·78	10·88	3·04	4·78	3·26	4·79	1·07	5·29	5·98	7·73	11·13 ~~11·15~~		
No. of Rain Days	24	18	17	18	15	15	14	15	13	13	22		

9,000, IX. '10.

S. made ✓

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913
3696

Kept at Holehird

in the County of Westmorland 2

by W G Groves

Lat. 54° 24' N. Long. 2° 55' W.

Nearest Railway Station Windermere

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 483 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
12	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·04	·61	–	·20	·31	·14	·15	·11	·01	–	·43	1
2	·13	·06	1·19	·01	·16	·22	·05	·04	·09	·01	–	·04	2
3	·40	–	·05	–	–	·91	–	·29	1·24	–	·04	·61	3
4	·31	–	·93	·99	·04	·26	–	·81	·46	–	1·45	·17	4
5	·12	–	·04	·06	·32	·02	–	·16	·10	·58	–	·06	5
6	·33	·44	·04	–	·38	–	–	·29	–	·01	·01	·04	6
7	–	·67	·19	·10	·18	·01	·36	·24	·23	–	·64	·09	7
8	1·35	·71	·29	·15	·06	·02	–	·13	·04	–	·43	·42	8
9	·39	·24	·41	·31	–	·57	·03	·43	–	–	·25	·86	9
10	·18	·04	·03	·01	·18	·20	·89	·08	–	–	·71	·74	10
11	·20	–	·01	–	·07	·06	·21	·19	–	–	·01	·42	11
12	·67	–	1·09	–	–	·36	·03	·03	–	–	–	·53	12
13	·16	–	·30	–	–	·07	–	·06	–	1·59	·18	1·82	13
14	·75	–	·28	–	–	·37	–	·04	–	·05	–	·36	14
15	·47	·39	·04	–	·16	·30	–	·09	–	·49	–	·26	15
16	2·26	·01	·71	–	·07	·02	–	·20	–	·74	·03	·16	16
17	·10	·21	·33	–	·10	·85	–	·94	–	·01	·04	·45	17
18	·02	·20	–	–	–	·33	–	·05	–	·67	·08	·61	18
19	·04	·15	·45	–	–	·08	–	·45	–	·15	·14	·07	19
20	·19	–	·09	–	1·03	·06	·08	·25	–	·56	·01	·42	20
21	·02	·13	·43	–	–	·15	·02	·26	–	·21	–	·07	21
22	·04	1·09	–	–	·09	·03	–	·58	–	–	·25	·04	22
23	–	·02	·10	–	–	·30	·22	·26	–	·01	·62	·44	23
24	–	·12	·33	–	–	·33	·58	·09	–	·31	·41	·29	24
25	–	·09	·26	–	–	·71	·17	·15	–	·01	·82	·15	25
26	–	·83	·31	·36	–	·06	·14	·01	–	2·16	·47	·37	26
27	–	·31	·40	–	–	1·14	·97	–	–	·43	·05	·93	27
28	–	·30	·05	–	–	·09	·62	·81	–	·78	·54	·01	28
29	–	·04	·38	–	–	·05	·84	·17	·33	·37	– X	·28	29
30	·02	X	·59	·05	·01	·11	·31	–	·13	·11	–	·86	30
31	–	X	·15	X	·02	X	·94	·45	X	–	X	·60	31
90 Total	8·17	6·09	10·08	2·04	3·07	7·99	6·60 ✓	7·70	2·73	9·26	7·18	12·60	TOTAL for year 83·57 ✓
No. of Rain Days	22	21	29	9	16	29	18	29	9	21	21	31	255

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

3696

BRITISH RAINFALL.
FORM A.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Holehird [illegible]

in the County of Westmorland

by W G Groves.

Lat. 54° 24' N. Long. 2° 55' W

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 483 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·09	·08	·37	–	–	–	–	–	–	–	·43	·01	1
2	·39	·33	1·21	·18	–	·47	–	–	–	–	·54	·49	2
3	·32	·70	·13	–	·57	–	–	–	–	–	·02	1·28	3
4	·61	·17	·11	–	·02	·03	·02	–	–	–	·47	·60	4
5	·25	·31	·05	–	·07	·28	·08	–	–	–	·05	X	5
6	·81	·86	·59	–	·72	·65	·14	–	–	–	·01	–	6
7	·13	1·26	·14	–	·24	·29	·04	–	–	·55	·01	·13	7
8	–	·62	·15	–	·20	·09	·01	·16	·01	·04	·14	·15	8
9	–	·31	·74	·19	·22	1·84	·03	·04	–	–	·27	·07	9
10	·03	·31	·76	·14	·04	·04	–	–	–	·31	·44	–	10
11	·48	·01	·01	·43	–	·25	·21	–	–	·40	·37	·32	11
12	·03	–	·05	·07	·02	·01	·07	·01	·72	·01	·49	·08	12
13	–	·01	·79	·07	–	–	·16	·02	·28	·35	·31	–	13
14	·06	–	·22	·16	–	–	–	·01	·02	·75	·20	·03	X 14
15	·15	–	·59	1·41	–	–	–	·10	–	·01	·49	·21	15
16	–	–	·13	·26	–	–	·05	–	–	–	·55	·02	16
17	·16	–	·01	·31	·07	·30	·18	–	–	–	·54	–	17
18	·22	–	·79	·72	·04	·09	·03	–	–	·03	·40	–	18
19	·31	–	·05	·12	·32	·05	–	–	–	·29	1·10	–	19
20	·02	–	·11	·13	·21	·12	–	·06	·10	·35	1·24	–	20
21	–	–	·23	–	·16	–	·11	1·15	–	·44	·03	–	21
22	·47	–	·89	–	·52	·04	–	·32	·14	·01	–	–	22
23	·62	–	·11	–	·05	·71	–	·28	·41	·06	·14	·04	23
24	·78	·11	–	·31	–	·57	–	·07	·01	–	·30	·13	24
25	–	·07	–	·29	–	–	–	–	·64	·04	·22	·85	25
26	–	·21	·02	1·18	–	·06	–	–	·46	·11	·02	1·18	26
27	–	·01	–	·71	·05	·03	–	–	–	·37	·02	·45	27
28	·68	–	·33	·54	·28	–	–	–	–	·06	·05	·02	28
29	·01		·35	·92	·03	–	–	·19	–	·55	·19	·01	29
30	1·12		·06	–	·36	–	–	–	–	·08	·03	–	X 30
31	·17		·05		–		–	–		·17		–	31
99 Total	7·91	5·37	9·04	8·14	4·19	5·92	1·13	2·41	2·79	4·98	9·07	6·07	YEAR'S TOTAL 67·02
Rain Days.	23	16	28	19	20	19	13	12	10	21	29	19	229

W.7,000, XI. 13

3696

FORM A2. BRITISH RAINFALL.

2 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Holehird

in the County of Westmorland 2

by W G Groves

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 483 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Windermere
Distance 1/2 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.70	.26	—	—	—	.60	.27	—	—	—	.32	1
2	.01	.57	.14	.02	.01	—	.36	.43	—	.03	.37	.26	2
3	.18	.44	.17	—	.83	—	.01	.11	—	.09	—	1.64	3
4	.70	—	.28	.58	.31	—	—	.03	—	—	.01	1.02	4
5	.28	.04	.60	.25	.08	.05	.26	.02	—	—	.32	.32	5
6	—	.07	.07	.04	.11	.15	.01	.31	—	—	.26	.59	6
7	.11	.09	.27	.06	.31	.04	—	.18	—	—	.21	.05	7
8	.69	.03	.15	.09	.39	.24	—	3.33	.48	.02	.51	.22	8
9	.49	.44	.01	.26	—	.76	—	—	.04	.03	.62	—	9
10	—	.52	—	—	.05	—	—	.02	.19	—	.56	—	10
11	—	.25	.58	.02	.09	.02	1.08	—	.21	—	.72	.09	11
12	—	.79	.11	—	.02	—	.05	—	.31	—	.76	.04	12
13	—	.56	.60	.15	.02	—	.02	—	.43	—	.64	.22	13
14	—	.82	.29	.01	—	—	—	—	.27	.14	.24	.41	14
15	—	.07	.46	—	—	—	.01	—	.24	—	.18	—	15
16	—	.04	.08	—	—	—	1.20	—	2.10	—	—	.07	16
17	.01	1.12	.36	—	—	.81	.14	—	.39	—	—	2.46	17
18	.01	.61	.24	—	—	—	.07	—	.03	.04	—	.12	18
19	.01	.05	.17	—	—	—	.02	—	.09	—	.02	.04	19
20	—	.89	.16	—	.04	.09	—	—	—	—	—	.11	20
21	—	.21	—	—	.05	—	—	.05	—	.03	—	—	21
22	—	.91	—	.04	.33	.10	.01	.38	—	.13	.01	—	22
23	—	.27	.21	.17	.15	.05	.04	.14	—	—	—	—	23
24	1.41	—	.27	.09	.03	.03	.16	.05	—	—	.30	—	24
25	.20	—	—	—	—	—	.08	.77	—	.94	.75	1.23	25
26	.07	.16	—	—	—	—	.02	.04	—	.28	.73	.61	26
27	.11	.31	—	—	—	—	—		.10	.32	.71	.12	27
28	.16	.61	.38	—	.03	—	—	.14	.02	—	.76	—	28
29	1.13		.36	—	.06	—	—	.36	—	.01	1.97	.03	29
30	.36		.99	.03	—	—	—	.01	—	—	.29	.68	30
31	.70		.01		.02		.65	—		.20		—	31
Total	6.63	10.57	7.22	1.81	2.93	2.34	4.79	6.64	4.90	2.26	10.94	10.65	TOTAL for year 71.68
No. of Rain Days.	18	25	25	14	19	11	19	18	14	13	22	22	220

W. 8,000, X. '11.

Ent 12.V.16

3917
3696
BRITISH RAINFALL FORM A.
9 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Holehird
in the County of Westmorland
by W G Groves.

Lat. 54°24' N. Long. 2°55' W.
Time of Observation 9 a.m.
Nearest Railway Station Windermere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 483 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·48	1·27	·04	—	·11	—	·15	·43	—	—	—	—	1
2	·09	1·08	·46	·67	—	·12	·39	·44	—	—	—	—	2
3	·11	·43	·60	·34	—	—	·49	·06	—	—	—	·41	3
4	—	·37	·18	·02	·13	·29	—	·25	—	—	—	·37	4
5	·56	1·21	·44	—	·21	·01	—	·06	—	—	—	1·57	5
6	·38	·39	·02	·51	—	·19	1·39	·02	·06	—	—	·60	6
7	·54	1·20	·03	·17	—	—	·39	·13	—	—	·02	·24	7
8	·34	·84	—	·17	—	—	—	·18	—	—	1·26	—	8
9	—	·21	—	—	—	—	—	·02	—	—	·23	·82	9
10	1·14	·02	·04	·15	—	—	—	·08	—	·06	—	·96	10
11	·16	·02	—	·01	·71	—	·05	·10	—	—	·07	·36	11
12	·43	·06	—	·02	—	—	·16	·10	—	·16	·76	—	12
13	·24	·08	—	—	—	—	—	·29	·01	·10	—	·37	13
14	·44	—	—	·02	—	—	·26	·21	·07	—	—	·44	14
15	1·09	—	—	·06	—	—	·02	·38	·06	—	·18	·74	15
16	—	1·95	—	·02	·03	—	·19	·05	·10	—	—	·01	16
17	—	·52	·04	—	·01	—	·17	—	—	—	—	—	17
18	—	·45	·22	—	—	—	·25	—	—	—	—	—	18
19	·06	·17	·14	1·00	·32	—	·18	—	—	—	—	—	19
20	·40	·02	·06	·04	·09	—	·44	·02	—	—	—	·34	20
21	·14	·04	—	·28	—	—	·45	—	—	—	—	·08	21
22	—	·01	·12	—	—	·05	·45	—	—	·02	—	·59	22
23	—	·01	·12	·04	—	·05	·33	—	·15	·86	—	·48	23
24	—	—	·06	·01	—	—	·24	—	1·17	·18	—	·60	24
25	—	·01	—	—	—	—	·12	—	·25	—	—	·17	25
26	—	1·62	·01	—	—	·02	·31	—	·03	—	—	·62	26
27	—	·27	—	—	—	·50	·02	—	—	·63	·13	·70	27
28	—	·59	—	—	·05	·03	—	·40	—	·14	—	—	28
29	—		—	—	·09	·01	—	—	·01	—	·86	·10	29
30	·71		—	·17	—	·21	—	—	—	—	·13	·16	30
31	·39		—		—		·05	·66		·02		1·31	31
Total	99 7·70	12·8~~3~~4	2·58	3·70	1·7~~6~~5	1·48	6·50	3·88	1·91	2·17	6 3·~~8~~4	12·04	YEAR'S TOTAL 60·19 ~~60·39~~
Rain Days.	18	25	16	18	10	11	22	19	10	9	9	23	190

W. 8,000. X. 14.

3696

BRITISH RAINFALL.
FORM A.

REGISTER OF RAINFALL IN 1916

Kept at Holehird Windermere

in the County of Westmorland

by W G Groves

Lat. 54.24 N Long. 2.55 W

Time of Observation 9 A.M. each day

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 483 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.99	.31	.02	—	—	.63	.82	.08	—	—	.50	—	1
2	.54	.21	—	—	—	.16	.01	—	.27	.26	.05	.06	2
3	.10	.35	—	.05	—	.33	.27	—	.67	.32	.70	.01	3
4	.17	.25	—	.01	.10	.60	—	—	.07	1.02	.42	—	4
5	.34	1.28	—	—	.28	.32	.01	—	—	1.76	.48	—	5
6	.77	.28	.07	—	49	.11	.21	—	—	.55	.38	.05	6
7	.04	.10	.01	—	.65	.08	.49	—	—	.51	.32	.29	7
8	.01	.14	.05	.01	.19	.09	.04	—	—	.14	.72	.01	8
9	.07	—	—	—	.21	.04	.08	—	—	.15	.32	.26	9
10	.21	.31	.03	.22	—	—	.11	—	—	1.09	.47	—	10
11	.15	.11	—	.74	.02	—	.22	—	.13	.27	.05	.03	11
12	40	.76	.03	.08	.54	02	.40	.21	—	.16	.01	—	12
13	—	.38	.07	.06	.01	—	—	.49	—	1.19	.02	02	13
14	.20	.41	.05	.05	.38	—	—	.32	.65	.65	02	—	14
15	.12	.90	.24	.11	—	—	.12	.32	.02	.10	—	—	15
16	.13	.42	.38	.68	—	—	.20	.76	.03	.01	—	.01	16
17	.69	.14	—	.65	—	—	.06	.10	1.13	.35	—	.07	17
18	.14	.57	—	.16	—	—	—	.22	.44	.17	.16	.23	18
19	1.35	—	.25	.03	—	—	—	.03	.02	—	.18	.17	19
20	1.25	—	.02	.05	—	—	.01	.09	—	—	.12	.58	20
21	.58	—	—	.09	.03	—	.30	—	.03	—	.09	—	21
22	—	—	.02	.07	—	.27	—	—	—	.24	.10	.05	22
23	.25	—	.47	.33	—	.29	—	.02	—	.85	.95	.18	23
24	.18	—	.03	.48	—	2.16	—	.53	—	.23	.34	.08	24
25	.05	.03	.44	.01	.16	.12	—	.62	—	.20	.90	.18	25
26	.33	.02	.25	—	—	—	—	.02	.02	.03	.06	—	26
27	—	.04	.02	—	—	.01	—	.01	.15	.22	.08	.06	27
28	1.37	—	—	—	—	—	—	—	—	.28	.37	2.76	28
29	.25	.25	.04	—	.04	—	—	—	—	.69	1.18	.30	29
30	.13	X	—	—	—	.15	.03	.05	—	1.41	1.31	.56	30
31	—	X	—	X	1.13	X	—	.23	X	.54	X	.28	31 74.51
Total	10.81	7.26	2.49	3.88	~~4.83~~ 4.23	5.38	3.38	4.10	3.08	13.36	10.30	6.24	YEAR'S TOTAL ~~75.41~~
Rain Days.	27	21	19	19	14	16	17	17	13	27	27	22	23

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 3696

Kept at Holehird Windermere
in the County of Westmorland
by W G Groves

Lat. Long.
Time of Observation 9 A.M daily
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 483 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	—	.01	—	—	.06	—	—	.57	—	.21	.20	1
2	1.11	.01	—	.03	—	.01	—	—	.09	—	.02	—	2
3	.35	.10	—	.23	—	.88	—	—	.04	.93	.02	—	3
4	—	.02	.02	.02	—	—	—	—	—	.06	.17	.09	4
5	.26	—	.17	.15	—	—	—	—	.01	.08	1.88	.26	5
6	.10	—	—	.12	—	.12	—	—	—	.46	.55	.45	6
7	1.05	—	.01	—	—	.16	—	—	—	.39	—	.21	7
8	.32	—	—	.20	—	.01	—	.75	.20	1.10	.49	.14	8
9	.07	—	—	.21	—	—	—	.30	—	.30	.30	.03	9
10	.40	—	1.17	.31	.30	—	—	.37	.03	.05	—	—	10
11	.05	.05	—	—	.13	—	—	.32	—	.93	.09	—	11
12	—	—	.12	—	.67	—	—	.01	.04	.23	—	.05	12
13	.06	—	—	.34	.05	.07	—	.14	1.12	.01	.13	.32	13
14	.01	—	—	.15	.06	—	—	.34	—	—	—	.18	14
15	.04	—	—	.12	.01	—	.01	.09	.62	.38	—	.56	15
16	—	.08	.06	.39	—	—	.01	1.77	.09	.26	—	.08	16
17	.01	.28	.19	.34	—	—	.07	1.78	.27	.37	—	.03	17
18	.02	.04	.34	.04	.10	—	.95	.21	.55	.02	—	.36	18
19	.02	.32	.23	—	.35	—	—	.05	.03	—	.25	.47	19
20	.01	.63	—	—	.14	1.48	—	.96	.61	.23	.33	.32	20
21	—	.13	.01	—	.17	.02	—	.11	.46	.43	—	—	21
22	—	—	—	—	—	—	—	.15	.17	1.18	.04	—	22
23	—	.12	—	—	.52	.62	.04	.83	.03	.23	.16	.04	23
24	—	—	—	—	.01	.13	.03	.38	.23	1.30	.40	—	24
25	—	.10	.16	—	.03	.02	—	.56	.67	.32	.03	—	25
26	—	.02	—	—	—	.14	.14	1.16	.79	.36	.77	—	26
27	—	—	.08	—	.15	—	.48	.74	—	.08	.16	—	27
28	—	—	.43	—	—	—	—	.13	.04	.08	.56	—	28
29	—	✕	.10	—	—	—	.13	.09	—	.85	.29	—	29
30	—	✕	.03	—	—	—	—	—	—	.44	.45	—	30
31	—	✕	.29	✕	.96	✕	.01	.66	✕	—	✕	—	31
99 Total	3.98	1.90	3.42	2.65	3.65	3.72	1.57	11.90	6.60	11.07	7.30	3.79	YEAR'S TOTAL 61.85
Rain Days.	17	13	17	14	~~14~~ 15	13	10	23	21	26	21	17	206

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
3696
18
10 I 19

REGISTER OF RAINFALL IN 1918

Kept at Holehird Windermere
in the County of Westmorland
by W G Groves

Lat. 54'24 N Long. 2'55 W
Time of Observation 9 A M daily
Nearest Railway Station Windermere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 483 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18													
1	—	.37	.01	.05	.03	—	—	—	.36	.09	.70	.76	1
2	—	.16	—	.25	—	—	—	—	.27	1.38	.28	1.74	2
3	—	.18	—	—	.58	—	—	—	—	2.39	.07	.19	3
4	.01	.94	—	—	.20	—	—	.14	.08	1.08	.68	.49	4
5	—	.13	.01	.26	.20	—	—	1.21	—	1.13	.11	.26	5
6	.09	.96	—	.42	—	.56	—	.02	.03	.61	—	.03	6
7	.02	.26	—	.07	.02	—	—	.15	.38	.08	.42	.34	7
8	.27	.07	.13	—	—	—	.45	.08	.33	.45	.26	.08	8
9	.38	.85	.02	—	—	.47	.18	—	.69	.84	.16	.18	9
10	.18	1.13	.53	.02	—	—	.03	—	.28	.62	1.25	.05	10
11	.50	.20	.31	—	.18	—	.07	—	.42	—	—	.59	11
12	.02	.85	—	.01	.08	.01	.11	—	.24	—	—	.30	12
13	—	—	—	.07	.07	.03	.03	—	.24	.48	—	.07	13
14	1.18	—	—	—	.08	.34	.45	.08	.34	.09	—	.04	14
15	—	.01	—	—	—	.11	.57	—	2.84	.03	—	.63	15
16	.05	.13	—	—	—	.26	.32	.25	.93	—	—	.25	16
17	.59	.01	—	—	—	.23	.37	.32	.39	.07	—	.76	17
18	1.21	—	.34	—	—	.04	1.49	.05	.14	.01	—	.24	18
19	.62	.22	.08	.02	—	—	.13	.37	.73	.12	—	1.02	19
20	1.72	.41	.02	.20	.09	.10	.65	—	.58	—	—	—	20
21	.48	1.79	—	—	—	.23	.03	—	2.50	.01	—	.04	21
22	.22	.15	—	—	.38	.27	.85	.07	.87	—	—	1.18	22
23	.96	—	—	—	.26	—	.35	—	.14	—	.13	.06	23
24	.74	.08	—	—	—	.03	.01	.49	.55	.02	.10	.03	24
25	.12	.07	—	—	.37	—	.74	1.09	.17	—	.02	—	25
26	.05	.37	—	—	—	—	.11	.05	.70	.12	.21	1.04	26
27	.07	.37	.78	—	.01	.04	—	.62	.32	.22	.11	.83	27
28	.11	.13	.34	—	—	—	—	.05	.30	.05	.07	.52	28
29	.08	X	—	—	—	—	—	—	.26	—	—	.66	29
30	—	X	.24	—	—	—	—	.02	—	.12	.40	.17	30
31	—	X	.25	X	—	X	—	.12	X	.26	X	.07	31
99 Total	9.67	9.84	3.06	1.37	2.55	2.72	6.94	5.18	15.08	10.27	4.97	12.62	YEAR'S TOTAL 84.27
Rain Days.	23	24	13	10	14	14	19	18	27	23	16	29	230

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.

5 JAN 20

3696

REGISTER OF RAINFALL IN 1919

Kept at Holehird Windermere

in the County of Westmorland

by W. G. Groves Esq

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 483 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Windermere
Distance 1½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
19 1	1.76	—	.21	—	.22	—	.15	.05	2.36	.45	—	.38	1
2	.35	—	.28	.03	.08	—	.19	—	.04	.03	.01	.72	2
3	.21	.07	—	.05	.26	.15	.18	—	—	—	.04	.35	3
4	.11	.09	.22	—	.34	.02	.13	.33	.14	—	.04	.39	4
5	.01	—	—	.01	.55	—	—	—	.29	.02	—	.72	5
6	.10	—	.56	—	.08	—	—	—	.06	—	—	.21	6
7	.33	—	.23	.27	—	.19	—	.01	.01	—	.26	—	7
8	1.25	—	.12	.05	.03	.01	—	.03	—	—	.04	—	8
9	.27	—	.30	.03	—	—	—	—	.01	—	.07	.03	9
10	.07	—	1.35	.25	.35	.04	—	—	—	.02	.02	.90	10
11	—	—	.30	.07	.13	.01	.03	—	.08	.08	—	.20	11
12	1.40	—	.05	.32	.08	.37	.04	—	.05	.03	.48	—	12
13	.54	—	—	.52	—	.02	.05	.20	—	.17	—	.59	13
14	.79	.02	—	.40	—	—	—	.01	—	—	—	.30	14
15	.28	.24	.01	.64	—	—	—	—	—	.02	—	.97	15
16	.06	.02	—	—	—	.04	—	—	—	—	.24	.28	16
17	—	—	—	.04	—	—	.04	1.10	.02	—	1.22	.06	17
18	.09	—	.96	—	—	—	.35	.28	.19	—	.35	.60	18
19	.77	.73	1.33	.01	—	1.26	—	.14	.06	—	.30	.07	19
20	.15	.25	.03	—	—	.04	—	—	.08	—	.11	.77	20
21	.01	.38	—	—	—	.02	—	.20	.36	—	.15	.40	21
22	.02	.05	—	—	—	.42	—	.27	.33	.11	.20	.32	22
23	.22	—	—	.02	—	.19	—	.01	—	1.34	.42	.16	23
24	.51	—	—	.01	.08	.02	—	.01	.86	.04	.44	.04	24
25	.05	—	—	.55	.01	.01	—	1.14	.68	—	.12	—	25
26	.05	.01	.92	.17	—	.04	—	.17	.38	—	.01	.99	26
27	—	.04	.01	.13	—	.01	—	—	—	—	—	.04	27
28	.02	—	—	.07	—	.01	—	.88	.13	.02	—	1.00	28
29	.01	×	—	.02	—	—	—	.09	.59	.02	—	.04	29
30	—	×	.13	.06	—	.01	—	.21	.01	.06	.62	1.18	30
31	—	×	.04	×	—	×	.83	—	×	.02	×	.02	31
99 Total	9.43	1.90	7.05	3.72	2.21	2.88	1.99	5.13	6.73	2.43	5.14	11.73	TOTAL for year 60.34
No. of Rain Days.	26	11	18	22	12	20	10	18	21	15	20	27	220

W. 8,000, X. '11.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

3696

REGISTER OF RAINFALL IN 1920.

Kept at Holehird Windermere

in the County of Westmorland

by W. G. Groves Esq.

Lat. 54·24 N. Long. 2·55

Time of Observation 9 a.m.

Nearest Railway Station Windermere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 483 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.14	.23	.08	.98		.76	.05	.06	.10		.31	1
2	.16	.05		.04	.26		.82	.02	.50	.04		2.01	2
3		.18	.24	.06	.14		.01	.15	.28	.90		.37	3
4			.05	.03	.06		.11	1.73	.01	.64	.02	.01	4
5		.04	.63		1.63		.10	.20	.04	.54	.02	.02	5
6	.01		.54	.67	.82		.01			.05	.04		6
7	1.17	.15	.04	.16	.02		.19		.03		.03		7
8	.17	.25	.03	.16	.33		.61	.50	.01		.13	.01	8
9	.30	2.85	.02	.72			.09	.03	.13		.17	.05	9
10	1.71	.59	.21	.64			.47		.01			.05	10
11	.43	.07	.11	.01	.47	.15	.03				.16	.01	11
12	.38	1.03	.83	.42	.16	.02	.36		.19		.93	.21	12
13	.36	.15	.57	.56	.08	.30	.09				.18	.28	13
14	.19	.64	.19	.63		.60	.79		.58	.35	1.59		14
15	.22	.29	.13	.80			.02		.04	.20	.21		15
16	.38	.04	.38	.09	.12		.59	.06	.59		.12		16
17	.32		.34		.39		.20	.84	.62		.01		17
18	.68	.01	.01	.12	1.53	.34	.07	.01	.09				18
19	.05	.60		.16	.05	.23	.19	.02				.02	19
20	.24			.16		.09	.10	.01	.47			.91	20
21	.04			.03			.10		.02			.28	21
22	.94	.01		.57	.09	.03	.46			.01		.01	22
23	.93		.22	.15			.32	.01				.29	23
24	.20	.02	.97	.16		.08	.03	.01				.43	24
25		.06	.27	.13		.12	.39		.03			.07	25
26	.20	.21	1.07	.24			.05		.27		.21	.07	26
27	.14	.01	1.16	.04	.35	1.21	.20				.21	.20	27
28	.09	.36	.65	.48	.02	.33	.25				.07	.43	28
29	.45	.84	.07		.53	.06	.56				.75	.86	29
30	.62		.15		.13	.10	.02		.14	.06	.23	.75	30
31	.37		.25		.08		.08	.18		.01		.52	31
99 Total	10.82	8.59	9.36	7.31	8.24	3.66	8.07	3.82	4.11	2.90	5.08	8.17	Year's Total 80.13
Days with ·01 in. or more	1	4	3	3	2	2	6	7	6	2	4	6	~~46~~
Days with ·04 in. or more	26	19	23	23	19	12	25	8	14	9	14	18	210

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WINDERMERE
THE COUNCIL HSE

WESTMORLAND

1915 - 16

FORM A.
BRITISH RAINFALL.
3 JUN 1916

RE

Kept at Winder
54' 10" W.
Oct to 31st march
60 m rest of year

in the County of We
indermere
5 in.

by Charles E Hunie
Ground 1 ft. – in.
Sea Level 364 ft.

IMPORTANT N the result entered to the previous day. If an rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.49	1.15	0.04	nil	0.28	nil	nil	0.21	0.58	nil	nil	0.01	1
2	0.10	0.97	0.47	0.65	nil	nil	0.41	0.70	nil	nil	nil	nil	2
3	0.10	0.31	0.56	0.40	nil	0.12	0.37	0.16	nil	nil	nil	0.45	3
4	nil	0.36	0.18	0.20	nil	nil	0.25	0.07	nil	nil	nil	0.38	4
5	0.61	1.00	0.42	0.10	0.11	0.25	nil	nil	nil	nil	nil	1.60	5
6	0.40	0.30	0.01	0.33	0.19	nil	nil	0.04	nil	nil	0.01	0.54	6
7	0.40	1.13	0.02	0.13	nil	0.15	1.81	0.07	0.05	nil	0.03	0.11	7
8	0.33	0.72	nil	0.26	nil	nil	nil	0.05	nil	nil	1.11	nil	8
9	nil	0.21	nil	0.10	nil	nil	nil	0.16	nil	nil	0.20	0.91	9
10	1.04	0.02	0.03	nil	nil	nil	nil	0.03	nil	0.06	nil	0.98	10
11	0.16	nil	nil	0.13	0.09	0.02	nil	0.25	nil	nil	0.04	0.25	11
12	0.45	0.04	nil	0.02	0.47	nil	0.22	0.02	nil	0.18	0.71	nil	12
13	0.29	0.04	nil	nil	nil	nil	0.01	0.24	nil	0.13	nil	0.35	13
14	0.43	nil	nil	nil	nil	nil	nil	0.01	0.09	nil	nil	0.55	14
15	1.16	nil	nil	0.02	nil	nil	0.17	0.34	0.04	nil	0.16	0.80	15
16	nil	2.21	nil	0.06	nil	nil	0.07	0.17	0.06	nil	nil	nil	16
17	nil	0.49	0.04	nil	0.03	nil	0.13	nil	0.10	nil	nil	nil	17
18	nil	0.38	0.24	nil	nil	nil	0.17	nil	nil	nil	nil	nil	18
19	0.11	0.08	0.12	0.18	nil	nil	0.39	nil	nil	nil	nil	nil	19
20	0.30	0.02	0.04	0.77	0.38	nil	0.29	nil	nil	nil	nil	0.25	20
21	0.08	0.06	nil	nil	0.01	nil	0.04	nil	nil	nil	nil	0.08	21
22	nil	nil	0.15	0.14	nil	nil	0.33	nil	nil	0.02	nil	0.50	22
23	nil	nil	0.13	nil	nil	0.09	0.26	nil	0.13	0.63	nil	0.49	23
24	nil	nil	0.04	0.04	nil	nil	nil	nil	nil	0.07	nil	0.56	24
25	nil	0.02	nil	nil	nil	nil	0.07	nil	0.54	nil	nil	0.15	25
26	nil	1.57	nil	nil	nil	nil	0.11	nil	0.23	nil	nil	0.68	26
27	nil	0.29	0.01	nil	nil	nil	0.31	nil	nil	0.70	0.11	0.74	27
28	nil	0.45	0.01	nil	nil	0.27	0.05	nil	nil	0.15	nil	nil	28
29	nil		nil	nil	0.14	0.02	nil	0.36	nil	nil	0.85	0.15	29
30	0.55		nil	nil	nil	0.17	0.01	nil	nil	nil	0.08	0.10	30
31	0.37		0.01		nil		nil	0.01		0.01		1.12	31
Total	7.37	11.82	2.52	3.53	1.70	1.09	5.47	2.89	1.82	1.95	3.30	11.75	YEAR'S TOTAL 55.21
Rain Days.	18	22	18	16	9	8	20	17	9	9	10	23	179

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JUN 1916

Kept at Windermere

in the County of Westmorland

by Charles E. Hines

Lat. 54° 23' 10" N. Long. 2° 54' 10" W.

Time of Observation 9 a.m. 1st Oct to 31st March 6 p.m. rest of year

Nearest Railway Station Windermere

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 364 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.49	1.15	0.04	Nil	0.28	Nil	Nil	0.21	0.58	Nil	Nil	0.01	1
2	0.10	0.97	0.47	0.65	Nil	Nil	0.41	0.70	Nil	Nil	Nil	Nil	2
3	0.10	0.31	0.56	0.40	Nil	0.12	0.37	0.16	Nil	Nil	Nil	0.45	3
4	Nil	0.36	0.18	0.20	Nil	Nil	0.25	0.07	Nil	Nil	Nil	0.38	4
5	0.61	1.00	0.42	0.10	0.11	0.25	Nil	Nil	Nil	Nil	Nil	1.60	5
6	0.40	0.30	0.01	0.33	0.19	Nil	Nil	0.04	Nil	Nil	0.01	0.54	6
7	0.40	1.13	0.02	0.13	Nil	0.15	1.81	0.07	0.05	Nil	0.03	0.11	7
8	0.33	0.72	Nil	0.26	Nil	Nil	Nil	0.05	Nil	Nil	1.11	Nil	8
9	Nil.	0.21	Nil	0.10	Nil	Nil	Nil	0.16	Nil	Nil	0.20	0.91	9
10	1.04	0.02	0.03	Nil	Nil.	Nil	Nil	0.03	Nil	0.06	Nil	0.98	10
11	0.16	Nil	Nil	0.13	0.09	0.02	Nil	0.25	Nil	Nil	0.04	0.25	11
12	0.45	0.04	Nil	0.02	0.47	Nil	0.22	0.02	Nil	0.18	0.71	Nil	12
13	0.29	0.04	Nil	Nil	Nil	Nil	0.01	0.24	Nil	0.13	Nil	0.35	13
14	0.43	Nil	Nil	Nil	Nil	Nil	Nil	0.01	0.09	Nil	Nil	0.55	14
15	1.16	Nil	Nil	0.02	Nil.	Nil	0.17	0.34	0.04	Nil	0.16	0.80	15
16	Nil	2.21	Nil	0.06	Nil	Nil	0.07	0.17	0.06	Nil	Nil	Nil	16
17	Nil	0.49	0.04	Nil	0.03	Nil	0.13	Nil	0.10	Nil	Nil	Nil	17
18	Nil	0.38	0.24	Nil	Nil	Nil	0.17	Nil	Nil	Nil	Nil	Nil	18
19	0.11	0.08	0.12	0.18	Nil	Nil	0.39	Nil	Nil	Nil	Nil	Nil	19
20	0.30	0.02	0.04	0.77	0.38	Nil	0.29	Nil	Nil	Nil	Nil	0.25	20
21	0.08	0.06	Nil	Nil	0.01	Nil	0.04	Nil	Nil	Nil	Nil	0.08	21
22	Nil	Nil	0.15	0.14	Nil	Nil	0.33	Nil	Nil	0.02	Nil	0.50	22
23	Nil	Nil	0.13	Nil	Nil	0.09	0.26	Nil	0.13	0.63	Nil	0.49	23
24	Nil	Nil	0.04	0.04	Nil	Nil	Nil	Nil	Nil	0.07	Nil	0.56	24
25	Nil	0.02	Nil	Nil	Nil	Nil	0.07	Nil	0.54	Nil	Nil	0.15	25
26	Nil	1.57	Nil	Nil	Nil	Nil	0.11	Nil	0.23	Nil	Nil	0.68	26
27	Nil	0.29	0.01	Nil	Nil	Nil	0.31	Nil	Nil	0.70	0.11	0.74	27
28	Nil	0.45	0.01	Nil	Nil	0.27	0.05	Nil	Nil	0.15	Nil	Nil	28
29	Nil		Nil	Nil	0.14	0.02	Nil	0.36	Nil	Nil	0.85	0.15	29
30	0.55		Nil	Nil	Nil	0.17	0.01	Nil	Nil	Nil	0.08	0.10	30
31	0.37		0.01		Nil		Nil	0.01		0.01		1.12	31
Total	7.37	11.82	2.52	3.53	1.70	1.09	5.47	2.89	1.82	1.95	3.30	11.75	YEAR'S TOTAL 55.21
Rain Days.	18	22	18	16	9	8	20	17	9	9	10	23	179

W.7,000, XI. 13

3841

FORM A.
BRITISH RAINFALL.
25. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at *The Council House, Windermere*
in the County of *Westmorland*
by *Charles E. Hines*

Lat. *54° 23′ 10″* Long. *2° 54′ 10″ W*
Time of Observation *9 a.m.*
Nearest Railway Station *Windermere (L&N.W.R.)*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *one* ft. in.
" " " " Sea Level *364.1* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.87	0.36	nil	nil	nil	0.63	0.84	0.03	nil	Nil	0.46	Nil	1
2	0.35	0.15	nil	nil	0.01	0.16	0.01	nil	0.30	0.32	0.02	0.04	2
3	0.06	0.26	nil	0.05	0.01	0.19	0.19	nil	0.86	0.32	0.70	0.01	3
4	0.14	0.15	nil	nil	0.79	0.61	0.02	nil	0.05	1.05	0.37	nil	4
5	0.32	1.37	nil	nil	0.28	0.21	nil	nil	nil	1.46	0.48	Nil	5
6	0.69	0.27	0.06	nil	0.53	0.09	0.24	nil	nil	0.54	0.36	0.04	6
7	0.04	0.09	0.01	nil	0.60	0.06	0.51	nil	nil	0.52	0.36	0.25	7
8	0.01	0.12	0.04	nil	0.09	0.08	0.02	nil	nil	0.12	0.50	Nil	8
9	0.07	nil	nil	nil	0.21	0.03	0.13	nil	nil	0.11	0.37	0.12	9
10	0.26	0.27	0.02	0.24	nil	0.01	0.14	nil	nil	0.85	0.49	Nil	10
11	0.11	0.11	nil	0.79	0.02	nil	0.19	nil	0.12	0.20	0.05	0.01	11
12	0.39	0.81	0.02	0.08	0.52	0.01	0.52	0.18	nil	0.15	0.01	Nil	12
13	nil	0.37	0.12	0.07	nil	nil	nil	0.62	nil	1.02	0.01	0.01	13
14	0.24	0.49	0.01	0.05	0.36	nil	nil	0.15	0.03	0.70	0.01	Nil	14
15	0.07	0.80	0.24	0.10	nil	nil	nil	0.75	0.01	0.11	Nil	Nil	15
16	0.13	0.48	0.37	0.65	nil	nil	0.25	0.29	0.03	nil	Nil	Nil	16
17	0.64	0.15	nil	0.56	0.01	nil	0.06	0.08	1.18	0.29	Nil	0.01	17
18	0.11	0.57	nil	0.09	nil	nil	nil	0.25	0.38	0.21	0.08	0.25	18
19	1.31	nil	0.23	0.04	nil	nil	nil	0.04	0.01	Nil	0.19	0.14	19
20	1.10	nil	0.01	0.04	nil	nil	0.01	0.06	nil	Nil	0.10	0.50	20
21	0.59	nil	nil	0.10	0.03	nil	0.16	nil	0.02	Nil	0.11	Nil	21
22	nil	nil	nil	0.06	nil	0.25	nil	nil	Nil	0.22	0.07	0.04	22
23	0.19	nil	0.46	0.21	nil	0.26	nil	0.01	Nil	0.73	0.85	0.15	23
24	0.11	nil	0.01	0.33	nil	1.52	nil	0.48	Nil	0.22	0.31	0.06	24
25	0.04	0.01	0.65	0.01	0.14	0.11	nil	0.51	Nil	0.12	0.78	0.19	25
26	0.34	0.02	0.21	nil	nil	nil	nil	nil	0.03	0.02	0.01	Nil	26
27	nil	0.03	0.01	nil	0.01	nil	nil	nil	0.15	0.21	0.08	0.05	27
28	1.37	0.01	nil	nil	nil	nil	nil	nil	Nil	0.28	0.38	2.65	28
29	0.28	0.21	0.03	nil	0.02	nil	nil	nil	Nil	0.80	1.38	0.28	29
30	0.15	×	nil	nil	nil	0.06	0.03	nil	Nil	1.62	0.86	0.61	30
31	nil	×	nil	×	1.15	×	nil	0.24	×	0.36	×	0.30	31
Total	9.98	7.10 7.00	2.40	3.47	4.78 4.78	4.28	3.32	3.69 3.69	3.17	12.55	9.39	5.71	YEAR'S TOTAL 69.84 69.84
Rain Days.	27	22	17	7 18	17	16	16	14	13	26	27	20	232

W. 8,000, VIII. 16